



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 1, 2022 – 01:38 am BST

PDB ID : 7PGB
Title : NaV_Ae1/Sp1CTD_pore-SAT09 complex
Authors : Lolicato, M.; Arrigoni, C.
Deposited on : 2021-08-13
Resolution : 3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.28.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1257 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	92% 6%
1	H	234	92% 6%
1	R	234	93% 6%
1	U	234	93% 6%
1	X	234	93% 6%
1	a	234	93% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	f	234	92% • 6%
1	i	234	92% • 6%
1	m	234	93% • 6%
1	p	234	93% • 6%
2	B	215	97% ..
2	L	215	97% ..
2	S	215	97% ..
2	V	215	97% ..
2	Y	215	97% ..
2	b	215	97% ..
2	g	215	97% ..
2	k	215	97% ..
2	n	215	97% ..
2	q	215	97% ..
3	C	143	77% • 21%
3	T	143	77% • 21%
3	W	143	78% • 21%
3	Z	143	78% .. 21%
3	c	143	77% • 21%
3	d	143	78% • 21%
3	e	143	78% • 21%
3	h	143	78% • 21%
3	l	143	78% • 21%
3	o	143	78% • 21%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	D12	e	304	-	-	-	X
13	GOL	h	305	-	-	-	X
4	4NB	T	302	-	-	-	X
4	4NB	Z	302	-	-	-	X
4	4NB	h	302	-	-	-	X
6	OCT	U	303	-	-	-	X
6	OCT	X	304	-	-	-	X
6	OCT	a	303	-	-	-	X
6	OCT	c	301	-	-	-	X
6	OCT	l	305	-	-	-	X
6	OCT	o	304	-	-	-	X
8	LNK	Z	304	-	-	-	X
8	LNK	d	303	-	-	-	X
8	LNK	d	304	-	-	-	X

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 42734 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SAT09 fab fragment, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	219	1640	1041	271	323	5	0	0	0
1	A	219	1640	1041	271	323	5	0	0	0
1	R	219	1640	1041	271	323	5	0	0	0
1	U	219	1640	1041	271	323	5	0	0	0
1	X	219	1640	1041	271	323	5	0	0	0
1	a	219	1640	1041	271	323	5	0	0	0
1	m	219	1640	1041	271	323	5	0	0	0
1	p	219	1640	1041	271	323	5	0	0	0
1	f	219	1640	1041	271	323	5	0	0	0
1	i	219	1640	1041	271	323	5	0	0	0

- Molecule 2 is a protein called SAT09 fab fragment, light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	211	1612	1006	274	327	5	0	0	0
2	B	211	1612	1006	274	327	5	0	0	0
2	S	211	1612	1006	274	327	5	0	0	0
2	V	211	1612	1006	274	327	5	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Y	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			
2	b	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			
2	n	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			
2	q	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			
2	g	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			
2	k	211	Total	C	N	O	S	0	0	0
			1612	1006	274	327	5			

- Molecule 3 is a protein called Ion transport protein, Voltage-gated sodium channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	c	113	Total	C	N	O	S	0	0	0
			910	612	136	157	5			
3	C	113	Total	C	N	O	S	0	0	0
			906	610	136	155	5			
3	T	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	W	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	Z	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	d	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	l	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	o	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	h	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			
3	e	113	Total	C	N	O	S	0	0	0
			899	604	135	155	5			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	137	GLY	-	expression tag	UNP Q0ABW0
c	138	PRO	-	expression tag	UNP Q0ABW0
c	139	SER	-	expression tag	UNP Q0ABW0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
c	140	SER	-	expression tag	UNP Q0ABW0
c	141	PRO	-	expression tag	UNP Q0ABW0
c	142	SER	-	expression tag	UNP Q0ABW0
C	137	GLY	-	expression tag	UNP Q0ABW0
C	138	PRO	-	expression tag	UNP Q0ABW0
C	139	SER	-	expression tag	UNP Q0ABW0
C	140	SER	-	expression tag	UNP Q0ABW0
C	141	PRO	-	expression tag	UNP Q0ABW0
C	142	SER	-	expression tag	UNP Q0ABW0
T	137	GLY	-	expression tag	UNP Q0ABW0
T	138	PRO	-	expression tag	UNP Q0ABW0
T	139	SER	-	expression tag	UNP Q0ABW0
T	140	SER	-	expression tag	UNP Q0ABW0
T	141	PRO	-	expression tag	UNP Q0ABW0
T	142	SER	-	expression tag	UNP Q0ABW0
W	137	GLY	-	expression tag	UNP Q0ABW0
W	138	PRO	-	expression tag	UNP Q0ABW0
W	139	SER	-	expression tag	UNP Q0ABW0
W	140	SER	-	expression tag	UNP Q0ABW0
W	141	PRO	-	expression tag	UNP Q0ABW0
W	142	SER	-	expression tag	UNP Q0ABW0
Z	137	GLY	-	expression tag	UNP Q0ABW0
Z	138	PRO	-	expression tag	UNP Q0ABW0
Z	139	SER	-	expression tag	UNP Q0ABW0
Z	140	SER	-	expression tag	UNP Q0ABW0
Z	141	PRO	-	expression tag	UNP Q0ABW0
Z	142	SER	-	expression tag	UNP Q0ABW0
d	137	GLY	-	expression tag	UNP Q0ABW0
d	138	PRO	-	expression tag	UNP Q0ABW0
d	139	SER	-	expression tag	UNP Q0ABW0
d	140	SER	-	expression tag	UNP Q0ABW0
d	141	PRO	-	expression tag	UNP Q0ABW0
d	142	SER	-	expression tag	UNP Q0ABW0
l	137	GLY	-	expression tag	UNP Q0ABW0
l	138	PRO	-	expression tag	UNP Q0ABW0
l	139	SER	-	expression tag	UNP Q0ABW0
l	140	SER	-	expression tag	UNP Q0ABW0
l	141	PRO	-	expression tag	UNP Q0ABW0
l	142	SER	-	expression tag	UNP Q0ABW0
o	137	GLY	-	expression tag	UNP Q0ABW0
o	138	PRO	-	expression tag	UNP Q0ABW0
o	139	SER	-	expression tag	UNP Q0ABW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
o	140	SER	-	expression tag	UNP Q0ABW0
o	141	PRO	-	expression tag	UNP Q0ABW0
o	142	SER	-	expression tag	UNP Q0ABW0
h	137	GLY	-	expression tag	UNP Q0ABW0
h	138	PRO	-	expression tag	UNP Q0ABW0
h	139	SER	-	expression tag	UNP Q0ABW0
h	140	SER	-	expression tag	UNP Q0ABW0
h	141	PRO	-	expression tag	UNP Q0ABW0
h	142	SER	-	expression tag	UNP Q0ABW0
e	137	GLY	-	expression tag	UNP Q0ABW0
e	138	PRO	-	expression tag	UNP Q0ABW0
e	139	SER	-	expression tag	UNP Q0ABW0
e	140	SER	-	expression tag	UNP Q0ABW0
e	141	PRO	-	expression tag	UNP Q0ABW0
e	142	SER	-	expression tag	UNP Q0ABW0

- Molecule 4 is 4-NITROBENZOIC ACID (three-letter code: 4NB) (formula: C₇H₅NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	H	1	Total	C	N	O	0	0
			12	7	1	4		
4	H	1	Total	C	N	O	0	0
			12	7	1	4		
4	C	1	Total	C	N	O	0	0
			12	7	1	4		
4	C	1	Total	C	N	O	0	0
			12	7	1	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	R	1	Total 12	C 7	N 1	O 4	0	0
4	T	1	Total 12	C 7	N 1	O 4	0	0
4	T	1	Total 12	C 7	N 1	O 4	0	0
4	T	1	Total 12	C 7	N 1	O 4	0	0
4	U	1	Total 12	C 7	N 1	O 4	0	0
4	W	1	Total 12	C 7	N 1	O 4	0	0
4	X	1	Total 12	C 7	N 1	O 4	0	0
4	X	1	Total 12	C 7	N 1	O 4	0	0
4	Z	1	Total 12	C 7	N 1	O 4	0	0
4	Z	1	Total 12	C 7	N 1	O 4	0	0
4	Z	1	Total 12	C 7	N 1	O 4	0	0
4	d	1	Total 12	C 7	N 1	O 4	0	0
4	d	1	Total 12	C 7	N 1	O 4	0	0
4	m	1	Total 12	C 7	N 1	O 4	0	0
4	l	1	Total 12	C 7	N 1	O 4	0	0
4	l	1	Total 12	C 7	N 1	O 4	0	0
4	l	1	Total 12	C 7	N 1	O 4	0	0
4	l	1	Total 12	C 7	N 1	O 4	0	0
4	p	1	Total 12	C 7	N 1	O 4	0	0
4	o	1	Total 12	C 7	N 1	O 4	0	0
4	o	1	Total 12	C 7	N 1	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	f	1	Total	C	N	O	0	0
			12	7	1	4		
4	i	1	Total	C	N	O	0	0
			12	7	1	4		
4	h	1	Total	C	N	O	0	0
			12	7	1	4		
4	h	1	Total	C	N	O	0	0
			12	7	1	4		
4	e	1	Total	C	N	O	0	0
			12	7	1	4		
4	e	1	Total	C	N	O	0	0
			12	7	1	4		
4	e	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 5 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: $C_{38}H_{75}O_{10}P$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	H	1	Total	C	O	P	0	0
			49	38	10	1		
5	A	1	Total	C	O	P	0	0
			49	38	10	1		
5	R	1	Total	C	O	P	0	0
			49	38	10	1		
5	U	1	Total	C	O	P	0	0
			49	38	10	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	X	1	Total	C	O	P	0	0
			49	38	10	1		
5	a	1	Total	C	O	P	0	0
			49	38	10	1		
5	m	1	Total	C	O	P	0	0
			49	38	10	1		
5	p	1	Total	C	O	P	0	0
			49	38	10	1		
5	f	1	Total	C	O	P	0	0
			49	38	10	1		
5	i	1	Total	C	O	P	0	0
			49	38	10	1		

- Molecule 6 is N-OCTANE (three-letter code: OCT) (formula: C₈H₁₈).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total	C	0	0
			8	8		
6	c	1	Total	C	0	0
			8	8		
6	C	1	Total	C	0	0
			8	8		
6	T	1	Total	C	0	0
			8	8		
6	U	1	Total	C	0	0
			8	8		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	W	1	Total C 8 8	0	0
6	X	1	Total C 8 8	0	0
6	a	1	Total C 8 8	0	0
6	l	1	Total C 8 8	0	0
6	o	1	Total C 8 8	0	0
6	h	1	Total C 8 8	0	0

- Molecule 7 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (three-letter code: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	H	1	Total C O 24 16 8	0	0

- Molecule 8 is PENTANE (three-letter code: LNK) (formula: C₅H₁₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	c	1	Total C 5 5	0	0
8	T	1	Total C 5 5	0	0
8	W	1	Total C 5 5	0	0
8	W	1	Total C 5 5	0	0
8	Z	1	Total C 5 5	0	0
8	Z	1	Total C 5 5	0	0
8	d	1	Total C 5 5	0	0
8	d	1	Total C 5 5	0	0
8	l	1	Total C 5 5	0	0
8	h	1	Total C 5 5	0	0
8	e	1	Total C 5 5	0	0
8	e	1	Total C 5 5	0	0
8	e	1	Total C 5 5	0	0

- Molecule 9 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	C O	0	0
			16	10 6		
9	R	1	Total	C O	0	0
			16	10 6		
9	l	1	Total	C O	0	0
			16	10 6		
9	h	1	Total	C O	0	0
			16	10 6		

- Molecule 10 is DODECANE (three-letter code: D12) (formula: $C_{12}H_{26}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	a	1	Total C 12 12	0	0
10	o	1	Total C 12 12	0	0
10	e	1	Total C 12 12	0	0

- Molecule 11 is HEXADECANE (three-letter code: R16) (formula: $C_{16}H_{34}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	p	1	Total C 16 16	0	0

- Molecule 12 is BENZENE HEXACARBOXYLIC ACID (three-letter code: BHC) (formula: $C_{12}H_6O_{12}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	h	1	Total	C	O	0	0
			24	12	12		

- Molecule 13 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	h	1	Total	C	O	0	0
			6	3	3		

- Molecule 14 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	L	1	Total O 1 1	0	0
14	B	1	Total O 1 1	0	0
14	S	1	Total O 1 1	0	0
14	Y	1	Total O 1 1	0	0
14	b	1	Total O 1 1	0	0
14	n	1	Total O 1 1	0	0
14	q	1	Total O 1 1	0	0
14	g	1	Total O 1 1	0	0
14	k	1	Total O 1 1	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SAT09 fab fragment, heavy chain

Chain H:  92% • 6%




- Molecule 1: SAT09 fab fragment, heavy chain

Chain A:  92% • 6%




- Molecule 1: SAT09 fab fragment, heavy chain

Chain R:  93% • 6%




- Molecule 1: SAT09 fab fragment, heavy chain

Chain U:  93% • 6%




- Molecule 1: SAT09 fab fragment, heavy chain

Chain X:  93% • 6%




- Molecule 1: SAT09 fab fragment, heavy chain

Chain a:  93% • 6%




• Molecule 1: SAT09 fab fragment, heavy chain

Chain m:  93% • 6%





• Molecule 1: SAT09 fab fragment, heavy chain

Chain p:  93% • 6%





• Molecule 1: SAT09 fab fragment, heavy chain

Chain f:  92% • 6%



• Molecule 1: SAT09 fab fragment, heavy chain

Chain i:  92% • 6%



• Molecule 2: SAT09 fab fragment, light chain

Chain L:  97% ••



• Molecule 2: SAT09 fab fragment, light chain

Chain B:  97% ••



• Molecule 2: SAT09 fab fragment, light chain

Chain S:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain V:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain Y:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain b:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain n:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain q:  97% ..



- Molecule 2: SAT09 fab fragment, light chain

Chain g:  97% ..





- Molecule 2: SAT09 fab fragment, light chain

Chain k:  97%




- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain c:  77%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain C:  77%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain T:  77%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain W:  78%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain Z:  78%




- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain d:  78%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain l:  78% 21%




- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain o:  78% 21%





- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain h:  78% 21%



- Molecule 3: Ion transport protein, Voltage-gated sodium channel

Chain e:  78% 21%



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	200.87Å 200.87Å 327.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 3.60 15.00 – 3.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (15.00-3.60) 99.9 (15.00-3.60)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 3.57Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.207 , 0.232 0.207 , 0.232	Depositor DCC
R_{free} test set	7391 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	156.8	Xtrriage
Anisotropy	0.076	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.377 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	42734	wwPDB-VP
Average B, all atoms (Å ²)	190.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: D12, 1PE, LHG, PE4, OCT, BHC, 4NB, GOL, R16, LNK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/1686	0.53	0/2303
1	H	0.26	0/1686	0.53	0/2303
1	R	0.26	0/1686	0.52	0/2303
1	U	0.26	0/1686	0.52	0/2303
1	X	0.26	0/1686	0.52	0/2303
1	a	0.26	0/1686	0.52	0/2303
1	f	0.26	0/1686	0.53	0/2303
1	i	0.26	0/1686	0.53	0/2303
1	m	0.25	0/1686	0.53	0/2303
1	p	0.26	0/1686	0.52	0/2303
2	B	0.28	0/1645	0.48	0/2233
2	L	0.28	0/1645	0.48	0/2233
2	S	0.28	0/1645	0.48	0/2233
2	V	0.28	0/1645	0.48	0/2233
2	Y	0.28	0/1645	0.48	0/2233
2	b	0.28	0/1645	0.48	0/2233
2	g	0.28	0/1645	0.48	0/2233
2	k	0.27	0/1645	0.48	0/2233
2	n	0.28	0/1645	0.48	0/2233
2	q	0.27	0/1645	0.48	0/2233
3	C	0.28	0/936	0.47	0/1277
3	T	0.26	0/929	0.46	1/1269 (0.1%)
3	W	0.26	0/929	0.47	1/1269 (0.1%)
3	Z	0.27	0/929	0.69	2/1269 (0.2%)
3	c	0.27	0/940	0.47	1/1282 (0.1%)
3	d	0.27	0/929	0.47	1/1269 (0.1%)
3	e	0.26	0/929	0.47	1/1269 (0.1%)
3	h	0.27	0/929	0.46	1/1269 (0.1%)
3	l	0.27	0/929	0.47	1/1269 (0.1%)
3	o	0.26	0/929	0.45	0/1269
All	All	0.27	0/42618	0.50	9/58071 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	H	0	1
1	R	0	1
1	U	0	1
1	X	0	1
1	a	0	1
1	f	0	1
1	i	0	1
1	m	0	1
1	p	0	1
2	B	0	1
2	L	0	1
2	S	0	1
2	V	0	1
2	Y	0	1
2	b	0	1
2	g	0	1
2	k	0	1
2	n	0	1
2	q	0	1
All	All	0	20

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Z	241	MET	CA-CB-CG	14.59	138.11	113.30
3	Z	241	MET	CB-CG-SD	11.83	147.88	112.40
3	d	241	MET	CA-CB-CG	5.31	122.33	113.30
3	T	241	MET	CA-CB-CG	5.27	122.26	113.30
3	e	241	MET	CA-CB-CG	5.25	122.22	113.30
3	l	241	MET	CA-CB-CG	5.24	122.22	113.30
3	W	241	MET	CA-CB-CG	5.22	122.17	113.30
3	h	241	MET	CA-CB-CG	5.14	122.04	113.30
3	c	241	MET	CA-CB-CG	5.14	122.03	113.30

There are no chirality outliers.

All (20) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	GLY	Peptide
2	B	29	VAL	Peptide
1	H	101	GLY	Peptide
2	L	29	VAL	Peptide
1	R	101	GLY	Peptide
2	S	29	VAL	Peptide
1	U	101	GLY	Peptide
2	V	29	VAL	Peptide
1	X	101	GLY	Peptide
2	Y	29	VAL	Peptide
1	a	101	GLY	Peptide
2	b	29	VAL	Peptide
1	f	101	GLY	Peptide
2	g	29	VAL	Peptide
1	i	101	GLY	Peptide
2	k	29	VAL	Peptide
1	m	101	GLY	Peptide
2	n	29	VAL	Peptide
1	p	101	GLY	Peptide
2	q	29	VAL	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	215/234 (92%)	200 (93%)	14 (6%)	1 (0%)	29 68
1	H	215/234 (92%)	200 (93%)	14 (6%)	1 (0%)	29 68
1	R	215/234 (92%)	199 (93%)	15 (7%)	1 (0%)	29 68
1	U	215/234 (92%)	199 (93%)	15 (7%)	1 (0%)	29 68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	X	215/234 (92%)	200 (93%)	14 (6%)	1 (0%)	29	68
1	a	215/234 (92%)	200 (93%)	14 (6%)	1 (0%)	29	68
1	f	215/234 (92%)	200 (93%)	14 (6%)	1 (0%)	29	68
1	i	215/234 (92%)	198 (92%)	16 (7%)	1 (0%)	29	68
1	m	215/234 (92%)	199 (93%)	15 (7%)	1 (0%)	29	68
1	p	215/234 (92%)	198 (92%)	16 (7%)	1 (0%)	29	68
2	B	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	L	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	S	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	V	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	Y	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	b	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	g	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	k	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
2	n	209/215 (97%)	198 (95%)	11 (5%)	0	100	100
2	q	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
3	C	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	T	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	W	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	Z	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	c	111/143 (78%)	105 (95%)	6 (5%)	0	100	100
3	d	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	e	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	h	111/143 (78%)	107 (96%)	4 (4%)	0	100	100
3	l	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
3	o	111/143 (78%)	106 (96%)	5 (4%)	0	100	100
All	All	5350/5920 (90%)	5024 (94%)	316 (6%)	10 (0%)	47	79

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	182	SER
1	A	182	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	182	SER
1	U	182	SER
1	X	182	SER
1	a	182	SER
1	m	182	SER
1	p	182	SER
1	f	182	SER
1	i	182	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/196 (92%)	180 (99%)	1 (1%)	86	94
1	H	181/196 (92%)	180 (99%)	1 (1%)	86	94
1	R	181/196 (92%)	181 (100%)	0	100	100
1	U	181/196 (92%)	181 (100%)	0	100	100
1	X	181/196 (92%)	181 (100%)	0	100	100
1	a	181/196 (92%)	181 (100%)	0	100	100
1	f	181/196 (92%)	180 (99%)	1 (1%)	86	94
1	i	181/196 (92%)	180 (99%)	1 (1%)	86	94
1	m	181/196 (92%)	181 (100%)	0	100	100
1	p	181/196 (92%)	181 (100%)	0	100	100
2	B	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	L	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	S	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	V	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	Y	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	b	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	g	186/189 (98%)	184 (99%)	2 (1%)	73	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	k	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	n	186/189 (98%)	184 (99%)	2 (1%)	73	88
2	q	186/189 (98%)	184 (99%)	2 (1%)	73	88
3	C	94/120 (78%)	91 (97%)	3 (3%)	39	70
3	T	92/120 (77%)	90 (98%)	2 (2%)	52	77
3	W	92/120 (77%)	91 (99%)	1 (1%)	73	88
3	Z	92/120 (77%)	90 (98%)	2 (2%)	52	77
3	c	95/120 (79%)	93 (98%)	2 (2%)	53	78
3	d	92/120 (77%)	92 (100%)	0	100	100
3	e	92/120 (77%)	91 (99%)	1 (1%)	73	88
3	h	92/120 (77%)	92 (100%)	0	100	100
3	l	92/120 (77%)	92 (100%)	0	100	100
3	o	92/120 (77%)	91 (99%)	1 (1%)	73	88
All	All	4595/5050 (91%)	4559 (99%)	36 (1%)	81	91

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	103	TYR
2	L	18	ARG
2	L	108	ARG
3	c	155	LEU
3	c	252	ARG
1	A	103	TYR
2	B	18	ARG
2	B	108	ARG
3	C	155	LEU
3	C	241	MET
3	C	252	ARG
2	S	18	ARG
2	S	108	ARG
3	T	155	LEU
3	T	252	ARG
2	V	18	ARG
2	V	108	ARG
3	W	155	LEU
2	Y	18	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Y	108	ARG
3	Z	155	LEU
3	Z	241	MET
2	b	18	ARG
2	b	108	ARG
2	n	18	ARG
2	n	108	ARG
2	q	18	ARG
2	q	108	ARG
3	o	241	MET
1	f	103	TYR
2	g	18	ARG
2	g	108	ARG
1	i	103	TYR
2	k	18	ARG
2	k	108	ARG
3	e	155	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	160	GLN
2	L	166	GLN
3	c	245	HIS
2	B	160	GLN
2	B	166	GLN
2	S	160	GLN
2	S	166	GLN
2	V	160	GLN
2	V	166	GLN
2	Y	160	GLN
2	Y	166	GLN
3	Z	245	HIS
2	b	160	GLN
2	b	166	GLN
3	d	245	HIS
2	n	160	GLN
2	n	166	GLN
1	p	28	ASN
2	q	160	GLN
2	q	166	GLN
3	o	245	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	g	160	GLN
2	g	166	GLN
2	k	160	GLN
2	k	166	GLN
3	h	245	HIS
3	e	245	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

77 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	LNK	T	305	-	4,4,4	0.34	0	3,3,3	0.50	0
6	OCT	U	303	-	7,7,7	0.34	0	6,6,6	0.69	0
5	LHG	m	302	-	48,48,48	0.58	1 (2%)	51,54,54	1.20	6 (11%)
4	4NB	e	303	-	9,12,12	2.30	2 (22%)	11,16,16	0.67	0
4	4NB	H	302	-	9,12,12	2.22	2 (22%)	11,16,16	0.70	0
5	LHG	H	303	-	48,48,48	0.62	1 (2%)	51,54,54	1.21	6 (11%)
7	PE4	H	305	-	23,23,23	0.55	0	22,22,22	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	1PE	h	306	-	15,15,15	0.54	0	14,14,14	0.20	0
5	LHG	a	302	-	48,48,48	0.62	1 (2%)	51,54,54	1.24	6 (11%)
12	BHC	h	304	-	12,24,24	4.41	6 (50%)	18,36,36	0.35	0
4	4NB	h	301	-	9,12,12	2.16	2 (22%)	11,16,16	0.71	0
4	4NB	T	303	-	9,12,12	2.18	2 (22%)	11,16,16	0.72	0
4	4NB	C	302	-	9,12,12	2.24	2 (22%)	11,16,16	0.66	0
8	LNK	h	307	-	4,4,4	0.35	0	3,3,3	0.48	0
4	4NB	f	301	-	9,12,12	2.20	2 (22%)	11,16,16	0.67	0
10	D12	a	301	-	11,11,11	0.32	0	10,10,10	0.78	0
8	LNK	W	304	-	4,4,4	0.32	0	3,3,3	0.52	0
4	4NB	o	302	-	9,12,12	2.13	2 (22%)	11,16,16	0.71	0
4	4NB	d	301	-	9,12,12	2.19	2 (22%)	11,16,16	0.71	0
4	4NB	l	303	-	9,12,12	2.21	2 (22%)	11,16,16	0.67	0
4	4NB	Z	302	-	9,12,12	2.20	2 (22%)	11,16,16	0.72	0
6	OCT	C	303	-	7,7,7	0.31	0	6,6,6	0.72	0
4	4NB	l	304	-	9,12,12	2.32	2 (22%)	11,16,16	1.21	1 (9%)
4	4NB	C	301	-	9,12,12	2.24	2 (22%)	11,16,16	0.79	0
5	LHG	A	301	-	48,48,48	0.67	1 (2%)	51,54,54	1.22	7 (13%)
4	4NB	W	301	-	9,12,12	2.14	2 (22%)	11,16,16	0.73	0
4	4NB	T	301	-	9,12,12	2.16	2 (22%)	11,16,16	0.72	0
8	LNK	Z	304	-	4,4,4	0.34	0	3,3,3	0.52	0
6	OCT	h	303	-	7,7,7	0.33	0	6,6,6	0.68	0
4	4NB	d	302	-	9,12,12	2.25	2 (22%)	11,16,16	0.74	0
4	4NB	H	301	-	9,12,12	2.16	2 (22%)	11,16,16	0.67	0
8	LNK	W	303	-	4,4,4	0.34	0	3,3,3	0.51	0
10	D12	e	304	-	11,11,11	0.31	0	10,10,10	0.78	0
8	LNK	e	306	-	4,4,4	0.33	0	3,3,3	0.52	0
8	LNK	e	305	-	4,4,4	0.34	0	3,3,3	0.52	0
4	4NB	p	301	-	9,12,12	2.19	2 (22%)	11,16,16	0.71	0
6	OCT	T	304	-	7,7,7	0.31	0	6,6,6	0.71	0
4	4NB	R	301	-	9,12,12	2.14	2 (22%)	11,16,16	0.83	0
9	1PE	A	302	-	15,15,15	0.54	0	14,14,14	0.30	0
9	1PE	R	303	-	15,15,15	0.55	0	14,14,14	0.30	0
4	4NB	i	301	-	9,12,12	2.29	2 (22%)	11,16,16	0.71	0
4	4NB	X	302	-	9,12,12	2.24	2 (22%)	11,16,16	0.82	0
6	OCT	a	303	-	7,7,7	0.31	0	6,6,6	0.73	0
4	4NB	e	301	-	9,12,12	2.17	2 (22%)	11,16,16	0.71	0
5	LHG	p	302	-	48,48,48	0.64	0	51,54,54	1.25	6 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	R16	p	303	-	15,15,15	0.33	0	14,14,14	0.77	0
5	LHG	i	302	-	48,48,48	0.63	1 (2%)	51,54,54	1.25	6 (11%)
4	4NB	l	302	-	9,12,12	2.30	2 (22%)	11,16,16	0.83	1 (9%)
6	OCT	l	305	-	7,7,7	0.35	0	6,6,6	0.63	0
6	OCT	c	301	-	7,7,7	0.33	0	6,6,6	0.65	0
5	LHG	R	302	-	48,48,48	0.62	0	51,54,54	1.25	6 (11%)
6	OCT	W	302	-	7,7,7	0.31	0	6,6,6	0.69	0
6	OCT	X	304	-	7,7,7	0.31	0	6,6,6	0.74	0
8	LNK	e	307	-	4,4,4	0.33	0	3,3,3	0.53	0
4	4NB	o	301	-	9,12,12	2.22	2 (22%)	11,16,16	0.70	0
5	LHG	f	302	-	48,48,48	0.61	1 (2%)	51,54,54	1.22	6 (11%)
8	LNK	Z	305	-	4,4,4	0.34	0	3,3,3	0.49	0
13	GOL	h	305	-	5,5,5	0.94	0	5,5,5	0.96	0
4	4NB	X	301	-	9,12,12	2.22	2 (22%)	11,16,16	0.69	0
5	LHG	X	303	-	48,48,48	0.59	1 (2%)	51,54,54	1.23	6 (11%)
4	4NB	Z	301	-	9,12,12	2.21	2 (22%)	11,16,16	0.65	0
4	4NB	Z	303	-	9,12,12	2.16	2 (22%)	11,16,16	0.77	0
6	OCT	H	304	-	7,7,7	0.30	0	6,6,6	0.73	0
4	4NB	U	301	-	9,12,12	2.24	2 (22%)	11,16,16	0.65	0
4	4NB	h	302	-	9,12,12	2.21	2 (22%)	11,16,16	0.74	0
8	LNK	l	307	-	4,4,4	0.33	0	3,3,3	0.52	0
4	4NB	l	301	-	9,12,12	2.39	2 (22%)	11,16,16	0.73	0
9	1PE	l	306	-	15,15,15	0.53	0	14,14,14	0.25	0
8	LNK	c	302	-	4,4,4	0.34	0	3,3,3	0.52	0
5	LHG	U	302	-	48,48,48	0.62	0	51,54,54	1.22	6 (11%)
4	4NB	m	301	-	9,12,12	2.27	2 (22%)	11,16,16	0.72	0
10	D12	o	303	-	11,11,11	0.31	0	10,10,10	0.77	0
4	4NB	e	302	-	9,12,12	2.18	2 (22%)	11,16,16	0.69	0
8	LNK	d	303	-	4,4,4	0.35	0	3,3,3	0.49	0
8	LNK	d	304	-	4,4,4	0.34	0	3,3,3	0.50	0
4	4NB	T	302	-	9,12,12	2.39	2 (22%)	11,16,16	0.70	0
6	OCT	o	304	-	7,7,7	0.33	0	6,6,6	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	LNK	T	305	-	-	0/2/2/2	-
6	OCT	U	303	-	-	2/5/5/5	-
5	LHG	m	302	-	-	24/53/53/53	-
4	4NB	e	303	-	-	0/2/8/8	0/1/1/1
4	4NB	H	302	-	-	0/2/8/8	0/1/1/1
5	LHG	H	303	-	-	30/53/53/53	-
7	PE4	H	305	-	-	14/21/21/21	-
9	1PE	h	306	-	-	6/13/13/13	-
5	LHG	a	302	-	-	29/53/53/53	-
12	BHC	h	304	-	-	0/0/24/24	0/1/1/1
4	4NB	h	301	-	-	2/2/8/8	0/1/1/1
4	4NB	T	303	-	-	2/2/8/8	0/1/1/1
4	4NB	C	302	-	-	0/2/8/8	0/1/1/1
8	LNK	h	307	-	-	0/2/2/2	-
4	4NB	f	301	-	-	2/2/8/8	0/1/1/1
10	D12	a	301	-	-	1/9/9/9	-
8	LNK	W	304	-	-	1/2/2/2	-
4	4NB	o	302	-	-	0/2/8/8	0/1/1/1
4	4NB	d	301	-	-	0/2/8/8	0/1/1/1
4	4NB	l	303	-	-	2/2/8/8	0/1/1/1
4	4NB	Z	302	-	-	0/2/8/8	0/1/1/1
6	OCT	C	303	-	-	0/5/5/5	-
4	4NB	l	304	-	-	2/2/8/8	0/1/1/1
4	4NB	C	301	-	-	0/2/8/8	0/1/1/1
5	LHG	A	301	-	-	26/53/53/53	-
4	4NB	W	301	-	-	0/2/8/8	0/1/1/1
4	4NB	T	301	-	-	2/2/8/8	0/1/1/1
8	LNK	Z	304	-	-	0/2/2/2	-
6	OCT	h	303	-	-	0/5/5/5	-
4	4NB	d	302	-	-	2/2/8/8	0/1/1/1
4	4NB	H	301	-	-	0/2/8/8	0/1/1/1
8	LNK	W	303	-	-	0/2/2/2	-
10	D12	e	304	-	-	2/9/9/9	-
8	LNK	e	306	-	-	1/2/2/2	-
8	LNK	e	305	-	-	0/2/2/2	-
4	4NB	p	301	-	-	0/2/8/8	0/1/1/1
6	OCT	T	304	-	-	0/5/5/5	-
4	4NB	R	301	-	-	0/2/8/8	0/1/1/1
9	1PE	A	302	-	-	6/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	1PE	R	303	-	-	6/13/13/13	-
4	4NB	i	301	-	-	0/2/8/8	0/1/1/1
4	4NB	X	302	-	-	2/2/8/8	0/1/1/1
6	OCT	a	303	-	-	2/5/5/5	-
4	4NB	e	301	-	-	0/2/8/8	0/1/1/1
5	LHG	p	302	-	-	28/53/53/53	-
11	R16	p	303	-	-	6/13/13/13	-
5	LHG	i	302	-	-	32/53/53/53	-
4	4NB	l	302	-	-	0/2/8/8	0/1/1/1
6	OCT	l	305	-	-	0/5/5/5	-
6	OCT	c	301	-	-	0/5/5/5	-
5	LHG	R	302	-	-	27/53/53/53	-
6	OCT	W	302	-	-	3/5/5/5	-
6	OCT	X	304	-	-	1/5/5/5	-
8	LNK	e	307	-	-	0/2/2/2	-
4	4NB	o	301	-	-	0/2/8/8	0/1/1/1
5	LHG	f	302	-	-	28/53/53/53	-
8	LNK	Z	305	-	-	0/2/2/2	-
13	GOL	h	305	-	-	2/4/4/4	-
4	4NB	X	301	-	-	0/2/8/8	0/1/1/1
5	LHG	X	303	-	-	22/53/53/53	-
4	4NB	Z	301	-	-	2/2/8/8	0/1/1/1
4	4NB	Z	303	-	-	0/2/8/8	0/1/1/1
6	OCT	H	304	-	-	2/5/5/5	-
4	4NB	U	301	-	-	0/2/8/8	0/1/1/1
4	4NB	h	302	-	-	2/2/8/8	0/1/1/1
8	LNK	l	307	-	-	1/2/2/2	-
4	4NB	l	301	-	-	2/2/8/8	0/1/1/1
9	1PE	l	306	-	-	7/13/13/13	-
8	LNK	c	302	-	-	0/2/2/2	-
5	LHG	U	302	-	-	26/53/53/53	-
4	4NB	m	301	-	-	0/2/8/8	0/1/1/1
10	D12	o	303	-	-	2/9/9/9	-
4	4NB	e	302	-	-	2/2/8/8	0/1/1/1
8	LNK	d	303	-	-	1/2/2/2	-
8	LNK	d	304	-	-	0/2/2/2	-
4	4NB	T	302	-	-	0/2/8/8	0/1/1/1
6	OCT	o	304	-	-	3/5/5/5	-

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	T	302	4NB	C1-C	6.60	1.53	1.47
4	l	301	4NB	C1-C	6.59	1.53	1.47
12	h	304	BHC	C1-CO1	6.34	1.53	1.47
4	l	302	4NB	C1-C	6.29	1.53	1.47
4	i	301	4NB	C1-C	6.29	1.53	1.47
4	l	304	4NB	C1-C	6.29	1.53	1.47
4	e	303	4NB	C1-C	6.29	1.53	1.47
4	m	301	4NB	C1-C	6.20	1.53	1.47
12	h	304	BHC	C3-CO3	6.18	1.53	1.47
12	h	304	BHC	C2-CO2	6.16	1.53	1.47
4	U	301	4NB	C1-C	6.14	1.53	1.47
4	C	302	4NB	C1-C	6.13	1.53	1.47
4	d	302	4NB	C1-C	6.13	1.53	1.47
4	X	302	4NB	C1-C	6.11	1.53	1.47
12	h	304	BHC	C4-CO4	6.09	1.53	1.47
4	C	301	4NB	C1-C	6.08	1.53	1.47
4	H	302	4NB	C1-C	6.04	1.53	1.47
12	h	304	BHC	C6-CO6	6.03	1.53	1.47
4	h	302	4NB	C1-C	6.00	1.53	1.47
4	Z	302	4NB	C1-C	5.99	1.53	1.47
4	l	303	4NB	C1-C	5.99	1.53	1.47
12	h	304	BHC	C5-CO5	5.99	1.53	1.47
4	X	301	4NB	C1-C	5.98	1.53	1.47
4	Z	301	4NB	C1-C	5.98	1.53	1.47
4	f	301	4NB	C1-C	5.98	1.53	1.47
4	o	301	4NB	C1-C	5.97	1.53	1.47
4	p	301	4NB	C1-C	5.96	1.53	1.47
4	T	303	4NB	C1-C	5.92	1.53	1.47
4	d	301	4NB	C1-C	5.91	1.53	1.47
4	e	302	4NB	C1-C	5.91	1.53	1.47
4	e	301	4NB	C1-C	5.89	1.53	1.47
4	Z	303	4NB	C1-C	5.87	1.53	1.47
4	H	301	4NB	C1-C	5.85	1.53	1.47
4	h	301	4NB	C1-C	5.84	1.53	1.47
4	T	301	4NB	C1-C	5.82	1.53	1.47
4	W	301	4NB	C1-C	5.81	1.53	1.47
4	o	302	4NB	C1-C	5.78	1.53	1.47
4	R	301	4NB	C1-C	5.77	1.53	1.47
4	o	301	4NB	O2'-N	-2.92	1.17	1.22
4	l	304	4NB	O2'-N	-2.92	1.17	1.22
4	X	301	4NB	O2'-N	-2.90	1.17	1.22
4	d	301	4NB	O2'-N	-2.86	1.18	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	h	301	4NB	O2'-N	-2.81	1.18	1.22
4	Z	301	4NB	O2'-N	-2.81	1.18	1.22
4	l	303	4NB	O2'-N	-2.80	1.18	1.22
4	H	302	4NB	O2'-N	-2.80	1.18	1.22
4	f	301	4NB	O2'-N	-2.79	1.18	1.22
4	T	303	4NB	O2'-N	-2.78	1.18	1.22
4	e	303	4NB	O2'-N	-2.78	1.18	1.22
4	T	301	4NB	O2'-N	-2.78	1.18	1.22
4	d	302	4NB	O2'-N	-2.77	1.18	1.22
4	l	301	4NB	O2'-N	-2.77	1.18	1.22
4	h	302	4NB	O2'-N	-2.77	1.18	1.22
4	Z	302	4NB	O2'-N	-2.76	1.18	1.22
4	C	301	4NB	O2'-N	-2.76	1.18	1.22
4	R	301	4NB	O2'-N	-2.76	1.18	1.22
4	X	302	4NB	O2'-N	-2.75	1.18	1.22
4	e	302	4NB	O2'-N	-2.75	1.18	1.22
4	l	302	4NB	O2'-N	-2.75	1.18	1.22
4	p	301	4NB	O2'-N	-2.74	1.18	1.22
4	C	302	4NB	O2'-N	-2.74	1.18	1.22
4	T	302	4NB	O2'-N	-2.74	1.18	1.22
4	U	301	4NB	O2'-N	-2.73	1.18	1.22
4	H	301	4NB	O2'-N	-2.73	1.18	1.22
4	e	301	4NB	O2'-N	-2.72	1.18	1.22
4	o	302	4NB	O2'-N	-2.72	1.18	1.22
4	i	301	4NB	O2'-N	-2.72	1.18	1.22
4	W	301	4NB	O2'-N	-2.72	1.18	1.22
4	Z	303	4NB	O2'-N	-2.71	1.18	1.22
4	m	301	4NB	O2'-N	-2.70	1.18	1.22
5	i	302	LHG	P-O6	2.14	1.68	1.59
5	H	303	LHG	P-O6	2.10	1.67	1.59
5	m	302	LHG	P-O6	2.08	1.67	1.59
5	X	303	LHG	P-O6	2.08	1.67	1.59
5	a	302	LHG	P-O6	2.06	1.67	1.59
5	A	301	LHG	P-O6	2.04	1.67	1.59
5	f	302	LHG	P-O6	2.04	1.67	1.59

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	X	303	LHG	O4-P-O5	4.20	133.02	112.24
5	a	302	LHG	O4-P-O5	4.19	132.95	112.24
5	A	301	LHG	O4-P-O5	4.18	132.90	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	p	302	LHG	O4-P-O5	4.15	132.74	112.24
5	R	302	LHG	O4-P-O5	4.14	132.71	112.24
5	i	302	LHG	O4-P-O5	4.13	132.65	112.24
5	U	302	LHG	O4-P-O5	4.12	132.60	112.24
5	f	302	LHG	O4-P-O5	4.11	132.56	112.24
5	H	303	LHG	O4-P-O5	4.11	132.56	112.24
5	m	302	LHG	O4-P-O5	4.08	132.40	112.24
4	l	304	4NB	C5-C4-N	3.27	121.84	119.38
5	U	302	LHG	O8-C23-C24	2.77	120.58	111.91
5	m	302	LHG	O8-C23-C24	2.74	120.52	111.91
5	i	302	LHG	O8-C23-C24	2.72	120.44	111.91
5	H	303	LHG	O8-C23-C24	2.65	120.22	111.91
5	a	302	LHG	O8-C23-C24	2.63	120.15	111.91
5	p	302	LHG	O8-C23-C24	2.61	120.11	111.91
5	p	302	LHG	C11-C10-C9	-2.57	101.37	114.42
5	f	302	LHG	O8-C23-C24	2.56	119.95	111.91
5	R	302	LHG	O8-C23-C24	2.55	119.90	111.91
5	a	302	LHG	C11-C10-C9	-2.52	101.65	114.42
5	i	302	LHG	C11-C10-C9	-2.51	101.66	114.42
5	R	302	LHG	C11-C10-C9	-2.48	101.82	114.42
5	i	302	LHG	C20-C19-C18	-2.45	102.01	114.42
5	X	303	LHG	O8-C23-C24	2.44	119.56	111.91
5	f	302	LHG	C11-C10-C9	-2.44	102.05	114.42
5	R	302	LHG	C20-C19-C18	-2.42	102.14	114.42
5	U	302	LHG	C20-C19-C18	-2.42	102.14	114.42
5	H	303	LHG	C11-C10-C9	-2.42	102.16	114.42
5	A	301	LHG	O8-C23-O10	-2.41	117.51	123.59
5	m	302	LHG	C11-C10-C9	-2.39	102.31	114.42
5	p	302	LHG	C20-C19-C18	-2.37	102.37	114.42
5	X	303	LHG	C20-C19-C18	-2.36	102.44	114.42
5	H	303	LHG	C20-C19-C18	-2.35	102.48	114.42
5	X	303	LHG	C11-C10-C9	-2.35	102.49	114.42
5	m	302	LHG	C20-C19-C18	-2.35	102.51	114.42
5	f	302	LHG	C20-C19-C18	-2.32	102.65	114.42
5	R	302	LHG	C18-C17-C16	-2.29	102.79	114.42
5	A	301	LHG	C11-C10-C9	-2.28	102.86	114.42
5	a	302	LHG	C20-C19-C18	-2.27	102.92	114.42
5	U	302	LHG	C18-C17-C16	-2.26	102.94	114.42
5	A	301	LHG	C20-C19-C18	-2.25	103.02	114.42
5	X	303	LHG	C27-C26-C25	-2.23	103.11	114.42
5	A	301	LHG	O8-C23-C24	2.21	118.85	111.91
5	U	302	LHG	C11-C10-C9	-2.21	103.23	114.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	p	302	LHG	C18-C17-C16	-2.20	103.27	114.42
5	i	302	LHG	C18-C17-C16	-2.19	103.29	114.42
5	a	302	LHG	C27-C26-C25	-2.17	103.40	114.42
5	f	302	LHG	C27-C26-C25	-2.17	103.41	114.42
5	R	302	LHG	C27-C26-C25	-2.16	103.45	114.42
5	H	303	LHG	C27-C26-C25	-2.16	103.46	114.42
5	f	302	LHG	C18-C17-C16	-2.16	103.46	114.42
5	i	302	LHG	C27-C26-C25	-2.16	103.48	114.42
5	a	302	LHG	C18-C17-C16	-2.15	103.53	114.42
5	H	303	LHG	C18-C17-C16	-2.13	103.59	114.42
5	m	302	LHG	C18-C17-C16	-2.13	103.59	114.42
5	X	303	LHG	C18-C17-C16	-2.13	103.60	114.42
5	U	302	LHG	C27-C26-C25	-2.13	103.62	114.42
5	m	302	LHG	C27-C26-C25	-2.11	103.69	114.42
5	A	301	LHG	C18-C17-C16	-2.11	103.71	114.42
4	l	302	4NB	C5-C4-N	2.08	120.94	119.38
5	A	301	LHG	C27-C26-C25	-2.02	104.16	114.42
5	p	302	LHG	C27-C26-C25	-2.01	104.24	114.42

There are no chirality outliers.

All (365) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	T	301	4NB	C3-C4-N-O2'
4	T	301	4NB	C5-C4-N-O2'
4	T	303	4NB	C3-C4-N-O2'
4	X	302	4NB	C3-C4-N-O2'
4	X	302	4NB	C5-C4-N-O2'
4	d	302	4NB	C3-C4-N-O2'
4	d	302	4NB	C5-C4-N-O2'
4	l	303	4NB	C3-C4-N-O2'
4	l	303	4NB	C5-C4-N-O2'
4	l	304	4NB	C3-C4-N-O2'
4	l	304	4NB	C5-C4-N-O2'
4	h	301	4NB	C3-C4-N-O2'
4	h	301	4NB	C5-C4-N-O2'
4	h	302	4NB	C3-C4-N-O2'
4	h	302	4NB	C5-C4-N-O2'
4	e	302	4NB	C3-C4-N-O2'
4	e	302	4NB	C5-C4-N-O2'
5	H	303	LHG	C3-O3-P-O5
5	H	303	LHG	C4-O6-P-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	H	303	LHG	C8-C7-O7-C5
5	A	301	LHG	C1-C2-C3-O3
5	A	301	LHG	C4-O6-P-O4
5	A	301	LHG	C5-C6-O8-C23
5	R	302	LHG	C3-O3-P-O6
5	R	302	LHG	C4-O6-P-O5
5	U	302	LHG	C3-O3-P-O4
5	U	302	LHG	C3-O3-P-O6
5	U	302	LHG	C4-O6-P-O3
5	U	302	LHG	C4-O6-P-O4
5	X	303	LHG	C3-O3-P-O5
5	X	303	LHG	C3-O3-P-O6
5	X	303	LHG	C4-O6-P-O5
5	X	303	LHG	C6-C5-O7-C7
5	a	302	LHG	O1-C1-C2-C3
5	a	302	LHG	O2-C2-C3-O3
5	a	302	LHG	C4-O6-P-O4
5	m	302	LHG	C1-C2-C3-O3
5	p	302	LHG	O1-C1-C2-C3
5	p	302	LHG	C1-C2-C3-O3
5	p	302	LHG	C4-O6-P-O4
5	p	302	LHG	C4-O6-P-O5
5	f	302	LHG	C3-O3-P-O4
5	f	302	LHG	C3-O3-P-O6
5	f	302	LHG	C4-O6-P-O5
5	i	302	LHG	O1-C1-C2-O2
5	i	302	LHG	O1-C1-C2-C3
5	i	302	LHG	O2-C2-C3-O3
5	i	302	LHG	C3-O3-P-O5
5	i	302	LHG	C3-O3-P-O6
5	i	302	LHG	O6-C4-C5-O7
5	i	302	LHG	O7-C5-C6-O8
5	i	302	LHG	C8-C7-O7-C5
13	h	305	GOL	C1-C2-C3-O3
5	R	302	LHG	O10-C23-O8-C6
5	p	302	LHG	O10-C23-O8-C6
5	A	301	LHG	O10-C23-O8-C6
5	H	303	LHG	O9-C7-O7-C5
5	R	302	LHG	O9-C7-O7-C5
5	X	303	LHG	O9-C7-O7-C5
5	m	302	LHG	O9-C7-O7-C5
5	p	302	LHG	O9-C7-O7-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	f	302	LHG	O9-C7-O7-C5
5	R	302	LHG	C24-C23-O8-C6
5	m	302	LHG	O10-C23-O8-C6
5	m	302	LHG	C24-C23-O8-C6
5	f	302	LHG	C24-C23-O8-C6
5	i	302	LHG	O9-C7-O7-C5
5	f	302	LHG	O10-C23-O8-C6
5	m	302	LHG	O2-C2-C3-O3
5	p	302	LHG	O2-C2-C3-O3
5	f	302	LHG	O2-C2-C3-O3
5	A	301	LHG	C24-C23-O8-C6
5	p	302	LHG	C24-C23-O8-C6
5	m	302	LHG	C8-C7-O7-C5
9	A	302	1PE	OH4-C13-C23-OH3
9	A	302	1PE	OH6-C15-C25-OH5
9	R	303	1PE	OH4-C13-C23-OH3
5	f	302	LHG	C8-C7-O7-C5
7	H	305	PE4	O2-C3-C4-O3
5	f	302	LHG	C1-C2-C3-O3
7	H	305	PE4	C9-C10-O6-C11
9	h	306	1PE	OH6-C15-C25-OH5
5	i	302	LHG	C29-C30-C31-C32
5	R	302	LHG	C30-C31-C32-C33
7	H	305	PE4	O6-C10-C9-O5
5	A	301	LHG	O2-C2-C3-O3
5	R	302	LHG	C32-C33-C34-C35
5	a	302	LHG	C23-C24-C25-C26
5	U	302	LHG	O10-C23-O8-C6
5	a	302	LHG	C7-C8-C9-C10
5	i	302	LHG	C7-C8-C9-C10
5	a	302	LHG	O1-C1-C2-O2
5	m	302	LHG	C23-C24-C25-C26
5	i	302	LHG	C23-C24-C25-C26
5	X	303	LHG	C32-C33-C34-C35
9	l	306	1PE	OH6-C15-C25-OH5
9	l	306	1PE	OH7-C16-C26-OH6
9	h	306	1PE	OH7-C16-C26-OH6
7	H	305	PE4	O7-C13-C14-O8
5	p	302	LHG	C24-C25-C26-C27
5	R	302	LHG	C8-C7-O7-C5
5	p	302	LHG	C8-C7-O7-C5
5	H	303	LHG	C3-O3-P-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	301	LHG	C4-O6-P-O3
5	a	302	LHG	C3-O3-P-O6
5	a	302	LHG	C4-O6-P-O3
5	p	302	LHG	C4-O6-P-O3
5	f	302	LHG	C4-O6-P-O3
5	a	302	LHG	C1-C2-C3-O3
5	i	302	LHG	C1-C2-C3-O3
4	T	303	4NB	C5-C4-N-O2'
9	l	306	1PE	OH5-C14-C24-OH4
5	U	302	LHG	C24-C23-O8-C6
5	H	303	LHG	C30-C31-C32-C33
7	H	305	PE4	C13-C14-O8-C15
10	e	304	D12	C4-C5-C6-C7
5	X	303	LHG	C8-C7-O7-C5
5	H	303	LHG	C33-C34-C35-C36
5	R	302	LHG	C14-C15-C16-C17
5	R	302	LHG	C29-C30-C31-C32
5	m	302	LHG	C11-C12-C13-C14
6	W	302	OCT	C4-C5-C6-C7
9	R	303	1PE	OH6-C15-C25-OH5
5	H	303	LHG	C26-C27-C28-C29
5	U	302	LHG	C30-C31-C32-C33
5	i	302	LHG	C30-C31-C32-C33
5	H	303	LHG	C9-C10-C11-C12
5	a	302	LHG	C11-C10-C9-C8
5	p	302	LHG	C15-C16-C17-C18
5	H	303	LHG	C31-C32-C33-C34
5	a	302	LHG	C33-C34-C35-C36
5	p	302	LHG	C27-C28-C29-C30
5	f	302	LHG	C11-C10-C9-C8
5	i	302	LHG	C15-C16-C17-C18
11	p	303	R16	C33-C34-C35-C36
5	R	302	LHG	C11-C10-C9-C8
5	U	302	LHG	C34-C35-C36-C37
5	m	302	LHG	C9-C10-C11-C12
5	a	302	LHG	C25-C26-C27-C28
5	p	302	LHG	C9-C10-C11-C12
11	p	303	R16	C31-C32-C33-C34
5	X	303	LHG	C7-C8-C9-C10
5	H	303	LHG	C25-C26-C27-C28
5	U	302	LHG	C33-C34-C35-C36
5	i	302	LHG	C9-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	p	302	LHG	C28-C29-C30-C31
5	f	302	LHG	C14-C15-C16-C17
5	H	303	LHG	O1-C1-C2-C3
10	e	304	D12	C5-C6-C7-C8
5	R	302	LHG	C7-C8-C9-C10
5	X	303	LHG	C14-C15-C16-C17
7	H	305	PE4	C7-C8-O5-C9
5	U	302	LHG	C24-C25-C26-C27
5	X	303	LHG	C27-C28-C29-C30
5	a	302	LHG	C29-C30-C31-C32
5	X	303	LHG	C10-C11-C12-C13
5	a	302	LHG	C24-C25-C26-C27
5	U	302	LHG	C23-C24-C25-C26
5	f	302	LHG	C7-C8-C9-C10
6	H	304	OCT	C2-C3-C4-C5
5	p	302	LHG	O1-C1-C2-O2
5	m	302	LHG	C31-C32-C33-C34
11	p	303	R16	C36-C37-C38-C39
5	f	302	LHG	C32-C33-C34-C35
5	U	302	LHG	O9-C7-O7-C5
5	H	303	LHG	C11-C12-C13-C14
5	R	302	LHG	C23-C24-C25-C26
5	H	303	LHG	C27-C28-C29-C30
9	R	303	1PE	OH5-C14-C24-OH4
5	A	301	LHG	C11-C10-C9-C8
5	X	303	LHG	C28-C29-C30-C31
5	a	302	LHG	C17-C18-C19-C20
5	f	302	LHG	C27-C28-C29-C30
5	i	302	LHG	C11-C10-C9-C8
5	p	302	LHG	C12-C13-C14-C15
5	a	302	LHG	C13-C14-C15-C16
5	p	302	LHG	C11-C10-C9-C8
5	p	302	LHG	O6-C4-C5-O7
5	U	302	LHG	C13-C14-C15-C16
5	f	302	LHG	C30-C31-C32-C33
5	i	302	LHG	C28-C29-C30-C31
5	H	303	LHG	C12-C13-C14-C15
5	H	303	LHG	O6-C4-C5-C6
5	i	302	LHG	O6-C4-C5-C6
5	U	302	LHG	C27-C28-C29-C30
5	A	301	LHG	C11-C12-C13-C14
5	R	302	LHG	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	X	303	LHG	C24-C23-O8-C6
4	l	301	4NB	C3-C4-N-O2'
4	l	301	4NB	C5-C4-N-O2'
5	A	301	LHG	C16-C17-C18-C19
5	U	302	LHG	C8-C7-O7-C5
5	A	301	LHG	C4-C5-C6-O8
5	m	302	LHG	C4-C5-C6-O8
5	p	302	LHG	C29-C30-C31-C32
5	i	302	LHG	C4-C5-C6-O8
5	i	302	LHG	C34-C35-C36-C37
5	H	303	LHG	C10-C11-C12-C13
11	p	303	R16	C29-C30-C31-C32
5	H	303	LHG	C19-C20-C21-C22
10	o	303	D12	C7-C8-C9-C10
5	f	302	LHG	C15-C16-C17-C18
5	i	302	LHG	C13-C14-C15-C16
5	X	303	LHG	C9-C10-C11-C12
5	H	303	LHG	C23-C24-C25-C26
5	m	302	LHG	C35-C36-C37-C38
5	m	302	LHG	C6-C5-O7-C7
5	i	302	LHG	C27-C28-C29-C30
5	p	302	LHG	C34-C35-C36-C37
8	l	307	LNK	C2-C3-C4-C5
5	i	302	LHG	C33-C34-C35-C36
5	m	302	LHG	C29-C30-C31-C32
5	A	301	LHG	C27-C28-C29-C30
5	i	302	LHG	C16-C17-C18-C19
5	i	302	LHG	C32-C33-C34-C35
6	W	302	OCT	C1-C2-C3-C4
8	W	304	LNK	C2-C3-C4-C5
5	U	302	LHG	C1-C2-C3-O3
6	o	304	OCT	C4-C5-C6-C7
8	e	306	LNK	C2-C3-C4-C5
5	X	303	LHG	C30-C31-C32-C33
5	U	302	LHG	O6-C4-C5-C6
5	p	302	LHG	O6-C4-C5-C6
9	h	306	1PE	C23-C13-OH4-C24
5	m	302	LHG	C26-C27-C28-C29
5	m	302	LHG	C32-C33-C34-C35
5	i	302	LHG	C12-C13-C14-C15
5	U	302	LHG	C29-C30-C31-C32
5	a	302	LHG	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	f	302	LHG	C11-C12-C13-C14
5	a	302	LHG	C11-C12-C13-C14
5	i	302	LHG	C10-C11-C12-C13
5	X	303	LHG	C25-C26-C27-C28
5	R	302	LHG	O6-C4-C5-O7
5	i	302	LHG	C24-C25-C26-C27
8	d	303	LNK	C2-C3-C4-C5
5	R	302	LHG	C1-C2-C3-O3
4	Z	301	4NB	C5-C4-N-O2'
5	H	303	LHG	C5-C4-O6-P
5	p	302	LHG	C5-C4-O6-P
5	H	303	LHG	C32-C33-C34-C35
5	A	301	LHG	C24-C25-C26-C27
5	a	302	LHG	C18-C19-C20-C21
5	f	302	LHG	C9-C10-C11-C12
5	i	302	LHG	C31-C32-C33-C34
5	H	303	LHG	C11-C10-C9-C8
7	H	305	PE4	C5-C6-O4-C7
5	U	302	LHG	C4-C5-C6-O8
5	H	303	LHG	C34-C35-C36-C37
5	H	303	LHG	O6-C4-C5-O7
5	U	302	LHG	O6-C4-C5-O7
7	H	305	PE4	C14-C13-O7-C12
6	a	303	OCT	C1-C2-C3-C4
9	A	302	1PE	C23-C13-OH4-C24
9	R	303	1PE	C24-C14-OH5-C25
9	l	306	1PE	C24-C14-OH5-C25
5	R	302	LHG	C27-C28-C29-C30
5	U	302	LHG	O7-C5-C6-O8
9	R	303	1PE	C12-C22-OH3-C23
5	p	302	LHG	C33-C34-C35-C36
9	A	302	1PE	OH7-C16-C26-OH6
5	m	302	LHG	C27-C28-C29-C30
5	i	302	LHG	C19-C20-C21-C22
9	A	302	1PE	C12-C22-OH3-C23
9	l	306	1PE	C16-C26-OH6-C15
5	m	302	LHG	C24-C25-C26-C27
5	A	301	LHG	C3-O3-P-O6
5	U	302	LHG	C5-C4-O6-P
5	a	302	LHG	C5-C4-O6-P
5	H	303	LHG	C3-O3-P-O4
5	A	301	LHG	C3-O3-P-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	R	302	LHG	C3-O3-P-O5
5	a	302	LHG	C3-O3-P-O5
5	f	302	LHG	C4-O6-P-O4
9	R	303	1PE	C23-C13-OH4-C24
7	H	305	PE4	C4-C3-O2-C2
5	X	303	LHG	C18-C19-C20-C21
9	h	306	1PE	C15-C25-OH5-C14
5	p	302	LHG	C16-C17-C18-C19
5	X	303	LHG	C13-C14-C15-C16
4	Z	301	4NB	C3-C4-N-O2'
5	U	302	LHG	O2-C2-C3-O3
10	o	303	D12	C3-C4-C5-C6
5	H	303	LHG	C7-C8-C9-C10
5	H	303	LHG	C4-C5-C6-O8
5	m	302	LHG	C15-C16-C17-C18
5	f	302	LHG	C18-C19-C20-C21
5	H	303	LHG	O7-C5-C6-O8
5	A	301	LHG	O7-C5-C6-O8
5	f	302	LHG	C24-C25-C26-C27
6	U	303	OCT	C3-C4-C5-C6
5	R	302	LHG	C9-C10-C11-C12
5	U	302	LHG	C14-C15-C16-C17
6	o	304	OCT	C5-C6-C7-C8
5	a	302	LHG	C32-C33-C34-C35
7	H	305	PE4	C3-C4-O3-C5
5	f	302	LHG	C35-C36-C37-C38
5	a	302	LHG	C9-C10-C11-C12
5	H	303	LHG	C6-C5-O7-C7
5	f	302	LHG	C4-C5-O7-C7
5	X	303	LHG	C2-C3-O3-P
5	a	302	LHG	C10-C11-C12-C13
10	a	301	D12	C4-C5-C6-C7
7	H	305	PE4	C16-C15-O8-C14
5	f	302	LHG	C29-C30-C31-C32
5	m	302	LHG	O7-C5-C6-O8
5	X	303	LHG	C4-O6-P-O3
5	p	302	LHG	C3-O3-P-O6
9	A	302	1PE	C24-C14-OH5-C25
9	l	306	1PE	C14-C24-OH4-C13
5	p	302	LHG	C10-C11-C12-C13
5	H	303	LHG	O1-C1-C2-O2
5	X	303	LHG	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	301	LHG	C10-C11-C12-C13
5	f	302	LHG	C19-C20-C21-C22
5	A	301	LHG	C29-C30-C31-C32
5	A	301	LHG	C33-C34-C35-C36
5	i	302	LHG	C11-C12-C13-C14
5	a	302	LHG	C15-C16-C17-C18
5	m	302	LHG	C14-C15-C16-C17
6	H	304	OCT	C3-C4-C5-C6
5	A	301	LHG	C34-C35-C36-C37
5	U	302	LHG	C4-C5-O7-C7
5	R	302	LHG	C17-C18-C19-C20
6	o	304	OCT	C3-C4-C5-C6
5	A	301	LHG	C9-C10-C11-C12
6	W	302	OCT	C5-C6-C7-C8
11	p	303	R16	C37-C38-C39-C40
6	a	303	OCT	C2-C3-C4-C5
5	U	302	LHG	C28-C29-C30-C31
5	X	303	LHG	O1-C1-C2-O2
13	h	305	GOL	O2-C2-C3-O3
5	a	302	LHG	O10-C23-O8-C6
7	H	305	PE4	O4-C7-C8-O5
6	U	303	OCT	C2-C3-C4-C5
6	X	304	OCT	C2-C3-C4-C5
5	m	302	LHG	C34-C35-C36-C37
7	H	305	PE4	C6-C5-O3-C4
5	R	302	LHG	O6-C4-C5-C6
5	a	302	LHG	O6-C4-C5-C6
9	h	306	1PE	C16-C26-OH6-C15
4	f	301	4NB	C3-C4-N-O2'
5	f	302	LHG	O8-C23-C24-C25
5	R	302	LHG	O7-C5-C6-O8
5	a	302	LHG	C31-C32-C33-C34
5	R	302	LHG	O2-C2-C3-O3
5	R	302	LHG	O1-C1-C2-C3
5	m	302	LHG	C10-C11-C12-C13
11	p	303	R16	C30-C31-C32-C33
7	H	305	PE4	C11-C12-O7-C13
9	h	306	1PE	OH4-C13-C23-OH3
5	R	302	LHG	C15-C16-C17-C18
5	A	301	LHG	O9-C7-C8-C9
5	f	302	LHG	O10-C23-C24-C25
5	R	302	LHG	C31-C32-C33-C34

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	a	302	LHG	C35-C36-C37-C38
5	p	302	LHG	C3-O3-P-O5
9	l	306	1PE	C12-C22-OH3-C23
5	R	302	LHG	O1-C1-C2-O2
5	A	301	LHG	O7-C7-C8-C9
5	A	301	LHG	C26-C27-C28-C29
5	A	301	LHG	C28-C29-C30-C31
4	f	301	4NB	C5-C4-N-O2'
5	A	301	LHG	C17-C18-C19-C20
5	m	302	LHG	O9-C7-C8-C9


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/234 (93%)	-0.41	1 (0%) 91 83	107, 179, 262, 295	0
1	H	219/234 (93%)	-0.40	0 100 100	104, 180, 263, 293	0
1	R	219/234 (93%)	-0.60	1 (0%) 91 83	120, 195, 265, 287	0
1	U	219/234 (93%)	-0.57	2 (0%) 84 73	123, 194, 264, 289	0
1	X	219/234 (93%)	-0.64	0 100 100	118, 196, 266, 294	0
1	a	219/234 (93%)	-0.64	0 100 100	123, 196, 266, 299	0
1	f	219/234 (93%)	-0.43	1 (0%) 91 83	102, 184, 267, 289	0
1	i	219/234 (93%)	-0.57	0 100 100	117, 191, 263, 294	0
1	m	219/234 (93%)	-0.44	2 (0%) 84 73	105, 183, 268, 289	0
1	p	219/234 (93%)	-0.56	1 (0%) 91 83	120, 190, 265, 292	0
2	B	211/215 (98%)	-0.54	0 100 100	110, 180, 254, 283	0
2	L	211/215 (98%)	-0.53	0 100 100	112, 180, 257, 284	0
2	S	211/215 (98%)	-0.64	0 100 100	122, 193, 258, 293	0
2	V	211/215 (98%)	-0.65	0 100 100	122, 192, 257, 296	0
2	Y	211/215 (98%)	-0.65	0 100 100	121, 194, 263, 280	0
2	b	211/215 (98%)	-0.63	0 100 100	122, 195, 262, 286	0
2	g	211/215 (98%)	-0.56	0 100 100	112, 186, 258, 278	0
2	k	211/215 (98%)	-0.64	0 100 100	118, 186, 260, 284	0
2	n	211/215 (98%)	-0.54	0 100 100	112, 185, 254, 276	0
2	q	211/215 (98%)	-0.61	0 100 100	117, 186, 260, 283	0
3	C	113/143 (79%)	-0.27	0 100 100	103, 152, 379, 425	0
3	T	113/143 (79%)	-0.29	2 (1%) 68 53	107, 154, 376, 416	0
3	W	113/143 (79%)	-0.28	1 (0%) 84 73	109, 151, 378, 415	0
3	Z	113/143 (79%)	-0.35	0 100 100	106, 154, 379, 411	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
3	c	113/143 (79%)	-0.25	0 100 100	100, 150, 381, 429	0
3	d	113/143 (79%)	-0.34	0 100 100	111, 155, 371, 412	0
3	e	113/143 (79%)	-0.29	0 100 100	106, 150, 360, 414	0
3	h	113/143 (79%)	-0.33	0 100 100	107, 149, 380, 419	0
3	l	113/143 (79%)	-0.30	0 100 100	109, 150, 359, 409	0
3	o	113/143 (79%)	-0.32	1 (0%) 84 73	108, 149, 375, 415	0
All	All	5430/5920 (91%)	-0.51	12 (0%) 95 91	100, 181, 274, 429	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	f	138	SER	4.0
1	m	138	SER	3.4
3	W	148	PRO	3.3
1	U	143	GLY	3.1
1	m	223	PRO	2.7
1	U	138	SER	2.6
1	A	138	SER	2.5
3	T	148	PRO	2.3
1	R	143	GLY	2.1
1	p	138	SER	2.0
3	o	148	PRO	2.0
3	T	258	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	4NB	H	302	12/12	0.40	0.29	174,251,316,316	0
13	GOL	h	305	6/6	0.54	0.84	117,159,262,272	0
6	OCT	a	303	8/8	0.63	1.48	76,169,186,249	0
10	D12	e	304	12/12	0.64	0.58	123,160,210,223	0
4	4NB	e	302	12/12	0.70	0.36	160,239,271,278	0
4	4NB	h	302	12/12	0.71	0.57	171,234,297,299	0
9	1PE	R	303	16/16	0.72	0.33	78,158,266,281	0
6	OCT	X	304	8/8	0.72	1.36	112,166,179,198	0
6	OCT	l	305	8/8	0.72	0.80	62,142,179,203	0
4	4NB	X	302	12/12	0.73	0.23	116,167,206,211	0
8	LNK	d	303	5/5	0.74	1.16	95,116,153,210	0
4	4NB	T	302	12/12	0.74	0.46	96,197,233,242	0
10	D12	a	301	12/12	0.74	0.29	90,137,174,189	0
4	4NB	Z	302	12/12	0.74	0.53	126,221,305,306	0
5	LHG	a	302	49/49	0.74	0.32	105,192,317,371	0
12	BHC	h	304	24/24	0.75	0.19	169,324,353,375	0
4	4NB	d	302	12/12	0.75	0.38	144,220,269,290	0
6	OCT	U	303	8/8	0.76	0.51	53,136,163,177	0
6	OCT	c	301	8/8	0.77	0.94	87,127,161,162	0
4	4NB	l	303	12/12	0.78	0.33	148,225,276,278	0
5	LHG	p	302	49/49	0.78	0.32	89,210,335,393	0
4	4NB	i	301	12/12	0.78	0.25	101,172,193,202	0
11	R16	p	303	16/16	0.78	0.38	97,126,189,191	0
5	LHG	U	302	49/49	0.78	0.33	102,228,327,371	0
9	1PE	A	302	16/16	0.78	0.28	87,128,184,210	0
9	1PE	h	306	16/16	0.79	0.34	80,121,214,217	0
6	OCT	o	304	8/8	0.79	0.91	62,185,210,237	0
4	4NB	Z	303	12/12	0.79	0.17	136,171,199,222	0
8	LNK	d	304	5/5	0.79	0.48	90,90,166,167	0
5	LHG	X	303	49/49	0.79	0.28	114,208,325,364	0
4	4NB	U	301	12/12	0.79	0.23	111,149,206,214	0
5	LHG	i	302	49/49	0.80	0.31	73,205,321,347	0
8	LNK	Z	304	5/5	0.80	1.06	95,98,133,208	0
5	LHG	A	301	49/49	0.80	0.32	76,195,306,325	0
5	LHG	f	302	49/49	0.80	0.26	97,176,318,364	0
4	4NB	l	302	12/12	0.81	0.22	91,129,203,207	0
8	LNK	Z	305	5/5	0.81	0.52	78,90,140,149	0
5	LHG	H	303	49/49	0.81	0.24	104,185,277,344	0
4	4NB	p	301	12/12	0.81	0.23	103,164,189,201	0
7	PE4	H	305	24/24	0.82	0.27	95,136,250,269	0
8	LNK	e	305	5/5	0.82	0.43	107,108,149,178	0
4	4NB	H	301	12/12	0.82	0.22	84,147,190,203	0
4	4NB	l	301	12/12	0.82	0.19	91,139,211,227	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	LHG	R	302	49/49	0.82	0.30	118,209,304,343	0
4	4NB	X	301	12/12	0.83	0.16	89,141,206,216	0
4	4NB	R	301	12/12	0.83	0.19	110,158,191,197	0
4	4NB	l	304	12/12	0.83	0.45	142,158,247,273	0
5	LHG	m	302	49/49	0.84	0.31	99,192,299,357	0
4	4NB	C	302	12/12	0.84	0.23	80,143,206,214	0
4	4NB	f	301	12/12	0.85	0.23	97,132,198,201	0
4	4NB	m	301	12/12	0.85	0.17	71,104,194,215	0
4	4NB	T	301	12/12	0.86	0.20	135,182,217,249	0
4	4NB	C	301	12/12	0.86	0.16	88,149,219,220	0
8	LNK	W	304	5/5	0.87	0.62	77,100,116,183	0
4	4NB	T	303	12/12	0.87	0.15	154,180,223,230	0
8	LNK	T	305	5/5	0.88	0.42	92,103,133,179	0
10	D12	o	303	12/12	0.88	0.52	75,114,189,211	0
4	4NB	h	301	12/12	0.88	0.14	146,173,206,206	0
4	4NB	e	303	12/12	0.88	0.57	121,181,261,278	0
6	OCT	W	302	8/8	0.88	0.59	73,105,145,206	0
4	4NB	o	301	12/12	0.88	0.14	146,165,196,205	0
6	OCT	H	304	8/8	0.89	0.53	71,123,146,147	0
9	1PE	l	306	16/16	0.89	0.27	139,179,232,259	0
8	LNK	l	307	5/5	0.89	0.95	73,90,153,189	0
8	LNK	h	307	5/5	0.90	0.78	74,82,114,153	0
6	OCT	C	303	8/8	0.90	0.96	76,112,191,215	0
4	4NB	W	301	12/12	0.90	0.19	116,175,198,244	0
4	4NB	o	302	12/12	0.90	0.17	129,159,218,219	0
8	LNK	c	302	5/5	0.91	0.85	72,73,125,171	0
4	4NB	d	301	12/12	0.91	0.12	128,187,211,247	0
8	LNK	W	303	5/5	0.92	0.56	96,102,119,145	0
6	OCT	h	303	8/8	0.92	0.86	83,111,142,144	0
6	OCT	T	304	8/8	0.92	0.24	125,163,196,202	0
8	LNK	e	306	5/5	0.92	1.09	110,125,156,174	0
8	LNK	e	307	5/5	0.92	0.89	76,95,155,168	0
4	4NB	e	301	12/12	0.93	0.14	120,158,213,228	0
4	4NB	Z	301	12/12	0.93	0.14	152,183,209,253	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LHG a 302:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BHC h 304:



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG U 302:



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around LHG i 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









6.5 Other polymers [i](#)

There are no such residues in this entry.