



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 20, 2022 – 01:07 pm BST

PDB ID : 8A3O
Title : Structure of human Fy-4
Authors : Schuhmacher, J.S.; Zerial, M.
Deposited on : 2022-06-08
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.28.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	
1	B	356	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 4954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Quinone oxidoreductase-like protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	335	2611	1662	446	491	12	0	0	0
1	B	301	2322	1475	399	437	11	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP O95825
A	-5	SER	-	expression tag	UNP O95825
A	-4	HIS	-	expression tag	UNP O95825
A	-3	HIS	-	expression tag	UNP O95825
A	-2	HIS	-	expression tag	UNP O95825
A	-1	HIS	-	expression tag	UNP O95825
A	0	HIS	-	expression tag	UNP O95825
A	1	HIS	-	expression tag	UNP O95825
B	-6	MET	-	initiating methionine	UNP O95825
B	-5	SER	-	expression tag	UNP O95825
B	-4	HIS	-	expression tag	UNP O95825
B	-3	HIS	-	expression tag	UNP O95825
B	-2	HIS	-	expression tag	UNP O95825
B	-1	HIS	-	expression tag	UNP O95825
B	0	HIS	-	expression tag	UNP O95825
B	1	HIS	-	expression tag	UNP O95825


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	19	Total	O	0	0
			19	19		
2	B	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Quinone oxidoreductase-like protein 1



- Molecule 1: Quinone oxidoreductase-like protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.42Å 45.27Å 93.96Å 90.00° 109.93° 90.00°	Depositor
Resolution (Å)	44.16 – 2.90 44.16 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.8 (44.16-2.90) 98.8 (44.16-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.20 (at 2.90Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.237 , 0.284 0.237 , 0.285	Depositor DCC
R_{free} test set	1537 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	75.6	Xtriage
Anisotropy	0.429	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4954	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/2664	0.49	0/3608
1	B	0.28	0/2365	0.50	0/3205
All	All	0.28	0/5029	0.49	0/6813

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2611	0	2621	42	0
1	B	2322	0	2345	60	0
2	A	19	0	0	1	0
2	B	2	0	0	0	0
All	All	4954	0	4966	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:GLU:O	1:B:292:LEU:CD2	2.21	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:GLU:O	1:B:292:LEU:HD23	1.74	0.86
1:B:333:MET:C	1:B:333:MET:HE3	2.12	0.69
1:A:159:THR:HG22	1:A:163:GLN:HE21	1.58	0.68
1:B:197:ASP:OD1	1:B:197:ASP:N	2.30	0.65
1:B:192:ILE:HD11	1:B:195:VAL:HG22	1.78	0.65
1:A:126:ILE:HD11	1:A:304:LEU:HD22	1.79	0.64
1:B:41:ALA:HA	1:B:346:VAL:HA	1.82	0.62
1:A:130:VAL:O	1:A:134:THR:HG23	1.99	0.62
1:B:36:GLN:HA	1:B:102:VAL:HG12	1.81	0.61
1:B:252:LEU:HD11	1:B:258:TRP:HB2	1.83	0.61
1:A:153:GLY:HA2	1:A:158:GLY:HA3	1.82	0.60
1:B:159:THR:HG22	1:B:163:GLN:HE21	1.68	0.58
1:A:121:GLU:HA	1:A:320:LEU:HD11	1.85	0.58
1:A:295:VAL:HG13	1:A:296:GLN:H	1.69	0.58
1:B:70:VAL:HG23	1:B:82:PRO:HA	1.87	0.57
1:A:289:VAL:HG22	1:B:254:VAL:HG23	1.86	0.56
1:A:33:VAL:HG12	1:A:73:VAL:HG12	1.87	0.56
1:A:25:LEU:HD13	1:A:104:ARG:HE	1.71	0.56
1:B:313:THR:HG23	1:B:315:VAL:HG23	1.88	0.56
1:B:320:LEU:HB3	1:B:344:LYS:HB3	1.88	0.55
1:A:205:VAL:HG11	1:A:243:PRO:HG3	1.87	0.55
1:A:196:ILE:HG13	1:A:196:ILE:O	2.06	0.55
1:B:154:ALA:O	1:B:319:GLN:NE2	2.39	0.55
1:B:42:LEU:HD12	1:B:333:MET:HG2	1.88	0.55
1:A:159:THR:HG22	1:A:163:GLN:NE2	2.22	0.55
1:A:176:ALA:HB2	1:A:185:LEU:HD12	1.88	0.55
1:B:126:ILE:HD11	1:B:304:LEU:HG	1.88	0.54
1:A:189:ARG:HB3	1:A:190:PRO:HD3	1.88	0.54
1:A:192:ILE:HD11	1:A:195:VAL:HG22	1.89	0.54
1:B:139:LEU:HD23	1:B:283:ALA:HB1	1.89	0.53
1:B:148:VAL:HA	1:B:220:ILE:O	2.09	0.53
1:B:130:VAL:O	1:B:134:THR:HG23	2.09	0.53
1:B:209:CYS:HB2	1:B:251:LEU:HD11	1.92	0.52
1:B:171:LYS:HG3	1:B:193:ALA:HB2	1.92	0.51
1:A:295:VAL:HG11	1:B:254:VAL:HG11	1.92	0.51
1:A:198:VAL:HG13	1:A:203:VAL:HG23	1.92	0.50
1:B:308:MET:O	1:B:312:SER:N	2.42	0.50
1:B:172:VAL:HG13	1:B:192:ILE:HB	1.94	0.50
1:B:42:LEU:O	1:B:345:GLN:NE2	2.45	0.50
1:A:249:ILE:HD12	1:A:271:ASP:HB3	1.93	0.50
1:A:25:LEU:HD11	1:A:95:GLU:HG2	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:326:LEU:O	1:B:329:ALA:HB2	2.13	0.49
1:B:320:LEU:CB	1:B:344:LYS:HB3	2.43	0.49
1:B:310:LYS:HB2	1:B:316:PHE:CD2	2.48	0.49
1:B:218:VAL:HG12	1:B:251:LEU:HG	1.95	0.48
1:A:0:HIS:NE2	1:A:23:GLU:HG2	2.28	0.48
1:B:246:HIS:O	1:B:250:THR:HG22	2.13	0.48
1:A:246:HIS:O	1:A:250:THR:HG23	2.14	0.48
1:B:265:LEU:HD21	1:B:267:LEU:HD13	1.96	0.47
1:B:64:ARG:NH2	1:B:288:GLU:OE2	2.47	0.47
1:A:46:ASN:ND2	1:A:49:LEU:HB2	2.29	0.47
1:A:321:ASP:OD1	1:A:322:GLU:N	2.41	0.47
1:A:114:PRO:HB2	1:A:117:VAL:HG23	1.97	0.47
1:A:113:LYS:NZ	1:A:117:VAL:O	2.40	0.47
1:B:336:VAL:O	1:B:338:LYS:N	2.48	0.46
1:A:164:LEU:HG	1:A:316:PHE:CE1	2.50	0.46
1:B:179:LEU:O	1:B:183:GLN:HG2	2.16	0.46
1:A:116:LYS:HA	1:A:116:LYS:HE2	1.97	0.46
1:A:135:ALA:HB2	1:A:285:LEU:HD22	1.97	0.46
1:A:245:LYS:HD2	1:A:245:LYS:H	1.81	0.46
1:A:116:LYS:N	1:A:116:LYS:HD2	2.30	0.46
1:B:291:ASN:OD1	1:B:291:ASN:N	2.49	0.46
1:A:147:SER:HB3	1:A:171:LYS:HE3	1.98	0.46
1:B:163:GLN:OE1	1:B:317:ARG:N	2.49	0.45
1:A:101:GLU:HG3	2:A:403:HOH:O	2.16	0.45
1:B:168:ARG:HA	1:B:168:ARG:HD3	1.83	0.45
1:A:62:VAL:HG12	1:A:99:LEU:HD12	1.98	0.45
1:A:129:GLY:HA2	1:A:160:ILE:HG21	1.97	0.45
1:B:333:MET:HE3	1:B:334:GLU:N	2.31	0.44
1:B:336:VAL:C	1:B:338:LYS:H	2.20	0.44
1:B:48:LYS:HE3	1:B:52:GLU:HG3	2.00	0.44
1:B:117:VAL:HG12	1:B:118:THR:O	2.17	0.44
1:B:64:ARG:HH21	1:B:127:ARG:NH1	2.16	0.44
1:B:189:ARG:HB3	1:B:190:PRO:HD3	1.99	0.43
1:B:209:CYS:HB2	1:B:251:LEU:CD1	2.48	0.43
1:B:336:VAL:C	1:B:338:LYS:N	2.72	0.43
1:B:159:THR:HG22	1:B:163:GLN:NE2	2.33	0.43
1:B:31:ASN:HA	1:B:77:VAL:HG13	2.01	0.43
1:B:194:ARG:NH2	1:B:212:GLU:OE2	2.52	0.43
1:B:326:LEU:O	1:B:329:ALA:CB	2.66	0.43
1:A:34:LYS:O	1:A:71:LEU:N	2.47	0.42
1:B:42:LEU:HG	1:B:345:GLN:HG2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:LEU:HA	1:B:173:ILE:O	2.19	0.42
1:B:317:ARG:O	1:B:317:ARG:HG3	2.18	0.42
1:A:117:VAL:HG11	1:A:308:MET:HE1	2.01	0.42
1:A:145:GLY:O	1:A:171:LYS:HE2	2.18	0.42
1:A:309:GLU:O	1:A:313:THR:HG22	2.20	0.42
1:B:288:GLU:O	1:B:292:LEU:CG	2.68	0.42
1:B:289:VAL:HA	1:B:292:LEU:HG	2.02	0.41
1:A:134:THR:HG21	1:A:290:TRP:CH2	2.55	0.41
1:B:345:GLN:N	1:B:345:GLN:OE1	2.54	0.41
1:B:223:ASP:HB3	1:B:260:THR:HA	2.03	0.41
1:B:294:ASN:O	1:B:297:GLN:HG3	2.21	0.41
1:A:136:LEU:HD13	1:A:142:LEU:HD11	2.03	0.40
1:A:204:HIS:HB2	1:A:207:GLU:HB2	2.02	0.40
1:B:333:MET:SD	1:B:333:MET:O	2.79	0.40
1:B:38:LYS:HB3	1:B:67:ALA:O	2.21	0.40
1:A:149:LEU:HA	1:A:173:ILE:O	2.21	0.40
1:B:296:GLN:H	1:B:296:GLN:HG2	1.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	331/356 (93%)	318 (96%)	13 (4%)	0	100	100
1	B	295/356 (83%)	277 (94%)	16 (5%)	2 (1%)	22	54
All	All	626/712 (88%)	595 (95%)	29 (5%)	2 (0%)	41	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	337	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	190	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	290/310 (94%)	277 (96%)	13 (4%)	27 61
1	B	258/310 (83%)	232 (90%)	26 (10%)	7 23
All	All	548/620 (88%)	509 (93%)	39 (7%)	14 40

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	GLU
1	A	28	THR
1	A	49	LEU
1	A	53	MET
1	A	108	HIS
1	A	116	LYS
1	A	192	ILE
1	A	196	ILE
1	A	198	VAL
1	A	203	VAL
1	A	205	VAL
1	A	292	LEU
1	A	330	LYS
1	B	44	GLN
1	B	48	LYS
1	B	49	LEU
1	B	62	VAL
1	B	69	ILE
1	B	78	SER
1	B	96	ASP
1	B	104	ARG
1	B	108	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	111	VAL
1	B	113	LYS
1	B	133	TYR
1	B	189	ARG
1	B	197	ASP
1	B	200	ASN
1	B	244	HIS
1	B	291	ASN
1	B	295	VAL
1	B	296	GLN
1	B	305	LYS
1	B	317	ARG
1	B	319	GLN
1	B	320	LEU
1	B	331	VAL
1	B	332	SER
1	B	342	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/356 (94%)	0.14	8 (2%) 59 56	30, 64, 112, 146	0
1	B	301/356 (84%)	0.73	34 (11%) 5 4	51, 95, 143, 159	0
All	All	636/712 (89%)	0.42	42 (6%) 18 14	30, 78, 132, 159	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	331	VAL	4.6
1	B	347	VAL	4.4
1	B	292	LEU	4.3
1	A	200	ASN	4.1
1	B	99	LEU	4.1
1	B	333	MET	3.8
1	B	59	LEU	3.7
1	A	11	THR	3.7
1	B	327	TYR	3.6
1	B	326	LEU	3.5
1	B	294	ASN	3.4
1	B	68	GLY	3.4
1	B	45	ILE	3.3
1	A	291	ASN	3.2
1	B	346	VAL	3.0
1	B	339	ASN	2.9
1	B	62	VAL	2.9
1	A	10	SER	2.8
1	B	330	LYS	2.8
1	A	9	SER	2.7
1	B	58	ASP	2.7
1	B	50	LEU	2.7
1	B	320	LEU	2.6
1	B	53	MET	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	242	LEU	2.6
1	B	329	ALA	2.6
1	B	345	GLN	2.5
1	A	28	THR	2.5
1	B	44	GLN	2.5
1	B	122	ALA	2.5
1	B	332	SER	2.5
1	A	294	ASN	2.4
1	B	54	LYS	2.4
1	B	126	ILE	2.4
1	B	100	CYS	2.4
1	B	156	ALA	2.4
1	B	42	LEU	2.3
1	B	176	ALA	2.2
1	B	60	PHE	2.1
1	B	189	ARG	2.1
1	B	297	GLN	2.1
1	B	47	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.