



Full wwPDB X-ray Structure Validation Report i

Oct 26, 2023 – 07:00 AM EDT

PDB ID : 3A50
Title : Structure of cytochrome P450 Vdh mutant (Vdh-K1) obtained by directed evolution with bound vitamin D3
Authors : Yasutake, Y.; Fujii, Y.; Cheon, W.K.; Arisawa, A.; Tamura, T.
Deposited on : 2009-07-24
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	VD3	E	2001	-	-	-	X

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 16977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vitamin D hydroxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	402	Total	C 3113	N 1958	O 549	S 589	17	0	0
1	B	402	Total	C 3113	N 1958	O 549	S 589	17	0	0
1	C	401	Total	C 3108	N 1955	O 548	S 588	17	0	0
1	D	401	Total	C 3108	N 1955	O 548	S 588	17	0	0
1	E	401	Total	C 3108	N 1955	O 548	S 588	17	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	70	ARG	THR	engineered mutation	UNP C4B644
A	156	LEU	VAL	engineered mutation	UNP C4B644
A	216	MET	GLU	engineered mutation	UNP C4B644
A	384	ARG	GLU	engineered mutation	UNP C4B644
A	404	LEU	-	expression tag	UNP C4B644
A	405	GLU	-	expression tag	UNP C4B644
A	406	HIS	-	expression tag	UNP C4B644
A	407	HIS	-	expression tag	UNP C4B644
A	408	HIS	-	expression tag	UNP C4B644
A	409	HIS	-	expression tag	UNP C4B644
A	410	HIS	-	expression tag	UNP C4B644
A	411	HIS	-	expression tag	UNP C4B644
B	70	ARG	THR	engineered mutation	UNP C4B644
B	156	LEU	VAL	engineered mutation	UNP C4B644
B	216	MET	GLU	engineered mutation	UNP C4B644
B	384	ARG	GLU	engineered mutation	UNP C4B644
B	404	LEU	-	expression tag	UNP C4B644
B	405	GLU	-	expression tag	UNP C4B644
B	406	HIS	-	expression tag	UNP C4B644


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	407	HIS	-	expression tag	UNP C4B644
B	408	HIS	-	expression tag	UNP C4B644
B	409	HIS	-	expression tag	UNP C4B644
B	410	HIS	-	expression tag	UNP C4B644
B	411	HIS	-	expression tag	UNP C4B644
C	70	ARG	THR	engineered mutation	UNP C4B644
C	156	LEU	VAL	engineered mutation	UNP C4B644
C	216	MET	GLU	engineered mutation	UNP C4B644
C	384	ARG	GLU	engineered mutation	UNP C4B644
C	404	LEU	-	expression tag	UNP C4B644
C	405	GLU	-	expression tag	UNP C4B644
C	406	HIS	-	expression tag	UNP C4B644
C	407	HIS	-	expression tag	UNP C4B644
C	408	HIS	-	expression tag	UNP C4B644
C	409	HIS	-	expression tag	UNP C4B644
C	410	HIS	-	expression tag	UNP C4B644
C	411	HIS	-	expression tag	UNP C4B644
D	70	ARG	THR	engineered mutation	UNP C4B644
D	156	LEU	VAL	engineered mutation	UNP C4B644
D	216	MET	GLU	engineered mutation	UNP C4B644
D	384	ARG	GLU	engineered mutation	UNP C4B644
D	404	LEU	-	expression tag	UNP C4B644
D	405	GLU	-	expression tag	UNP C4B644
D	406	HIS	-	expression tag	UNP C4B644
D	407	HIS	-	expression tag	UNP C4B644
D	408	HIS	-	expression tag	UNP C4B644
D	409	HIS	-	expression tag	UNP C4B644
D	410	HIS	-	expression tag	UNP C4B644
D	411	HIS	-	expression tag	UNP C4B644
E	70	ARG	THR	engineered mutation	UNP C4B644
E	156	LEU	VAL	engineered mutation	UNP C4B644
E	216	MET	GLU	engineered mutation	UNP C4B644
E	384	ARG	GLU	engineered mutation	UNP C4B644
E	404	LEU	-	expression tag	UNP C4B644
E	405	GLU	-	expression tag	UNP C4B644
E	406	HIS	-	expression tag	UNP C4B644
E	407	HIS	-	expression tag	UNP C4B644
E	408	HIS	-	expression tag	UNP C4B644
E	409	HIS	-	expression tag	UNP C4B644
E	410	HIS	-	expression tag	UNP C4B644
E	411	HIS	-	expression tag	UNP C4B644


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (for-

formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is (1S,3Z)-3-[(2E)-2-[(1R,3AR,7AS)-7A-METHYL-1-[(2R)-6-METHYLHEPTA
N-2-YL]-2,3,3A,5,6,7-HEXAHYDRO-1H-INDEN-4-YLIDENE]ETHYLI
DENE]-4-METHY
LIDENE-CYCLOHEXAN-1-OL (three-letter code: VD3) (formula: C₂₇H₄₄O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 28	C 27	O 1	0	0
3	B	1	Total 28	C 27	O 1	0	0
3	C	1	Total 28	C 27	O 1	0	0
3	D	1	Total 28	C 27	O 1	0	0
3	E	1	Total 28	C 27	O 1	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Ca 3 3	0	0
5	C	1	Total Ca 1 1	0	0
5	D	1	Total Ca 1 1	0	0
5	E	1	Total Ca 1 1	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	303	Total O 303 303	0	0
7	B	174	Total O 174 174	0	0
7	C	150	Total O 150 150	0	0
7	D	198	Total O 198 198	0	0
7	E	205	Total O 205 205	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Vitamin D hydroxylase




- Molecule 1: Vitamin D hydroxylase




- Molecule 1: Vitamin D hydroxylase



- Molecule 1: Vitamin D hydroxylase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.38 Å 172.27 Å 189.06 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.09 – 2.05 46.11 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.09-2.05) 99.9 (46.11-2.05)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	3.02 (at 2.05 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R , R_{free}	0.201 , 0.240 0.203 , 0.203	Depositor DCC
R_{free} test set	7920 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.223	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.8	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16977	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ACT, VD3, HEM, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/3179	0.72	1/4325 (0.0%)
1	B	0.57	0/3179	0.67	1/4325 (0.0%)
1	C	0.59	0/3174	0.69	1/4318 (0.0%)
1	D	0.59	0/3174	0.70	1/4318 (0.0%)
1	E	0.59	0/3174	0.71	3/4318 (0.1%)
All	All	0.60	0/15880	0.70	7/21604 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	234	LEU	CA-CB-CG	8.69	135.29	115.30
1	C	234	LEU	CA-CB-CG	7.58	132.74	115.30
1	E	234	LEU	CB-CG-CD1	5.49	120.34	111.00
1	B	328	LEU	CA-CB-CG	5.36	127.63	115.30
1	A	328	LEU	CA-CB-CG	5.19	127.23	115.30
1	E	206	LEU	CA-CB-CG	5.13	127.09	115.30
1	D	221	LEU	CA-CB-CG	5.05	126.91	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3113	0	3095	18	0
1	B	3113	0	3095	24	0
1	C	3108	0	3090	34	0
1	D	3108	0	3090	25	0
1	E	3108	0	3090	21	0
2	A	43	0	30	1	0
2	B	43	0	30	0	0
2	C	43	0	30	7	0
2	D	43	0	30	1	0
2	E	43	0	30	0	0
3	A	28	0	44	1	0
3	B	28	0	44	6	0
3	C	28	0	44	2	0
3	D	28	0	44	4	0
3	E	28	0	43	6	0
4	A	4	0	3	0	0
4	C	8	0	6	0	0
4	D	4	0	3	0	0
4	E	8	0	6	0	0
5	A	3	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
6	A	12	0	14	0	0
7	A	303	0	0	3	0
7	B	174	0	0	1	0
7	C	150	0	0	2	0
7	D	198	0	0	1	0
7	E	205	0	0	1	0
All	All	16977	0	15861	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:THR:HG21	1:A:85:PRO:HA	1.51	0.90
1:E:187:LEU:HD13	1:E:231:MET:HG3	1.60	0.83
1:C:258:GLN:HG3	1:C:328:LEU:HD13	1.63	0.80
1:C:353:ALA:HB1	2:C:412:HEM:CBB	2.15	0.77
3:B:2001:VD3:H121	3:B:2001:VD3:H212	1.69	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:412:HEM:HBB2	2:C:412:HEM:HHC	1.70	0.74
1:E:199:ARG:HH22	1:E:223:GLN:HE22	1.35	0.74
1:C:329:ASP:OD1	1:C:331:THR:HG22	1.87	0.73
1:C:359:VAL:O	1:C:363:ARG:HG2	1.89	0.73
1:C:187:LEU:HD13	1:C:231:MET:HG3	1.71	0.72
1:C:363:ARG:HH21	1:C:363:ARG:HG3	1.55	0.72
1:E:88:ILE:HG21	3:E:2001:VD3:H212	1.73	0.71
1:C:363:ARG:HH21	1:C:363:ARG:CG	2.04	0.70
1:A:82:THR:HG23	1:A:84:THR:O	1.91	0.70
1:A:107:THR:OG1	1:A:110:ARG:HG2	1.91	0.70
3:E:2001:VD3:H242	3:E:2001:VD3:H211	1.75	0.68
1:D:40:LEU:HB3	1:D:41:PRO:HD2	1.74	0.68
1:A:82:THR:HG21	1:A:85:PRO:CA	2.23	0.67
1:E:86:MET:HE3	1:E:88:ILE:HG22	1.77	0.65
1:D:199:ARG:NH2	1:D:215:ASP:OD2	2.30	0.64
1:A:187:LEU:HD13	1:A:231:MET:HG3	1.80	0.63
1:E:180:LYS:HB3	3:E:2001:VD3:C1	2.30	0.61
1:A:82:THR:CG2	1:A:84:THR:C	2.70	0.60
1:C:353:ALA:CB	2:C:412:HEM:CBB	2.80	0.60
1:D:136:ASP:O	1:D:140:GLU:HG2	2.02	0.59
1:C:363:ARG:HG3	1:C:363:ARG:NH2	2.18	0.59
3:C:2001:VD3:H212	3:C:2001:VD3:H121	1.85	0.59
1:E:387:LEU:HD21	3:E:2001:VD3:H232	1.84	0.59
1:C:104:ARG:HB2	7:C:566:HOH:O	2.03	0.58
1:D:69:HIS:HD2	7:D:555:HOH:O	1.87	0.58
1:C:353:ALA:CB	2:C:412:HEM:HBB2	2.34	0.57
1:C:261:LEU:HD22	1:C:268:LEU:HD11	1.86	0.57
1:D:85:PRO:HG3	1:D:224:GLU:HG3	1.87	0.57
1:A:82:THR:HG23	1:A:84:THR:C	2.24	0.57
1:E:86:MET:HE3	1:E:88:ILE:CG2	2.34	0.57
1:E:388:VAL:HG22	7:E:455:HOH:O	2.04	0.57
1:C:353:ALA:HB2	2:C:412:HEM:HBB2	1.87	0.56
1:E:180:LYS:HB3	3:E:2001:VD3:H11	1.86	0.56
1:D:184:MET:CE	3:D:2001:VD3:H102	2.36	0.56
1:B:139:ARG:HH22	1:B:140:GLU:CD	2.09	0.55
1:E:285:GLN:HG2	1:E:386:THR:O	2.07	0.55
1:E:166:ALA:O	1:E:170:VAL:HG23	2.07	0.55
1:B:148:GLN:HG2	1:B:161:ARG:HH22	1.71	0.55
1:A:82:THR:HB	7:A:861:HOH:O	2.06	0.54
1:B:351:GLN:HA	1:B:351:GLN:HE21	1.74	0.53
1:D:194:LEU:HD22	1:D:198:LYS:HE2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:158:ALA:HA	1:D:161:ARG:HG3	1.89	0.53
1:D:136:ASP:O	1:D:140:GLU:CG	2.57	0.52
1:D:258:GLN:HG3	1:D:328:LEU:HD13	1.89	0.52
1:B:258:GLN:HG3	1:B:328:LEU:HD13	1.91	0.52
1:D:258:GLN:OE1	1:D:330:ILE:HG12	2.10	0.52
1:E:88:ILE:HD13	3:E:2001:VD3:C21	2.39	0.52
1:D:184:MET:HE2	3:D:2001:VD3:H102	1.91	0.52
1:A:82:THR:CG2	1:A:84:THR:O	2.58	0.51
1:C:130:PRO:HG2	1:C:135:VAL:CG1	2.40	0.51
1:B:329:ASP:HB3	1:B:332:ARG:HG3	1.93	0.51
1:A:104:ARG:HE	1:A:104:ARG:HA	1.74	0.51
1:A:116:PRO:O	1:A:120:GLU:HG3	2.11	0.50
1:D:106:PHE:CE2	2:D:412:HEM:HBC1	2.47	0.50
1:D:180:LYS:HB3	3:D:2001:VD3:H12	1.94	0.50
1:A:123:ASP:OD2	1:A:363:ARG:HD2	2.13	0.49
1:B:87:MET:CE	1:B:229:MET:CE	2.90	0.49
1:C:368:ARG:HG3	1:C:398:MET:HE3	1.95	0.49
1:C:123:ASP:OD2	1:C:363:ARG:NH2	2.34	0.49
3:B:2001:VD3:H212	3:B:2001:VD3:C12	2.40	0.49
1:D:161:ARG:HA	1:D:164:PHE:CZ	2.48	0.49
1:C:130:PRO:HG2	1:C:135:VAL:HG11	1.94	0.48
1:B:86:MET:SD	3:B:2001:VD3:H122	2.52	0.48
1:E:174:ASP:OD1	1:E:386:THR:HG23	2.13	0.48
1:A:69:HIS:HD2	7:A:607:HOH:O	1.96	0.48
1:A:258:GLN:HG3	1:A:328:LEU:HD13	1.96	0.48
1:C:261:LEU:HD22	1:C:268:LEU:CD1	2.43	0.48
1:E:258:GLN:HG3	1:E:328:LEU:HD13	1.96	0.47
1:B:158:ALA:HA	1:B:161:ARG:HD3	1.96	0.47
1:C:296:THR:HG21	1:E:133:GLY:HA2	1.96	0.47
1:C:363:ARG:HH21	1:C:363:ARG:CB	2.26	0.47
1:B:164:PHE:HA	1:B:167:TRP:CE3	2.50	0.47
1:C:363:ARG:HH21	1:C:363:ARG:HB3	1.80	0.47
1:D:164:PHE:HA	1:D:167:TRP:CE3	2.49	0.47
1:B:146:PRO:HG2	7:B:1032:HOH:O	2.13	0.47
1:C:181:ASN:HA	3:C:2001:VD3:H191	1.97	0.47
1:A:206:LEU:HD22	1:A:210:LEU:HG	1.97	0.46
1:B:240:THR:HG21	3:B:2001:VD3:H272	1.96	0.46
1:C:351:GLN:NE2	7:C:638:HOH:O	2.40	0.46
1:C:241:THR:HA	2:C:412:HEM:HBB1	1.99	0.45
1:C:143:PHE:CZ	1:C:147:VAL:HG21	2.50	0.45
1:C:145:ILE:HB	1:C:146:PRO:HD3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:2001:VD3:H232	3:A:2001:VD3:H211	1.74	0.45
1:B:37:LYS:HE2	1:B:44:PRO:HB2	1.99	0.45
1:C:131:THR:HG23	1:C:400:PRO:HA	1.99	0.45
1:B:40:LEU:HD12	1:B:45:VAL:HG12	1.99	0.44
1:D:145:ILE:HB	1:D:146:PRO:HD3	1.99	0.44
1:C:69:HIS:O	1:C:305:GLY:HA2	2.17	0.44
1:D:139:ARG:NH2	1:D:140:GLU:OE2	2.51	0.44
1:C:156:LEU:HD13	1:C:234:LEU:HD22	1.99	0.44
3:D:2001:VD3:H232	3:D:2001:VD3:H211	1.79	0.44
1:C:144:GLN:O	1:C:148:GLN:HG3	2.17	0.44
1:E:129:LEU:HD13	1:E:398:MET:CE	2.48	0.44
1:B:144:GLN:O	1:B:148:GLN:HG3	2.18	0.44
1:D:368:ARG:NH2	1:D:398:MET:HB3	2.33	0.44
1:B:87:MET:HA	1:B:90:MET:HG2	1.99	0.43
1:D:143:PHE:HZ	1:D:165:SER:OG	2.01	0.43
1:B:351:GLN:HA	1:B:351:GLN:NE2	2.32	0.43
1:B:40:LEU:CD1	1:B:45:VAL:HG12	2.48	0.43
1:A:82:THR:HG23	1:A:84:THR:H	1.83	0.43
1:A:240:THR:HB	2:A:412:HEM:C3B	2.54	0.43
1:B:90:MET:SD	1:B:94:ASP:HB3	2.59	0.43
1:C:106:PHE:CE2	2:C:412:HEM:HBC1	2.54	0.42
1:E:125:LEU:O	1:E:129:LEU:HG	2.19	0.42
1:D:108:VAL:HA	1:D:351:GLN:HG2	2.00	0.42
1:D:184:MET:SD	1:D:231:MET:HE1	2.60	0.42
1:A:354:ARG:NH1	7:A:604:HOH:O	2.36	0.42
3:B:2001:VD3:H7	3:B:2001:VD3:H101	1.88	0.42
1:D:85:PRO:CG	1:D:224:GLU:HG3	2.49	0.42
1:B:194:LEU:HD22	1:B:198:LYS:HE2	2.00	0.42
1:B:139:ARG:NH2	1:B:140:GLU:CD	2.73	0.41
1:B:195:LEU:HD22	1:B:211:LEU:HG	2.03	0.41
1:C:109:ARG:O	1:C:113:GLU:HG3	2.21	0.41
1:B:139:ARG:NH2	1:B:140:GLU:OE2	2.54	0.41
1:C:145:ILE:O	1:C:149:VAL:HG23	2.21	0.41
1:C:206:LEU:HD22	1:C:210:LEU:HG	2.03	0.41
1:D:38:LEU:O	1:D:44:PRO:HA	2.21	0.41
1:B:70:ARG:HH21	1:B:70:ARG:HD3	1.78	0.40
1:E:101:LEU:HD21	1:E:210:LEU:HD22	2.04	0.40
1:E:104:ARG:HE	1:E:104:ARG:HB3	1.66	0.40
1:E:51:TYR:HA	1:E:315:ALA:HB1	2.02	0.40
1:E:86:MET:HE2	1:E:89:LEU:HG	2.02	0.40
1:B:86:MET:CE	3:B:2001:VD3:H112	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:206:LEU:HD22	1:D:210:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	400/411 (97%)	388 (97%)	12 (3%)	0	100 100
1	B	400/411 (97%)	386 (96%)	14 (4%)	0	100 100
1	C	399/411 (97%)	386 (97%)	13 (3%)	0	100 100
1	D	399/411 (97%)	385 (96%)	13 (3%)	1 (0%)	41 31
1	E	399/411 (97%)	388 (97%)	11 (3%)	0	100 100
All	All	1997/2055 (97%)	1933 (97%)	63 (3%)	1 (0%)	51 45

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	8	THR

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
-----	-------	----------	-----------	----------	-------------

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	334/343 (97%)	321 (96%)	13 (4%)	32 25
1	B	334/343 (97%)	323 (97%)	11 (3%)	38 31
1	C	334/343 (97%)	312 (93%)	22 (7%)	16 9
1	D	334/343 (97%)	315 (94%)	19 (6%)	20 12
1	E	334/343 (97%)	317 (95%)	17 (5%)	24 15
All	All	1670/1715 (97%)	1588 (95%)	82 (5%)	25 17

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	TRP
1	A	75	GLN
1	A	82	THR
1	A	104	ARG
1	A	132	ASP
1	A	162	ASP
1	A	194	LEU
1	A	206	LEU
1	A	220	ARG
1	A	223	GLN
1	A	328	LEU
1	A	377	LEU
1	A	389	ARG
1	B	67	TRP
1	B	76	ARG
1	B	100	LYS
1	B	104	ARG
1	B	194	LEU
1	B	211	LEU
1	B	221	LEU
1	B	328	LEU
1	B	333	ASP
1	B	335	SER
1	B	377	LEU
1	C	6	THR
1	C	8	THR
1	C	10	GLN
1	C	55	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	67	TRP
1	C	84	THR
1	C	132	ASP
1	C	135	VAL
1	C	169	SER
1	C	192	SER
1	C	194	LEU
1	C	206	LEU
1	C	211	LEU
1	C	234	LEU
1	C	261	LEU
1	C	271	SER
1	C	328	LEU
1	C	333	ASP
1	C	335	SER
1	C	363	ARG
1	C	377	LEU
1	C	378	ASP
1	D	10	GLN
1	D	67	TRP
1	D	71	LEU
1	D	162	ASP
1	D	163	ASP
1	D	165	SER
1	D	179	ASP
1	D	184	MET
1	D	187	LEU
1	D	194	LEU
1	D	200	THR
1	D	206	LEU
1	D	211	LEU
1	D	221	LEU
1	D	223	GLN
1	D	328	LEU
1	D	355	LEU
1	D	377	LEU
1	D	378	ASP
1	E	3	LEU
1	E	10	GLN
1	E	67	TRP
1	E	73	GLU
1	E	102	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	104	ARG
1	E	108	VAL
1	E	181	ASN
1	E	187	LEU
1	E	194	LEU
1	E	206	LEU
1	E	211	LEU
1	E	234	LEU
1	E	285	GLN
1	E	328	LEU
1	E	355	LEU
1	E	377	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	HIS
1	A	223	GLN
1	B	69	HIS
1	B	238	HIS
1	B	351	GLN
1	C	69	HIS
1	C	238	HIS
1	C	351	GLN
1	D	10	GLN
1	D	69	HIS
1	D	223	GLN
1	E	10	GLN
1	E	69	HIS
1	E	223	GLN
1	E	285	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 24 ligands modelled in this entry, 6 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	E	4008	-	3,3,3	0.73	0	3,3,3	1.34	0
3	VD3	A	2001	-	30,30,30	0.67	0	43,43,43	2.20	13 (30%)
2	HEM	D	412	1	41,50,50	1.94	7 (17%)	45,82,82	1.79	8 (17%)
3	VD3	B	2001	-	30,30,30	1.03	1 (3%)	43,43,43	2.05	10 (23%)
3	VD3	C	2001	-	30,30,30	0.93	1 (3%)	43,43,43	2.02	10 (23%)
3	VD3	E	2001	-	30,30,30	0.93	0	43,43,43	2.49	14 (32%)
6	GOL	A	3001	-	5,5,5	0.50	0	5,5,5	0.31	0
4	ACT	C	4007	-	3,3,3	0.66	0	3,3,3	1.35	0
2	HEM	B	412	1	41,50,50	2.07	9 (21%)	45,82,82	1.98	9 (20%)
3	VD3	D	2001	-	30,30,30	1.18	3 (10%)	43,43,43	1.74	13 (30%)
2	HEM	C	412	1	41,50,50	1.97	8 (19%)	45,82,82	1.98	9 (20%)
4	ACT	A	4006	-	3,3,3	0.81	0	3,3,3	1.29	0
2	HEM	E	412	1	41,50,50	2.10	8 (19%)	45,82,82	2.00	10 (22%)
2	HEM	A	412	1	41,50,50	2.05	9 (21%)	45,82,82	2.03	12 (26%)
6	GOL	A	3002	5	5,5,5	0.29	0	5,5,5	1.79	1 (20%)
4	ACT	D	4001	-	3,3,3	0.93	0	3,3,3	1.24	0
4	ACT	C	4004	5	3,3,3	0.66	0	3,3,3	1.53	1 (33%)
4	ACT	E	4005	5	3,3,3	0.70	0	3,3,3	1.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	VD3	A	2001	-	-	9/15/56/56	0/3/3/3
2	HEM	D	412	1	-	0/12/54/54	-
3	VD3	B	2001	-	-	5/15/56/56	0/3/3/3
3	VD3	C	2001	-	-	5/15/56/56	0/3/3/3
3	VD3	E	2001	-	-	7/15/56/56	0/3/3/3
6	GOL	A	3001	-	-	0/4/4/4	-
2	HEM	B	412	1	-	0/12/54/54	-
3	VD3	D	2001	-	-	9/15/56/56	0/3/3/3
2	HEM	C	412	1	-	1/12/54/54	-
2	HEM	E	412	1	-	0/12/54/54	-
2	HEM	A	412	1	-	0/12/54/54	-
6	GOL	A	3002	5	-	2/4/4/4	-

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	412	HEM	C3D-C2D	8.00	1.53	1.36
2	D	412	HEM	C3D-C2D	7.61	1.52	1.36
2	A	412	HEM	C3D-C2D	7.45	1.52	1.36
2	E	412	HEM	C3D-C2D	7.39	1.52	1.36
2	C	412	HEM	C3D-C2D	7.37	1.52	1.36
2	E	412	HEM	C3C-C2C	-5.65	1.32	1.40
2	A	412	HEM	C3C-C2C	-4.47	1.34	1.40
2	D	412	HEM	C3C-C2C	-4.26	1.34	1.40
2	B	412	HEM	C3C-C2C	-4.15	1.34	1.40
2	E	412	HEM	FE-NB	4.07	2.17	1.96
2	C	412	HEM	C3C-C2C	-3.95	1.34	1.40
2	E	412	HEM	C3C-CAC	3.81	1.55	1.47
3	D	2001	VD3	C1-C6	3.77	1.57	1.50
2	A	412	HEM	C3C-CAC	3.64	1.55	1.47
2	C	412	HEM	C3C-CAC	3.62	1.55	1.47
2	B	412	HEM	C3C-CAC	3.59	1.55	1.47
2	B	412	HEM	FE-ND	3.57	2.14	1.96
2	D	412	HEM	C3C-CAC	3.37	1.54	1.47
2	A	412	HEM	FE-ND	3.35	2.13	1.96
2	C	412	HEM	FE-ND	3.21	2.12	1.96
2	C	412	HEM	FE-NB	3.16	2.12	1.96
2	B	412	HEM	CAB-C3B	3.16	1.56	1.47
3	D	2001	VD3	C19-C6	3.12	1.39	1.32
2	A	412	HEM	CAB-C3B	3.02	1.55	1.47
2	D	412	HEM	FE-ND	2.99	2.11	1.96
2	E	412	HEM	CAB-C3B	2.96	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	412	HEM	CMD-C2D	2.88	1.56	1.50
2	B	412	HEM	CAA-C2A	2.87	1.56	1.52
2	A	412	HEM	FE-NB	2.83	2.10	1.96
2	A	412	HEM	CMD-C2D	2.81	1.56	1.50
2	E	412	HEM	CMD-C2D	2.78	1.56	1.50
2	C	412	HEM	CAA-C2A	2.77	1.56	1.52
2	C	412	HEM	CAB-C3B	2.75	1.54	1.47
2	D	412	HEM	CAB-C3B	2.75	1.54	1.47
2	A	412	HEM	CMB-C2B	2.72	1.56	1.50
2	E	412	HEM	FE-ND	2.67	2.10	1.96
3	B	2001	VD3	C2-C3	2.51	1.57	1.51
3	C	2001	VD3	C16-C15	2.48	1.60	1.54
2	B	412	HEM	FE-NB	2.46	2.09	1.96
2	D	412	HEM	FE-NB	2.26	2.08	1.96
2	B	412	HEM	CMD-C2D	2.20	1.55	1.50
2	B	412	HEM	CMB-C2B	2.16	1.55	1.50
3	D	2001	VD3	C13-C14	-2.15	1.52	1.56
2	A	412	HEM	CMA-C3A	2.06	1.55	1.51
2	E	412	HEM	CAA-C2A	2.03	1.55	1.52
2	C	412	HEM	CMD-C2D	2.03	1.55	1.50

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	2001	VD3	C14-C13-C17	-8.75	90.39	99.72
2	E	412	HEM	C4D-ND-C1D	7.58	112.90	105.07
2	C	412	HEM	C4D-ND-C1D	7.10	112.41	105.07
2	A	412	HEM	C4D-ND-C1D	6.97	112.27	105.07
2	B	412	HEM	C4D-ND-C1D	6.94	112.24	105.07
3	A	2001	VD3	C7-C8-C9	-6.92	115.75	126.20
2	D	412	HEM	C4D-ND-C1D	6.26	111.54	105.07
3	C	2001	VD3	C15-C14-C13	5.87	109.44	104.21
3	B	2001	VD3	C10-C9-C8	-5.55	118.96	125.26
3	E	2001	VD3	C16-C17-C20	5.51	120.68	112.15
2	A	412	HEM	C4C-CHD-C1D	5.43	129.72	122.56
3	C	2001	VD3	C7-C5-C6	-5.35	119.26	125.18
3	E	2001	VD3	C10-C9-C8	-4.91	119.69	125.26
2	B	412	HEM	C4B-CHC-C1C	4.89	129.01	122.56
3	B	2001	VD3	C7-C5-C6	-4.89	119.77	125.18
3	B	2001	VD3	C7-C8-C9	-4.77	119.01	126.20
3	A	2001	VD3	C10-C9-C8	-4.45	120.21	125.26
3	A	2001	VD3	C4-C5-C6	4.44	119.16	113.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	412	HEM	C4C-CHD-C1D	4.43	128.40	122.56
3	C	2001	VD3	C10-C9-C8	-4.39	120.28	125.26
3	C	2001	VD3	C7-C8-C9	-4.33	119.67	126.20
3	E	2001	VD3	C22-C20-C17	4.25	119.07	110.28
3	E	2001	VD3	C21-C20-C17	-4.11	106.63	112.92
3	E	2001	VD3	C7-C8-C9	-4.09	120.02	126.20
2	E	412	HEM	C4C-CHD-C1D	4.04	127.89	122.56
3	A	2001	VD3	C7-C5-C6	-4.01	120.74	125.18
3	A	2001	VD3	C13-C14-C9	-3.92	106.75	113.13
3	A	2001	VD3	C3-C4-C5	-3.82	107.14	112.69
3	D	2001	VD3	C14-C9-C8	-3.76	117.29	123.55
2	C	412	HEM	C1B-NB-C4B	3.73	108.92	105.07
2	A	412	HEM	C1B-NB-C4B	3.71	108.90	105.07
2	D	412	HEM	C4C-CHD-C1D	3.60	127.31	122.56
3	D	2001	VD3	C4-C5-C7	-3.59	114.75	120.85
3	C	2001	VD3	C16-C15-C14	-3.55	99.45	105.30
3	B	2001	VD3	C16-C15-C14	-3.48	99.56	105.30
3	E	2001	VD3	C15-C14-C13	3.47	107.30	104.21
2	E	412	HEM	C1B-NB-C4B	3.46	108.65	105.07
2	B	412	HEM	C1B-NB-C4B	3.39	108.58	105.07
2	C	412	HEM	C4C-CHD-C1D	3.36	127.00	122.56
3	E	2001	VD3	C4-C5-C6	3.35	117.85	113.82
2	D	412	HEM	C4B-CHC-C1C	3.34	126.96	122.56
3	B	2001	VD3	C2-C3-C4	3.28	114.81	110.31
2	C	412	HEM	C4B-CHC-C1C	3.25	126.85	122.56
3	A	2001	VD3	C13-C17-C20	-3.21	114.45	119.49
3	D	2001	VD3	C4-C5-C6	3.21	117.68	113.82
2	D	412	HEM	C2C-C3C-C4C	3.20	109.14	106.90
3	B	2001	VD3	C2-C1-C6	-3.19	106.67	111.42
3	C	2001	VD3	C2-C1-C6	-3.11	106.78	111.42
3	D	2001	VD3	C2-C3-C4	3.07	114.52	110.31
2	C	412	HEM	CBD-CAD-C3D	-3.07	104.09	112.63
3	D	2001	VD3	C10-C9-C14	3.07	120.50	113.15
2	E	412	HEM	C3D-C4D-ND	-3.07	106.75	110.17
2	E	412	HEM	CHD-C1D-ND	3.01	127.70	124.43
2	E	412	HEM	CMA-C3A-C4A	-2.98	123.89	128.46
6	A	3002	GOL	O2-C2-C3	2.94	122.09	109.12
3	B	2001	VD3	C16-C17-C20	2.90	116.63	112.15
2	A	412	HEM	CBA-CAA-C2A	-2.88	107.70	112.62
3	E	2001	VD3	C16-C15-C14	-2.85	100.61	105.30
3	D	2001	VD3	C18-C13-C14	2.84	114.84	110.24
2	A	412	HEM	C4B-CHC-C1C	2.78	126.22	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	412	HEM	CHD-C1D-ND	2.76	127.43	124.43
2	C	412	HEM	C4A-C3A-C2A	2.75	108.91	107.00
3	D	2001	VD3	C10-C9-C8	-2.72	122.17	125.26
3	A	2001	VD3	C1-C6-C5	2.71	118.72	114.54
2	A	412	HEM	CBD-CAD-C3D	-2.70	105.12	112.63
2	D	412	HEM	CMA-C3A-C4A	-2.67	124.35	128.46
3	B	2001	VD3	C21-C20-C22	-2.62	106.26	110.36
2	C	412	HEM	CMA-C3A-C4A	-2.59	124.48	128.46
3	D	2001	VD3	C14-C13-C17	-2.56	96.99	99.72
2	C	412	HEM	C3B-C2B-C1B	2.53	108.37	106.49
2	B	412	HEM	CMA-C3A-C4A	-2.53	124.58	128.46
3	C	2001	VD3	C13-C17-C20	-2.52	115.55	119.49
3	C	2001	VD3	C2-C3-C4	2.50	113.73	110.31
3	E	2001	VD3	C2-C1-C6	-2.48	107.72	111.42
3	A	2001	VD3	C8-C7-C5	-2.46	122.53	126.54
3	E	2001	VD3	C10-C9-C14	2.44	118.99	113.15
3	D	2001	VD3	C8-C7-C5	2.44	130.51	126.54
2	D	412	HEM	CBD-CAD-C3D	-2.44	105.86	112.63
2	B	412	HEM	C2C-C3C-C4C	2.43	108.60	106.90
2	D	412	HEM	C1B-NB-C4B	2.42	107.57	105.07
2	D	412	HEM	C3C-C4C-NC	-2.41	106.39	110.94
2	B	412	HEM	CHC-C4B-NB	2.41	127.05	124.43
2	E	412	HEM	C3B-C2B-C1B	2.40	108.27	106.49
2	E	412	HEM	C2C-C3C-C4C	2.40	108.57	106.90
3	B	2001	VD3	C15-C14-C13	2.39	106.34	104.21
3	A	2001	VD3	C11-C10-C9	-2.37	106.41	111.83
3	A	2001	VD3	C15-C14-C9	2.36	123.48	120.63
3	B	2001	VD3	C4-C5-C6	2.36	116.66	113.82
2	A	412	HEM	C3D-C4D-ND	-2.35	107.55	110.17
3	E	2001	VD3	C15-C16-C17	-2.34	100.48	105.13
3	D	2001	VD3	C11-C10-C9	2.27	117.02	111.83
2	A	412	HEM	C3B-C2B-C1B	2.25	108.16	106.49
2	E	412	HEM	CAD-C3D-C4D	2.22	128.53	124.66
2	B	412	HEM	CBD-CAD-C3D	-2.21	106.50	112.63
2	A	412	HEM	C3C-C4C-NC	-2.18	106.82	110.94
3	D	2001	VD3	C7-C5-C6	2.16	127.57	125.18
2	A	412	HEM	CHC-C4B-NB	2.14	126.76	124.43
2	A	412	HEM	C2B-C1B-NB	-2.13	107.31	109.84
3	C	2001	VD3	C4-C5-C7	2.12	124.44	120.85
2	B	412	HEM	C3C-C4C-NC	-2.11	106.97	110.94
3	D	2001	VD3	C16-C17-C20	2.08	115.37	112.15
2	E	412	HEM	C4B-CHC-C1C	2.07	125.29	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	2001	VD3	C4-C5-C7	-2.07	117.34	120.85
3	D	2001	VD3	C21-C20-C17	-2.05	109.78	112.92
3	A	2001	VD3	C14-C9-C8	2.05	126.97	123.55
3	C	2001	VD3	C4-C5-C6	2.05	116.29	113.82
3	A	2001	VD3	C16-C15-C14	-2.05	101.93	105.30
3	E	2001	VD3	C18-C13-C14	2.04	113.55	110.24
4	C	4004	ACT	OXT-C-CH3	2.02	123.53	115.18
2	C	412	HEM	C2B-C1B-NB	-2.01	107.46	109.84

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2001	VD3	C5-C7-C8-C9
3	D	2001	VD3	C5-C7-C8-C9
3	E	2001	VD3	C5-C7-C8-C9
6	A	3002	GOL	O1-C1-C2-C3
3	E	2001	VD3	C21-C20-C22-C23
3	E	2001	VD3	C13-C17-C20-C22
3	E	2001	VD3	C17-C20-C22-C23
3	E	2001	VD3	C13-C17-C20-C21
3	D	2001	VD3	C20-C22-C23-C24
3	C	2001	VD3	C20-C22-C23-C24
3	A	2001	VD3	C20-C22-C23-C24
3	E	2001	VD3	C16-C17-C20-C21
3	B	2001	VD3	C22-C23-C24-C25
3	A	2001	VD3	C21-C20-C22-C23
3	A	2001	VD3	C23-C24-C25-C26
3	B	2001	VD3	C23-C24-C25-C27
3	A	2001	VD3	C23-C24-C25-C27
3	D	2001	VD3	C23-C24-C25-C27
6	A	3002	GOL	O2-C2-C3-O3
3	D	2001	VD3	C16-C17-C20-C21
3	A	2001	VD3	C22-C23-C24-C25
3	C	2001	VD3	C22-C23-C24-C25
3	B	2001	VD3	C23-C24-C25-C26
3	D	2001	VD3	C23-C24-C25-C26
3	C	2001	VD3	C23-C24-C25-C27
3	D	2001	VD3	C13-C17-C20-C21
3	D	2001	VD3	C16-C17-C20-C22
3	B	2001	VD3	C5-C7-C8-C9
3	C	2001	VD3	C5-C7-C8-C9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	2001	VD3	C20-C22-C23-C24
3	D	2001	VD3	C13-C17-C20-C22
3	C	2001	VD3	C23-C24-C25-C26
2	C	412	HEM	C4B-C3B-CAB-CBB
3	A	2001	VD3	C13-C17-C20-C22
3	A	2001	VD3	C16-C17-C20-C22
3	E	2001	VD3	C20-C22-C23-C24
3	A	2001	VD3	C13-C17-C20-C21
3	D	2001	VD3	C22-C23-C24-C25


There are no ring outliers.


8 monomers are involved in 28 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2001	VD3	1	0
2	D	412	HEM	1	0
3	B	2001	VD3	6	0
3	C	2001	VD3	2	0
3	E	2001	VD3	6	0
3	D	2001	VD3	4	0
2	C	412	HEM	7	0
2	A	412	HEM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	402/411 (97%)	-0.22	2 (0%) 91 92	11, 20, 35, 45	0
1	B	402/411 (97%)	0.03	15 (3%) 41 45	16, 29, 52, 64	0
1	C	401/411 (97%)	0.03	14 (3%) 44 48	14, 29, 49, 61	0
1	D	401/411 (97%)	-0.15	7 (1%) 70 73	14, 29, 48, 56	0
1	E	401/411 (97%)	-0.17	4 (0%) 82 84	17, 27, 42, 52	0
All	All	2007/2055 (97%)	-0.10	42 (2%) 63 67	11, 27, 47, 64	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	403	ALA	6.0
1	C	6	THR	4.9
1	D	8	THR	4.5
1	C	399	GLY	4.3
1	B	216	MET	4.0
1	C	132	ASP	3.9
1	D	2	ALA	3.9
1	C	8	THR	3.7
1	B	6	THR	3.5
1	C	400	PRO	3.3
1	D	42	ASP	3.3
1	E	133	GLY	3.2
1	D	134	PRO	3.2
1	C	402	SER	3.2
1	B	41	PRO	3.0
1	D	41	PRO	3.0
1	E	333	ASP	3.0
1	E	134	PRO	2.9
1	B	8	THR	2.9
1	C	2	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	131	THR	2.8
1	D	178	ASP	2.7
1	C	401	ARG	2.7
1	C	7	GLY	2.7
1	C	9	GLU	2.6
1	B	218	GLY	2.6
1	C	133	GLY	2.6
1	B	200	THR	2.6
1	B	220	ARG	2.5
1	B	159	GLU	2.5
1	D	9	GLU	2.5
1	A	41	PRO	2.5
1	B	7	GLY	2.4
1	C	369	PRO	2.4
1	C	370	GLU	2.3
1	B	215	ASP	2.2
1	B	211	LEU	2.2
1	B	199	ARG	2.1
1	B	197	ARG	2.1
1	B	204	ASP	2.1
1	C	397	THR	2.1
1	B	42	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	VD3	A	2001	28/28	0.56	0.35	45,60,68,68	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	VD3	E	2001	28/28	0.59	0.40	62,74,82,82	0
3	VD3	B	2001	28/28	0.60	0.36	67,78,83,83	0
3	VD3	D	2001	28/28	0.73	0.33	56,69,77,77	0
3	VD3	C	2001	28/28	0.73	0.27	45,64,71,71	0
4	ACT	E	4005	4/4	0.75	0.18	42,42,42,42	0
4	ACT	C	4004	4/4	0.85	0.12	43,43,43,43	0
4	ACT	C	4007	4/4	0.88	0.12	30,30,31,31	0
6	GOL	A	3002	6/6	0.93	0.13	29,32,33,38	0
6	GOL	A	3001	6/6	0.94	0.11	23,23,24,25	0
5	CA	A	2506	1/1	0.94	0.05	41,41,41,41	0
4	ACT	A	4006	4/4	0.95	0.17	20,20,20,20	0
4	ACT	D	4001	4/4	0.97	0.08	18,18,18,18	0
5	CA	C	2503	1/1	0.97	0.06	33,33,33,33	0
5	CA	D	2502	1/1	0.97	0.04	35,35,35,35	0
2	HEM	B	412	43/43	0.97	0.11	19,25,28,30	0
4	ACT	E	4008	4/4	0.97	0.10	36,36,36,36	0
2	HEM	D	412	43/43	0.98	0.11	13,16,18,23	0
5	CA	E	2504	1/1	0.98	0.08	35,35,35,35	0
2	HEM	E	412	43/43	0.98	0.14	15,18,19,23	0
2	HEM	C	412	43/43	0.98	0.14	12,16,19,29	0
2	HEM	A	412	43/43	0.99	0.17	9,13,15,23	0
5	CA	A	2501	1/1	0.99	0.06	29,29,29,29	0
5	CA	A	2505	1/1	0.99	0.04	27,27,27,27	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




















6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.