



Full wwPDB EM Validation Report ⓘ

Nov 8, 2022 – 12:49 PM JST

PDB ID : 6A69
EMDB ID : EMD-6987
Title : Cryo-EM structure of a P-type ATPase
Authors : Gong, D.S.; Chi, X.M.; Ren, K.; Huang, G.X.Y.; Zhou, G.W.; Yan, N.; Lei, J.L.; Zhou, Q.
Deposited on : 2018-06-27
Resolution : 4.11 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1274	
2	B	282	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Plasma membrane calcium-transporting ATPase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	911	6839	4399	1154	1252	34	0	0


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1259	HIS	-	expression tag	UNP P20020
A	1260	HIS	-	expression tag	UNP P20020
A	1261	HIS	-	expression tag	UNP P20020
A	1262	HIS	-	expression tag	UNP P20020
A	1263	HIS	-	expression tag	UNP P20020
A	1264	HIS	-	expression tag	UNP P20020
A	1265	LEU	-	expression tag	UNP P20020
A	1266	GLU	-	expression tag	UNP P20020
A	1267	ASP	-	expression tag	UNP P20020
A	1268	TYR	-	expression tag	UNP P20020
A	1269	LYS	-	expression tag	UNP P20020
A	1270	ASP	-	expression tag	UNP P20020
A	1271	ASP	-	expression tag	UNP P20020
A	1272	ASP	-	expression tag	UNP P20020
A	1273	ASP	-	expression tag	UNP P20020
A	1274	LYS	-	expression tag	UNP P20020

- Molecule 2 is a protein called Neuroplastin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	127	998	638	169	186	5	1	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	B	1	14	8	1	5	0

GLU
GLY
ALA
SER
LEU
LEU
ARG
ARG
GLN
PRO
LEU
SER
LEU
ILE
ALA
ASP
SER
GLN
HIS
HIS
HIS
VAL
GLU
ASP
VAL
THR
THR
ASN
ILE
ARG
VAL
VAL
VAL
ASN
ASN
ALA
PHE
ARG
LYS
SER
SER
SER
LEU
TYR
GLU
GLY
SER
LEU
GLY
LEU
LYS
PRO
PRO
GLU
HIS
ILE
SER
MET
SER
HIS
ASN
PHE
ALA
THR
THR
SER
SER
PRO
GLU
PHE
ARG
ILE

LEU
ASP
SER
LEU
PRO
GLU
HIS
THR
SER
ILE
PRO
LEU
LEU
ILE
ASP
HIS
THR
ASP
ALA
ASP
ALA
THR
THR
ASP
THR
ASP
ASP
ASP
ASP
LYS


LEU
HIS
SER
LEU
THR
SER
HIS
HIS
HIS
HIS
HIS
HIS
LEU
GLU
GLU
TYR
LYS
ASP
ASP
LYS

● Molecule 2: Neuroplastin



MET
SER
GLY
SER
LEU
LEU
PRO
SER
ALA
ALA
SER
SER
GLY
SER
LEU
LEU
VAL
VAL
SER
GLY
SER
SER
LEU
ALA
ALA
GLN
ASN
GLU
PRO
ARG
ILE
VAL
THR
SER
GLU
VAL
ILE
ARG
ASP
SER
PRO
VAL
LEU
PRO
VAL
THR
LEU
GLN
CYS
ASN
LEU
THR
SER
SER

HIS
THR
LEU
THR
TYR
SER
TYR
TRP
THR
LYS
ASN
GLY
VAL
GLU
LEU
SER
SER
ALA
THR
LYS
ASN
SER
SER
ALA
ASN
MET
GLU
TYR
ARG
ILE
ASN
LYS
PRO
ARG
ALA
GLU
VAL
ASP
GLY
GLU
TYR
HIS
CYS
VAL
TYR
HIS
PHE
VAL
PRO
ALA
LYS
LYS
ALA
ASN
ALA
THR
ILE
GLU
VAL
LYS
A120



T182
E183
L184
M185
I186
V187
M188
L189
Q190
I191
T192
E193
D194
P195
G196
E197
Y198
R201
A202
T203
H204
A205
T206
S207
S208
A209
S210
W211
V212
R218
S219
H220
L221
A222
P223
L237
R246
ARG
LYS
ARG
PRO
ASP
GLU
VAL
PRO
ASP
ASP
ASP
GLU
PRO
ALA
GLY
PRO
MET
LYS
THR

ASN
SER
THR
ASN
ASN
HIS
HIS
LYS
ASP
LYS
ASN
LEU
ARG
GLN
ARG
ASN
THR
ASN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	105188	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	48	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.240	Depositor
Minimum map value	-0.158	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.035	Depositor
Map size (Å)	218.2, 218.2, 218.2	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.091, 1.091, 1.091	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/6958	0.77	8/9452 (0.1%)
2	B	0.35	0/1024	0.60	0/1396
All	All	0.50	0/7982	0.75	8/10848 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	645	LEU	CA-CB-CG	5.96	129.01	115.30
1	A	67	PRO	N-CA-CB	5.88	110.36	103.30
1	A	530	PRO	C-N-CD	-5.74	107.98	120.60
1	A	566	GLU	N-CA-C	5.47	125.78	111.00
1	A	1058	ILE	CG1-CB-CG2	-5.42	99.49	111.40
1	A	369	LEU	CA-CB-CG	5.25	127.38	115.30
1	A	965	HIS	C-N-CA	5.23	134.78	121.70
1	A	184	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	528	ILE	Peptide
1	A	543	ASN	Peptide
1	A	565	ASN	Peptide
1	A	617	ALA	Peptide
1	A	680	VAL	Peptide
1	A	729	GLU	Peptide
1	A	742	ARG	Peptide
1	A	953	PHE	Peptide
1	A	964	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6839	0	6868	104	0
2	B	998	0	982	13	0
3	B	14	0	13	0	0
All	All	7851	0	7863	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:627:ARG:O	1:A:631:ASP:HB2	1.81	0.80
1:A:604:SER:O	1:A:608:LEU:HB3	1.89	0.72
1:A:430:ALA:HA	1:A:863:ASN:HD21	1.54	0.72
1:A:751:GLU:O	1:A:755:ILE:HB	1.91	0.71
1:A:487:VAL:H	1:A:552:LEU:HD12	1.57	0.67
1:A:611:CYS:HA	1:A:674:LEU:HB2	1.76	0.67
1:A:883:LYS:H	1:A:886:GLN:HE21	1.42	0.65
1:A:482:MET:HA	1:A:687:ARG:HE	1.63	0.63
1:A:388:LEU:HD11	1:A:874:ALA:HB1	1.79	0.63
1:A:166:VAL:HG23	1:A:892:LEU:HD12	1.81	0.63
1:A:77:ASP:HA	1:A:80:ARG:HE	1.64	0.62
1:A:947:LEU:O	1:A:960:ARG:NH1	2.34	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:135:GLU:OE2	2:B:190:GLN:NE2	2.35	0.59
1:A:482:MET:HG2	1:A:687:ARG:HD3	1.85	0.59
1:A:951:GLU:OE2	1:A:960:ARG:NH1	2.37	0.57
1:A:899:SER:O	1:A:903:ALA:HB3	2.06	0.56
1:A:222:ASP:HA	1:A:820:ASP:HB2	1.88	0.56
1:A:744:ARG:HG2	1:A:749:GLU:H	1.71	0.55
2:B:201:ASN:HD21	2:B:208[A]:SER:HB3	1.72	0.55
1:A:482:MET:HB2	1:A:685:PRO:HG2	1.89	0.55
1:A:644:GLY:HA3	1:A:645:LEU:HD23	1.88	0.55
1:A:219:LYS:HA	1:A:270:SER:HA	1.88	0.54
1:A:652:PHE:HB3	1:A:675:THR:HB	1.89	0.54
1:A:740:ASN:HB3	1:A:744:ARG:HH12	1.72	0.53
1:A:818:GLY:O	1:A:823:LYS:NZ	2.42	0.53
2:B:120:ALA:N	2:B:148:TYR:O	2.41	0.53
2:B:221:LEU:H	2:B:222:ALA:HA	1.74	0.53
1:A:360:SER:OG	1:A:361:VAL:N	2.41	0.53
1:A:575:VAL:HA	1:A:587:THR:HA	1.90	0.52
1:A:679:VAL:HB	1:A:680:VAL:HG22	1.92	0.52
1:A:633:VAL:HA	1:A:637:ILE:HD12	1.92	0.52
1:A:485:MET:SD	1:A:485:MET:N	2.76	0.52
1:A:759:TRP:HH2	1:A:780:ILE:HG23	1.75	0.52
1:A:703:THR:OG1	1:A:705:ARG:NH1	2.44	0.51
1:A:687:ARG:HB2	1:A:690:VAL:HG23	1.92	0.51
1:A:603:ALA:HA	1:A:648:ILE:HA	1.93	0.51
1:A:193:LYS:HB3	1:A:204:GLN:HB3	1.94	0.50
1:A:744:ARG:NH2	1:A:749:GLU:OE2	2.42	0.50
1:A:997:ARG:NH1	1:A:1059:SER:OG	2.43	0.49
1:A:466:MET:HG2	1:A:469:ALA:HB2	1.94	0.49
1:A:709:GLY:HA2	1:A:768:SER:H	1.78	0.49
1:A:897:LEU:HD11	1:A:1012:ILE:HD12	1.95	0.49
1:A:74:ASN:HB3	1:A:77:ASP:HB2	1.95	0.49
1:A:647:THR:HA	1:A:680:VAL:HG21	1.95	0.49
1:A:224:LEU:HD13	1:A:260:LEU:HB3	1.94	0.48
1:A:590:LYS:O	1:A:597:ARG:NH1	2.46	0.48
2:B:201:ASN:HD21	2:B:208[B]:SER:HB2	1.78	0.48
1:A:197:ILE:HD11	1:A:217:GLN:HB2	1.95	0.48
1:A:549:LEU:HD11	1:A:650:LEU:HD11	1.96	0.48
1:A:588:VAL:HG13	1:A:598:ILE:HG12	1.95	0.47
1:A:740:ASN:O	1:A:744:ARG:NH1	2.47	0.47
1:A:857:GLN:HE21	1:A:990:ALA:HA	1.78	0.47
1:A:652:PHE:HB2	1:A:677:ILE:HD11	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:769:SER:OG	1:A:772:ASP:N	2.46	0.47
1:A:1003:ILE:H	1:A:1003:ILE:HG13	1.48	0.47
1:A:488:VAL:N	1:A:681:GLY:O	2.46	0.47
1:A:81:ARG:NH1	1:A:212:VAL:O	2.47	0.47
1:A:223:LEU:HD23	1:A:265:HIS:HB3	1.97	0.47
1:A:768:SER:OG	1:A:769:SER:N	2.48	0.47
1:A:603:ALA:O	1:A:607:ILE:N	2.39	0.46
1:A:730:ASP:HA	1:A:731:PHE:HA	1.72	0.46
1:A:1001:GLU:HA	1:A:1002:GLY:HA2	1.62	0.46
1:A:378:LEU:HA	1:A:427:LEU:HD21	1.97	0.45
1:A:612:PHE:HB2	1:A:673:GLY:HA2	1.98	0.45
1:A:94:LYS:HA	1:A:95:PRO:HA	1.69	0.45
1:A:956:ILE:HD12	2:B:132:ASN:HD21	1.80	0.45
1:A:109:VAL:HA	1:A:112:ILE:HG22	1.98	0.45
1:A:525:THR:OG1	1:A:541:VAL:O	2.35	0.45
2:B:139:ALA:HB2	2:B:189:LEU:HD11	1.99	0.45
1:A:68:ASN:HA	1:A:69:GLU:HA	1.73	0.45
2:B:154:ILE:HB	2:B:201:ASN:HB3	1.98	0.45
1:A:744:ARG:HD3	1:A:747:LYS:HA	1.98	0.45
1:A:366:LEU:HD23	1:A:366:LEU:HA	1.84	0.44
1:A:485:MET:HG2	1:A:548:ALA:HB2	1.99	0.44
2:B:154:ILE:O	2:B:201:ASN:N	2.51	0.44
1:A:126:PHE:HA	1:A:127:TYR:HA	1.82	0.44
1:A:997:ARG:HG3	1:A:1056:GLN:HE21	1.82	0.44
2:B:170:SER:HB2	2:B:172:ARG:HE	1.83	0.44
1:A:238:ILE:HG22	1:A:266:VAL:HG22	2.00	0.43
1:A:484:ARG:HH12	1:A:537:LEU:HG	1.83	0.43
1:A:586:SER:HA	1:A:600:SER:HA	2.00	0.43
1:A:488:VAL:HG12	1:A:489:GLN:HG2	2.00	0.43
1:A:947:LEU:HD23	1:A:975:VAL:HG21	2.01	0.43
1:A:187:ARG:HD3	1:A:451:MET:SD	2.58	0.43
1:A:948:PHE:O	1:A:960:ARG:NH2	2.51	0.43
1:A:879:ASP:OD1	1:A:880:SER:N	2.51	0.43
1:A:227:ASP:OD1	1:A:262:SER:N	2.49	0.43
1:A:101:LEU:HD13	1:A:101:LEU:HA	1.88	0.42
1:A:513:TYR:O	1:A:516:THR:OG1	2.31	0.42
1:A:613:LYS:HG3	1:A:675:THR:HG23	2.00	0.42
1:A:648:ILE:H	1:A:680:VAL:HG11	1.85	0.42
1:A:768:SER:OG	1:A:769:SER:O	2.35	0.42
1:A:765:LEU:HD22	1:A:765:LEU:HA	1.88	0.42
1:A:106:LEU:HD23	1:A:106:LEU:HA	1.90	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:711:ASN:HA	1:A:712:ILE:HA	1.77	0.41
1:A:899:SER:O	1:A:903:ALA:CB	2.68	0.41
1:A:960:ARG:HA	1:A:961:ASN:HA	1.67	0.41
1:A:713:ASN:OD1	1:A:716:ARG:NH2	2.39	0.41
1:A:33:GLU:O	1:A:37:LEU:N	2.44	0.41
1:A:489:GLN:HB2	1:A:681:GLY:HA3	2.02	0.41
1:A:1047:LEU:HD23	1:A:1047:LEU:HA	1.88	0.41
1:A:489:GLN:O	1:A:681:GLY:N	2.53	0.41
2:B:158:LYS:HB3	2:B:197:GLU:HB3	2.02	0.41
1:A:108:ASP:HB2	1:A:111:LEU:HD13	2.02	0.41
1:A:1039:GLU:OE1	2:B:223:PRO:HB2	2.21	0.41
1:A:1052:LEU:HD12	2:B:237:LEU:HD22	2.03	0.41
1:A:644:GLY:HA2	1:A:645:LEU:HA	1.79	0.41
1:A:957:ASP:N	1:A:957:ASP:OD1	2.53	0.41
1:A:197:ILE:HA	1:A:202:VAL:HG22	2.03	0.40
1:A:432:PRO:HG3	1:A:859:GLN:HE22	1.87	0.40
1:A:613:LYS:HD2	1:A:621:ALA:HB1	2.04	0.40
1:A:224:LEU:HD23	1:A:224:LEU:HA	1.87	0.40
1:A:745:ASN:HA	1:A:746:GLU:HA	1.77	0.40
1:A:220:TYR:HD2	1:A:799:THR:HG21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	895/1274 (70%)	767 (86%)	127 (14%)	1 (0%)	51 85
2	B	126/282 (45%)	115 (91%)	11 (9%)	0	100 100
All	All	1021/1556 (66%)	882 (86%)	138 (14%)	1 (0%)	54 85

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	968	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	720/1095 (66%)	695 (96%)	25 (4%)	36	60
2	B	109/248 (44%)	106 (97%)	3 (3%)	43	64
All	All	829/1343 (62%)	801 (97%)	28 (3%)	40	60

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	ARG
1	A	173	ASN
1	A	414	GLN
1	A	435	LEU
1	A	455	ASN
1	A	483	ASN
1	A	484	ARG
1	A	539	ARG
1	A	556	LEU
1	A	679	VAL
1	A	680	VAL
1	A	765	LEU
1	A	834	ASN
1	A	860	LEU
1	A	863	ASN
1	A	891	ASN
1	A	896	THR
1	A	977	ASN
1	A	989	ASN
1	A	997	ARG
1	A	999	VAL
1	A	1003	ILE
1	A	1042	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1053	LEU
1	A	1054	TRP
2	B	129	ARG
2	B	188	ASN
2	B	201	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	414	GLN
1	A	483	ASN
1	A	834	ASN
1	A	863	ASN
1	A	886	GLN
1	A	891	ASN
1	A	935	HIS
1	A	977	ASN
2	B	132	ASN
2	B	188	ASN
2	B	201	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	301	2	14,14,15	0.39	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	301	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	NAG	C4-C5-C6-O6
3	B	301	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6987. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 102



Y Index: 111



Z Index: 94

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.035. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 82 nm³; this corresponds to an approximate mass of 74 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.243 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.243 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.11	-	-
Author-provided FSC curve	4.06	4.52	4.10
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-6987 and PDB model 6A69. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.035 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.035).







9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.035) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7132	 0.3860
A	 0.7651	 0.4060
B	 0.3602	 0.2430

