

Full wwPDB X-ray Structure Validation Report (i)

Sep 16, 2021 – 02:09 pm BST

PDB ID : 7A6Y

Title : Structure of 14-3-3 gamma in complex with DAPK2 peptide stabilized by FC-

Α

Authors: Horvath, M.; Obsilova, V.; Obsil, T.

Deposited on : 2020-08-27

Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : NOT EXECUTED

EDS : NOT EXECUTED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.23.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{resolution range}(ext{Å}))$
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain	
1	A	236	86%	8% • •
1	В	236	84%	7% 8%
1	С	236	87%	8% 5%
1	D	236	83%	13% •
2	J	7	43% 43%	14%
2	K	7	86%	14%
2	L	7	71% 14%	14%
2	M	7	57% 14%	29%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7579 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 14-3-3 protein gamma.

Mol	Chain	Residues	${f Atoms}$			ZeroOcc	AltConf	Trace		
1	Λ	226	Total	С	N	О	S	0	0	0
1	A	220	1796	1129	310	348	9	0	U	
1	В	217	Total	С	N	О	S	0	0	0
1	Б	211	1724	1081	295	340	8	0	U	
1	С	225	Total	С	N	О	S	0	0	0
1		229	1797	1125	310	353	9	0	U	
1	D	229	Total	С	N	О	S	0	0	0
1	ע	229	1795	1122	308	356	9		U	

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P61981
A	0	HIS	_	expression tag	UNP P61981
В	-1	GLY	-	expression tag	UNP P61981
В	0	HIS	_	expression tag	UNP P61981
С	-1	GLY	-	expression tag	UNP P61981
С	0	HIS	-	expression tag	UNP P61981
D	-1	GLY	_	expression tag	UNP P61981
D	0	HIS	-	expression tag	UNP P61981

• Molecule 2 is a protein called DAPK2 C-terminal peptide.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	ī	6	Total	С	Ν	О	Р	0	0	0
	1	0	46	22	9	14	1	U	U	U
2	K	7	Total	С	N	О	Р	0	0	0
	IX	4	45	22	7	15	1	U	U	U
2	Т	6	Total	С	N	О	Р	0	0	0
	ь	0	40	19	6	14	1	U	U	U
2	М	5	Total	С	N	О	Р	0	0	0
	M	б	41	19	8	13	1			"



 \bullet Molecule 3 is FUSICOCCIN (three-letter code: FSC) (formula: $\mathrm{C_{36}H_{56}O_{12}}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 48 36 12	0	0
3	С	1	Total C O 48 36 12	0	0
3	D	1	Total C O 48 36 12	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	67	Total O 67 67	0	0
4	В	39	Total O 39 39	0	0
4	С	29	Total O 29 29	0	0
4	D	12	Total O 12 12	0	0
4	J	2	Total O 2 2	0	0
4	L	1	Total O 1 1	0	0
4	M	1	Total O 1 1	0	0




Chain J:

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: 14-3-3 protein gamma





43%

14%



• Molecule 2: DAPK2 C-terminal peptide

Chain K: 86% 14%



• Molecule 2: DAPK2 C-terminal peptide

Chain L: 71% 14% 14%



• Molecule 2: DAPK2 C-terminal peptide

Chain M: 57% 14% 29%





4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants	205.50Å $205.50Å$ $74.27Å$	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.68 - 2.50	Depositor
% Data completeness	92.2 (29.68-2.50)	Depositor
(in resolution range)	32.2 (23.00 2.00)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.223 , 0.259	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7579	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FSC, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		lengths	Bond	angles
MIOI	Wioi Chain	RMSZ	# Z >5	RMSZ	# Z > 5
1	A	0.24	0/1822	0.39	0/2460
1	В	0.24	0/1749	0.40	0/2364
1	С	0.25	0/1824	0.39	0/2462
1	D	0.25	0/1821	0.40	0/2465
2	J	0.19	0/33	0.35	0/39
2	K	0.19	0/32	0.37	0/39
2	L	0.19	0/27	0.31	0/32
2	M	0.16	0/28	0.29	0/32
All	All	0.25	0/7336	0.40	0/9893

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Α	1796	0	1760	16	0
1	В	1724	0	1673	9	0
1	С	1797	0	1753	10	0
1	D	1795	0	1722	16	0
2	J	46	0	34	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	K	45	0	25	0	0
2	L	40	0	23	0	0
2	M	41	0	32	0	0
3	A	48	0	55	1	0
3	С	48	0	55	1	0
3	D	48	0	55	1	0
4	A	67	0	0	2	0
4	В	39	0	0	0	0
4	С	29	0	0	0	0
4	D	12	0	0	1	0
4	J	2	0	0	0	0
4	L	1	0	0	0	0
4	M	1	0	0	0	0
All	All	7579	0	7187	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:A:13:LEU:HD11	1:C:82:VAL:HG22	1.72	0.70
1:B:168:THR:HG21	1:B:207:GLU:HB2	1.76	0.67
1:C:165:MET:HE1	1:C:171:ILE:HB	1.79	0.64
1:A:82:VAL:HG22	1:C:13:LEU:HD11	1.82	0.62
1:A:192:GLN:NE2	4:A:403:HOH:O	2.34	0.61
1:B:113:SER:HB2	1:B:116:GLN:HG3	1.86	0.58
1:D:23:MET:HG2	1:D:48:ALA:HB2	1.87	0.56
1:D:195:HIS:O	1:D:199:THR:HG23	2.05	0.56
1:A:28:LYS:NZ	1:A:99:ASP:OD1	2.34	0.55
1:A:87:GLU:HA	1:A:90:GLU:HB2	1.88	0.55
1:A:77:LYS:HA	1:A:77:LYS:HE2	1.90	0.53
1:C:227:ARG:O	1:C:231:THR:HG23	2.10	0.52
1:B:28:LYS:NZ	1:B:99:ASP:OD1	2.35	0.51
1:A:218:ASP:OD1	1:A:218:ASP:N	2.44	0.51
1:C:70:THR:HG22	1:C:79:ILE:HG13	1.93	0.51
1:C:197:ALA:HB3	1:C:230:LEU:HD21	1.94	0.50
1:B:198:LYS:NZ	1:B:202:ASP:OD2	2.43	0.50
1:D:4:ARG:N	4:D:402:HOH:O	2.43	0.50
1:A:63:ILE:HG12	1:C:13:LEU:HD22	1.94	0.50
1:D:92:GLU:O	1:D:96:VAL:HG23	2.11	0.49



Continued from previous page...

A		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:D:165:MET:O	1:D:172:ARG:NH1	2.44	0.49
1:C:218:ASP:N	1:C:218:ASP:OD1	2.46	0.48
1:D:96:VAL:O	1:D:100:VAL:HG22	2.14	0.48
1:D:170:PRO:HB3	1:D:218:ASP:HB3	1.95	0.48
1:A:179:TYR:CD2	1:A:196:LEU:HD11	2.48	0.48
1:A:113:SER:H	1:A:116:GLN:HG3	1.78	0.47
1:B:83:ARG:O	1:B:87:GLU:HG3	2.15	0.45
1:D:118:GLU:HG2	1:D:171:ILE:HD12	1.98	0.45
1:A:83:ARG:O	1:A:87:GLU:HG2	2.16	0.45
1:D:113:SER:OG	1:D:114:GLU:N	2.49	0.45
1:D:202:ASP:HA	1:D:205:ILE:HG12	1.99	0.45
1:A:50:LYS:NZ	4:A:409:HOH:O	2.49	0.45
1:B:179:TYR:HB3	1:B:196:LEU:HD21	2.00	0.43
1:D:8:VAL:O	1:D:12:ARG:HG3	2.19	0.43
1:A:67:GLU:OE1	1:A:86:ARG:NH2	2.51	0.43
1:C:125:LYS:HE3	3:C:301:FSC:H262	2.00	0.43
1:A:110:LYS:O	1:D:110:LYS:NZ	2.38	0.43
1:D:145:THR:O	1:D:148:GLU:HB3	2.18	0.42
1:D:218:ASP:O	1:D:222:ILE:HG13	2.19	0.42
3:D:301:FSC:H28	3:D:301:FSC:H172	2.00	0.42
1:B:190:PRO:HB2	2:J:365:ARG:NH2	2.34	0.42
1:B:114:GLU:HA	1:B:120:LYS:HE3	2.02	0.41
1:A:125:LYS:HE3	3:A:301:FSC:H262	2.02	0.41
1:B:232:LEU:HD22	1:B:233:TRP:HD1	1.84	0.41
1:C:129:ASP:OD1	1:C:154:TYR:OH	2.28	0.41
1:D:155:SER:O	1:D:159:GLU:HG2	2.20	0.41
1:A:152:LYS:HE3	1:A:152:LYS:HB3	1.75	0.41
1:D:135:ALA:HB2	1:D:146:VAL:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percent	tiles
1	A	220/236~(93%)	218 (99%)	2 (1%)	0	100	100
1	В	211/236 (89%)	209 (99%)	2 (1%)	0	100	100
1	С	$221/236 \ (94\%)$	221 (100%)	0	0	100	100
1	D	225/236~(95%)	224 (100%)	1 (0%)	0	100	100
2	J	3/7 (43%)	3 (100%)	0	0	100	100
2	K	4/7~(57%)	4 (100%)	0	0	100	100
2	L	3/7 (43%)	3 (100%)	0	0	100	100
2	М	2/7 (29%)	2 (100%)	0	0	100	100
All	All	889/972 (92%)	884 (99%)	5 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	189/207 (91%)	186 (98%)	3 (2%)	62	84
1	В	182/207 (88%)	180 (99%)	2 (1%)	73	89
1	C	190/207~(92%)	185 (97%)	5 (3%)	46	72
1	D	187/207 (90%)	182 (97%)	5 (3%)	44	71
2	J	4/6 (67%)	3 (75%)	1 (25%)	0	1
2	K	3/6 (50%)	3 (100%)	0	100	100
2	${ m L}$	3/6 (50%)	3 (100%)	0	100	100
2	М	4/6 (67%)	4 (100%)	0	100	100
All	All	762/852 (89%)	746 (98%)	16 (2%)	53	78

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	SER
1	A	86	ARG



Continued from previous page...

			1 5
Mol	Chain	${ m Res}$	\mathbf{Type}
1	A	179	TYR
1	В	161	SER
1	В	179	TYR
1	С	65	SER
1	С	161	SER
1	С	162	LYS
1	С	179	TYR
1	С	228	ASP
1	D	149	SER
1	D	150	SER
1	D	155	SER
1	D	192	GLN
1	D	215	SER
2	J	370	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	6	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Res	Link	B	ond leng	$_{ m gths}$	В	ond ang	les
MIOI	Type	Chain	res	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPO	J	369	2	8,10,11	1.58	1 (12%)	10,14,16	1.68	2 (20%)
2	TPO	K	369	2	8,10,11	1.60	1 (12%)	10,14,16	1.71	1 (10%)
2	TPO	M	369	2	8,10,11	1.57	1 (12%)	10,14,16	1.78	1 (10%)



ſ	Mol	Type	Chain	Res	Link	B	ond leng	${ m gths}$	В	ond ang	les
	MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
Ī	2	TPO	L	369	2	8,10,11	1.11	0	10,14,16	1.72	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	J	369	2	-	2/9/11/13	-
2	TPO	K	369	2	-	1/9/11/13	-
2	TPO	M	369	2	-	2/9/11/13	-
2	TPO	L	369	2	-	2/9/11/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(\text{\AA})$
2	K	369	TPO	P-O1P	3.39	1.61	1.50
2	M	369	TPO	P-O1P	3.37	1.61	1.50
2	J	369	TPO	P-O1P	3.32	1.61	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	M	369	TPO	P-OG1-CB	-4.94	108.30	123.21
2	K	369	TPO	P-OG1-CB	-4.75	108.87	123.21
2	L	369	TPO	P-OG1-CB	-4.38	109.97	123.21
2	J	369	TPO	P-OG1-CB	-4.27	110.31	123.21
2	L	369	TPO	CG2-CB-CA	-2.26	108.70	113.16
2	J	369	TPO	CG2-CB-CA	-2.11	108.99	113.16

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	J	369	TPO	CB-OG1-P-O1P
2	L	369	TPO	CB-OG1-P-O2P
2	M	369	TPO	CB-OG1-P-O1P
2	J	369	TPO	O-C-CA-CB
2	K	369	TPO	O-C-CA-CB
2	L	369	TPO	O-C-CA-CB



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	M	369	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	pe Chain	Res	Link	Bond lengths			Bond angles		
IVIOI	Type	Chain	res	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FSC	С	301	-	46,51,51	1.17	6 (13%)	47,77,77	1.98	9 (19%)
3	FSC	A	301	-	46,51,51	1.23	4 (8%)	47,77,77	1.89	7 (14%)
3	FSC	D	301	_	46,51,51	1.33	5 (10%)	47,77,77	2.11	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FSC	С	301	-	-	4/29/103/103	0/4/4/4
3	FSC	A	301	-	-	2/29/103/103	0/4/4/4
3	FSC	D	301	-	-	14/29/103/103	0/4/4/4

All (15) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(ext{\AA})$
3	D	301	FSC	C19-C15	-4.81	1.52	1.56
3	A	301	FSC	C19-C15	-4.64	1.52	1.56
3	D	301	FSC	C33-C30	4.30	1.62	1.53
3	С	301	FSC	C19-C15	-3.47	1.53	1.56
3	С	301	FSC	O34-C28	-2.64	1.40	1.44
3	С	301	FSC	C15-C9	2.50	1.55	1.53
3	A	301	FSC	C33-C30	2.44	1.58	1.53
3	С	301	FSC	C10-C6	2.34	1.55	1.52
3	D	301	FSC	O13-C6	-2.25	1.39	1.43
3	С	301	FSC	O13-C6	-2.23	1.39	1.43
3	С	301	FSC	C33-C30	2.17	1.57	1.53
3	A	301	FSC	O34-C28	-2.14	1.41	1.44
3	D	301	FSC	C10-C6	2.09	1.55	1.52
3	A	301	FSC	O13-C6	-2.09	1.40	1.43
3	D	301	FSC	O34-C28	-2.01	1.41	1.44

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
3	С	301	FSC	C15-C19-C12	6.94	127.00	118.11
3	A	301	FSC	C15-C19-C12	6.51	126.44	118.11
3	D	301	FSC	C15-C19-C12	6.40	126.31	118.11
3	A	301	FSC	C7-C2-C6	-5.61	104.56	112.81
3	D	301	FSC	C7-C2-C6	-5.48	104.76	112.81
3	С	301	FSC	C7-C2-C6	-5.47	104.77	112.81
3	D	301	FSC	C35-C30-C33	-4.73	102.22	112.09
3	D	301	FSC	O22-C30-C33	4.29	117.48	109.69
3	С	301	FSC	C19-C15-C9	4.22	116.83	112.39
3	A	301	FSC	C19-C12-C5	3.97	135.04	130.72
3	D	301	FSC	C19-C12-C5	3.75	134.81	130.72
3	D	301	FSC	C19-C15-C9	3.69	116.27	112.39
3	С	301	FSC	C19-C12-C5	3.68	134.72	130.72
3	A	301	FSC	C19-C15-C9	3.50	116.07	112.39
3	С	301	FSC	C9-C3-C1	-3.46	108.00	112.98
3	С	301	FSC	C35-C30-C33	-3.35	105.10	112.09
3	D	301	FSC	C9-C3-C1	-3.16	108.43	112.98
3	A	301	FSC	C9-C3-C1	-2.97	108.70	112.98
3	D	301	FSC	C14-O22-C30	2.87	119.33	113.69
3	A	301	FSC	O34-C40-C42	2.47	115.63	111.09
3	D	301	FSC	O34-C40-C42	2.46	115.61	111.09
3	A	301	FSC	C35-C30-C33	-2.46	106.96	112.09
3	С	301	FSC	O34-C40-C42	2.33	115.37	111.09
3	D	301	FSC	C18-C11-C4	-2.11	108.02	111.31



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^o)$
3	С	301	FSC	C21-C28-C33	-2.07	107.87	110.85
3	С	301	FSC	C18-C11-C4	-2.04	108.13	111.31
3	D	301	FSC	C28-C33-C30	2.03	113.99	109.66

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	FSC	C33-C30-C35-O41
3	D	301	FSC	C4-C11-C17-O24
3	D	301	FSC	C18-C11-C17-O24
3	D	301	FSC	O41-C44-C45-C48
3	D	301	FSC	C42-C40-O34-C28
3	D	301	FSC	O43-C40-O34-C28
3	A	301	FSC	O22-C30-C35-O41
3	С	301	FSC	C33-C30-C35-O41
3	D	301	FSC	C36-C31-O24-C17
3	D	301	FSC	O22-C30-C35-O41
3	D	301	FSC	C33-C30-C35-O41
3	D	301	FSC	O37-C31-O24-C17
3	D	301	FSC	C20-C27-O32-C38
3	С	301	FSC	O22-C30-C35-O41
3	С	301	FSC	C18-C11-C17-O24
3	С	301	FSC	C20-C27-O32-C38
3	D	301	FSC	C21-C28-O34-C40
3	D	301	FSC	C33-C28-O34-C40
3	D	301	FSC	C47-C44-C45-C48
3	D	301	FSC	C46-C44-C45-C48

There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	301	FSC	1	0
3	A	301	FSC	1	0
3	D	301	FSC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.




Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

