# Full wwPDB NMR Structure Validation Report (i)

Jun 12, 2024 – 08:13 PM EDT

| | | |
|---|---|---|
| PDB ID | : | 1AH1 |
| Title | : | CTLA-4, NMR, 20 STRUCTURES |
| Authors | : | Metzler, W.J.; Bajorath, J.; Fenderson, W.; Shaw, S.-Y.; Peach, R.; Constantine, K.L.; Naemura, J.; Leytze, G.; Lavoie, T.B.; Mueller, L.; Linsley, P.S. |
| Deposited on | : | 1997-04-11 |

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

| | | |
|---|---|---|
| MolProbity | : | 4.02b-467 |
| Mogul | : | 1.8.5 (274361), CSD as541be (2020) |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| wwPDB-RCI | : | v_1n_11_5_13_A (Berjanski et al., 2005) |
| PANAV | : | Wang et al. (2010) |
| wwPDB-ShiftChecker | : | v1.2 |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.36.2 |

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | NMR archive (#Entries) |
|---|---|---|
| Clashscore | 158937 | 12864 |
| Ramachandran outliers | 154571 | 11451 |
| Sidechain outliers | 154315 | 11428 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 129 | 42% 44% • 12% |
| 2 | B | 4 | 25% 75% |
| 3 | C | 4 | 25% 75% |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

| Mol | Chain | Compound | Res | Total models with violations | |
|---|---|---|---|---|---|
| | | | | Chirality | Geometry |
| 2 | B | NAG | 2 | 1 | - |

# 2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 4 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

| Well-defined (core) protein residues | | | |
|---|---|---|---|
| **Well-defined core** | **Residue range (total)** | **Backbone RMSD (Å)** | **Medoid model** |
| 1 | A:2-A:64, A:67-A:106, A:108-A:117 (113) | 1.05 | 4 |

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

| Cluster number | Models |
|---|---|
| 1 | 4, 6, 9, 11, 13, 14, 15, 17, 19, 20 |
| 2 | 2, 3, 5, 7, 10, 18 |
| 3 | 1, 8, 12, 16 |

# 3 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 2099 atoms, of which 1036 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called CTLA-4.

| Mol | Chain | Residues | Atoms | | | | | | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | S | |
| 1 | A | 129 | 1907 | 604 | 942 | 157 | 194 | 10 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| A | 113 | THR | ALA | conflict | UNP P16410 |

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | | Trace |
|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | |
| 2 | B | 4 | 96 | 28 | 47 | 2 | 19 | 0 |

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | | Trace |
|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | |
| 3 | C | 4 | 96 | 28 | 47 | 2 | 19 | 0 |

# 4 Residue-property plots (i)

## 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: CTLA-4

Chain A: 42% 44% • 12%




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 75%

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 75%

## 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

### 4.2.1 Score per residue for model 1

• Molecule 1: CTLA-4

Chain A: 40% 43% 5% • 12%

A1A M1 H2 V3 A4 Q5 V8 V9 L10 A11 R14 G15 I16 A17 S18 C21 E22 Y23 T30 E31 V32 R33 V36 L37 R38 Q39 A40 Q43 E46 V47 C48 T51 Y52 M53 M54 S64 I67 C68 T69 S72 V77 N78 L79 T80 I81 L84 T89

G90 L91 Y92 I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 Y104 Y105 L106 G108 I109 G110 N111 G112 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 75%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 50% 25%

NAG1 NAG2 BMA3 FUC4

### 4.2.2 Score per residue for model 2

• Molecule 1: CTLA-4

Chain A: 37% 48% • 12%

A1A M1 A4 V8 V9 L10 R14 G15 I16 A17 S18 F19 V20 C21 E22 Y23 E31 V32 R33 V34 T35 V36 L37 R38 Q39 A40 Q43 E46 A50 T51 Y52 M53 M54 L58 T59 F60 D63 S64 I67 C68 T69 G70 T71 S72 Q76 V77 N78 L79 T80 I81

Q82 G83 L84 L91 Y92 I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 Y104 Y105 L106 G108 I109 G110 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 25% 25%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

### 4.2.3 Score per residue for model 3

• Molecule 1: CTLA-4

Chain A:




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

### 4.2.4 Score per residue for model 4 (medoid)

• Molecule 1: CTLA-4

Chain A:

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:



• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:


### 4.2.5 Score per residue for model 5

• Molecule 1: CTLA-4

Chain A:




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:


• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:


### 4.2.6 Score per residue for model 6

• Molecule 1: CTLA-4

Chain A:




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 

### 4.2.7 Score per residue for model 7

• Molecule 1: CTLA-4

Chain A:








• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:


• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

### 4.2.8 Score per residue for model 8

• Molecule 1: CTLA-4

Chain A: 42% 43% • 12%

A1A M1 V8 V9 L10 R14 G15 I16 A17 S18 F19 V20 C21 E22 Y23 E31 V34 T35 V36 L37 A40 Q43 E46 V47 C48 A49 A50 T51 Y52 M53 L58 T59 F60 D63 C68 T71 S72 V77 N78 L79 T80 I81 L84 T89 G90 L91

Y92 I93 C94 K95 V96 E97 L98 M99 P102 P103 Y104 Y105 L106 G108 I109 G110 N111 G112 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 75% 25%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 25% 50%

NAG1 NAG2 BMA3 FUC4

### 4.2.9 Score per residue for model 9

• Molecule 1: CTLA-4

Chain A: 40% 45% • 12%

A1A M1 H2 V3 A4 Q5 V8 V9 L10 I16 A17 S18 C21 E22 V32 R33 V34 T35 V36 L37 R38 Q39 A40 Q43 E46 V47 C48 A49 A50 T51 Y52 M53 L58 T59 F60 I67 C68 T69 G70 V77 N78 L79 T80 I81 L84 T89 G90 L91 Y92

I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 L106 G108 I109 G110 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 75%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

NAG1 NAG2 BMA3 FUC4

### 4.2.10 Score per residue for model 10

• Molecule 1: CTLA-4

Chain A: 40% 43% • 12%

A1A M1 H2 V8 V9 L10 R14 G15 I16 F19 V20 C21 E22 Y23 T30 E31 V32 V36 L37 R38 Q39 A40 Q43 V44 T45 E46 V47 C48 A49 A50 T51 Y52 M53 M54 T59 F60 D63 C68 T71 V77 N78 L79 T80 I81 L84 T89 G90

L91 Y92 I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 Y104 Y105 L106 G108 I109 G110 N111 G112 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 75%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 50% 25%

NAG1 NAG2 BMA3 FUC4

### 4.2.11 Score per residue for model 11

• Molecule 1: CTLA-4

Chain A: 48% 38% • 12%

A1A M1 H2 V3 A4 Q5 V8 V9 R14 G15 I16 A17 S18 F19 V20 C21 E22 S25 E31 V32 R33 V34 T35 V36 L37 E46 V47 C48 A49 A50 T51 Y52 M53 L58 T59 F60 S64 I67 C68 T69 V77 N78 L79 T80 I81 Q82 G83 L84 I93 C94 K95

V96 E97 L98 P102 P103 L106 G108 I109 G110 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 50% 25%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 75%

NAG1 NAG2 BMA3 FUC4

### 4.2.12 Score per residue for model 12

• Molecule 1: CTLA-4

Chain A: 38% 48% • 12%

A1A M1 A4 V8 V9 L10 A11 I16 A17 S18 F19 Y20 C21 E22 Y23 A29 T30 E31 V32 R33 V34 T35 V36 L37 A40 Q43 E46 V47 C48 A49 A50 T51 Y52 L58 T59 F60 L61 D62 D63 S64 I67 C68 S72 V77 N78 L79 T80 I81 L84

R85 A86 T89 G90 L91 Y92 I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 Y104 Y105 L106 G108 I109 G110 N111 G112 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 50%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 50% 25%

NAG1 NAG2 BMA3 FUC4

### 4.2.13 Score per residue for model 13

• Molecule 1: CTLA-4

Chain A: 41% 45% • 12%




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 25% 25%

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 50% 25%

### 4.2.14 Score per residue for model 14

• Molecule 1: CTLA-4

Chain A: 47% 38% • 12%




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 50%

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

### 4.2.15 Score per residue for model 15

• Molecule 1: CTLA-4

Chain A: 37% 47% • 12%




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 25% 25%

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 25% 25%

### 4.2.16 Score per residue for model 16

• Molecule 1: CTLA-4

Chain A: 48% 39% • 12%




• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 75% 25%

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 50% 25%

NAG1 NAG2 BMA3 FUC4

### 4.2.17 Score per residue for model 17

• Molecule 1: CTLA-4

Chain A: 47% 39% • 12%

A1A M1 Q5 V8 V9 L10 F19 V20 C21 E22 Y23 P26 T30 E31 V36 L37 R38 Q39 A40 Q43 V44 T45 E46 V47 C48 T51 Y52 M53 L58 S64 I67 V77 N78 L79 T80 I81 L84 R85 T89 G90 L91 Y92 I93 C94 K95 V96 E97

L98 M99 Y100 P101 P102 P103 L106 G108 I109 G110 N111 G112 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 25% 50% 25%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

NAG1 NAG2 BMA3 FUC4

### 4.2.18 Score per residue for model 18

• Molecule 1: CTLA-4

Chain A: 40% 46% • 12%

A1A M1 Q5 V8 V9 L10 A11 R14 G15 I16 A17 S18 F19 V20 C21 A29 T30 E31 V32 R33 V34 T35 V36 L37 R38 Q39 A40 Q43 E46 V47 C48 A49 A50 T51 Y52 M53 M54 T59 D63 T69 G70 T71 S72 Q76 V77 N78 L79 T80 I81 Q82

G83 L84 T89 G90 L91 Y92 I93 C94 K95 V96 E97 L98 P102 P103 Y104 Y105 L106 G108 I109 G110 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 75% 25%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

NAG1 NAG2 BMA3 FUC4

### 4.2.19 Score per residue for model 19

• Molecule 1: CTLA-4

Chain A: 43% 43% • 12%

A1A M1 H2 V3 A4 Q5 V8 V9 L10 I16 F19 V20 C21 E22 Y23 A24 S25 A29 T30 E31 V32 R33 V36 L37 R38 Q39 A40 Q43 C48 A49 A50 T51 Y52 M53 E57 L58 T59 F60 D63 S64 T71 V77 N78 L79 T80 I81 Q82 G83 L84

L91 Y92 I93 C94 K95 V96 E97 L98 M99 Y100 P101 P102 P103 Y104 Y105 L106 G108 I109 G110 T113 Q114 I115 Y116 V117 I118 D119 P120 E121 P122 C123 P124 D125 S126 D127 Q128 E129 P130 K131

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B: 50% 50%

NAG1 NAG2 BMA3 FUL4

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 25% 75%

NAG1 NAG2 BMA3 FUC4

### 4.2.20 Score per residue for model 20

• Molecule 1: CTLA-4

Chain A: 53% 33% • 12%







• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:


• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

# 5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *DISTANCE GEOMETRY SIMULATED ANNEALING*.

Of the 50 calculated structures, 20 were deposited, based on the following criterion: *LEAST RESTRAINT VIOLATION*.

The following table shows the software used for structure solution, optimisation and refinement.

| Software name | Classification | Version |
|---|---|---|
| X-PLOR | refinement | 3.1 |
| X-PLOR3.1 | structure solution | |

No chemical shift data was provided.

# 6 Model quality (i)

## 6.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, FUC, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | #Z>5 | RMSZ | #Z>5 |
| 1 | A | 1.28±0.03 | 3±1/859 ( 0.4± 0.1%) | 1.47±0.03 | 4±1/1172 ( 0.3± 0.1%) |
| All | All | 1.28 | 63/17180 ( 0.4%) | 1.47 | 78/23440 ( 0.3%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | Chirality | Planarity |
|---|---|---|---|
| 1 | A | 0.0±0.0 | 0.1±0.4 |
| All | All | 0 | 3 |

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) | Models | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Worst | Total |
| 1 | A | 103 | PRO | N-CD | 12.20 | 1.65 | 1.47 | 15 | 16 |
| 1 | A | 103 | PRO | N-CA | 10.33 | 1.64 | 1.47 | 14 | 8 |
| 1 | A | 102 | PRO | C-N | 9.81 | 1.52 | 1.34 | 17 | 16 |
| 1 | A | 102 | PRO | CA-C | 9.19 | 1.71 | 1.52 | 1 | 16 |
| 1 | A | 102 | PRO | C-O | -7.64 | 1.07 | 1.23 | 2 | 3 |
| 1 | A | 103 | PRO | CA-C | 6.38 | 1.65 | 1.52 | 3 | 3 |
| 1 | A | 102 | PRO | CA-CB | 5.08 | 1.63 | 1.53 | 7 | 1 |

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) | Models | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Worst | Total |
| 1 | A | 103 | PRO | CA-N-CD | -23.58 | 78.49 | 111.50 | 12 | 20 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) | Models | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Worst | Total |
| 1 | A | 102 | PRO | C-N-CD | 17.09 | 164.29 | 128.40 | 8 | 20 |
| 1 | A | 103 | PRO | N-CA-CB | 8.47 | 113.47 | 103.30 | 18 | 8 |
| 1 | A | 102 | PRO | C-N-CA | -7.82 | 89.17 | 122.00 | 18 | 20 |
| 1 | A | 103 | PRO | N-CD-CG | -7.39 | 92.12 | 103.20 | 13 | 4 |
| 1 | A | 104 | TYR | N-CA-CB | -6.53 | 98.85 | 110.60 | 2 | 1 |
| 1 | A | 103 | PRO | CB-CA-C | -5.97 | 97.08 | 112.00 | 3 | 1 |
| 1 | A | 102 | PRO | CB-CA-C | -5.70 | 97.74 | 112.00 | 3 | 1 |
| 1 | A | 103 | PRO | CA-CB-CG | -5.67 | 93.22 | 104.00 | 3 | 1 |
| 1 | A | 105 | TYR | N-CA-CB | -5.33 | 101.01 | 110.60 | 3 | 1 |
| 1 | A | 52 | TYR | CB-CG-CD2 | -5.03 | 117.98 | 121.00 | 1 | 1 |

There are no chirality outliers.

All unique planar outliers are listed below.

| Mol | Chain | Res | Type | Group | Models (Total) |
|---|---|---|---|---|---|
| 1 | A | 102 | PRO | Mainchain | 3 |

## 6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes |
|---|---|---|---|---|---|
| 1 | A | 844 | 832 | 830 | 61±8 |
| 2 | B | 49 | 47 | 43 | 2±1 |
| 3 | C | 49 | 47 | 43 | 2±2 |
| All | All | 18840 | 18520 | 18331 | 1241 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All unique clashes are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:47:VAL:HG12 | 1:A:68:CYS:SG | 1.22 | 1.73 | 8 | 1 |
| 1:A:48:CYS:SG | 1:A:60:PHE:CG | 1.22 | 2.33 | 13 | 1 |
| 1:A:5:GLN:NE2 | 1:A:94:CYS:SG | 1.13 | 2.20 | 3 | 8 |
| 1:A:48:CYS:SG | 1:A:68:CYS:N | 1.12 | 2.22 | 3 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:60:PHE:CB | 1:A:68:CYS:SG | 1.11 | 2.38 | 13 | 2 |
| 1:A:5:GLN:OE1 | 1:A:21:CYS:SG | 1.11 | 2.08 | 17 | 6 |
| 1:A:54:MET:SD | 1:A:54:MET:N | 1.10 | 2.25 | 5 | 2 |
| 1:A:48:CYS:SG | 1:A:60:PHE:CB | 1.10 | 2.39 | 13 | 1 |
| 1:A:30:THR:O | 1:A:53:MET:SD | 1.09 | 2.10 | 3 | 3 |
| 1:A:5:GLN:NE2 | 1:A:21:CYS:SG | 1.09 | 2.25 | 6 | 6 |
| 1:A:47:VAL:HG12 | 1:A:48:CYS:SG | 1.08 | 1.88 | 15 | 8 |
| 1:A:94:CYS:SG | 1:A:110:GLY:HA3 | 1.08 | 1.88 | 11 | 16 |
| 1:A:30:THR:HA | 1:A:54:MET:SD | 1.07 | 1.90 | 10 | 3 |
| 1:A:60:PHE:HB2 | 1:A:68:CYS:SG | 1.07 | 1.90 | 13 | 2 |
| 1:A:53:MET:N | 1:A:53:MET:SD | 1.07 | 2.28 | 7 | 4 |
| 1:A:48:CYS:SG | 1:A:60:PHE:HB3 | 1.05 | 1.90 | 13 | 1 |
| 1:A:48:CYS:SG | 1:A:63:ASP:OD2 | 1.04 | 2.15 | 19 | 1 |
| 1:A:5:GLN:HG2 | 1:A:21:CYS:SG | 1.04 | 1.92 | 3 | 2 |
| 1:A:5:GLN:CG | 1:A:21:CYS:SG | 1.02 | 2.47 | 3 | 5 |
| 1:A:5:GLN:OE1 | 1:A:94:CYS:SG | 1.02 | 2.18 | 14 | 5 |
| 1:A:29:ALA:O | 1:A:54:MET:SD | 1.02 | 2.17 | 15 | 1 |
| 1:A:5:GLN:CD | 1:A:21:CYS:SG | 1.01 | 2.39 | 6 | 9 |
| 1:A:5:GLN:CD | 1:A:94:CYS:SG | 1.01 | 2.38 | 11 | 4 |
| 1:A:48:CYS:SG | 1:A:63:ASP:CG | 0.98 | 2.42 | 12 | 2 |
| 1:A:48:CYS:SG | 1:A:63:ASP:OD1 | 0.95 | 2.25 | 12 | 1 |
| 1:A:47:VAL:CG1 | 1:A:68:CYS:SG | 0.94 | 2.55 | 8 | 1 |
| 1:A:30:THR:O | 1:A:54:MET:SD | 0.91 | 2.28 | 10 | 2 |
| 1:A:48:CYS:SG | 1:A:67:ILE:HA | 0.89 | 2.07 | 3 | 1 |
| 1:A:36:VAL:HG22 | 1:A:79:LEU:HD13 | 0.89 | 1.44 | 16 | 18 |
| 1:A:23:TYR:CG | 1:A:96:VAL:HG11 | 0.86 | 2.06 | 12 | 11 |
| 1:A:48:CYS:SG | 1:A:63:ASP:HB3 | 0.85 | 2.11 | 5 | 2 |
| 1:A:33:ARG:NH1 | 1:A:99:MET:SD | 0.84 | 2.50 | 2 | 3 |
| 1:A:36:VAL:CG2 | 1:A:79:LEU:HD13 | 0.84 | 2.02 | 14 | 20 |
| 1:A:8:VAL:HG21 | 1:A:116:TYR:CE2 | 0.84 | 2.08 | 2 | 19 |
| 1:A:97:GLU:HB3 | 1:A:99:MET:SD | 0.84 | 2.12 | 8 | 2 |
| 1:A:92:TYR:CD1 | 1:A:115:ILE:HD12 | 0.84 | 2.08 | 16 | 13 |
| 1:A:30:THR:CA | 1:A:54:MET:SD | 0.84 | 2.65 | 10 | 2 |
| 1:A:94:CYS:SG | 1:A:110:GLY:CA | 0.84 | 2.66 | 14 | 3 |
| 1:A:98:LEU:HD13 | 1:A:106:LEU:HD13 | 0.82 | 1.48 | 17 | 2 |
| 1:A:48:CYS:SG | 1:A:60:PHE:HD2 | 0.82 | 1.96 | 20 | 1 |
| 1:A:94:CYS:SG | 1:A:94:CYS:O | 0.82 | 2.37 | 3 | 14 |
| 1:A:39:GLN:NE2 | 1:A:93:ILE:HD11 | 0.81 | 1.89 | 7 | 2 |
| 1:A:63:ASP:HB3 | 1:A:68:CYS:SG | 0.80 | 2.16 | 13 | 1 |
| 1:A:23:TYR:CB | 1:A:96:VAL:HG11 | 0.80 | 2.07 | 16 | 4 |
| 1:A:71:THR:HG21 | 3:C:4:FUC:H63 | 0.79 | 1.54 | 19 | 2 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:102:PRO:CB | 1:A:103:PRO:HA | 0.79 | 2.06 | 3 | 2 |
| 1:A:91:LEU:HD13 | 1:A:92:TYR:N | 0.79 | 1.93 | 12 | 3 |
| 1:A:111:ASN:OD1 | 2:B:4:FUL:H61 | 0.78 | 1.78 | 10 | 1 |
| 1:A:8:VAL:HG23 | 1:A:114:GLN:HB3 | 0.78 | 1.54 | 5 | 15 |
| 1:A:23:TYR:CD2 | 1:A:96:VAL:HG11 | 0.78 | 2.14 | 17 | 2 |
| 1:A:48:CYS:SG | 1:A:64:SER:O | 0.78 | 2.41 | 7 | 2 |
| 1:A:4:ALA:HB3 | 1:A:22:GLU:HG2 | 0.77 | 1.57 | 9 | 8 |
| 1:A:21:CYS:O | 1:A:77:VAL:HG22 | 0.77 | 1.79 | 8 | 20 |
| 1:A:48:CYS:SG | 1:A:60:PHE:CD2 | 0.77 | 2.77 | 20 | 2 |
| 1:A:93:ILE:HG23 | 1:A:110:GLY:O | 0.76 | 1.81 | 18 | 11 |
| 1:A:48:CYS:SG | 1:A:63:ASP:CB | 0.76 | 2.73 | 5 | 4 |
| 1:A:48:CYS:SG | 1:A:67:ILE:CA | 0.76 | 2.74 | 3 | 1 |
| 1:A:48:CYS:SG | 1:A:67:ILE:C | 0.76 | 2.63 | 3 | 1 |
| 1:A:102:PRO:HA | 1:A:103:PRO:C | 0.76 | 1.99 | 3 | 6 |
| 1:A:18:SER:OG | 1:A:80:THR:HG23 | 0.75 | 1.81 | 1 | 3 |
| 1:A:96:VAL:HG22 | 1:A:106:LEU:CD2 | 0.75 | 2.11 | 18 | 5 |
| 1:A:98:LEU:CD1 | 1:A:106:LEU:HD22 | 0.75 | 2.11 | 17 | 2 |
| 1:A:71:THR:HG21 | 3:C:4:FUC:O5 | 0.74 | 1.81 | 5 | 3 |
| 1:A:71:THR:HG21 | 3:C:4:FUC:C6 | 0.74 | 2.12 | 15 | 2 |
| 1:A:50:ALA:HB3 | 1:A:59:THR:C | 0.74 | 2.02 | 10 | 1 |
| 1:A:47:VAL:C | 1:A:48:CYS:SG | 0.74 | 2.66 | 15 | 2 |
| 1:A:71:THR:CG2 | 3:C:4:FUC:H63 | 0.74 | 2.13 | 19 | 2 |
| 1:A:4:ALA:HB3 | 1:A:22:GLU:CG | 0.74 | 2.13 | 11 | 8 |
| 1:A:60:PHE:HB3 | 1:A:68:CYS:SG | 0.74 | 2.15 | 13 | 2 |
| 1:A:40:ALA:HB3 | 1:A:43:GLN:O | 0.73 | 1.83 | 12 | 17 |
| 1:A:31:GLU:OE1 | 1:A:51:THR:HG21 | 0.73 | 1.83 | 1 | 13 |
| 1:A:9:VAL:HB | 1:A:115:ILE:HD13 | 0.73 | 1.59 | 11 | 2 |
| 1:A:95:LYS:HD3 | 1:A:109:ILE:HD12 | 0.72 | 1.60 | 17 | 3 |
| 1:A:9:VAL:HG21 | 1:A:19:PHE:HB3 | 0.72 | 1.60 | 6 | 13 |
| 1:A:3:VAL:HG12 | 1:A:5:GLN:OE1 | 0.72 | 1.82 | 19 | 3 |
| 2:B:2:NAG:H82 | 2:B:4:FUL:C1 | 0.72 | 2.13 | 6 | 1 |
| 1:A:37:LEU:HD23 | 1:A:46:GLU:HA | 0.72 | 1.61 | 3 | 18 |
| 1:A:38:ARG:HG3 | 1:A:47:VAL:HG21 | 0.71 | 1.62 | 1 | 4 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:HD13 | 0.71 | 1.60 | 18 | 2 |
| 1:A:50:ALA:HB1 | 1:A:58:LEU:HB3 | 0.71 | 1.63 | 8 | 4 |
| 1:A:96:VAL:O | 1:A:106:LEU:HD23 | 0.70 | 1.84 | 17 | 11 |
| 1:A:52:TYR:CZ | 1:A:54:MET:SD | 0.70 | 2.84 | 1 | 1 |
| 2:B:2:NAG:H82 | 2:B:4:FUL:O4 | 0.70 | 1.87 | 19 | 1 |
| 1:A:63:ASP:O | 1:A:68:CYS:SG | 0.69 | 2.49 | 10 | 1 |
| 1:A:81:ILE:HG21 | 1:A:84:LEU:HD21 | 0.69 | 1.64 | 12 | 16 |
| 1:A:89:THR:HG23 | 1:A:115:ILE:O | 0.69 | 1.88 | 8 | 12 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:52:TYR:CA | 1:A:58:LEU:HD21 | 0.69 | 2.18 | 14 | 2 |
| 1:A:20:VAL:HG23 | 3:C:1:NAG:H83 | 0.69 | 1.64 | 19 | 1 |
| 1:A:93:ILE:HD12 | 1:A:93:ILE:N | 0.69 | 2.03 | 14 | 15 |
| 1:A:98:LEU:CD2 | 1:A:106:LEU:HD22 | 0.68 | 2.17 | 18 | 8 |
| 1:A:17:ALA:HB1 | 1:A:115:ILE:HD12 | 0.68 | 1.63 | 1 | 2 |
| 2:B:1:NAG:H61 | 2:B:2:NAG:H83 | 0.68 | 1.63 | 4 | 2 |
| 1:A:48:CYS:SG | 1:A:63:ASP:HB2 | 0.68 | 2.29 | 8 | 3 |
| 1:A:51:THR:O | 1:A:58:LEU:HD12 | 0.67 | 1.89 | 20 | 3 |
| 1:A:98:LEU:HD13 | 1:A:106:LEU:HD23 | 0.67 | 1.65 | 16 | 2 |
| 1:A:91:LEU:HD12 | 1:A:93:ILE:CD1 | 0.66 | 2.21 | 1 | 3 |
| 1:A:58:LEU:N | 1:A:58:LEU:HD22 | 0.66 | 2.05 | 19 | 4 |
| 1:A:50:ALA:HB3 | 1:A:60:PHE:CE1 | 0.66 | 2.25 | 13 | 4 |
| 1:A:14:ARG:CG | 1:A:16:ILE:HD13 | 0.66 | 2.21 | 7 | 7 |
| 1:A:14:ARG:HG2 | 1:A:16:ILE:HD11 | 0.66 | 1.67 | 3 | 2 |
| 1:A:48:CYS:SG | 1:A:60:PHE:CD1 | 0.66 | 2.88 | 13 | 1 |
| 1:A:10:LEU:HD23 | 1:A:116:TYR:HB2 | 0.66 | 1.68 | 15 | 16 |
| 1:A:16:ILE:HD12 | 1:A:82:GLN:HG2 | 0.66 | 1.67 | 3 | 2 |
| 1:A:18:SER:O | 3:C:1:NAG:H83 | 0.65 | 1.91 | 11 | 1 |
| 2:B:1:NAG:O6 | 2:B:2:NAG:H83 | 0.65 | 1.91 | 12 | 1 |
| 1:A:108:GLY:C | 1:A:109:ILE:HD12 | 0.65 | 2.12 | 13 | 7 |
| 1:A:95:LYS:HD2 | 1:A:109:ILE:HD12 | 0.65 | 1.68 | 11 | 3 |
| 1:A:10:LEU:HD22 | 1:A:10:LEU:N | 0.65 | 2.06 | 13 | 2 |
| 1:A:96:VAL:HG22 | 1:A:106:LEU:HD23 | 0.65 | 1.68 | 9 | 5 |
| 1:A:30:THR:C | 1:A:54:MET:SD | 0.65 | 2.75 | 10 | 1 |
| 1:A:3:VAL:HG11 | 1:A:110:GLY:HA2 | 0.64 | 1.69 | 11 | 2 |
| 1:A:98:LEU:CD2 | 1:A:106:LEU:HD13 | 0.64 | 2.22 | 5 | 1 |
| 1:A:35:THR:HG23 | 1:A:49:ALA:HB2 | 0.64 | 1.67 | 8 | 7 |
| 1:A:15:GLY:C | 1:A:16:ILE:HD12 | 0.64 | 2.13 | 14 | 8 |
| 1:A:109:ILE:HD12 | 1:A:109:ILE:N | 0.64 | 2.08 | 3 | 7 |
| 1:A:96:VAL:HG12 | 1:A:106:LEU:CD1 | 0.63 | 2.23 | 3 | 2 |
| 1:A:9:VAL:HG23 | 1:A:113:THR:HG21 | 0.63 | 1.71 | 17 | 18 |
| 1:A:92:TYR:CD2 | 1:A:115:ILE:HD12 | 0.63 | 2.29 | 19 | 4 |
| 1:A:4:ALA:HB3 | 1:A:22:GLU:HB3 | 0.63 | 1.70 | 14 | 3 |
| 1:A:60:PHE:CD1 | 1:A:67:ILE:HG21 | 0.62 | 2.29 | 3 | 1 |
| 1:A:32:VAL:HG11 | 1:A:52:TYR:OH | 0.62 | 1.93 | 18 | 3 |
| 1:A:98:LEU:CD1 | 1:A:106:LEU:HD23 | 0.62 | 2.24 | 15 | 1 |
| 1:A:102:PRO:HB2 | 1:A:103:PRO:HA | 0.62 | 1.72 | 3 | 1 |
| 1:A:33:ARG:HD3 | 1:A:99:MET:SD | 0.62 | 2.34 | 12 | 2 |
| 1:A:95:LYS:HG3 | 1:A:109:ILE:HD12 | 0.62 | 1.72 | 18 | 1 |
| 1:A:14:ARG:HG3 | 1:A:16:ILE:HD11 | 0.61 | 1.70 | 5 | 2 |
| 1:A:25:SER:OG | 1:A:106:LEU:HD21 | 0.61 | 1.96 | 19 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:14:ARG:HG2 | 1:A:16:ILE:HD13 | 0.61 | 1.70 | 7 | 1 |
| 1:A:98:LEU:HD12 | 1:A:98:LEU:N | 0.61 | 2.10 | 13 | 5 |
| 1:A:32:VAL:O | 1:A:34:VAL:HG13 | 0.61 | 1.95 | 4 | 5 |
| 1:A:20:VAL:HG13 | 1:A:77:VAL:O | 0.61 | 1.94 | 7 | 2 |
| 1:A:37:LEU:HD12 | 1:A:95:LYS:HE3 | 0.61 | 1.72 | 19 | 5 |
| 1:A:57:GLU:C | 1:A:58:LEU:HD22 | 0.61 | 2.16 | 19 | 1 |
| 1:A:98:LEU:HD12 | 1:A:106:LEU:HD22 | 0.61 | 1.72 | 13 | 2 |
| 1:A:98:LEU:HG | 1:A:106:LEU:HD22 | 0.60 | 1.73 | 8 | 7 |
| 1:A:70:GLY:CA | 1:A:79:LEU:HD23 | 0.60 | 2.26 | 5 | 1 |
| 2:B:1:NAG:O6 | 2:B:2:NAG:H82 | 0.60 | 1.96 | 15 | 2 |
| 1:A:39:GLN:HA | 1:A:44:VAL:HG22 | 0.60 | 1.72 | 10 | 5 |
| 1:A:14:ARG:HG3 | 1:A:16:ILE:HD13 | 0.60 | 1.73 | 15 | 5 |
| 1:A:98:LEU:CD1 | 1:A:106:LEU:HD13 | 0.60 | 2.26 | 11 | 10 |
| 1:A:4:ALA:HB3 | 1:A:22:GLU:CD | 0.60 | 2.17 | 1 | 7 |
| 1:A:68:CYS:SG | 1:A:81:ILE:HG12 | 0.60 | 2.36 | 3 | 1 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:HD22 | 0.60 | 1.74 | 18 | 2 |
| 1:A:9:VAL:CG2 | 1:A:113:THR:HG21 | 0.59 | 2.27 | 20 | 6 |
| 1:A:91:LEU:HD11 | 1:A:112:GLY:HA3 | 0.59 | 1.74 | 1 | 3 |
| 2:B:2:NAG:H82 | 2:B:4:FUL:O2 | 0.59 | 1.98 | 20 | 2 |
| 1:A:34:VAL:HG22 | 1:A:50:ALA:O | 0.59 | 1.96 | 12 | 4 |
| 1:A:33:ARG:N | 1:A:51:THR:HG23 | 0.59 | 2.11 | 18 | 2 |
| 1:A:8:VAL:HG21 | 1:A:116:TYR:CZ | 0.59 | 2.32 | 11 | 12 |
| 1:A:51:THR:O | 1:A:58:LEU:HD13 | 0.59 | 1.98 | 11 | 1 |
| 1:A:14:ARG:HB3 | 1:A:16:ILE:HD13 | 0.59 | 1.74 | 1 | 2 |
| 1:A:23:TYR:CD2 | 1:A:96:VAL:HG21 | 0.59 | 2.33 | 7 | 2 |
| 1:A:96:VAL:HG12 | 1:A:106:LEU:CD2 | 0.58 | 2.28 | 5 | 4 |
| 1:A:5:GLN:HG3 | 1:A:21:CYS:SG | 0.57 | 2.39 | 19 | 3 |
| 1:A:9:VAL:CB | 1:A:115:ILE:HD13 | 0.57 | 2.29 | 11 | 2 |
| 1:A:94:CYS:SG | 1:A:110:GLY:N | 0.57 | 2.77 | 14 | 3 |
| 1:A:58:LEU:HD12 | 1:A:58:LEU:N | 0.57 | 2.14 | 14 | 2 |
| 1:A:18:SER:HB3 | 1:A:80:THR:HG23 | 0.57 | 1.75 | 9 | 3 |
| 1:A:8:VAL:HG21 | 1:A:116:TYR:HE2 | 0.57 | 1.60 | 14 | 7 |
| 1:A:93:ILE:HD13 | 1:A:112:GLY:CA | 0.57 | 2.28 | 7 | 1 |
| 1:A:24:ALA:O | 1:A:106:LEU:HD21 | 0.56 | 1.99 | 16 | 2 |
| 1:A:8:VAL:CG2 | 1:A:116:TYR:CE2 | 0.56 | 2.88 | 7 | 17 |
| 1:A:9:VAL:HG23 | 1:A:113:THR:CG2 | 0.56 | 2.31 | 11 | 6 |
| 1:A:67:ILE:HG22 | 1:A:67:ILE:O | 0.56 | 2.00 | 1 | 7 |
| 1:A:64:SER:O | 1:A:68:CYS:SG | 0.56 | 2.64 | 7 | 1 |
| 1:A:51:THR:O | 1:A:58:LEU:HD22 | 0.56 | 2.00 | 11 | 1 |
| 1:A:110:GLY:O | 2:B:1:NAG:H82 | 0.56 | 2.01 | 11 | 3 |
| 1:A:70:GLY:HA2 | 1:A:79:LEU:HD23 | 0.56 | 1.77 | 5 | 2 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:38:ARG:O | 1:A:44:VAL:HG13 | 0.56 | 2.01 | 5 | 1 |
| 1:A:3:VAL:HG13 | 1:A:22:GLU:O | 0.56 | 2.00 | 19 | 2 |
| 1:A:8:VAL:HG23 | 1:A:114:GLN:CB | 0.55 | 2.31 | 18 | 1 |
| 1:A:52:TYR:CE1 | 1:A:54:MET:SD | 0.55 | 2.99 | 1 | 1 |
| 1:A:98:LEU:HD13 | 1:A:106:LEU:CD2 | 0.55 | 2.30 | 1 | 2 |
| 3:C:1:NAG:C6 | 3:C:2:NAG:C1 | 0.55 | 2.85 | 8 | 4 |
| 1:A:80:THR:HG21 | 3:C:2:NAG:O7 | 0.55 | 2.02 | 6 | 1 |
| 1:A:97:GLU:OE2 | 1:A:109:ILE:HD11 | 0.55 | 2.01 | 9 | 1 |
| 1:A:98:LEU:HD11 | 1:A:106:LEU:HD13 | 0.55 | 1.79 | 20 | 3 |
| 1:A:36:VAL:HG22 | 1:A:79:LEU:CD1 | 0.55 | 2.32 | 19 | 12 |
| 1:A:110:GLY:O | 2:B:1:NAG:H83 | 0.54 | 2.03 | 3 | 2 |
| 1:A:92:TYR:CE1 | 1:A:115:ILE:HD12 | 0.54 | 2.37 | 9 | 4 |
| 1:A:32:VAL:CG1 | 1:A:96:VAL:HG23 | 0.54 | 2.32 | 11 | 1 |
| 1:A:98:LEU:CD2 | 1:A:98:LEU:N | 0.54 | 2.71 | 5 | 4 |
| 1:A:32:VAL:HG22 | 1:A:52:TYR:O | 0.54 | 2.02 | 4 | 1 |
| 1:A:108:GLY:O | 1:A:109:ILE:HD13 | 0.54 | 2.03 | 18 | 1 |
| 1:A:96:VAL:HG12 | 1:A:106:LEU:HD13 | 0.53 | 1.79 | 19 | 2 |
| 1:A:38:ARG:CG | 1:A:47:VAL:HG21 | 0.53 | 2.33 | 3 | 1 |
| 1:A:81:ILE:CG2 | 1:A:84:LEU:HD21 | 0.53 | 2.33 | 13 | 4 |
| 1:A:3:VAL:HG11 | 1:A:110:GLY:CA | 0.53 | 2.33 | 3 | 1 |
| 1:A:23:TYR:HB3 | 1:A:96:VAL:HG11 | 0.53 | 1.79 | 4 | 2 |
| 1:A:102:PRO:CA | 1:A:103:PRO:C | 0.53 | 2.74 | 3 | 1 |
| 1:A:91:LEU:HD12 | 1:A:93:ILE:HD11 | 0.53 | 1.80 | 12 | 3 |
| 1:A:60:PHE:CB | 1:A:67:ILE:HG21 | 0.53 | 2.33 | 3 | 1 |
| 2:B:1:NAG:H62 | 2:B:2:NAG:H83 | 0.53 | 1.81 | 9 | 1 |
| 1:A:52:TYR:CD1 | 1:A:58:LEU:HD21 | 0.53 | 2.38 | 3 | 1 |
| 1:A:58:LEU:N | 1:A:58:LEU:CD2 | 0.53 | 2.72 | 12 | 4 |
| 1:A:69:THR:HG23 | 1:A:80:THR:HB | 0.52 | 1.81 | 1 | 2 |
| 1:A:69:THR:HG22 | 1:A:80:THR:O | 0.52 | 2.04 | 15 | 2 |
| 1:A:33:ARG:CD | 1:A:99:MET:SD | 0.52 | 2.97 | 6 | 1 |
| 1:A:8:VAL:HG23 | 1:A:114:GLN:O | 0.52 | 2.05 | 16 | 3 |
| 1:A:69:THR:HG21 | 1:A:82:GLN:NE2 | 0.52 | 2.19 | 11 | 3 |
| 1:A:96:VAL:O | 1:A:106:LEU:HD13 | 0.52 | 2.05 | 3 | 1 |
| 2:B:2:NAG:C8 | 2:B:4:FUL:C1 | 0.52 | 2.87 | 6 | 1 |
| 1:A:18:SER:HB2 | 1:A:80:THR:HG23 | 0.51 | 1.81 | 2 | 2 |
| 1:A:31:GLU:HB3 | 1:A:51:THR:HG21 | 0.51 | 1.81 | 10 | 3 |
| 1:A:52:TYR:N | 1:A:58:LEU:HD21 | 0.51 | 2.20 | 17 | 1 |
| 1:A:11:ALA:HB2 | 1:A:17:ALA:HB2 | 0.51 | 1.82 | 18 | 2 |
| 1:A:2:HIS:HB3 | 1:A:24:ALA:HB3 | 0.51 | 1.82 | 16 | 1 |
| 1:A:17:ALA:HB3 | 1:A:84:LEU:CD1 | 0.51 | 2.36 | 6 | 4 |
| 1:A:47:VAL:O | 1:A:48:CYS:SG | 0.51 | 2.69 | 15 | 2 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:15:GLY:C | 1:A:16:ILE:HD13 | 0.51 | 2.26 | 2 | 1 |
| 1:A:9:VAL:HG21 | 1:A:19:PHE:CB | 0.51 | 2.36 | 17 | 3 |
| 1:A:98:LEU:HG | 1:A:106:LEU:HD23 | 0.51 | 1.82 | 15 | 1 |
| 1:A:16:ILE:HG21 | 3:C:2:NAG:H82 | 0.50 | 1.82 | 18 | 1 |
| 1:A:93:ILE:N | 1:A:93:ILE:CD1 | 0.50 | 2.73 | 14 | 15 |
| 1:A:50:ALA:HB2 | 1:A:59:THR:O | 0.50 | 2.06 | 18 | 1 |
| 1:A:10:LEU:N | 1:A:10:LEU:CD2 | 0.50 | 2.74 | 1 | 2 |
| 1:A:20:VAL:HG22 | 1:A:78:ASN:CG | 0.50 | 2.26 | 3 | 2 |
| 1:A:63:ASP:O | 1:A:67:ILE:N | 0.50 | 2.45 | 2 | 2 |
| 1:A:38:ARG:HG2 | 1:A:47:VAL:HG21 | 0.50 | 1.83 | 3 | 1 |
| 1:A:81:ILE:HD12 | 1:A:115:ILE:CD1 | 0.50 | 2.37 | 19 | 1 |
| 1:A:39:GLN:NE2 | 1:A:91:LEU:HD23 | 0.50 | 2.22 | 6 | 4 |
| 1:A:96:VAL:C | 1:A:106:LEU:HD23 | 0.50 | 2.26 | 13 | 2 |
| 1:A:49:ALA:HB3 | 1:A:62:ASP:OD2 | 0.49 | 2.05 | 13 | 1 |
| 1:A:52:TYR:CB | 1:A:58:LEU:HD21 | 0.49 | 2.37 | 14 | 1 |
| 1:A:91:LEU:HD13 | 1:A:91:LEU:C | 0.49 | 2.27 | 1 | 3 |
| 1:A:98:LEU:CG | 1:A:106:LEU:HD23 | 0.49 | 2.37 | 15 | 1 |
| 1:A:26:PRO:HD2 | 1:A:98:LEU:HD21 | 0.49 | 1.83 | 17 | 1 |
| 1:A:31:GLU:HA | 1:A:51:THR:HG22 | 0.49 | 1.83 | 19 | 1 |
| 1:A:105:TYR:O | 1:A:106:LEU:HD22 | 0.49 | 2.07 | 7 | 3 |
| 1:A:98:LEU:CG | 1:A:106:LEU:HD22 | 0.49 | 2.37 | 8 | 3 |
| 1:A:96:VAL:HG12 | 1:A:106:LEU:HD23 | 0.49 | 1.84 | 20 | 1 |
| 1:A:34:VAL:HA | 1:A:95:LYS:O | 0.49 | 2.06 | 2 | 3 |
| 1:A:109:ILE:N | 1:A:109:ILE:CD1 | 0.49 | 2.76 | 3 | 7 |
| 1:A:98:LEU:O | 1:A:104:TYR:CD1 | 0.49 | 2.66 | 12 | 6 |
| 1:A:109:ILE:HG22 | 2:B:1:NAG:C8 | 0.48 | 2.38 | 4 | 2 |
| 1:A:62:ASP:O | 1:A:67:ILE:CD1 | 0.48 | 2.61 | 3 | 1 |
| 1:A:71:THR:HG21 | 3:C:4:FUC:C5 | 0.48 | 2.38 | 19 | 3 |
| 1:A:93:ILE:HD13 | 1:A:112:GLY:HA3 | 0.48 | 1.84 | 7 | 1 |
| 1:A:3:VAL:CG1 | 1:A:21:CYS:SG | 0.48 | 3.02 | 9 | 1 |
| 1:A:34:VAL:HG23 | 1:A:60:PHE:HZ | 0.48 | 1.69 | 8 | 1 |
| 1:A:93:ILE:HG21 | 1:A:95:LYS:CE | 0.48 | 2.37 | 17 | 2 |
| 1:A:16:ILE:HD12 | 1:A:16:ILE:N | 0.48 | 2.24 | 13 | 7 |
| 1:A:5:GLN:HG2 | 1:A:94:CYS:SG | 0.48 | 2.48 | 19 | 1 |
| 1:A:52:TYR:HA | 1:A:58:LEU:HD21 | 0.48 | 1.85 | 14 | 1 |
| 1:A:77:VAL:O | 1:A:77:VAL:HG23 | 0.48 | 2.09 | 8 | 3 |
| 1:A:95:LYS:CD | 1:A:109:ILE:HD12 | 0.48 | 2.38 | 11 | 1 |
| 1:A:98:LEU:CD1 | 1:A:98:LEU:N | 0.48 | 2.76 | 13 | 2 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:CD1 | 0.48 | 2.36 | 18 | 1 |
| 1:A:39:GLN:NE2 | 1:A:91:LEU:CD2 | 0.48 | 2.77 | 5 | 6 |
| 1:A:91:LEU:HD11 | 1:A:112:GLY:C | 0.48 | 2.29 | 10 | 2 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:71:THR:HG21 | 3:C:4:FUC:H3 | 0.48 | 1.84 | 10 | 1 |
| 1:A:105:TYR:O | 1:A:105:TYR:CD2 | 0.48 | 2.67 | 2 | 5 |
| 1:A:58:LEU:HD21 | 1:A:70:GLY:O | 0.48 | 2.09 | 5 | 1 |
| 1:A:37:LEU:HB2 | 1:A:93:ILE:HD13 | 0.48 | 1.85 | 13 | 1 |
| 1:A:109:ILE:CG2 | 2:B:1:NAG:H81 | 0.48 | 2.39 | 16 | 2 |
| 1:A:100:TYR:N | 1:A:101:PRO:CD | 0.48 | 2.77 | 13 | 16 |
| 1:A:60:PHE:CD1 | 1:A:67:ILE:CG2 | 0.47 | 2.96 | 3 | 1 |
| 1:A:93:ILE:HG21 | 1:A:95:LYS:HE3 | 0.47 | 1.85 | 17 | 1 |
| 1:A:36:VAL:HG23 | 1:A:79:LEU:HD13 | 0.47 | 1.85 | 3 | 1 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:CD2 | 0.47 | 2.39 | 7 | 3 |
| 1:A:59:THR:O | 1:A:60:PHE:CD1 | 0.47 | 2.67 | 10 | 1 |
| 1:A:98:LEU:HG | 1:A:106:LEU:HD13 | 0.47 | 1.86 | 11 | 1 |
| 1:A:98:LEU:N | 1:A:98:LEU:CD1 | 0.47 | 2.77 | 3 | 3 |
| 1:A:37:LEU:HD11 | 1:A:95:LYS:CE | 0.47 | 2.39 | 12 | 1 |
| 1:A:92:TYR:CE2 | 1:A:115:ILE:HD12 | 0.47 | 2.44 | 19 | 1 |
| 1:A:103:PRO:O | 1:A:104:TYR:O | 0.47 | 2.32 | 6 | 2 |
| 1:A:37:LEU:HD11 | 1:A:95:LYS:NZ | 0.47 | 2.24 | 12 | 1 |
| 1:A:61:LEU:C | 1:A:61:LEU:HD23 | 0.47 | 2.30 | 20 | 3 |
| 1:A:31:GLU:HA | 1:A:53:MET:SD | 0.47 | 2.50 | 3 | 1 |
| 1:A:47:VAL:HG12 | 1:A:63:ASP:OD2 | 0.47 | 2.10 | 13 | 1 |
| 1:A:50:ALA:CB | 1:A:59:THR:OG1 | 0.47 | 2.63 | 19 | 1 |
| 1:A:67:ILE:HG22 | 1:A:68:CYS:N | 0.46 | 2.25 | 3 | 1 |
| 1:A:20:VAL:CG1 | 1:A:76:GLN:HG2 | 0.46 | 2.40 | 7 | 1 |
| 1:A:5:GLN:HB2 | 1:A:21:CYS:SG | 0.46 | 2.50 | 1 | 1 |
| 1:A:3:VAL:HG12 | 1:A:5:GLN:NE2 | 0.46 | 2.25 | 13 | 1 |
| 1:A:16:ILE:HG23 | 1:A:82:GLN:HG2 | 0.46 | 1.87 | 19 | 1 |
| 1:A:9:VAL:O | 1:A:116:TYR:N | 0.46 | 2.47 | 20 | 1 |
| 1:A:52:TYR:CZ | 1:A:54:MET:CE | 0.46 | 2.98 | 1 | 1 |
| 1:A:92:TYR:CD1 | 1:A:115:ILE:CD1 | 0.46 | 2.98 | 14 | 4 |
| 1:A:89:THR:OG1 | 1:A:117:VAL:HG23 | 0.46 | 2.11 | 8 | 2 |
| 1:A:109:ILE:CG2 | 2:B:1:NAG:C8 | 0.46 | 2.93 | 6 | 6 |
| 1:A:18:SER:C | 3:C:1:NAG:H83 | 0.46 | 2.31 | 11 | 1 |
| 1:A:50:ALA:HB3 | 1:A:60:PHE:CZ | 0.46 | 2.46 | 12 | 1 |
| 1:A:57:GLU:O | 1:A:58:LEU:HD13 | 0.46 | 2.11 | 19 | 1 |
| 2:B:1:NAG:H61 | 2:B:2:NAG:H82 | 0.46 | 1.86 | 13 | 1 |
| 1:A:84:LEU:HD11 | 1:A:117:VAL:CG2 | 0.46 | 2.40 | 17 | 1 |
| 1:A:52:TYR:CD1 | 1:A:53:MET:O | 0.46 | 2.69 | 9 | 5 |
| 1:A:98:LEU:N | 1:A:98:LEU:HD22 | 0.46 | 2.25 | 18 | 2 |
| 1:A:39:GLN:CD | 1:A:93:ILE:HD11 | 0.46 | 2.30 | 7 | 1 |
| 1:A:52:TYR:CD2 | 1:A:72:SER:CB | 0.46 | 2.99 | 15 | 1 |
| 1:A:84:LEU:C | 1:A:84:LEU:HD12 | 0.46 | 2.31 | 17 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:50:ALA:CB | 1:A:60:PHE:CE1 | 0.45 | 2.99 | 3 | 1 |
| 1:A:91:LEU:HD12 | 1:A:113:THR:C | 0.45 | 2.32 | 5 | 4 |
| 1:A:8:VAL:CG2 | 1:A:114:GLN:O | 0.45 | 2.65 | 15 | 3 |
| 1:A:39:GLN:HE21 | 1:A:91:LEU:HD23 | 0.45 | 1.71 | 14 | 5 |
| 1:A:16:ILE:N | 1:A:16:ILE:CD1 | 0.45 | 2.80 | 6 | 14 |
| 1:A:19:PHE:CD1 | 1:A:19:PHE:N | 0.45 | 2.85 | 6 | 3 |
| 1:A:98:LEU:CG | 1:A:106:LEU:HD13 | 0.45 | 2.42 | 11 | 1 |
| 1:A:52:TYR:CE1 | 1:A:54:MET:CE | 0.45 | 3.00 | 2 | 2 |
| 1:A:32:VAL:O | 1:A:32:VAL:HG23 | 0.45 | 2.12 | 9 | 3 |
| 1:A:48:CYS:CB | 1:A:60:PHE:CD1 | 0.45 | 3.00 | 10 | 1 |
| 1:A:109:ILE:HG22 | 1:A:110:GLY:N | 0.45 | 2.27 | 17 | 3 |
| 1:A:30:THR:O | 1:A:53:MET:HE2 | 0.45 | 2.11 | 17 | 1 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:HD23 | 0.45 | 1.88 | 10 | 1 |
| 1:A:19:PHE:N | 1:A:19:PHE:CD1 | 0.45 | 2.85 | 17 | 3 |
| 1:A:80:THR:CB | 3:C:2:NAG:C8 | 0.45 | 2.95 | 13 | 1 |
| 1:A:36:VAL:HA | 1:A:93:ILE:O | 0.45 | 2.12 | 18 | 7 |
| 1:A:33:ARG:CA | 1:A:51:THR:HG23 | 0.44 | 2.42 | 9 | 2 |
| 1:A:9:VAL:O | 1:A:116:TYR:CD2 | 0.44 | 2.71 | 20 | 1 |
| 3:C:1:NAG:C6 | 3:C:4:FUC:O2 | 0.44 | 2.66 | 16 | 1 |
| 1:A:50:ALA:HB2 | 1:A:60:PHE:CE1 | 0.44 | 2.48 | 3 | 1 |
| 1:A:80:THR:OG1 | 3:C:2:NAG:C8 | 0.44 | 2.65 | 13 | 1 |
| 1:A:52:TYR:C | 1:A:52:TYR:CD1 | 0.44 | 2.90 | 15 | 1 |
| 1:A:105:TYR:O | 1:A:106:LEU:CD1 | 0.44 | 2.66 | 2 | 1 |
| 2:B:2:NAG:H3 | 2:B:2:NAG:H83 | 0.44 | 1.88 | 17 | 1 |
| 1:A:95:LYS:CE | 1:A:109:ILE:HD11 | 0.43 | 2.43 | 5 | 1 |
| 1:A:19:PHE:CD1 | 1:A:115:ILE:HD11 | 0.43 | 2.48 | 11 | 1 |
| 1:A:8:VAL:CG2 | 1:A:116:TYR:HE2 | 0.43 | 2.26 | 20 | 1 |
| 1:A:84:LEU:HD13 | 1:A:115:ILE:HG21 | 0.43 | 1.88 | 8 | 1 |
| 1:A:3:VAL:HG11 | 1:A:110:GLY:N | 0.43 | 2.28 | 3 | 1 |
| 1:A:109:ILE:HG21 | 2:B:1:NAG:H81 | 0.43 | 1.90 | 6 | 1 |
| 1:A:52:TYR:CD2 | 1:A:72:SER:OG | 0.43 | 2.71 | 1 | 1 |
| 1:A:32:VAL:HB | 1:A:52:TYR:CZ | 0.43 | 2.48 | 5 | 1 |
| 1:A:17:ALA:CB | 1:A:84:LEU:HD11 | 0.43 | 2.44 | 7 | 2 |
| 1:A:105:TYR:O | 1:A:106:LEU:CD2 | 0.43 | 2.66 | 7 | 2 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:CG | 0.43 | 2.43 | 10 | 1 |
| 1:A:71:THR:HG22 | 1:A:72:SER:N | 0.43 | 2.29 | 8 | 6 |
| 1:A:78:ASN:OD1 | 3:C:1:NAG:N2 | 0.43 | 2.52 | 19 | 1 |
| 1:A:52:TYR:C | 1:A:53:MET:SD | 0.43 | 2.97 | 10 | 2 |
| 1:A:23:TYR:CE1 | 1:A:77:VAL:CG1 | 0.43 | 3.01 | 13 | 2 |
| 1:A:80:THR:HB | 3:C:2:NAG:C8 | 0.43 | 2.44 | 13 | 1 |
| 1:A:80:THR:HB | 3:C:2:NAG:H82 | 0.43 | 1.91 | 13 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:52:TYR:CD1 | 1:A:52:TYR:C | 0.43 | 2.91 | 1 | 1 |
| 2:B:1:NAG:C6 | 2:B:4:FUL:O2 | 0.42 | 2.67 | 4 | 3 |
| 1:A:57:GLU:O | 1:A:58:LEU:HD23 | 0.42 | 2.14 | 5 | 1 |
| 1:A:84:LEU:HD12 | 1:A:85:ARG:O | 0.42 | 2.14 | 17 | 1 |
| 1:A:20:VAL:CG1 | 1:A:76:GLN:CG | 0.42 | 2.97 | 2 | 2 |
| 1:A:103:PRO:O | 1:A:103:PRO:HD2 | 0.42 | 2.13 | 13 | 2 |
| 1:A:60:PHE:CG | 1:A:67:ILE:HG21 | 0.42 | 2.48 | 3 | 1 |
| 1:A:60:PHE:CD1 | 1:A:60:PHE:N | 0.42 | 2.88 | 12 | 1 |
| 3:C:1:NAG:H5 | 3:C:2:NAG:H83 | 0.42 | 1.90 | 12 | 1 |
| 1:A:71:THR:OG1 | 3:C:4:FUC:H2 | 0.42 | 2.14 | 15 | 1 |
| 1:A:38:ARG:NE | 1:A:47:VAL:HG22 | 0.42 | 2.30 | 10 | 1 |
| 1:A:52:TYR:CZ | 1:A:72:SER:O | 0.42 | 2.73 | 12 | 1 |
| 1:A:29:ALA:HB1 | 1:A:101:PRO:HG3 | 0.42 | 1.91 | 19 | 1 |
| 1:A:17:ALA:HB2 | 1:A:84:LEU:HD11 | 0.42 | 1.92 | 7 | 2 |
| 1:A:60:PHE:CD2 | 1:A:68:CYS:O | 0.42 | 2.72 | 15 | 2 |
| 1:A:29:ALA:HB3 | 1:A:98:LEU:CD1 | 0.42 | 2.44 | 18 | 1 |
| 1:A:19:PHE:CE1 | 1:A:115:ILE:HD11 | 0.42 | 2.50 | 11 | 1 |
| 1:A:58:LEU:N | 1:A:58:LEU:CD1 | 0.42 | 2.83 | 14 | 2 |
| 1:A:60:PHE:CE2 | 1:A:68:CYS:O | 0.42 | 2.72 | 14 | 1 |
| 1:A:52:TYR:OH | 1:A:54:MET:SD | 0.42 | 2.75 | 1 | 1 |
| 1:A:98:LEU:N | 1:A:98:LEU:HD23 | 0.42 | 2.30 | 2 | 1 |
| 1:A:52:TYR:CZ | 1:A:72:SER:HB3 | 0.42 | 2.50 | 5 | 1 |
| 1:A:80:THR:HG21 | 3:C:2:NAG:H83 | 0.42 | 1.92 | 17 | 1 |
| 1:A:36:VAL:CG2 | 1:A:79:LEU:CD1 | 0.42 | 2.98 | 1 | 2 |
| 1:A:95:LYS:HB3 | 1:A:109:ILE:HD12 | 0.42 | 1.90 | 1 | 1 |
| 1:A:92:TYR:CG | 1:A:115:ILE:HD12 | 0.42 | 2.49 | 14 | 1 |
| 1:A:35:THR:HB | 1:A:95:LYS:HB3 | 0.42 | 1.92 | 4 | 2 |
| 1:A:97:GLU:CG | 1:A:104:TYR:OH | 0.42 | 2.68 | 15 | 1 |
| 1:A:52:TYR:CE1 | 1:A:72:SER:CB | 0.42 | 3.03 | 2 | 1 |
| 1:A:50:ALA:HB2 | 1:A:60:PHE:CD1 | 0.42 | 2.49 | 3 | 1 |
| 1:A:96:VAL:O | 1:A:96:VAL:HG13 | 0.42 | 2.15 | 4 | 1 |
| 1:A:91:LEU:C | 1:A:91:LEU:CD1 | 0.42 | 2.89 | 8 | 1 |
| 1:A:100:TYR:N | 1:A:101:PRO:HD2 | 0.42 | 2.30 | 12 | 1 |
| 1:A:80:THR:OG1 | 3:C:2:NAG:H83 | 0.42 | 2.14 | 13 | 1 |
| 1:A:31:GLU:O | 1:A:98:LEU:HD13 | 0.42 | 2.15 | 18 | 1 |
| 1:A:96:VAL:HG22 | 1:A:106:LEU:HD21 | 0.42 | 1.90 | 18 | 1 |
| 1:A:71:THR:O | 1:A:78:ASN:N | 0.41 | 2.53 | 3 | 3 |
| 1:A:38:ARG:HB2 | 1:A:47:VAL:HG21 | 0.41 | 1.92 | 15 | 2 |
| 1:A:52:TYR:CE2 | 1:A:57:GLU:OE1 | 0.41 | 2.73 | 13 | 1 |
| 1:A:29:ALA:HB3 | 1:A:98:LEU:HD12 | 0.41 | 1.92 | 18 | 1 |
| 1:A:32:VAL:HG11 | 1:A:52:TYR:CZ | 0.41 | 2.49 | 18 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:25:SER:HB2 | 1:A:98:LEU:HD11 | 0.41 | 1.92 | 4 | 1 |
| 1:A:20:VAL:HG23 | 3:C:1:NAG:O7 | 0.41 | 2.15 | 5 | 1 |
| 1:A:86:ALA:HA | 1:A:117:VAL:HG21 | 0.41 | 1.92 | 12 | 1 |
| 1:A:111:ASN:HD22 | 1:A:111:ASN:C | 0.41 | 2.17 | 17 | 1 |
| 1:A:98:LEU:CD1 | 1:A:106:LEU:CD1 | 0.41 | 2.98 | 3 | 1 |
| 1:A:60:PHE:CE1 | 1:A:68:CYS:O | 0.41 | 2.73 | 9 | 1 |
| 1:A:105:TYR:O | 1:A:106:LEU:HD12 | 0.41 | 2.15 | 18 | 2 |
| 1:A:81:ILE:CD1 | 1:A:92:TYR:CE2 | 0.41 | 3.02 | 17 | 1 |
| 1:A:31:GLU:OE1 | 1:A:100:TYR:CD1 | 0.41 | 2.73 | 19 | 1 |
| 1:A:53:MET:HA | 1:A:53:MET:HE2 | 0.41 | 1.92 | 5 | 1 |
| 1:A:80:THR:HG21 | 3:C:2:NAG:H81 | 0.41 | 1.92 | 6 | 1 |
| 1:A:52:TYR:O | 1:A:52:TYR:CG | 0.41 | 2.74 | 15 | 1 |
| 2:B:1:NAG:O3 | 2:B:1:NAG:C7 | 0.41 | 2.68 | 18 | 1 |
| 1:A:31:GLU:OE1 | 1:A:100:TYR:CG | 0.41 | 2.73 | 10 | 1 |
| 1:A:52:TYR:CZ | 1:A:72:SER:CB | 0.41 | 3.04 | 5 | 1 |
| 1:A:17:ALA:CB | 1:A:84:LEU:CD1 | 0.41 | 2.99 | 12 | 3 |
| 1:A:52:TYR:CE1 | 1:A:53:MET:O | 0.41 | 2.74 | 11 | 1 |
| 1:A:105:TYR:CD1 | 1:A:105:TYR:N | 0.41 | 2.89 | 8 | 2 |
| 1:A:52:TYR:CD1 | 1:A:54:MET:HE2 | 0.41 | 2.51 | 7 | 1 |
| 1:A:48:CYS:HB3 | 1:A:60:PHE:CD1 | 0.41 | 2.50 | 10 | 1 |
| 1:A:39:GLN:HA | 1:A:44:VAL:HG13 | 0.41 | 1.91 | 13 | 1 |
| 1:A:52:TYR:HA | 1:A:58:LEU:HD11 | 0.41 | 1.91 | 15 | 1 |
| 1:A:52:TYR:CE2 | 1:A:72:SER:CB | 0.41 | 3.04 | 16 | 1 |
| 1:A:52:TYR:N | 1:A:58:LEU:CD2 | 0.41 | 2.83 | 17 | 1 |
| 1:A:50:ALA:CB | 1:A:59:THR:CB | 0.41 | 2.98 | 19 | 1 |
| 3:C:2:NAG:C6 | 3:C:3:BMA:C1 | 0.41 | 2.99 | 1 | 1 |
| 1:A:51:THR:O | 1:A:58:LEU:CD1 | 0.41 | 2.69 | 2 | 2 |
| 1:A:67:ILE:O | 1:A:67:ILE:CG2 | 0.41 | 2.69 | 16 | 1 |
| 1:A:92:TYR:CD2 | 1:A:115:ILE:CD1 | 0.41 | 3.03 | 19 | 1 |
| 1:A:43:GLN:C | 1:A:44:VAL:HG23 | 0.41 | 2.37 | 20 | 1 |
| 1:A:59:THR:OG1 | 1:A:60:PHE:CZ | 0.41 | 2.73 | 10 | 1 |
| 1:A:39:GLN:HG3 | 1:A:93:ILE:HD11 | 0.40 | 1.93 | 2 | 1 |
| 1:A:102:PRO:HA | 1:A:103:PRO:HA | 0.40 | 1.33 | 5 | 2 |
| 1:A:98:LEU:CD2 | 1:A:106:LEU:HD23 | 0.40 | 2.47 | 10 | 1 |
| 1:A:97:GLU:HB3 | 1:A:104:TYR:CE1 | 0.40 | 2.50 | 7 | 1 |
| 1:A:2:HIS:C | 1:A:3:VAL:HG23 | 0.40 | 2.37 | 9 | 1 |
| 1:A:50:ALA:HB1 | 1:A:59:THR:HG21 | 0.40 | 1.92 | 19 | 1 |
| 1:A:57:GLU:CG | 1:A:60:PHE:CE2 | 0.40 | 3.04 | 19 | 1 |
| 1:A:52:TYR:CD1 | 1:A:52:TYR:O | 0.40 | 2.75 | 5 | 1 |
| 1:A:67:ILE:HG23 | 1:A:82:GLN:O | 0.40 | 2.15 | 7 | 1 |
| 1:A:25:SER:HB3 | 1:A:106:LEU:HD11 | 0.40 | 1.92 | 11 | 1 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:67:ILE:HG22 | 1:A:68:CYS:H | 0.40 | 1.76 | 12 | 1 |
| 1:A:3:VAL:CG1 | 1:A:5:GLN:NE2 | 0.40 | 2.84 | 13 | 1 |
| 1:A:25:SER:HB2 | 1:A:106:LEU:HD21 | 0.40 | 1.93 | 15 | 1 |
| 1:A:95:LYS:HE2 | 1:A:109:ILE:HG21 | 0.40 | 1.93 | 15 | 1 |
| 1:A:80:THR:HG21 | 3:C:2:NAG:C8 | 0.40 | 2.46 | 17 | 1 |
| 1:A:29:ALA:CB | 1:A:98:LEU:HD12 | 0.40 | 2.46 | 18 | 1 |
| 1:A:95:LYS:CE | 1:A:109:ILE:HG21 | 0.40 | 2.46 | 15 | 1 |
| 1:A:6:PRO:O | 1:A:113:THR:HG23 | 0.40 | 2.16 | 4 | 1 |
| 1:A:39:GLN:HG3 | 1:A:44:VAL:HG22 | 0.40 | 1.94 | 5 | 1 |
| 1:A:97:GLU:OE1 | 1:A:104:TYR:CE1 | 0.40 | 2.75 | 7 | 1 |
| 1:A:98:LEU:HD23 | 1:A:106:LEU:HG | 0.40 | 1.94 | 10 | 1 |

## 6.3 Torsion angles (i)

### 6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 1 | A | 113/129 (88%) | 102±2 (90±2%) | 9±2 (8±2%) | 1±1 (1±1%) | 17 | 64 |
| All | All | 2260/2580 (88%) | 2043 (90%) | 189 (8%) | 28 (1%) | 17 | 64 |

All 8 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|---|---|---|---|---|
| 1 | A | 64 | SER | 10 |
| 1 | A | 67 | ILE | 7 |
| 1 | A | 104 | TYR | 5 |
| 1 | A | 47 | VAL | 2 |
| 1 | A | 62 | ASP | 1 |
| 1 | A | 33 | ARG | 1 |
| 1 | A | 29 | ALA | 1 |
| 1 | A | 54 | MET | 1 |

### 6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|---|---|---|---|---|---|
| 1 | A | 93/108 (86%) | 91±1 (98±1%) | 2±1 (2±1%) | 57 93 |
| All | All | 1860/2160 (86%) | 1823 (98%) | 37 (2%) | 57 93 |

All 14 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|---|---|---|---|---|
| 1 | A | 106 | LEU | 6 |
| 1 | A | 53 | MET | 6 |
| 1 | A | 54 | MET | 5 |
| 1 | A | 5 | GLN | 4 |
| 1 | A | 14 | ARG | 2 |
| 1 | A | 52 | TYR | 2 |
| 1 | A | 94 | CYS | 2 |
| 1 | A | 68 | CYS | 2 |
| 1 | A | 111 | ASN | 2 |
| 1 | A | 104 | TYR | 2 |
| 1 | A | 99 | MET | 1 |
| 1 | A | 95 | LYS | 1 |
| 1 | A | 84 | LEU | 1 |
| 1 | A | 33 | ARG | 1 |

### 6.3.3 RNA (i)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

| Mol | Type | Chain | Res | Link | Bond lengths | | |
|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | #Z>2 |
| 2 | NAG | B | 1 | 1,2 | 14,14,15 | 0.56±0.05 | 0±0 (0±0%) |
| 2 | NAG | B | 2 | 2 | 14,14,15 | 0.50±0.02 | 0±0 (0±0%) |
| 2 | BMA | B | 3 | 2 | 11,11,12 | 0.27±0.01 | 0±0 (0±0%) |
| 2 | FUL | B | 4 | 2 | 10,10,11 | 0.44±0.10 | 0±0 (0±0%) |
| 3 | NAG | C | 1 | 1,3 | 14,14,15 | 0.57±0.03 | 0±0 (0±0%) |
| 3 | NAG | C | 2 | 3 | 14,14,15 | 0.50±0.02 | 0±0 (0±0%) |
| 3 | BMA | C | 3 | 3 | 11,11,12 | 0.28±0.01 | 0±0 (0±0%) |
| 3 | FUC | C | 4 | 3 | 10,10,11 | 0.59±0.03 | 0±0 (0±0%) |

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

| Mol | Type | Chain | Res | Link | Bond angles | | |
|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | #Z>2 |
| 2 | NAG | B | 1 | 1,2 | 17,19,21 | 0.61±0.06 | 0±0 (0±2%) |
| 2 | NAG | B | 2 | 2 | 17,19,21 | 0.54±0.06 | 0±0 (1±2%) |
| 2 | BMA | B | 3 | 2 | 15,15,17 | 0.27±0.01 | 0±0 (0±0%) |
| 2 | FUL | B | 4 | 2 | 14,14,16 | 0.68±0.23 | 0±1 (3±6%) |
| 3 | NAG | C | 1 | 1,3 | 17,19,21 | 0.68±0.04 | 0±0 (2±2%) |
| 3 | NAG | C | 2 | 3 | 17,19,21 | 0.58±0.05 | 1±0 (3±2%) |
| 3 | BMA | C | 3 | 3 | 15,15,17 | 0.29±0.02 | 0±0 (0±0%) |
| 3 | FUC | C | 4 | 3 | 14,14,16 | 0.96±0.07 | 1±1 (8±3%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|---|---|---|---|---|---|---|---|
| 2 | NAG | B | 1 | 1,2 | - | 0±0,6,23,26 | 0±0,1,1,1 |
| 2 | NAG | B | 2 | 2 | - | 0±0,6,23,26 | 0±0,1,1,1 |
| 2 | BMA | B | 3 | 2 | - | 0±0,2,19,22 | 0±0,1,1,1 |
| 2 | FUL | B | 4 | 2 | - | - | 0±0,1,1,1 |
| 3 | NAG | C | 1 | 1,3 | - | 0±0,6,23,26 | 0±0,1,1,1 |
| 3 | NAG | C | 2 | 3 | - | 2±0 ,6,23,26 | 0±0,1,1,1 |
| 3 | BMA | C | 3 | 3 | - | 0±0,2,19,22 | 0±0,1,1,1 |
| 3 | FUC | C | 4 | 3 | - | - | 0±0,1,1,1 |

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) | Models | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Worst | Total |
| 3 | C | 4 | FUC | C1-C2-C3 | 2.57 | 106.51 | 109.67 | 1 | 19 |
| 2 | B | 4 | FUL | C1-C2-C3 | 2.54 | 106.54 | 109.67 | 17 | 5 |
| 3 | C | 4 | FUC | C3-C4-C5 | 2.39 | 113.50 | 109.77 | 5 | 1 |
| 3 | C | 4 | FUC | O5-C1-C2 | 2.34 | 107.16 | 110.77 | 16 | 4 |
| 2 | B | 4 | FUL | O5-C1-C2 | 2.29 | 107.24 | 110.77 | 11 | 5 |
| 3 | C | 2 | NAG | C2-N2-C7 | 2.24 | 119.71 | 122.90 | 19 | 12 |
| 3 | C | 1 | NAG | C2-N2-C7 | 2.12 | 119.89 | 122.90 | 20 | 8 |
| 2 | B | 1 | NAG | C2-N2-C7 | 2.11 | 119.89 | 122.90 | 7 | 3 |
| 2 | B | 2 | NAG | C2-N2-C7 | 2.06 | 119.97 | 122.90 | 3 | 6 |

All unique chiral outliers are listed below.

| Mol | Chain | Res | Type | Atoms | Models (Total) |
|---|---|---|---|---|---|
| 2 | B | 2 | NAG | C1 | 1 |

All unique torsion outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Atoms | Models (Total) |
|---|---|---|---|---|---|
| 3 | C | 2 | NAG | C8-C7-N2-C2 | 2 |
| 3 | C | 2 | NAG | O7-C7-N2-C2 | 2 |
| 2 | B | 1 | NAG | C8-C7-N2-C2 | 1 |
| 2 | B | 1 | NAG | O7-C7-N2-C2 | 1 |
| 2 | B | 2 | NAG | C8-C7-N2-C2 | 1 |
| 2 | B | 2 | NAG | O7-C7-N2-C2 | 1 |

There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

**Oligosaccharide Chain B**



**Bond lengths**



**Bond angles**



**Torsions**



**Rings**




## 6.6 Ligand geometry (i)

There are no ligands in this entry.

## 6.7 Other polymers (i)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

# 7 Chemical shift validation (i)

No chemical shift data were provided