



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 01:41 pm BST

PDB ID : 1AJ0  
Title : CRYSTAL STRUCTURE OF A TERNARY COMPLEX OF E. COLI DIHYDROPTEROATE SYNTHASE  
Authors : Achari, A.; Somers, D.O.; Champness, J.N.; Bryant, P.K.; Rosemond, J.; Stammers, D.K.  
Deposited on : 1997-05-14  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	282	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SAN	A	561	-	X	X	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 2282 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROPTEROATE SYNTHASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	282	2147	1348	378	408	13	0	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

- Molecule 3 is 2-AMINO-6-HYDROXYMETHYL-7,8-DIHYDRO-3H-PTERIDIN-4-ONE (three-letter code: PH2) (formula: C<sub>7</sub>H<sub>9</sub>N<sub>5</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	14	7	5	2	0	0

- Molecule 4 is SULFANILAMIDE (three-letter code: SAN) (formula: C<sub>6</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	11	6	2	2	1	0	0

- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	A	105	Total 105	O 105	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: DIHYDROPTEROATE SYNTHASE

Chain A: 



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.91Å 60.67Å 59.82Å 90.00° 114.67° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00	Depositor
% Data completeness (in resolution range)	80.0 (10.00-2.00)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
Refinement program	PROFFT	Depositor
R, $R_{free}$	0.206 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2282	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PH2, SO4, SAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.78	0/2184	1.37	7/2953 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	235	ARG	NE-CZ-NH1	9.74	125.17	120.30
1	A	216	VAL	N-CA-CB	-7.07	95.94	111.50
1	A	163	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	A	77	ARG	NE-CZ-NH1	5.91	123.26	120.30
1	A	277	GLU	CB-CG-CD	5.35	128.63	114.20
1	A	56	ASP	CB-CG-OD1	5.25	123.03	118.30
1	A	206	GLU	CG-CD-OE2	-5.16	107.97	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	163	ARG	Sidechain



## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2147	0	2159	83	0
2	A	5	0	0	0	0
3	A	14	0	9	4	0
4	A	11	0	8	7	0
5	A	105	0	0	10	1
All	All	2282	0	2176	87	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:559:PH2:C11	4:A:561:SAN:H6	1.85	1.07
1:A:71:VAL:HG11	1:A:101:GLU:HG3	1.48	0.93
1:A:70:SER:OG	1:A:73:GLU:HG3	1.67	0.93
1:A:276:LYS:NZ	1:A:278:ASN:HD21	1.68	0.91
1:A:71:VAL:CG1	1:A:101:GLU:HG3	2.04	0.87
1:A:276:LYS:HZ1	1:A:278:ASN:HD21	1.23	0.84
1:A:93:ILE:H	1:A:112:HIS:HD2	1.21	0.83
1:A:278:ASN:H	1:A:278:ASN:HD22	1.29	0.81
1:A:93:ILE:H	1:A:112:HIS:CD2	1.98	0.81
1:A:220:ARG:HB2	4:A:561:SAN:HN22	1.47	0.79
1:A:248:MET:HG3	5:A:448:HOH:O	1.80	0.79
1:A:62:THR:HG21	1:A:117:ILE:HD12	1.65	0.78
1:A:279:LYS:HE2	1:A:279:LYS:N	2.01	0.76
1:A:208:HIS:HD2	5:A:289:HOH:O	1.70	0.75
3:A:559:PH2:H111	4:A:561:SAN:H6	1.67	0.74
1:A:44:ALA:O	1:A:48:ILE:HG13	1.89	0.73
1:A:149:GLN:HG2	1:A:150:GLU:N	2.02	0.73
1:A:11:ASP:O	1:A:16:HIS:HE1	1.73	0.72
1:A:28:PHE:CE2	1:A:33:THR:HG23	2.27	0.69
1:A:30:ASP:HB2	1:A:34:HIS:CG	2.29	0.67
1:A:28:PHE:HE2	1:A:33:THR:HG23	1.59	0.67
1:A:147:THR:HB	1:A:149:GLN:HB3	1.76	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:VAL:HG11	1:A:101:GLU:CG	2.24	0.66
1:A:71:VAL:O	1:A:75:LEU:HB2	1.96	0.66
1:A:94:SER:HB2	1:A:113:ILE:HB	1.78	0.65
1:A:82:VAL:HG12	1:A:109:VAL:HG23	1.78	0.65
1:A:11:ASP:OD2	1:A:13:SER:HB2	1.98	0.63
3:A:559:PH2:O4	4:A:561:SAN:H6	1.98	0.62
1:A:71:VAL:CG1	1:A:101:GLU:CG	2.76	0.62
1:A:276:LYS:NZ	1:A:278:ASN:ND2	2.44	0.62
3:A:559:PH2:H112	4:A:561:SAN:H6	1.80	0.62
1:A:62:THR:HG21	1:A:117:ILE:CD1	2.30	0.61
1:A:188:PHE:HE2	1:A:216:VAL:HG22	1.64	0.61
1:A:16:HIS:HD2	1:A:53:THR:OG1	1.84	0.60
1:A:142:GLN:HG2	1:A:152:PRO:HG2	1.83	0.60
1:A:75:LEU:HD13	1:A:102:VAL:HG22	1.85	0.59
1:A:94:SER:CB	1:A:113:ILE:HB	2.33	0.59
1:A:112:HIS:O	1:A:135:PRO:HD2	2.03	0.58
1:A:273:LEU:O	1:A:279:LYS:HD3	2.04	0.57
1:A:63:ARG:NH2	4:A:561:SAN:O1	2.39	0.56
1:A:79:ILE:HB	1:A:80:PRO:HD3	1.88	0.55
1:A:34:HIS:C	1:A:36:SER:H	2.10	0.54
1:A:136:VAL:CG2	1:A:182:LEU:HD23	2.38	0.53
1:A:140:HIS:HD2	1:A:192:LYS:NZ	2.07	0.53
1:A:276:LYS:HZ2	1:A:278:ASN:ND2	2.07	0.53
1:A:248:MET:HE1	1:A:281:TYR:CE1	2.44	0.52
1:A:93:ILE:N	1:A:112:HIS:HD2	2.01	0.52
1:A:35:ASN:O	1:A:38:ILE:HG22	2.10	0.52
1:A:14:HIS:HB2	1:A:15:PRO:HD2	1.93	0.52
1:A:248:MET:HE2	5:A:448:HOH:O	2.10	0.51
1:A:142:GLN:HG2	1:A:152:PRO:CG	2.41	0.50
1:A:117:ILE:HB	1:A:139:MET:CE	2.43	0.49
1:A:248:MET:CG	5:A:448:HOH:O	2.49	0.49
1:A:140:HIS:HE1	5:A:457:HOH:O	1.96	0.48
1:A:220:ARG:NE	5:A:332:HOH:O	2.46	0.48
1:A:276:LYS:O	1:A:279:LYS:NZ	2.40	0.47
1:A:171:ARG:NH1	5:A:466:HOH:O	2.26	0.47
1:A:220:ARG:CB	4:A:561:SAN:HN22	2.24	0.46
1:A:33:THR:OG1	1:A:76:GLN:O	2.33	0.46
1:A:12:LEU:HD13	1:A:213:PRO:HB3	1.98	0.46
1:A:16:HIS:CD2	1:A:53:THR:OG1	2.67	0.46
1:A:262:THR:O	1:A:266:MET:HG2	2.15	0.46
1:A:82:VAL:CG1	1:A:109:VAL:HG23	2.45	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:ASN:HD22	1:A:278:ASN:N	1.99	0.45
1:A:208:HIS:HE1	1:A:249:GLN:O	1.99	0.45
1:A:142:GLN:CG	1:A:152:PRO:HG2	2.47	0.44
1:A:266:MET:O	1:A:270:GLU:HG3	2.17	0.44
1:A:95:VAL:HG23	1:A:111:ALA:HB1	1.99	0.44
1:A:279:LYS:H	1:A:279:LYS:HE2	1.81	0.44
1:A:96:ASP:HA	1:A:115:ASN:O	2.17	0.44
1:A:248:MET:CE	5:A:448:HOH:O	2.64	0.43
1:A:279:LYS:O	1:A:280:ARG:HB2	2.17	0.43
1:A:248:MET:HE3	1:A:281:TYR:CD1	2.54	0.43
1:A:137:CYS:SG	1:A:215:LEU:HD13	2.59	0.43
1:A:71:VAL:HG12	1:A:75:LEU:HD22	2.01	0.42
1:A:140:HIS:HD2	1:A:192:LYS:HZ1	1.67	0.42
1:A:276:LYS:O	1:A:277:GLU:C	2.58	0.42
1:A:93:ILE:N	1:A:112:HIS:CD2	2.78	0.42
1:A:248:MET:CE	1:A:281:TYR:CD1	3.03	0.42
1:A:42:LYS:HE2	1:A:42:LYS:HB2	1.84	0.42
1:A:136:VAL:HG22	1:A:182:LEU:HD23	2.01	0.41
1:A:117:ILE:HD13	5:A:463:HOH:O	2.20	0.41
1:A:128:ALA:O	1:A:132:THR:HG23	2.19	0.41
1:A:144:ASN:O	1:A:147:THR:OG1	2.34	0.41
1:A:95:VAL:HG21	1:A:106:SER:HB3	2.02	0.41
1:A:195:SER:OG	5:A:459:HOH:O	2.21	0.41
1:A:30:ASP:HB2	1:A:34:HIS:ND1	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:448:HOH:O	5:A:448:HOH:O[4_555]	1.80	0.40

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	280/282 (99%)	265 (95%)	12 (4%)	3 (1%)	14 8

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	SER
1	A	32	GLY
1	A	33	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	231/231 (100%)	215 (93%)	16 (7%)	15 11

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	10	LEU
1	A	21	LEU
1	A	75	LEU
1	A	76	GLN
1	A	88	ARG
1	A	91	VAL
1	A	117	ILE
1	A	147	THR
1	A	163	ARG
1	A	200	LEU
1	A	216	VAL
1	A	222	SER
1	A	277	GLU
1	A	278	ASN
1	A	279	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	16	HIS
1	A	76	GLN
1	A	112	HIS
1	A	140	HIS
1	A	208	HIS
1	A	249	GLN
1	A	278	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SAN	A	561	-	11,11,11	3.40	4 (36%)	16,16,16	3.91	11 (68%)
3	PH2	A	559	-	10,15,15	2.64	5 (50%)	10,21,21	3.57	5 (50%)
2	SO4	A	284	-	4,4,4	0.57	0	6,6,6	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SAN	A	561	-	-	0/6/6/6	0/1/1/1
3	PH2	A	559	-	-	0/0/11/11	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	561	SAN	O1-S	7.75	1.58	1.43
4	A	561	SAN	O2-S	6.12	1.55	1.43
3	A	559	PH2	C10-N5	4.76	1.43	1.34
3	A	559	PH2	C6-N5	-4.44	1.27	1.35
4	A	561	SAN	S-N2	-3.97	1.52	1.60
3	A	559	PH2	C9-N1	3.11	1.44	1.38
4	A	561	SAN	C4-S	-3.00	1.72	1.77
3	A	559	PH2	C9-C10	-3.00	1.34	1.41
3	A	559	PH2	C3-N4	2.17	1.49	1.45

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	559	PH2	C8-C9-C10	7.54	119.46	114.53
4	A	561	SAN	O2-S-O1	-7.39	106.62	118.76
4	A	561	SAN	O1-S-N2	7.08	117.86	107.36
4	A	561	SAN	O2-S-C4	6.13	114.19	107.35
4	A	561	SAN	C4-S-N2	-5.44	100.69	108.38
3	A	559	PH2	C9-C8-N7	-4.92	116.70	123.43
3	A	559	PH2	C8-N7-C6	4.30	122.76	115.93
4	A	561	SAN	C5-C4-C3	4.02	126.06	120.44
4	A	561	SAN	C6-C5-C4	-3.66	115.66	119.45
4	A	561	SAN	C5-C4-S	-3.51	114.65	119.73
3	A	559	PH2	C6-N5-C10	3.05	121.37	114.54
3	A	559	PH2	N6-C6-N7	3.00	121.92	117.25
4	A	561	SAN	C2-C3-C4	-2.85	116.50	119.45
4	A	561	SAN	C6-C1-C2	2.63	122.23	118.15
4	A	561	SAN	C6-C1-N1	-2.54	116.17	120.91
4	A	561	SAN	O1-S-C4	2.53	110.18	107.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	561	SAN	7	0
3	A	559	PH2	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.