



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 12, 2020 – 12:16 AM GMT

PDB ID : 7AJL
Title : Crystal structure of CYRI-B/Fam49B
Authors : Yelland, T.; Anh, H.; Insall, R.; Machesky, L.; Ismail, S.
Deposited on : 2020-09-29
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	299	
1	BBB	299	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4729 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYFIP-related Rac1 interactor B.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	AAA	290	2314	1457	402	442	4	9	0	1	0
1	BBB	285	2254	1424	392	425	4	9	0	1	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	AAA	77	Total 77	O 77	0	0
2	BBB	84	Total 84	O 84	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CYFIP-related Rac1 interactor B

Chain AAA:  68% 28%



- Molecule 1: CYFIP-related Rac1 interactor B

Chain BBB:  3% 68% 27% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.73Å 166.69Å 45.13Å 90.00° 112.34° 90.00°	Depositor
Resolution (Å)	83.34 – 2.37 83.34 – 2.37	Depositor EDS
% Data completeness (in resolution range)	100.0 (83.34-2.37) 100.0 (83.34-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 2.37Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.203 , 0.245 0.224 , 0.259	Depositor DCC
R_{free} test set	1242 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	62.8	Xtrriage
Anisotropy	0.332	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 59.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.026 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4729	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AAA	0.63	0/2344	0.68	1/3152 (0.0%)
1	BBB	0.63	0/2285	0.67	0/3078
All	All	0.63	0/4629	0.67	1/6230 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	3	PRO	N-CA-CB	5.53	109.94	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2314	0	2315	78	0
1	BBB	2254	0	2245	62	0
2	AAA	77	0	0	3	0
2	BBB	84	0	0	0	0
All	All	4729	0	4560	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:59:VAL:HG12	1:BBB:60:PRO:HD3	1.38	1.05
1:AAA:291:SER:HB2	1:AAA:294:ILE:HG23	1.39	1.03
1:AAA:291:SER:HB2	1:AAA:294:ILE:CG2	2.00	0.90
1:AAA:112:HIS:HD2	2:AAA:362:HOH:O	1.54	0.89
1:AAA:7:GLU:OE1	1:AAA:99:ARG:HD2	1.74	0.85
1:AAA:295:ARG:HH11	1:AAA:295:ARG:CG	1.97	0.78
1:AAA:236:ILE:HG23	1:AAA:256:MSE:HE1	1.65	0.77
1:AAA:138:LEU:O	1:AAA:142:ARG:HG2	1.84	0.76
1:AAA:180:THR:HG22	1:AAA:242:VAL:HG11	1.68	0.76
1:AAA:39:ARG:HD3	1:BBB:39:ARG:NH2	2.03	0.73
1:BBB:59:VAL:CG1	1:BBB:60:PRO:HD3	2.16	0.71
1:BBB:140:ARG:O	1:BBB:143:ILE:HG12	1.91	0.70
1:BBB:294:ILE:HA	1:BBB:297:MSE:HE3	1.76	0.67
1:AAA:22:GLU:O	1:AAA:26:GLU:HG2	1.96	0.66
1:AAA:295:ARG:HG2	1:AAA:295:ARG:NH1	2.10	0.66
1:BBB:180:THR:HG22	1:BBB:242:VAL:HG11	1.76	0.66
1:AAA:295:ARG:HH11	1:AAA:295:ARG:HG2	1.61	0.65
1:AAA:46:ALA:HA	1:BBB:272:GLU:HG3	1.77	0.65
1:BBB:137:THR:O	1:BBB:141:MSE:HG3	1.96	0.65
1:AAA:236:ILE:CG2	1:AAA:256:MSE:HE1	2.26	0.64
1:AAA:76:GLU:OE2	1:AAA:182:LYS:NZ	2.31	0.64
1:AAA:25:LEU:HD13	1:AAA:113:PHE:CE1	2.32	0.64
1:BBB:76:GLU:HG2	1:BBB:179:ALA:HB2	1.78	0.64
1:AAA:99:ARG:NH1	1:AAA:99:ARG:HB3	2.13	0.63
1:AAA:269:ASN:ND2	2:AAA:301:HOH:O	2.29	0.63
1:BBB:226:SER:O	1:BBB:230:ARG:HG2	1.97	0.63
1:AAA:236:ILE:HD11	1:AAA:259:CYS:SG	2.39	0.63
1:AAA:25:LEU:HD13	1:AAA:113:PHE:CD1	2.33	0.63
1:AAA:287:ASP:O	1:AAA:295:ARG:NH2	2.32	0.62
1:AAA:259:CYS:O	1:AAA:262:VAL:HG22	1.98	0.62
1:AAA:295:ARG:CG	1:AAA:295:ARG:NH1	2.61	0.62
1:AAA:243:HIS:CD2	1:AAA:245:VAL:HG22	2.35	0.61
1:BBB:241:HIS:HE1	1:BBB:281:THR:O	1.82	0.61
1:BBB:23:GLY:O	1:BBB:26:GLU:HG3	2.01	0.60
1:AAA:112:HIS:CD2	2:AAA:362:HOH:O	2.38	0.60
1:BBB:281:THR:HG22	1:BBB:281:THR:O	2.02	0.60
1:AAA:281:THR:O	1:AAA:281:THR:HG22	2.01	0.60
1:AAA:231:VAL:O	1:AAA:235:VAL:HG22	2.01	0.59
1:BBB:98:GLU:CD	1:BBB:98:GLU:H	2.06	0.59
1:AAA:198:CYS:O	1:AAA:202:MSE:HG3	2.03	0.57
1:BBB:215:TYR:O	1:BBB:220:THR:HG21	2.05	0.57
1:BBB:98:GLU:N	1:BBB:98:GLU:OE1	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:238:LEU:O	1:BBB:242:VAL:HG22	2.05	0.56
1:BBB:284:HIS:HD2	1:BBB:287:ASP:OD2	1.87	0.56
1:BBB:59:VAL:N	1:BBB:60:PRO:CD	2.68	0.56
1:BBB:13:GLN:O	1:BBB:17:VAL:HG23	2.07	0.55
1:AAA:37:GLU:HB3	1:AAA:54:ALA:HA	1.89	0.55
1:AAA:137:THR:O	1:AAA:141:MSE:HG3	2.07	0.54
1:BBB:146:VAL:N	1:BBB:147:PRO:HD2	2.23	0.53
1:BBB:15:ASN:ND2	1:BBB:106:GLN:NE2	2.57	0.53
1:AAA:209:MSE:O	1:AAA:213:PRO:HG2	2.10	0.52
1:AAA:289:THR:OG1	1:AAA:289:THR:O	2.26	0.52
1:BBB:140:ARG:O	1:BBB:143:ILE:CG1	2.58	0.52
1:AAA:269:ASN:ND2	1:BBB:46:ALA:HB3	2.24	0.52
1:AAA:46:ALA:CA	1:BBB:272:GLU:HG3	2.39	0.52
1:AAA:299:GLN:HG3	1:BBB:144:ASN:CG	2.29	0.52
1:AAA:205:VAL:O	1:AAA:209:MSE:HG2	2.10	0.52
1:AAA:55:TRP:CE3	1:AAA:137:THR:HG21	2.45	0.52
1:BBB:173:LEU:HD21	1:BBB:237:ILE:HD12	1.92	0.52
1:BBB:55:TRP:CZ2	1:BBB:141:MSE:SE	3.13	0.51
1:AAA:4:THR:HB	1:AAA:7:GLU:HG3	1.91	0.51
1:BBB:299:GLN:HE21	1:BBB:299:GLN:HA	1.75	0.51
1:AAA:294:ILE:HG13	1:AAA:295:ARG:N	2.26	0.51
1:AAA:76:GLU:HG2	1:AAA:179:ALA:HB2	1.91	0.51
1:BBB:292:LYS:HA	1:BBB:295:ARG:HG3	1.93	0.51
1:BBB:82:LEU:HD12	1:BBB:110:ILE:HD12	1.93	0.51
1:AAA:86:LEU:HD12	1:AAA:103:LEU:HB2	1.94	0.50
1:AAA:59:VAL:N	1:AAA:60:PRO:CD	2.74	0.50
1:BBB:59:VAL:HG12	1:BBB:60:PRO:CD	2.24	0.50
1:AAA:25:LEU:CD1	1:AAA:113:PHE:CE1	2.93	0.50
1:AAA:99:ARG:HB3	1:AAA:99:ARG:CZ	2.40	0.50
1:BBB:293:GLN:HG2	1:BBB:297:MSE:HE2	1.93	0.50
1:AAA:260:ILE:O	1:AAA:264:LYS:HG2	2.11	0.50
1:AAA:141:MSE:HA	1:BBB:299:GLN:OE1	2.12	0.50
1:AAA:154:VAL:O	1:AAA:154:VAL:HG12	2.10	0.50
1:BBB:158:LEU:O	1:BBB:162:MSE:HG3	2.11	0.49
1:AAA:155:ASN:OD1	1:AAA:157:GLU:HG3	2.12	0.49
1:AAA:243:HIS:HD2	1:AAA:245:VAL:HG22	1.76	0.49
1:AAA:168:GLU:CD	1:AAA:174:LYS:HD2	2.33	0.49
1:BBB:59:VAL:CG1	1:BBB:60:PRO:CD	2.87	0.49
1:AAA:192:ILE:HG13	1:AAA:196:THR:CG2	2.43	0.48
1:BBB:205:VAL:O	1:BBB:209:MSE:HG2	2.13	0.48
1:BBB:259:CYS:O	1:BBB:262:VAL:HG22	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:189:ASN:ND2	1:AAA:190:LEU:HD13	2.29	0.48
1:AAA:47:ASP:O	1:AAA:51:GLN:HG2	2.13	0.48
1:AAA:11:TYR:O	1:AAA:15:ASN:HB2	2.15	0.47
1:AAA:259:CYS:O	1:AAA:262:VAL:CG2	2.60	0.47
1:AAA:86:LEU:HD13	1:AAA:103:LEU:HB3	1.96	0.47
1:BBB:64:LYS:O	1:BBB:67:LYS:HB2	2.15	0.47
1:BBB:70:GLU:O	1:BBB:73:GLN:HB2	2.14	0.47
1:AAA:111:LEU:CD1	1:AAA:235:VAL:HG13	2.45	0.46
1:AAA:168:GLU:OE1	1:AAA:174:LYS:HD2	2.15	0.46
1:AAA:212:THR:N	1:AAA:213:PRO:CD	2.79	0.46
1:BBB:212:THR:N	1:BBB:213:PRO:CD	2.78	0.46
1:AAA:59:VAL:HB	1:AAA:60:PRO:HD3	1.96	0.46
1:AAA:299:GLN:HE22	1:BBB:141:MSE:HA	1.81	0.46
1:BBB:146:VAL:N	1:BBB:147:PRO:CD	2.79	0.45
1:BBB:93:PRO:O	1:BBB:97:LEU:HD22	2.17	0.45
1:BBB:286:ASN:HA	1:BBB:295:ARG:NH2	2.30	0.45
1:BBB:212:THR:HB	1:BBB:213:PRO:HD3	1.99	0.45
1:AAA:181:THR:O	1:AAA:184:VAL:HG22	2.18	0.44
1:AAA:192:ILE:HG13	1:AAA:196:THR:HG23	1.98	0.44
1:BBB:131:PHE:O	1:BBB:135:ARG:HG3	2.18	0.44
1:BBB:67:LYS:HB3	1:BBB:67:LYS:HE3	1.76	0.44
1:AAA:192:ILE:O	1:AAA:196:THR:HG23	2.17	0.44
1:AAA:86:LEU:HD12	1:AAA:103:LEU:CB	2.48	0.44
1:BBB:122:MSE:HE1	1:BBB:273:GLY:O	2.18	0.44
1:AAA:86:LEU:CD1	1:AAA:103:LEU:HB3	2.47	0.43
1:BBB:232:MSE:O	1:BBB:236:ILE:HG23	2.17	0.43
1:AAA:82:LEU:HA	1:AAA:82:LEU:HD23	1.87	0.43
1:AAA:207:ARG:O	1:AAA:211:GLU:HG3	2.18	0.43
1:BBB:221:ASN:HD22	1:BBB:223:GLU:CG	2.32	0.43
1:BBB:35:GLY:C	1:BBB:39:ARG:NH1	2.72	0.43
1:AAA:294:ILE:HA	1:AAA:297:MSE:HE3	2.01	0.43
1:BBB:195:THR:O	1:BBB:198:CYS:HB2	2.17	0.43
1:AAA:284:HIS:O	1:AAA:290:THR:HG21	2.19	0.42
1:AAA:86:LEU:CD1	1:AAA:103:LEU:CB	2.97	0.42
1:AAA:89:THR:HG23	1:AAA:90:PRO:HD2	2.02	0.42
1:AAA:86:LEU:O	1:AAA:86:LEU:CG	2.67	0.41
1:BBB:68:PHE:HB2	1:BBB:166:TYR:OH	2.20	0.41
1:AAA:39:ARG:HD3	1:BBB:39:ARG:HH21	1.80	0.41
1:BBB:47:ASP:O	1:BBB:51:GLN:HG2	2.20	0.41
1:BBB:117:PHE:CD1	1:BBB:172:MSE:HG2	2.56	0.41
1:AAA:207:ARG:NH1	1:AAA:255:ASP:OD2	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:212:THR:HB	1:AAA:213:PRO:HD3	2.03	0.41
1:BBB:76:GLU:HG2	1:BBB:179:ALA:CB	2.50	0.41
1:BBB:287:ASP:O	1:BBB:295:ARG:NH2	2.54	0.41
1:BBB:15:ASN:ND2	1:BBB:106:GLN:HE22	2.19	0.40
1:BBB:286:ASN:HA	1:BBB:295:ARG:HH21	1.87	0.40
1:AAA:182:LYS:O	1:AAA:185:SER:HB2	2.21	0.40
1:BBB:193:GLU:O	1:BBB:197:ASP:HB2	2.21	0.40
1:AAA:93:PRO:HA	1:AAA:97:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	287/299 (96%)	270 (94%)	17 (6%)	0	100	100
1	BBB	282/299 (94%)	269 (95%)	13 (5%)	0	100	100
All	All	569/598 (95%)	539 (95%)	30 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	256/255 (100%)	242 (94%)	14 (6%)	21	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	BBB	246/255 (96%)	237 (96%)	9 (4%)	34 50
All	All	502/510 (98%)	479 (95%)	23 (5%)	27 40

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	5	GLU
1	AAA	6	SER
1	AAA	58	VAL
1	AAA	86	LEU
1	AAA	95	GLN
1	AAA	98	GLU
1	AAA	115	LEU
1	AAA	145	ASN
1	AAA	153	GLU
1	AAA	186	GLU
1	AAA	190	LEU
1	AAA	289	THR
1	AAA	294	ILE
1	AAA	295	ARG
1	BBB	13	GLN
1	BBB	25	LEU
1	BBB	58	VAL
1	BBB	92	SER
1	BBB	146	VAL
1	BBB	185	SER
1	BBB	194	ASN
1	BBB	269	ASN
1	BBB	295	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	281/299 (93%)	0.21	0 100 100	60, 83, 121, 140	0
1	BBB	276/299 (92%)	0.17	8 (2%) 51 53	57, 78, 115, 182	0
All	All	557/598 (93%)	0.19	8 (1%) 75 77	57, 81, 119, 182	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	215	TYR	4.1
1	BBB	146	VAL	3.5
1	BBB	216	ARG	3.3
1	BBB	48	GLU	3.3
1	BBB	299	GLN	3.1
1	BBB	219	PHE	2.1
1	BBB	16	VAL	2.1
1	BBB	250	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.