

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 23, 2024 – 03:15 PM EDT

PDB ID	:	1AR1
Title	:	Structure at 2.7 Angstrom Resolution of the Paracoccus Denitrificans two-
		subunit Cytochrome C Oxidase Complexed with an Antibody Fv Fragment
Authors	:	Ostermeier, C.; Harrenga, A.; Ermler, U.; Michel, H.
Deposited on	:	1997-08-08
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution			
wietric	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$			
Clashscore	141614	3122 (2.70-2.70)			
Ramachandran outliers	138981	3069(2.70-2.70)			
Sidechain outliers	138945	3069 (2.70-2.70)			

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain							
1	А	558	56%	36% • 5%						
2	В	298	54%	<b>29%</b> • 15%						
3	С	127	66%	25% • 7%						
4	D	120	63%	24% •• 10%						



# 2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 8243 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called CYTOCHROME C OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	529	Total 4183	C 2807	N 654	O 689	S 33	0	0	0

• Molecule 2 is a protein called CYTOCHROME C OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	252	Total	C	N	0	S	0	0	0
		_	1976	1295	319	354	8	_	-	-

• Molecule 3 is a protein called ANTIBODY FV FRAGMENT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	С	118	Total 932	C 586	N 156	0 184	S 6	0	0	0

• Molecule 4 is a protein called ANTIBODY FV FRAGMENT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	108	Total 831	C 530	N 135	0 164	${ m S} { m 2}$	0	0	0

• Molecule 5 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Cu 1 1	0	0
5	В	2	Total Cu 2 2	0	0

• Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	Total Mg 1 1	0	0

• Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total Ca 1 1	0	0

• Molecule 8 is HEME-A (three-letter code: HEA) (formula:  $C_{49}H_{56}FeN_4O_6$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
8	8 Δ	1	Total	С	Fe	Ν	0	0	0	
o A	1	60	49	1	4	6	0	0		
Q	8 A	Δ	1	Total	С	Fe	Ν	0	0	0
0			60	49	1	4	6		0	

• Molecule 9 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:  $\rm C_{14}H_{31}NO).$ 





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	1	Total         C         N         O           16         14         1         1	0	0
9	А	1	Total         C         N         O           16         14         1         1	0	0
9	А	1	Total         C         N         O           16         14         1         1	0	0
9	А	1	Total C N O 16 14 1 1	0	0
9	А	1	Total C N O 16 14 1 1	0	0
9	А	1	Total C N O 16 14 1 1	0	0
9	В	1	Total         C         N         O           16         14         1         1	0	0
9	В	1	Total C N O 16 14 1 1	0	0
9	В	1	Total         C         N         O           16         14         1         1	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	21	Total O 21 21	0	0
10	В	21	Total O 21 21	0	0
10	С	5	Total O 5 5	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	D	5	Total O 5 5	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.



• Molecule 1: CYTOCHROME C OXIDASE

## • Molecule 2: CYTOCHROME C OXIDASE





#### VAL LYS LEU ALA SER ALA GLU GLU

MET

• Molecule 3: ANTIBODY FV FRAGMENT





# 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	93.50Å 151.00Å 156.70Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	30.00 - 2.70	Depositor
% Data completeness	93.1 (30.00-2.70)	Depositor
(in resolution range)	35.1 (56.66 2.16)	Depositor
$R_{merge}$	0.07	Depositor
R <sub>sym</sub>	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
$R, R_{free}$	0.207 , $0.261$	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8243	wwPDB-VP
Average B, all atoms $(Å^2)$	59.0	wwPDB-VP



# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, LDA, MG, HEA, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.51	0/4339	0.64	0/5923
2	В	0.52	0/2033	0.69	0/2787
3	С	0.47	0/954	0.65	0/1291
4	D	0.48	0/852	0.62	0/1156
All	All	0.51	0/8178	0.66	0/11157

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	280	TYR	Sidechain
1	А	339	TYR	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4183	0	4103	182	0
2	В	1976	0	1963	67	0
3	С	932	0	889	23	0
4	D	831	0	807	23	0
5	А	1	0	0	0	0
5	В	2	0	0	0	0
6	А	1	0	0	0	0
7	А	1	0	0	0	0
8	А	120	0	108	20	0
9	А	96	0	186	4	0
9	В	48	0	93	5	0
10	А	21	0	0	2	0
10	В	21	0	0	1	0
10	С	5	0	0	1	0
10	D	5	0	0	0	0
All	All	8243	0	8149	287	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (287) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	$distance ( { m \AA} )$	overlap (Å)
1:A:153:GLY:HA2	1:A:176:GLY:H	1.23	1.03
1:A:23:PHE:HB3	1:A:136:TRP:HZ2	1.35	0.91
8:A:562:HEA:HBC1	8:A:562:HEA:HMC1	1.56	0.88
4:D:50:ASN:H	4:D:91:HIS:HE1	1.24	0.86
1:A:300:LYS:HD2	1:A:364:GLY:HA3	1.57	0.85
4:D:50:ASN:H	4:D:91:HIS:CE1	1.99	0.81
1:A:334:LEU:HD13	2:B:104:GLN:HB3	1.63	0.81
1:A:23:PHE:HB3	1:A:136:TRP:CZ2	2.16	0.80
1:A:20:THR:HA	1:A:24:MET:HB2	1.64	0.78
1:A:365:GLY:HA3	2:B:65:ASN:ND2	2.00	0.77
1:A:276:HIS:NE2	1:A:280:TYR:HE2	1.82	0.77
1:A:62:VAL:HG21	1:A:82:PRO:HB3	1.67	0.76
1:A:276:HIS:O	1:A:279:VAL:HG22	1.87	0.75
1:A:153:GLY:HA2	1:A:176:GLY:N	2.00	0.75
1:A:516:ARG:NH2	1:A:518:ASN:HB3	2.02	0.74
1:A:50:THR:HG21	8:A:562:HEA:O11	1.87	0.74
1:A:349:VAL:HB	1:A:350:PRO:HD3	1.69	0.73
1:A:432:ILE:HD13	1:A:510:THR:HG21	1.70	0.73
4:D:24:ARG:HB3	4:D:24:ARG:CZ	2.17	0.73



	1	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:481:GLU:HG2	2:B:13:PRO:O	1.88	0.73
1:A:469:GLN:HE22	2:B:14:VAL:H	1.34	0.73
2:B:54:LEU:O	2:B:58:VAL:HG22	1.88	0.73
2:B:43:THR:O	2:B:47:ILE:HG12	1.89	0.73
3:C:88:SER:O	3:C:91:THR:HG23	1.89	0.72
1:A:300:LYS:HD2	1:A:364:GLY:CA	2.19	0.72
1:A:433:GLY:HA2	1:A:438:ARG:O	1.89	0.72
1:A:464:HIS:O	1:A:468:ARG:HG3	1.90	0.71
2:B:126:GLU:O	2:B:128:PRO:HD3	1.91	0.71
1:A:258:PRO:HG3	2:B:196:PRO:HB2	1.74	0.70
1:A:62:VAL:HG11	1:A:82:PRO:HA	1.74	0.69
1:A:183:ILE:HG21	1:A:246:LEU:HD22	1.75	0.69
1:A:412:PHE:CD2	8:A:563:HEA:HAD1	2.28	0.69
1:A:103:VAL:HG11	1:A:282:ILE:HG23	1.74	0.68
2:B:84:VAL:HB	2:B:85:PRO:HD3	1.75	0.67
1:A:382:LEU:HD13	1:A:418:LEU:HD23	1.76	0.67
1:A:412:PHE:HA	1:A:415:VAL:HG22	1.77	0.67
1:A:325:HIS:CD2	1:A:326:HIS:CD2	2.83	0.67
2:B:75:THR:HA	2:B:78:GLU:HB2	1.77	0.66
1:A:341:MET:O	1:A:345:MET:HG3	1.96	0.66
1:A:289:ILE:O	1:A:293:VAL:HG23	1.95	0.65
4:D:8:PRO:O	4:D:103:THR:HB	1.95	0.65
2:B:56:CYS:HA	2:B:60:PHE:HD2	1.61	0.64
2:B:180:ILE:HG22	2:B:218:GLU:HG2	1.80	0.63
3:C:6:GLU:HA	3:C:21:SER:O	1.99	0.63
1:A:362:MET:SD	1:A:377:PHE:CE1	2.92	0.63
1:A:468:ARG:HD3	2:B:18:MET:O	1.99	0.63
4:D:2:ILE:HG12	4:D:3:GLU:N	2.14	0.62
4:D:66:GLY:HA3	4:D:71:PHE:HA	1.79	0.62
1:A:75:ASP:HB3	1:A:78:ALA:HB3	1.82	0.62
1:A:121:GLY:HA3	1:A:209:ALA:HB2	1.81	0.62
1:A:284:LEU:HB2	1:A:285:PRO:HD3	1.81	0.62
1:A:530:LEU:O	1:A:533:THR:HB	2.00	0.62
1:A:276:HIS:NE2	1:A:280:TYR:CE2	2.66	0.62
2:B:243:LEU:O	2:B:247:LYS:HG3	2.00	0.62
1:A:410:ALA:HB2	1:A:463:GLN:HB2	1.84	0.60
1:A:116:MET:HE3	1:A:200:ILE:HG23	1.83	0.60
1:A:365:GLY:HA2	2:B:60:PHE:HB3	1.82	0.60
2:B:119:HIS:O	2:B:121:TRP:N	2.35	0.59
1:A:230:LEU:HD22	1:A:320:PHE:HE1	1.65	0.59
2:B:139:LEU:HD21	2:B:159:ASP:HA	1.84	0.59



	1	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:131:ASN:HB2	1:A:199:ASN:HD21	1.68	0.59
1:A:116:MET:HE1	1:A:204:PHE:HB2	1.86	0.58
1:A:276:HIS:CD2	1:A:280:TYR:HE2	2.21	0.58
1:A:412:PHE:CE1	1:A:413:HIS:CE1	2.91	0.58
2:B:98:PRO:HD3	9:B:274:LDA:HM11	1.86	0.58
1:A:544:GLU:HG3	1:A:545:THR:H	1.69	0.57
1:A:53:MET:HE2	1:A:91:ILE:HG22	1.86	0.57
2:B:72:THR:O	2:B:73:HIS:HB3	2.05	0.57
1:A:342:LEU:HA	1:A:345:MET:CE	2.34	0.57
1:A:196:GLY:O	1:A:200:ILE:HG12	2.05	0.57
1:A:121:GLY:HA2	1:A:543:PHE:CE2	2.40	0.56
1:A:459:ILE:HD11	1:A:493:ALA:HA	1.87	0.56
1:A:279:VAL:HB	8:A:563:HEA:CAC	2.35	0.56
1:A:325:HIS:HD2	1:A:326:HIS:CD2	2.23	0.56
2:B:179:VAL:CG1	2:B:180:ILE:N	2.68	0.56
1:A:31:ILE:HD12	1:A:132:ASN:HA	1.88	0.56
1:A:53:MET:CE	1:A:91:ILE:HG22	2.35	0.55
2:B:220:CYS:SG	2:B:224:HIS:HA	2.47	0.55
3:C:35:SER:OG	3:C:99:HIS:HE1	1.90	0.55
3:C:3:LYS:HG2	10:C:131:HOH:O	2.06	0.55
1:A:269:HIS:HD2	1:A:323:TRP:HE1	1.54	0.55
1:A:362:MET:HB3	1:A:367:ILE:HD11	1.89	0.54
1:A:284:LEU:O	1:A:287:PHE:HB2	2.08	0.54
1:A:469:GLN:NE2	2:B:14:VAL:H	2.05	0.54
1:A:91:ILE:HG13	1:A:92:THR:N	2.22	0.54
1:A:325:HIS:HD1	1:A:344:THR:HG21	1.72	0.54
2:B:119:HIS:HD2	2:B:177:THR:OG1	1.89	0.54
1:A:152:PRO:O	1:A:176:GLY:HA3	2.07	0.53
1:A:279:VAL:HB	8:A:563:HEA:C3C	2.38	0.53
2:B:10:ILE:HB	2:B:212:TYR:CE1	2.44	0.53
1:A:131:ASN:HB2	1:A:199:ASN:ND2	2.23	0.53
1:A:466:LEU:HD21	1:A:485:TRP:HB2	1.90	0.53
1:A:418:LEU:HD11	1:A:456:SER:HB3	1.91	0.53
8:A:563:HEA:HBC1	8:A:563:HEA:HMC1	1.91	0.53
2:B:188:PHE:HB2	2:B:190:VAL:HG22	1.91	0.53
8:A:562:HEA:HMC1	8:A:562:HEA:CBC	2.35	0.53
1:A:129:ARG:HG3	1:A:130:LEU:N	2.24	0.52
2:B:138:MET:HB2	2:B:228:PRO:HD2	1.90	0.52
1:A:342:LEU:HA	1:A:345:MET:HE2	1.92	0.52
1:A:500:PHE:HB2	8:A:562:HEA:H261	1.91	0.52
1:A:241:ALA:HB2	1:A:270:ILE:CG2	2.40	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:C:27:PHE:CE2	3:C:29:PHE:HA	2.44	0.52
1:A:396:ALA:HB3	1:A:397:PRO:HD3	1.93	0.51
2:B:56:CYS:HA	2:B:60:PHE:CD2	2.43	0.51
1:A:413:HIS:CG	1:A:460:PHE:CE1	2.99	0.51
2:B:179:VAL:HG13	2:B:180:ILE:H	1.75	0.51
1:A:325:HIS:HD1	1:A:344:THR:CG2	2.24	0.51
1:A:412:PHE:HE1	1:A:413:HIS:CE1	2.29	0.51
3:C:91:THR:HB	3:C:115:THR:HA	1.93	0.51
3:C:12:VAL:HG12	3:C:13:GLN:N	2.26	0.51
1:A:101:PHE:CE1	1:A:189:SER:HB2	2.46	0.50
1:A:179:MET:O	1:A:183:ILE:HG13	2.10	0.50
1:A:103:VAL:CG1	1:A:282:ILE:HG23	2.41	0.50
2:B:165:PRO:HA	2:B:234:VAL:O	2.12	0.50
1:A:276:HIS:HB3	1:A:277:PRO:HD3	1.93	0.50
2:B:53:LEU:O	2:B:57:ILE:HG13	2.11	0.50
3:C:99:HIS:HD2	3:C:104:ALA:O	1.94	0.50
1:A:91:ILE:CD1	1:A:474:ARG:HG2	2.42	0.50
3:C:53:ASN:H	3:C:53:ASN:ND2	2.10	0.50
1:A:52:TYR:HD2	1:A:90:MET:CE	2.25	0.50
1:A:300:LYS:HD3	1:A:361:THR:O	2.12	0.50
8:A:563:HEA:C26	8:A:563:HEA:H273	2.41	0.50
1:A:355:VAL:O	1:A:359:ILE:HG12	2.12	0.50
1:A:57:LEU:O	1:A:486:ASN:HB3	2.11	0.50
1:A:101:PHE:HE1	1:A:189:SER:HB2	1.76	0.50
1:A:276:HIS:CE1	1:A:280:TYR:CE2	3.00	0.50
1:A:432:ILE:CD1	1:A:510:THR:HG21	2.41	0.50
4:D:46:PHE:HZ	4:D:49:TYR:HB3	1.76	0.50
2:B:28:ALA:O	2:B:32:GLN:HG3	2.11	0.49
2:B:220:CYS:H	2:B:224:HIS:HB2	1.77	0.49
1:A:142:VAL:O	1:A:146:VAL:HG23	2.12	0.49
1:A:405:THR:HA	1:A:472:PRO:HA	1.93	0.49
2:B:182:ALA:HB3	2:B:217:SER:C	2.32	0.49
3:C:42:GLU:O	3:C:43:LYS:HB2	2.12	0.49
1:A:26:THR:HB	1:A:128:PRO:HB3	1.93	0.49
1:A:26:THR:HB	1:A:128:PRO:CB	2.43	0.49
4:D:24:ARG:HB3	4:D:24:ARG:NH1	2.27	0.49
4:D:46:PHE:CZ	4:D:49:TYR:HB3	2.47	0.49
2:B:121:TRP:HZ2	2:B:221:GLY:HA3	1.78	0.49
1:A:276:HIS:CE1	1:A:280:TYR:HE2	2.30	0.49
1:A:475:TYR:OH	2:B:215:GLN:HB3	2.12	0.49
3:C:14:PRO:HD3	3:C:117:SER:O	2.13	0.49



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:C:83:MET:HE2	3:C:86:LEU:HD21	1.95	0.49	
4:D:89:GLN:HG2	4:D:90:HIS:N	2.28	0.49	
4:D:2:ILE:HG12	4:D:3:GLU:H	1.78	0.48	
1:A:362:MET:SD	1:A:377:PHE:HE1	2.36	0.48	
1:A:93:TYR:O	1:A:97:LEU:HG	2.13	0.48	
8:A:563:HEA:H253	2:B:45:VAL:HG21	1.94	0.48	
2:B:74:ASN:O	2:B:77:ILE:HG22	2.13	0.48	
3:C:22:CYS:HB3	3:C:79:LEU:HB3	1.95	0.48	
1:A:544:GLU:HG3	1:A:545:THR:N	2.29	0.48	
2:B:183:TRP:CD1	2:B:229:ILE:HD13	2.49	0.48	
3:C:2:VAL:HG13	3:C:27:PHE:CD1	2.48	0.48	
1:A:290:ILE:O	1:A:294:ILE:HG12	2.14	0.48	
1:A:425:PHE:O	1:A:429:TYR:HD2	1.97	0.47	
1:A:465:PHE:HE1	9:B:272:LDA:H82	1.78	0.47	
2:B:120:GLN:HG3	2:B:121:TRP:CE2	2.48	0.47	
4:D:21:ILE:HG23	4:D:103:THR:HG21	1.95	0.47	
1:A:342:LEU:HD23	1:A:345:MET:CE	2.44	0.47	
1:A:389:THR:CG2	1:A:411:HIS:HB2	2.44	0.47	
1:A:439:GLN:OE1	1:A:439:GLN:HA	2.14	0.47	
2:B:61:ASN:ND2	2:B:63:ARG:HB3	2.29	0.47	
2:B:18:MET:CE	9:B:273:LDA:H51	2.44	0.47	
1:A:469:GLN:NE2	2:B:14:VAL:O	2.48	0.47	
1:A:500:PHE:O	1:A:504:ILE:HG12	2.15	0.47	
9:A:569:LDA:HM13	9:B:272:LDA:HM22	1.97	0.47	
2:B:156:LEU:O	2:B:228:PRO:HB2	2.15	0.47	
2:B:164:VAL:O	2:B:233:ALA:HA	2.14	0.47	
4:D:37:GLN:HB2	4:D:47:LEU:HD11	1.97	0.47	
4:D:29:ILE:HD11	4:D:71:PHE:CE1	2.50	0.47	
1:A:293:VAL:O	1:A:297:PHE:HD1	1.98	0.47	
1:A:241:ALA:HB2	1:A:270:ILE:HG22	1.98	0.46	
1:A:359:ILE:HA	1:A:362:MET:HE2	1.97	0.46	
1:A:27:ASN:HA	1:A:124:ASP:OD2	2.14	0.46	
1:A:190:GLY:HA2	1:A:235:LEU:HD13	1.95	0.46	
2:B:101:PHE:O	2:B:105:GLU:HB2	2.16	0.46	
1:A:243:THR:O	1:A:246:LEU:HD23	2.15	0.46	
1:A:412:PHE:HA	1:A:415:VAL:CG2	2.46	0.46	
1:A:386:GLY:HA3	1:A:414:TYR:HB3	1.96	0.46	
3:C:68:PHE:CD1	3:C:68:PHE:N	2.82	0.46	
4:D:24:ARG:HD2	4:D:70:GLN:NE2	2.30	0.46	
1:A:54:ARG:HD3	1:A:490:SER:OG	2.15	0.46	
8:A:563:HEA:HMC1	8:A:563:HEA:CBC	2.46	0.46	



	A A A	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:440:TYR:CD1	1:A:440:TYR:C	2.89	0.46	
1:A:536:SER:HA	1:A:537:PRO:HA	1.86	0.46	
2:B:179:VAL:HG13	2:B:180:ILE:N	2.31	0.46	
1:A:304:GLY:C	1:A:307:PRO:HD2	2.35	0.46	
3:C:61:PRO:HD2	3:C:64:VAL:HG22	1.98	0.46	
1:A:485:TRP:HA	1:A:485:TRP:CE3	2.51	0.45	
8:A:563:HEA:H212	8:A:563:HEA:H271	1.64	0.45	
2:B:90:VAL:HA	9:B:274:LDA:H71	1.98	0.45	
9:A:565:LDA:H112	2:B:52:LEU:HD13	1.98	0.45	
1:A:34:LEU:HB3	1:A:135:TYR:CE1	2.50	0.45	
2:B:220:CYS:SG	2:B:224:HIS:HB2	2.56	0.45	
1:A:58:GLN:HG3	1:A:490:SER:HB2	1.98	0.45	
2:B:202:LEU:HD12	2:B:202:LEU:C	2.36	0.45	
1:A:213:THR:OG1	1:A:216:LYS:HB2	2.16	0.45	
2:B:76:PRO:O	2:B:80:ILE:HG12	2.17	0.45	
1:A:50:THR:HG23	8:A:562:HEA:HMB3	1.99	0.45	
1:A:152:PRO:HD2	1:A:177:TYR:CE1	2.52	0.45	
2:B:127:TYR:HB2	2:B:132:VAL:HB	1.99	0.45	
2:B:134:PHE:HB3	2:B:250:PHE:CD1	2.52	0.45	
4:D:33:LEU:HD22	4:D:71:PHE:CB	2.47	0.45	
2:B:171:LEU:HD12	2:B:202:LEU:O	2.15	0.45	
1:A:290:ILE:HD12	1:A:376:ALA:HA	1.99	0.45	
2:B:229:ILE:HA	10:B:279:HOH:O	2.17	0.44	
1:A:27:ASN:ND2	1:A:29:LYS:HB2	2.32	0.44	
1:A:116:MET:HB3	1:A:117:PRO:HD3	1.99	0.44	
4:D:24:ARG:HD2	4:D:70:GLN:HE21	1.82	0.44	
1:A:384:THR:O	1:A:388:VAL:HB	2.16	0.44	
1:A:209:ALA:HB3	1:A:212:MET:HB2	2.00	0.44	
1:A:162:VAL:HG11	1:A:171:SER:HA	1.99	0.44	
1:A:276:HIS:CE1	1:A:325:HIS:CE1	3.05	0.44	
2:B:130:ASP:O	2:B:247:LYS:HE3	2.17	0.44	
1:A:341:MET:HG3	1:A:394:SER:O	2.17	0.44	
4:D:6:GLN:NE2	4:D:103:THR:HG23	2.32	0.44	
1:A:91:ILE:HD12	1:A:474:ARG:HG2	2.00	0.44	
2:B:121:TRP:CG	2:B:223:ASN:HB2	2.53	0.43	
3:C:103:TYR:HB2	4:D:91:HIS:O	2.18	0.43	
1:A:416:MET:HG2	8:A:563:HEA:CBC	2.49	0.43	
3:C:53:ASN:H	3:C:53:ASN:HD22	1.66	0.43	
1:A:517:VAL:O	1:A:536:SER:HB2	2.18	0.43	
2:B:77:ILE:CG2	2:B:78:GLU:N	2.82	0.43	
1:A:164:TRP:CE2	1:A:165:VAL:HG13	2.52	0.43	



	A L O	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:218:PRO:HB3	1:A:292:HIS:HE1	1.84	0.43	
1:A:272:TRP:CE3	1:A:275:GLY:HA3	2.53	0.43	
1:A:522:TYR:CE1	1:A:532:TRP:HZ3	2.36	0.43	
1:A:31:ILE:CD1	1:A:132:ASN:HA	2.48	0.43	
1:A:481:GLU:O	2:B:15:ASN:HA	2.18	0.43	
3:C:1:GLU:O	3:C:26:GLY:HA3	2.18	0.43	
1:A:104:ILE:HB	1:A:105:PRO:HD3	2.01	0.43	
1:A:342:LEU:HA	1:A:345:MET:HE3	1.99	0.43	
1:A:518:ASN:ND2	1:A:518:ASN:H	2.15	0.43	
1:A:511:LEU:HD21	9:A:566:LDA:H42	2.01	0.43	
3:C:101:TYR:HB3	4:D:49:TYR:CD2	2.53	0.43	
1:A:83:ASN:HD21	1:A:157:GLN:HE22	1.67	0.43	
1:A:29:LYS:HE2	1:A:538:PRO:HB2	2.01	0.42	
1:A:33:ILE:HD13	9:A:566:LDA:H32	2.01	0.42	
1:A:304:GLY:O	1:A:307:PRO:HD2	2.18	0.42	
1:A:359:ILE:HA	1:A:362:MET:CE	2.49	0.42	
1:A:516:ARG:HH21	1:A:518:ASN:HB3	1.83	0.42	
1:A:403:HIS:HD2	1:A:404:ASP:HB2	1.83	0.42	
1:A:450:TRP:O	1:A:454:ILE:HD13	2.19	0.42	
2:B:119:HIS:CE1	2:B:124:SER:HB3	2.55	0.42	
4:D:94:THR:HA	4:D:95:PRO:HD3	1.90	0.42	
1:A:31:ILE:HG13	1:A:131:ASN:ND2	2.34	0.42	
1:A:107:LEU:HD21	1:A:424:ILE:HG13	2.00	0.42	
1:A:502:PHE:CE2	1:A:506:ILE:HD11	2.54	0.42	
1:A:352:GLY:HA2	8:A:563:HEA:H272	2.01	0.42	
3:C:6:GLU:CD	3:C:111:GLY:H	2.23	0.42	
1:A:461:PHE:N	1:A:462:PRO:CD	2.83	0.42	
1:A:320:PHE:HA	10:A:587:HOH:O	2.20	0.42	
3:C:101:TYR:O	3:C:102:TYR:HB2	2.20	0.42	
1:A:303:PHE:CD2	1:A:360:ALA:HB1	2.55	0.42	
1:A:84:GLY:HA3	2:B:222:ILE:O	2.20	0.41	
1:A:190:GLY:O	1:A:194:ILE:HG13	2.20	0.41	
1:A:412:PHE:HB2	8:A:563:HEA:HMD3	2.02	0.41	
1:A:440:TYR:HA	1:A:510:THR:OG1	2.19	0.41	
1:A:366:SER:H	2:B:65:ASN:HB3	1.85	0.41	
1:A:364:GLY:O	1:A:365:GLY:O	2.39	0.41	
1:A:389:THR:HG22	1:A:411:HIS:HB2	2.03	0.41	
1:A:416:MET:HG2	8:A:563:HEA:HBC2	2.02	0.41	
1:A:264:PRO:O	1:A:267:TYR:HB3	2.20	0.41	
1:A:300:LYS:HE2	1:A:300:LYS:HB3	1.81	0.41	
8:A:562:HEA:O11	8:A:562:HEA:HMB1	2.20	0.41	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:92:THR:O	1:A:96:VAL:HG23	2.20	0.41	
1:A:164:TRP:HD1	8:A:562:HEA:O1D	2.03	0.41	
1:A:295:SER:HB2	1:A:300:LYS:O	2.21	0.41	
1:A:222:TRP:O	1:A:226:ILE:HG13	2.21	0.41	
1:A:284:LEU:HA	1:A:284:LEU:HD23	1.74	0.41	
1:A:386:GLY:HA2	10:A:573:HOH:O	2.21	0.41	
1:A:396:ALA:HB3	2:B:100:LEU:HD13	2.02	0.41	
2:B:213:PHE:CD1	2:B:230:VAL:HG22	2.56	0.41	
1:A:67:LEU:HD12	1:A:67:LEU:HA	1.85	0.41	
4:D:50:ASN:N	4:D:91:HIS:HE1	2.03	0.41	
1:A:19:PHE:HA	1:A:23:PHE:HD2	1.86	0.40	
8:A:563:HEA:H241	2:B:89:LEU:HD21	2.02	0.40	
3:C:68:PHE:N	3:C:68:PHE:HD1	2.19	0.40	
4:D:28:ASN:HA	4:D:68:GLY:O	2.21	0.40	
1:A:111:PHE:HZ	1:A:428:VAL:HG23	1.85	0.40	
1:A:520:PRO:O	1:A:532:TRP:HA	2.21	0.40	
1:A:52:TYR:HD2	1:A:90:MET:HE3	1.86	0.40	
1:A:85:HIS:CE1	1:A:154:GLY:HA3	2.56	0.40	
2:B:77:ILE:HG23	2:B:78:GLU:N	2.37	0.40	
1:A:294:ILE:HD11	1:A:376:ALA:HB1	2.04	0.40	
1:A:324:ALA:C	1:A:326:HIS:H	2.24	0.40	
2:B:80:ILE:HD13	2:B:80:ILE:HA	1.90	0.40	

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	527/558~(94%)	478 (91%)	43 (8%)	6 (1%)	14 34
2	В	250/298~(84%)	223~(89%)	22 (9%)	5(2%)	7 19
3	С	116/127~(91%)	111 (96%)	4(3%)	1 (1%)	17 40



00.000	e entenada ji ente preceto as pagem								
Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles			
4	D	106/120~(88%)	96 (91%)	7 (7%)	3(3%)	5	11		
All	All	999/1103~(91%)	908 (91%)	76 (8%)	15 (2%)	10	26		

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	365	GLY
2	В	120	GLN
1	А	175	ALA
1	А	207	MET
2	В	154	TYR
4	D	77	SER
1	А	366	SER
2	В	121	TRP
4	D	2	ILE
2	В	75	THR
3	С	102	TYR
1	А	176	GLY
4	D	68	GLY
2	В	11	GLY
1	А	517	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	432/454~(95%)	411 (95%)	21~(5%)	25	52	
2	В	211/243~(87%)	203~(96%)	8 (4%)	33	62	
3	С	101/107~(94%)	98~(97%)	3(3%)	41	70	
4	D	92/104~(88%)	83~(90%)	9 (10%)	8	18	
All	All	836/908~(92%)	795~(95%)	41 (5%)	25	52	

All (41) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	18	PHE
1	А	21	ARG
1	А	50	THR
1	А	54	ARG
1	А	63	GLN
1	А	116	MET
1	А	137	MET
1	А	187	HIS
1	А	198	ILE
1	А	248	ASP
1	А	274	PHE
1	А	302	ILE
1	А	325	HIS
1	А	366	SER
1	А	377	PHE
1	А	380	LEU
1	А	388	VAL
1	А	404	ASP
1	А	408	VAL
1	А	499	SER
1	А	518	ASN
2	В	2	ASP
2	В	3	VAL
2	В	50	CYS
2	В	54	LEU
2	В	81	TRP
2	В	140	GLU
2	В	178	ASP
2	В	231	VAL
3	С	87	LYS
3	С	91	THR
3	С	98	ARG
4	D	2	ILE
4	D	7	THR
4	D	22	THR
4	D	26	SER
4	D	48	VAL
4	D	52	LYS
4	D	69	THR
4	D	103	THR
4	D	108	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:



Mol	Chain	Res	Type
1	А	27	ASN
1	А	131	ASN
1	А	157	GLN
1	А	269	HIS
1	А	469	GLN
1	А	486	ASN
1	А	518	ASN
2	В	21	GLN
2	В	65	ASN
2	В	119	HIS
2	В	160	ASN
2	В	208	GLN
2	В	215	GLN
3	С	99	HIS
4	D	91	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 5 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Tuno	Chain	Dog	Link	Bo	ond leng	ngths Bond angles			es
	туре	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	LDA	В	273	-	$12,\!15,\!15$	2.10	1 (8%)	$14,\!17,\!17$	0.34	0
9	LDA	А	566	-	12,15,15	2.38	1 (8%)	14,17,17	0.50	0
8	HEA	А	562	1	57,67,67	1.34	7 (12%)	61,103,103	1.12	4 (6%)
9	LDA	А	564	-	12,15,15	2.28	1 (8%)	$14,\!17,\!17$	0.82	1 (7%)
9	LDA	А	569	-	12,15,15	2.35	1 (8%)	$14,\!17,\!17$	0.75	0
9	LDA	В	272	-	12,15,15	2.26	1 (8%)	$14,\!17,\!17$	0.62	0
8	HEA	А	563	1	57,67,67	1.30	6 (10%)	61,103,103	1.19	7 (11%)
9	LDA	А	565	-	12,15,15	2.48	1 (8%)	$14,\!17,\!17$	0.58	0
9	LDA	А	568	-	12,15,15	1.81	1 (8%)	14,17,17	0.55	0
9	LDA	А	567	-	12,15,15	2.41	1 (8%)	$14,\!17,\!17$	0.42	0
9	LDA	В	274	-	12,15,15	1.93	1 (8%)	14,17,17	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	LDA	В	273	-	-	3/13/13/13	-
9	LDA	А	566	-	-	1/13/13/13	-
8	HEA	А	562	1	-	<mark>9/32/76/76</mark>	-
9	LDA	А	564	-	-	0/13/13/13	-
9	LDA	А	569	-	-	0/13/13/13	-
9	LDA	В	272	-	-	1/13/13/13	-
8	HEA	А	563	1	-	9/32/76/76	-
9	LDA	А	565	-	-	0/13/13/13	-
9	LDA	А	568	-	-	4/13/13/13	-
9	LDA	А	567	-	-	1/13/13/13	-
9	LDA	В	274	-	-	0/13/13/13	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
9	А	565	LDA	O1-N1	-8.53	1.22	1.42
9	А	567	LDA	O1-N1	-8.16	1.23	1.42
9	А	566	LDA	O1-N1	-8.01	1.23	1.42
9	В	272	LDA	O1-N1	-7.76	1.24	1.42
9	А	564	LDA	O1-N1	-7.75	1.24	1.42
9	А	569	LDA	O1-N1	-7.63	1.24	1.42



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	В	273	LDA	O1-N1	-7.03	1.25	1.42
9	В	274	LDA	O1-N1	-6.58	1.26	1.42
9	А	568	LDA	O1-N1	-6.19	1.27	1.42
8	А	563	HEA	C3A-C2A	-4.55	1.34	1.40
8	А	562	HEA	C3A-C2A	-4.51	1.34	1.40
8	А	562	HEA	C3C-CAC	-4.07	1.39	1.47
8	А	563	HEA	C3C-CAC	-3.42	1.41	1.47
8	А	562	HEA	C3C-C2C	-2.82	1.36	1.40
8	А	563	HEA	C3C-C2C	-2.75	1.36	1.40
8	А	562	HEA	C3A-CMA	2.70	1.52	1.46
8	А	562	HEA	C14-C15	2.58	1.39	1.33
8	А	563	HEA	C14-C15	2.31	1.38	1.33
8	А	563	HEA	C18-C19	2.31	1.38	1.33
8	A	563	HEA	C22-C23	2.30	1.39	1.32
8	А	562	HEA	C18-C19	2.23	1.38	1.33
8	А	562	HEA	C1C-CHC	-2.04	1.35	1.41

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	А	563	HEA	C3C-C4C-NC	2.79	112.81	109.21
8	А	562	HEA	C17-C18-C19	-2.75	121.03	127.66
8	А	563	HEA	C1D-ND-C4D	-2.71	102.27	105.07
9	А	564	LDA	C12-C11-C10	2.50	132.42	113.42
8	А	562	HEA	C13-C14-C15	-2.29	122.13	127.66
8	А	563	HEA	C2D-C1D-ND	2.20	112.44	109.84
8	А	562	HEA	C3C-C4C-NC	2.17	112.02	109.21
8	А	563	HEA	C17-C18-C19	-2.15	122.48	127.66
8	А	563	HEA	C2B-C1B-NB	2.13	112.43	109.88
8	А	563	HEA	C3D-C4D-ND	2.09	112.38	110.36
8	A	563	HEA	C13-C14-C15	-2.09	122.64	127.66
8	А	562	HEA	CMC-C2C-C1C	-2.04	125.32	128.46

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	А	563	HEA	C15-C16-C17-C18
8	А	563	HEA	C21-C22-C23-C25
9	В	273	LDA	C2-C1-N1-CM2
8	А	563	HEA	C21-C22-C23-C24
8	А	563	HEA	C27-C19-C20-C21



Mol	Chain	Res	Type	Atoms
9	А	568	LDA	C1-C2-C3-C4
9	В	272	LDA	N1-C1-C2-C3
8	А	562	HEA	C26-C15-C16-C17
8	А	563	HEA	C18-C19-C20-C21
8	А	562	HEA	C14-C15-C16-C17
9	А	568	LDA	C2-C1-N1-CM2
9	В	273	LDA	C2-C1-N1-CM1
9	В	273	LDA	C2-C1-N1-O1
9	А	566	LDA	C5-C6-C7-C8
8	А	562	HEA	CAD-CBD-CGD-O2D
8	А	562	HEA	CAA-CBA-CGA-O1A
8	А	562	HEA	C27-C19-C20-C21
8	А	562	HEA	CAD-CBD-CGD-O1D
9	А	568	LDA	C4-C5-C6-C7
8	А	563	HEA	C4D-C3D-CAD-CBD
8	А	563	HEA	CAD-CBD-CGD-O2D
8	А	563	HEA	CAD-CBD-CGD-O1D
8	А	562	HEA	C18-C19-C20-C21
8	А	562	HEA	CAA-CBA-CGA-O2A
8	А	562	HEA	C16-C17-C18-C19
8	А	563	HEA	C20-C21-C22-C23
9	А	567	LDA	C7-C8-C9-C10
9	А	568	LDA	C2-C1-N1-O1

Continued from previous page...

There are no ring outliers.

8 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	В	273	LDA	1	0
9	А	566	LDA	2	0
8	А	562	HEA	7	0
9	А	569	LDA	1	0
9	В	272	LDA	2	0
8	А	563	HEA	13	0
9	А	565	LDA	1	0
9	В	274	LDA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



### 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

#### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

