



Full wwPDB X-ray Structure Validation Report ⓘ

May 6, 2024 – 02:37 PM EDT

PDB ID : 9AVA
Title : Co-crystal structure of human TREX1 in complex with an inhibitor
Authors : Dehghani-Tafti, S.; Dong, A.; Li, Y.; Xu, J.; Ackloo, S.; Arrowsmith, C.H.;
Edwards, A.M.; Halabelian, L.; Structural Genomics Consortium (SGC)
Deposited on : 2024-03-01
Resolution : 2.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	 3% 87% 9%
1	B	231	 3% 87% 9%
1	C	231	 3% 83% 7% 10%
1	D	231	 3% 87% 5% 8%
1	E	231	 9% 84% 7% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	231	<p>3% 84% 7% 9%</p>
1	G	231	<p>5% 89% 8%</p>
1	H	231	<p>2% 87% 9%</p>
1	I	231	<p>9% 86% 6% 9%</p>
1	J	231	<p>6% 89% 8%</p>
1	K	231	<p>6% 87% 9%</p>
1	L	231	<p>6% 89% 10%</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 20087 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Three-prime repair exonuclease 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	211	Total 1585	C 1024	N 269	O 280	S 12	0	1	0
1	B	210	Total 1575	C 1017	N 266	O 280	S 12	0	1	1
1	C	208	Total 1536	C 991	N 259	O 274	S 12	0	0	1
1	D	212	Total 1603	C 1030	N 274	O 287	S 12	0	1	0
1	E	210	Total 1546	C 999	N 261	O 274	S 12	0	0	1
1	F	211	Total 1598	C 1028	N 271	O 287	S 12	0	3	0
1	G	212	Total 1616	C 1045	N 269	O 290	S 12	0	5	1
1	H	211	Total 1595	C 1030	N 269	O 284	S 12	0	3	1
1	I	211	Total 1569	C 1009	N 269	O 279	S 12	0	0	0
1	J	212	Total 1585	C 1019	N 273	O 281	S 12	0	0	1
1	K	211	Total 1556	C 1001	N 264	O 279	S 12	0	0	1
1	L	209	Total 1554	C 1005	N 257	O 280	S 12	0	2	1

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	GLY	-	expression tag	UNP Q9NSU2
B	4	GLY	-	expression tag	UNP Q9NSU2
C	4	GLY	-	expression tag	UNP Q9NSU2
D	4	GLY	-	expression tag	UNP Q9NSU2
E	4	GLY	-	expression tag	UNP Q9NSU2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	4	GLY	-	expression tag	UNP Q9NSU2
G	4	GLY	-	expression tag	UNP Q9NSU2
H	4	GLY	-	expression tag	UNP Q9NSU2
I	4	GLY	-	expression tag	UNP Q9NSU2
J	4	GLY	-	expression tag	UNP Q9NSU2
K	4	GLY	-	expression tag	UNP Q9NSU2
L	4	GLY	-	expression tag	UNP Q9NSU2

- Molecule 2 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total K 1 1	0	0
2	B	1	Total K 1 1	0	0
2	C	1	Total K 1 1	0	0
2	D	1	Total K 1 1	0	0
2	F	1	Total K 1 1	0	0
2	G	1	Total K 1 1	0	0
2	H	1	Total K 1 1	0	0
2	I	1	Total K 1 1	0	0
2	J	1	Total K 1 1	0	0
2	K	1	Total K 1 1	0	0
2	L	1	Total K 1 1	0	0

- Molecule 3 is (2R)-2-[(5R,6S,8R,9aS)-8-amino-1-oxo-5-(2-phenylethyl)hexahydro-1H-pyrrrolo[1,2-a][1,4]diazepin-2(3H)-yl]-N-[(3,4-dichlorophenyl)methyl]-4-methylpentanamide (three-letter code: A1AG1) (formula: C₂₉H₃₈Cl₂N₄O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
3	A	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	B	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	C	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	D	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	E	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	F	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	G	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	H	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	I	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	J	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	K	1	Total 37	C 29	Cl 2	N 4	O 2	0	0
3	L	1	Total 37	C 29	Cl 2	N 4	O 2	0	0

- Molecule 4 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total X 3 3	0	0
4	B	3	Total X 3 3	0	0
4	C	4	Total X 4 4	0	0
4	D	3	Total X 3 3	0	0
4	E	3	Total X 3 3	0	0
4	F	4	Total X 4 4	0	0
4	G	3	Total X 3 3	0	0
4	H	2	Total X 2 2	0	0
4	I	2	Total X 2 2	0	0
4	J	1	Total X 1 1	0	0
4	L	1	Total X 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	70	Total O 72 72	0	2
5	B	71	Total O 73 73	0	2
5	C	44	Total O 45 45	0	1
5	D	70	Total O 72 72	0	2
5	E	30	Total O 30 30	0	0
5	F	69	Total O 70 70	0	1
5	G	67	Total O 69 69	0	2
5	H	56	Total O 56 56	0	0
5	I	54	Total O 57 57	0	3

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	J	44	Total O 44 44	0	0
5	K	48	Total O 49 49	0	1
5	L	46	Total O 48 48	0	2



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Three-prime repair exonuclease 1





- Molecule 1: Three-prime repair exonuclease 1




- Molecule 1: Three-prime repair exonuclease 1




- Molecule 1: Three-prime repair exonuclease 1





- Molecule 1: Three-prime repair exonuclease 1








• Molecule 1: Three-prime repair exonuclease 1






• Molecule 1: Three-prime repair exonuclease 1




• Molecule 1: Three-prime repair exonuclease 1



• Molecule 1: Three-prime repair exonuclease 1




• Molecule 1: Three-prime repair exonuclease 1




- Molecule 1: Three-prime repair exonuclease 1

Chain K: 6% 87% 9%



- Molecule 1: Three-prime repair exonuclease 1

Chain L: 6% 89% 10%



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	136.12Å 288.96Å 178.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.00 – 2.30 35.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.5 (35.00-2.30) 96.4 (35.00-2.30)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.08 (at 2.31Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.202 , 0.239 0.209 , 0.247	Depositor DCC
R_{free} test set	7535 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	25.1	Xtrriage
Anisotropy	0.200	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	20087	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UNX, A1AG1, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1627	0.67	0/2224
1	B	0.52	0/1617	0.63	0/2212
1	C	0.51	0/1575	0.64	0/2154
1	D	0.53	0/1645	0.66	0/2249
1	E	0.50	0/1587	0.64	0/2174
1	F	0.54	0/1640	0.67	0/2243
1	G	0.52	0/1660	0.65	0/2273
1	H	0.54	0/1639	0.67	0/2243
1	I	0.50	0/1610	0.64	0/2203
1	J	0.48	0/1627	0.65	0/2227
1	K	0.50	0/1597	0.66	1/2187 (0.0%)
1	L	0.52	0/1595	0.65	0/2186
All	All	0.51	0/19419	0.65	1/26575 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	196	THR	N-CA-C	-5.36	96.53	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1585	0	1570	6	0
1	B	1575	0	1551	5	0
1	C	1536	0	1510	7	0
1	D	1603	0	1585	6	0
1	E	1546	0	1512	5	0
1	F	1598	0	1566	6	0
1	G	1616	0	1571	3	0
1	H	1595	0	1561	5	0
1	I	1569	0	1543	8	0
1	J	1585	0	1569	3	0
1	K	1556	0	1515	6	0
1	L	1554	0	1522	4	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	A	37	0	0	0	0
3	B	37	0	0	0	0
3	C	37	0	0	0	0
3	D	37	0	0	0	0
3	E	37	0	0	0	0
3	F	37	0	0	0	0
3	G	37	0	0	0	0
3	H	37	0	0	0	0
3	I	37	0	0	0	0
3	J	37	0	0	0	0
3	K	37	0	0	0	0
3	L	37	0	0	0	0
4	A	3	0	0	0	0
4	B	3	0	0	0	0
4	C	4	0	0	0	0
4	D	3	0	0	0	0
4	E	3	0	0	0	0
4	F	4	0	0	0	0
4	G	3	0	0	0	0
4	H	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	I	2	0	0	0	0
4	J	1	0	0	0	0
4	L	1	0	0	0	0
5	A	72	0	0	0	0
5	B	73	0	0	0	0
5	C	45	0	0	0	0
5	D	72	0	0	0	0
5	E	30	0	0	0	0
5	F	70	0	0	0	0
5	G	69	0	0	0	0
5	H	56	0	0	0	0
5	I	57	0	0	0	0
5	J	44	0	0	1	0
5	K	49	0	0	0	0
5	L	48	0	0	0	0
All	All	20087	0	18575	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:42:CYS:HA	1:K:45:GLU:HG2	1.68	0.73
1:A:107:LEU:HD12	1:D:107:LEU:HD12	1.81	0.63
1:D:42:CYS:HA	1:D:45:GLU:HG2	1.83	0.61
1:E:153:VAL:HG21	1:E:219:VAL:HG22	1.84	0.58
1:A:100:PHE:HA	1:A:104:LEU:HD23	1.88	0.56
1:J:100:PHE:HA	1:J:104:LEU:HD23	1.90	0.54
1:B:11:MET:O	1:B:41:ARG:HD2	2.09	0.52
1:C:107:LEU:HD12	1:E:107:LEU:HD12	1.92	0.51
1:B:26[B]:PHE:CE2	1:K:26:PHE:HD1	2.29	0.51
1:J:21:ALA:HB1	1:J:29:PRO:HB2	1.93	0.51
1:G:107:LEU:HD12	1:H:107:LEU:HD12	1.92	0.51
1:I:42:CYS:HA	1:I:45:GLU:HG2	1.93	0.50
1:C:159:LEU:HD13	1:C:182:ILE:HD13	1.94	0.49
1:E:124:HIS:CE1	1:E:156:ILE:HG12	2.48	0.49
1:K:107:LEU:HD12	1:L:107:LEU:HD12	1.95	0.49
1:C:153:VAL:HG21	1:C:219:VAL:HG22	1.95	0.49
1:D:153:VAL:HG21	1:D:219:VAL:HG22	1.94	0.49
1:G:153:VAL:HG21	1:G:219:VAL:HG22	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:MET:O	1:D:41:ARG:HD2	2.13	0.48
1:L:100:PHE:HA	1:L:104:LEU:HD23	1.94	0.48
1:F:124:HIS:CE1	1:F:156:ILE:HG13	2.51	0.46
1:F:100:PHE:HA	1:F:104:LEU:HD23	1.98	0.45
1:I:114:ARG:HD2	5:J:410:HOH:O	2.16	0.45
1:C:42:CYS:HA	1:C:45:GLU:HG2	1.99	0.45
1:A:44:LEU:O	1:A:212:PRO:HB2	2.17	0.44
1:B:45:GLU:HB3	1:B:216:LEU:HD23	1.98	0.44
1:C:13:THR:HG21	1:C:115:GLN:HB3	2.00	0.44
1:F:181:SER:O	1:F:185:ARG:HB2	2.18	0.44
1:C:57:VAL:HG22	1:C:187:TYR:HB3	2.00	0.44
1:K:100:PHE:HA	1:K:104:LEU:HD23	1.99	0.44
1:K:107:LEU:CD1	1:L:107:LEU:HD12	2.48	0.44
1:F:37:LEU:HD13	1:F:66:LYS:HG3	2.00	0.43
1:I:13:THR:HG21	1:I:115:GLN:HB3	1.99	0.43
1:H:119[A]:TRP:HE1	1:H:150:ALA:HB2	1.83	0.43
1:I:14:LEU:HD21	1:I:219:VAL:HG11	2.00	0.43
1:J:13:THR:HG21	1:J:115:GLN:HB3	2.00	0.43
1:E:11:MET:O	1:E:41:ARG:HD2	2.19	0.43
1:E:100:PHE:HA	1:E:104:LEU:HD23	2.00	0.43
1:H:21:ALA:HB1	1:H:29:PRO:HB2	2.00	0.42
1:I:11:MET:SD	1:I:120:CYS:HB2	2.60	0.42
1:H:143:LEU:HB3	1:H:146:ALA:HB2	2.01	0.42
1:A:11:MET:O	1:A:41:ARG:HD2	2.20	0.41
1:B:153:VAL:HG21	1:B:219:VAL:HG22	2.02	0.41
1:I:11:MET:O	1:I:41:ARG:HD2	2.20	0.41
1:D:128[A]:ARG:HD2	1:D:129:TYR:CE2	2.55	0.41
1:D:128[A]:ARG:HD2	1:D:129:TYR:CZ	2.55	0.41
1:F:42:CYS:HA	1:F:45[A]:GLU:HG2	2.01	0.41
1:I:153:VAL:HG21	1:I:219:VAL:HG22	2.02	0.41
1:B:24:LEU:HB2	1:B:26[B]:PHE:CE1	2.55	0.41
1:F:8:PRO:HB3	1:F:151:PHE:CZ	2.56	0.41
1:A:41:ARG:O	1:A:45:GLU:HG2	2.21	0.41
1:G:143:LEU:HB3	1:G:146:ALA:HB2	2.02	0.41
1:C:15:ILE:HG21	1:C:36:LEU:HD23	2.03	0.40
1:I:11:MET:HA	1:I:118:PRO:HG2	2.04	0.40
1:A:42:CYS:HA	1:A:45:GLU:CG	2.51	0.40
1:H:15:ILE:HG21	1:H:36:LEU:HD23	2.03	0.40
1:K:107:LEU:HD12	1:L:107:LEU:CD1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/231 (89%)	203 (98%)	3 (2%)	0	100	100
1	B	205/231 (89%)	200 (98%)	5 (2%)	0	100	100
1	C	200/231 (87%)	196 (98%)	3 (2%)	1 (0%)	29	35
1	D	207/231 (90%)	204 (99%)	3 (1%)	0	100	100
1	E	204/231 (88%)	202 (99%)	2 (1%)	0	100	100
1	F	208/231 (90%)	205 (99%)	2 (1%)	1 (0%)	29	35
1	G	211/231 (91%)	207 (98%)	4 (2%)	0	100	100
1	H	208/231 (90%)	205 (99%)	3 (1%)	0	100	100
1	I	205/231 (89%)	201 (98%)	3 (2%)	1 (0%)	29	35
1	J	206/231 (89%)	199 (97%)	7 (3%)	0	100	100
1	K	205/231 (89%)	200 (98%)	5 (2%)	0	100	100
1	L	205/231 (89%)	203 (99%)	2 (1%)	0	100	100
All	All	2470/2772 (89%)	2425 (98%)	42 (2%)	3 (0%)	51	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	188	GLY
1	I	188	GLY
1	C	188	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/189 (87%)	164 (100%)	0	100	100
1	B	164/189 (87%)	163 (99%)	1 (1%)	86	94
1	C	158/189 (84%)	156 (99%)	2 (1%)	69	82
1	D	168/189 (89%)	166 (99%)	2 (1%)	71	84
1	E	157/189 (83%)	150 (96%)	7 (4%)	27	39
1	F	165/189 (87%)	162 (98%)	3 (2%)	59	75
1	G	167/189 (88%)	164 (98%)	3 (2%)	59	75
1	H	165/189 (87%)	165 (100%)	0	100	100
1	I	162/189 (86%)	162 (100%)	0	100	100
1	J	166/189 (88%)	166 (100%)	0	100	100
1	K	159/189 (84%)	156 (98%)	3 (2%)	57	73
1	L	160/189 (85%)	160 (100%)	0	100	100
All	All	1955/2268 (86%)	1934 (99%)	21 (1%)	76	86

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	44	LEU
1	C	56	THR
1	C	213	GLN
1	D	56	THR
1	D	109	LEU
1	E	44	LEU
1	E	68	SER
1	E	75	LYS
1	E	88	SER
1	E	130	ASP
1	E	147	LEU
1	E	157	THR
1	F	125	ASN
1	F	144	THR
1	F	213	GLN
1	G	148[A]	ASP
1	G	148[B]	ASP
1	G	194	SER
1	K	44	LEU
1	K	109	LEU
1	K	130	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	213	GLN
1	I	28	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 52 ligands modelled in this entry, 11 are monoatomic and 29 are unknown - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A1AG1	I	302	-	40,40,40	0.34	0	41,56,56	0.34	0
3	A1AG1	J	302	-	40,40,40	0.33	0	41,56,56	0.50	1 (2%)
3	A1AG1	C	302	-	40,40,40	0.35	0	41,56,56	0.32	0
3	A1AG1	E	301	-	40,40,40	0.33	0	41,56,56	0.40	0
3	A1AG1	F	302	-	40,40,40	0.40	0	41,56,56	0.32	0
3	A1AG1	H	302	-	40,40,40	0.38	0	41,56,56	0.38	0
3	A1AG1	D	302	-	40,40,40	0.34	0	41,56,56	0.41	0
3	A1AG1	A	302	-	40,40,40	0.31	0	41,56,56	0.45	0
3	A1AG1	L	302	-	40,40,40	0.27	0	41,56,56	0.46	1 (2%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A1AG1	G	302	-	40,40,40	0.33	0	41,56,56	0.44	1 (2%)
3	A1AG1	K	302	-	40,40,40	0.32	0	41,56,56	0.49	1 (2%)
3	A1AG1	B	302	-	40,40,40	0.39	0	41,56,56	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1AG1	I	302	-	-	2/21/51/51	0/3/4/4
3	A1AG1	J	302	-	-	4/21/51/51	0/3/4/4
3	A1AG1	C	302	-	-	0/21/51/51	0/3/4/4
3	A1AG1	E	301	-	-	3/21/51/51	0/3/4/4
3	A1AG1	F	302	-	-	1/21/51/51	0/3/4/4
3	A1AG1	H	302	-	-	0/21/51/51	0/3/4/4
3	A1AG1	D	302	-	-	1/21/51/51	0/3/4/4
3	A1AG1	A	302	-	-	0/21/51/51	0/3/4/4
3	A1AG1	L	302	-	-	2/21/51/51	0/3/4/4
3	A1AG1	G	302	-	-	2/21/51/51	0/3/4/4
3	A1AG1	K	302	-	-	0/21/51/51	0/3/4/4
3	A1AG1	B	302	-	-	1/21/51/51	0/3/4/4

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	302	A1AG1	C5-C4-N	2.26	116.37	112.47
3	J	302	A1AG1	C5-C4-N	2.23	116.32	112.47
3	K	302	A1AG1	C5-C4-N	2.15	116.18	112.47
3	G	302	A1AG1	C5-C4-N	2.06	116.03	112.47

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	301	A1AG1	C21-C16-C17-C18
3	B	302	A1AG1	C4-C5-C6-C7
3	D	302	A1AG1	C4-C5-C6-C7

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	E	301	A1AG1	N1-C16-C17-C18
3	J	302	A1AG1	C16-C17-C18-C19
3	E	301	A1AG1	C4-C5-C6-C7
3	F	302	A1AG1	C4-C5-C6-C7
3	J	302	A1AG1	C4-C5-C6-C7
3	J	302	A1AG1	C16-C17-C18-C20
3	G	302	A1AG1	C16-C17-C18-C20
3	G	302	A1AG1	C16-C17-C18-C19
3	L	302	A1AG1	N1-C16-C17-C18
3	I	302	A1AG1	C21-C16-C17-C18
3	I	302	A1AG1	C4-C5-C6-C7
3	L	302	A1AG1	C4-C5-C6-C7
3	J	302	A1AG1	N1-C16-C17-C18



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/231 (91%)	-0.11	7 (3%) 46 53	16, 26, 56, 67	0
1	B	210/231 (90%)	-0.15	6 (2%) 51 58	13, 23, 55, 76	0
1	C	208/231 (90%)	0.04	8 (3%) 40 47	14, 33, 66, 94	0
1	D	212/231 (91%)	-0.15	8 (3%) 40 47	14, 25, 58, 81	0
1	E	210/231 (90%)	0.28	21 (10%) 7 10	20, 42, 70, 81	0
1	F	211/231 (91%)	-0.08	8 (3%) 40 47	12, 23, 54, 74	0
1	G	212/231 (91%)	-0.07	12 (5%) 23 30	14, 26, 57, 81	0
1	H	211/231 (91%)	-0.14	5 (2%) 59 66	14, 24, 55, 71	0
1	I	211/231 (91%)	0.14	21 (9%) 7 10	13, 29, 67, 82	0
1	J	212/231 (91%)	0.25	14 (6%) 18 23	15, 39, 66, 94	0
1	K	211/231 (91%)	0.18	14 (6%) 18 23	15, 32, 77, 92	0
1	L	209/231 (90%)	0.16	14 (6%) 17 23	18, 35, 58, 67	0
All	All	2528/2772 (91%)	0.03	138 (5%) 25 31	12, 30, 63, 94	0

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	48	PRO	5.7
1	C	48	PRO	5.6
1	E	188	GLY	5.6
1	I	188	GLY	5.5
1	J	7	PRO	5.2
1	L	48	PRO	4.8
1	A	56	THR	4.6
1	I	48	PRO	4.6
1	H	188	GLY	4.4
1	I	7	PRO	4.4
1	K	7	PRO	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	6	LEU	4.3
1	E	195	HIS	4.2
1	A	177	TYR	4.2
1	E	145	SER	4.1
1	A	188	GLY	4.1
1	L	144	THR	4.0
1	E	175	LYS	4.0
1	K	210	TRP	3.9
1	I	192	PRO	3.9
1	C	188	GLY	3.8
1	F	210	TRP	3.8
1	G	48	PRO	3.8
1	K	188	GLY	3.7
1	G	47	PRO	3.7
1	L	195	HIS	3.7
1	I	187	TYR	3.7
1	C	56	THR	3.7
1	J	6	LEU	3.6
1	J	48	PRO	3.6
1	K	186	LEU	3.6
1	B	188	GLY	3.5
1	C	210	TRP	3.5
1	D	186	LEU	3.5
1	F	149[A]	GLY	3.4
1	G	184	THR	3.4
1	G	188	GLY	3.4
1	C	144	THR	3.4
1	I	47	PRO	3.3
1	E	187	TYR	3.3
1	K	67	LEU	3.3
1	I	210	TRP	3.3
1	E	6	LEU	3.3
1	E	176	SER	3.2
1	F	188	GLY	3.2
1	A	7	PRO	3.2
1	L	6	LEU	3.1
1	G	56	THR	3.1
1	H	177	TYR	3.1
1	E	56	THR	3.1
1	L	188	GLY	3.1
1	E	69	LEU	3.1
1	A	176	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	56	THR	3.0
1	J	144	THR	3.0
1	L	67	LEU	3.0
1	K	189	GLN	3.0
1	B	210	TRP	2.9
1	G	210	TRP	2.9
1	L	161	ALA	2.9
1	I	175	LYS	2.9
1	J	190	SER	2.9
1	G	162	LEU	2.9
1	E	189	GLN	2.8
1	I	184	THR	2.8
1	I	67	LEU	2.8
1	E	177	TYR	2.8
1	C	186	LEU	2.8
1	G	186	LEU	2.8
1	D	48	PRO	2.7
1	H	48	PRO	2.7
1	L	56	THR	2.7
1	G	57	VAL	2.7
1	I	56	THR	2.7
1	E	185	ARG	2.7
1	J	177	TYR	2.7
1	I	57	VAL	2.7
1	F	56	THR	2.7
1	J	56	THR	2.7
1	E	68	SER	2.6
1	E	181	SER	2.6
1	K	192	PRO	2.6
1	D	176	SER	2.6
1	K	36	LEU	2.6
1	J	187	TYR	2.6
1	K	187	TYR	2.6
1	I	195	HIS	2.6
1	D	210	TRP	2.6
1	F	48	PRO	2.5
1	J	184	THR	2.5
1	I	8	PRO	2.5
1	J	188	GLY	2.5
1	E	142	GLY	2.5
1	C	8	PRO	2.5
1	E	67	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	36	LEU	2.5
1	J	164	ARG	2.4
1	K	161	ALA	2.4
1	D	188	GLY	2.4
1	E	78	SER	2.4
1	G	187	TYR	2.4
1	I	193	ASP	2.4
1	G	176	SER	2.4
1	K	190	SER	2.4
1	E	143	LEU	2.3
1	L	192	PRO	2.3
1	E	144	THR	2.3
1	I	46	SER	2.3
1	E	47	PRO	2.3
1	J	25	PRO	2.3
1	I	36	LEU	2.3
1	I	35	CYS	2.3
1	A	190	SER	2.3
1	D	185	ARG	2.2
1	I	186	LEU	2.2
1	K	48	PRO	2.2
1	B	175	LYS	2.2
1	F	211	ARG	2.2
1	D	7	PRO	2.2
1	L	194	SER	2.2
1	G	175	LYS	2.2
1	F	187	TYR	2.1
1	B	67	LEU	2.1
1	I	59	PRO	2.1
1	J	28	GLN	2.1
1	L	143	LEU	2.1
1	I	201	VAL	2.1
1	L	210	TRP	2.1
1	B	148	ASP	2.1
1	L	76	ALA	2.1
1	D	177	TYR	2.1
1	J	67	LEU	2.1
1	F	148[A]	ASP	2.1
1	K	193	ASP	2.1
1	C	162	LEU	2.0
1	K	162	LEU	2.0
1	H	175	LYS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	161	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	K	L	301	1/1	0.81	0.11	80,80,80,80	0
2	K	D	301	1/1	0.84	0.13	84,84,84,84	0
3	A1AG1	E	301	37/37	0.84	0.21	38,46,67,67	0
2	K	J	301	1/1	0.89	0.10	92,92,92,92	0
2	K	K	301	1/1	0.90	0.09	81,81,81,81	0
4	UNX	C	304	1/1	0.91	0.39	3,3,3,3	0
2	K	I	301	1/1	0.92	0.09	60,60,60,60	0
3	A1AG1	J	302	37/37	0.92	0.13	31,43,67,73	0
3	A1AG1	L	302	37/37	0.92	0.13	27,37,56,59	0
2	K	H	301	1/1	0.92	0.09	76,76,76,76	0
4	UNX	E	304	1/1	0.92	0.29	3,3,3,3	0
2	K	C	301	1/1	0.93	0.12	67,67,67,67	0
2	K	G	301	1/1	0.93	0.05	66,66,66,66	0
4	UNX	B	305	1/1	0.93	0.78	3,3,3,3	1
3	A1AG1	G	302	37/37	0.93	0.13	18,25,40,45	0
4	UNX	C	305	1/1	0.93	0.38	3,3,3,3	0
4	UNX	C	306	1/1	0.93	0.17	12,12,12,12	0
3	A1AG1	I	302	37/37	0.93	0.13	15,22,37,41	0
4	UNX	J	303	1/1	0.93	0.23	8,8,8,8	0
4	UNX	L	303	1/1	0.93	0.32	5,5,5,5	0
4	UNX	E	302	1/1	0.94	0.31	7,7,7,7	0
3	A1AG1	D	302	37/37	0.94	0.12	13,22,39,44	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	UNX	F	303	1/1	0.94	0.41	3,3,3,3	0
4	UNX	F	306	1/1	0.94	0.36	22,22,22,22	0
4	UNX	I	304	1/1	0.94	0.17	11,11,11,11	0
3	A1AG1	C	302	37/37	0.94	0.11	17,24,38,45	0
4	UNX	D	304	1/1	0.94	0.37	3,3,3,3	0
2	K	B	301	1/1	0.95	0.06	48,48,48,48	0
3	A1AG1	A	302	37/37	0.95	0.12	17,23,36,42	0
3	A1AG1	B	302	37/37	0.95	0.10	15,21,38,42	0
3	A1AG1	K	302	37/37	0.95	0.10	20,28,40,48	0
4	UNX	D	303	1/1	0.95	0.29	3,3,3,3	0
3	A1AG1	F	302	37/37	0.95	0.11	12,19,40,46	0
4	UNX	D	305	1/1	0.95	0.45	3,3,3,3	0
4	UNX	G	304	1/1	0.96	0.53	3,3,3,3	0
4	UNX	H	304	1/1	0.96	0.43	3,3,3,3	0
4	UNX	B	304	1/1	0.96	0.42	3,3,3,3	0
2	K	F	301	1/1	0.96	0.13	58,58,58,58	0
3	A1AG1	H	302	37/37	0.96	0.12	13,22,37,40	0
2	K	A	301	1/1	0.97	0.09	70,70,70,70	0
4	UNX	I	303	1/1	0.97	0.44	3,3,3,3	0
4	UNX	E	303	1/1	0.97	0.36	3,3,3,3	0
4	UNX	G	305	1/1	0.97	0.18	8,8,8,8	0
4	UNX	H	303	1/1	0.97	0.19	4,4,4,4	0
4	UNX	A	304	1/1	0.98	0.53	3,3,3,3	0
4	UNX	C	303	1/1	0.98	0.45	3,3,3,3	0
4	UNX	A	305	1/1	0.98	0.23	3,3,3,3	0
4	UNX	G	303	1/1	0.98	0.55	3,3,3,3	0
4	UNX	B	303	1/1	0.98	0.50	3,3,3,3	0
4	UNX	A	303	1/1	0.98	0.55	3,3,3,3	0
4	UNX	F	304	1/1	0.99	0.41	3,3,3,3	0
4	UNX	F	305	1/1	0.99	0.52	3,3,3,3	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1AG1 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 J 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 I 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1AG1 K 302:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1AG1 F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.