



Full wwPDB EM Validation Report ⓘ

Feb 25, 2023 – 10:53 am GMT

PDB ID : 8AYE
EMDB ID : EMD-15712
Title : E. coli 70S ribosome bound to thermorubin and fMet-tRNA
Authors : Sanyal, S.; Parajuli, N.P.; Emmerich, A.G.
Deposited on : 2022-09-02
Resolution : 1.96 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	55	
2	1	46	
3	2	65	
4	3	38	
5	4	70	
6	5	2	
7	A	1542	
8	B	241	























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	C	233	85% 12%
10	D	206	96%
11	E	167	93% 7%
12	F	135	73% 24%
13	G	179	82% 15%
14	H	130	98% ..
15	I	130	94% ..
16	J	103	92% 5% 6%
17	K	129	88% .. 9%
18	L	124	97% ..
19	M	118	94% ..
20	N	101	97% ..
21	O	89	98% ..
22	P	82	98% ..
23	Q	84	88% 6% 6%
24	R	75	83% .. 12%
25	S	92	90% 9%
26	T	87	97% ..
27	U	71	96% ..
28	X	6	100%
29	Z	76	74% 26%
30	a	2903	82% 13% 5%
31	b	120	89% 10%
32	c	273	99% ..
33	d	209	99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	e	201	 99%
35	f	179	 96%
36	g	177	 96%
37	h	149	 26% 72%
38	i	142	 100%
39	j	123	 98%
40	k	144	 99%
41	l	136	 99%
42	m	127	 92% 7%
43	n	117	 98%
44	o	115	 97%
45	p	118	 98%
46	q	103	 94% 6%
47	r	110	 98%
48	s	100	 89% 7%
49	t	104	 98%
50	u	94	 94% 6%
51	v	85	 92% 8%
52	w	78	 95%
53	x	63	 98%
54	y	59	 97%
55	z	57	 96%

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 140205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	51	417	269	76	72	0	0

- Molecule 2 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	46	377	228	90	57	2	0	0

- Molecule 3 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	64	504	323	105	74	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	38	302	185	65	48	4	0	0

- Molecule 5 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	60	480	299	90	85	6	0	0

- Molecule 6 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	5	2	42	19	8	13	2	0	0

- Molecule 7 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	A	1519	32612	14552	5986	10555	1519	0	0

- Molecule 8 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	B	224	1753	1109	315	321	8	0	0

- Molecule 9 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	206	1624	1028	305	288	3	0	0

- Molecule 10 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	205	1643	1026	315	298	4	0	0

- Molecule 11 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	156	1152	717	217	212	6	0	0

- Molecule 12 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	F	103	839	530	151	151	7	0	0

- Molecule 13 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	G	153	1203	750	231	218	4	0	0

- Molecule 14 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 15 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 16 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 17 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	ASP	ASN	conflict	UNP P0A7R9

- Molecule 18 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 19 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 20 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 21 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 22 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 23 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 24 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 25 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 26 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 27 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 28 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	X	6	Total	C	N	O	P	0	0
			131	59	27	39	6		

- Molecule 29 is a RNA chain called P-site tRNA-fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	76	Total	C	N	O	P	0	0
			1623	723	294	530	76		

- Molecule 30 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	2753	Total	C	N	O	P	0	0
			59129	26383	10897	19096	2753		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	2163	G	A	conflict	GB 937521852

- Molecule 31 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	119	Total	C	N	O	P	0	0
			2549	1135	466	829	119		

- Molecule 32 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	c	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 33 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 34 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	e	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 35 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	f	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 36 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	g	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 37 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	h	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 38 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	i	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 39 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	j	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 40 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 41 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	l	136	1074	686	205	177	6	0	0

- Molecule 42 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	m	118	945	585	194	161	5	0	0

- Molecule 43 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	n	116	892	552	178	162	0	0

- Molecule 44 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	o	114	917	574	179	163	1	0	0

- Molecule 45 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
45	p	117	947	604	192	151	0	0

- Molecule 46 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	q	103	816	516	153	145	2	0	0

- Molecule 47 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	r	110	857	532	166	156	3	0	0

- Molecule 48 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	s	93	738	466	139	131	2	0	0

- Molecule 49 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	t	102	779	492	146	141		0	0

- Molecule 50 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	u	94	753	479	137	134	3	0	0

- Molecule 51 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	v	78	586	362	116	107	1	0	0

- Molecule 52 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	w	77	625	388	129	106	2	0	0

- Molecule 53 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	x	62	501	308	98	94	1	0	0

- Molecule 54 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	y	58	449	281	87	79	2	0	0

- Molecule 55 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	56	Total	C	N	O	S	0	0
			444	269	94	80	1		


- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
56	3	1	Total	Zn	0
			1	1	
56	4	1	Total	Zn	0
			1	1	

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	A	89	Total	Mg	0
			89	89	
57	E	1	Total	Mg	0
			1	1	
57	N	1	Total	Mg	0
			1	1	
57	Q	1	Total	Mg	0
			1	1	
57	a	207	Total	Mg	0
			207	207	
57	b	5	Total	Mg	0
			5	5	
57	d	1	Total	Mg	0
			1	1	
57	k	1	Total	Mg	0
			1	1	
57	p	1	Total	Mg	0
			1	1	
57	z	1	Total	Mg	0
			1	1	

- Molecule 58 is Thermorubin (three-letter code: T8B) (formula: C₃₂H₂₄O₁₂) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			AltConf
58	A	1	Total	C	O	0
			44	32	12	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S ribosomal protein L33

Chain 0:  91% 7%



- Molecule 2: 50S ribosomal protein L34

Chain 1:  98%



- Molecule 3: 50S ribosomal protein L35

Chain 2:  97%




- Molecule 4: 50S ribosomal protein L36

Chain 3:  100%

There are no outlier residues recorded for this chain.

- Molecule 5: 50S ribosomal protein L31

Chain 4:  83% 14%





- Molecule 6: E-site tRNA

Chain 5:  50% 50%

C75
A76


• Molecule 7: 16S rRNA

Chain A:  85% 13%





• Molecule 8: 30S ribosomal protein S2

Chain B:  90% 7%



• Molecule 9: 30S ribosomal protein S3

Chain C:  85% 12%




• Molecule 10: 30S ribosomal protein S4

Chain D:  96%




- Molecule 11: 30S ribosomal protein S5

Chain E: 93% 7%




- Molecule 12: 30S ribosomal protein S6, fully modified isoform

Chain F: 73% 24%



- Molecule 13: 30S ribosomal protein S7

Chain G: 82% 15%




- Molecule 14: 30S ribosomal protein S8

Chain H: 98%




- Molecule 15: 30S ribosomal protein S9

Chain I: 94%




- Molecule 16: 30S ribosomal protein S10

Chain J: 6% 92% 5%



- Molecule 17: 30S ribosomal protein S11

Chain K: 88% 9%



- Molecule 18: 30S ribosomal protein S12

Chain L: 97%




- Molecule 19: 30S ribosomal protein S13

Chain M: 94%




- Molecule 20: 30S ribosomal protein S14

Chain N: 97%




- Molecule 21: 30S ribosomal protein S15

Chain O: 98%




- Molecule 22: 30S ribosomal protein S16

Chain P: 98%




- Molecule 23: 30S ribosomal protein S17

Chain Q: 88% 6% 6%




- Molecule 24: 30S ribosomal protein S18

Chain R: 83% 12%




- Molecule 25: 30S ribosomal protein S19



- Molecule 26: 30S ribosomal protein S20



- Molecule 27: 30S ribosomal protein S21





- Molecule 28: mRNA





There are no outlier residues recorded for this chain.

- Molecule 29: P-site tRNA-fMet




- Molecule 30: 23S rRNA





• Molecule 31: 5S rRNA



• Molecule 32: 50S ribosomal protein L2



- Molecule 33: 50S ribosomal protein L3




- Molecule 34: 50S ribosomal protein L4




- Molecule 35: 50S ribosomal protein L5



- Molecule 36: 50S ribosomal protein L6



- Molecule 37: 50S ribosomal protein L9




- Molecule 38: 50S ribosomal protein L13



There are no outlier residues recorded for this chain.

- Molecule 39: 50S ribosomal protein L14

Chain j:  98%



- Molecule 40: 50S ribosomal protein L15

Chain k:  99%




- Molecule 41: 50S ribosomal protein L16

Chain l:  99%



- Molecule 42: 50S ribosomal protein L17

Chain m:  92% 7%




- Molecule 43: 50S ribosomal protein L18

Chain n:  98%



- Molecule 44: 50S ribosomal protein L19

Chain o:  97%



- Molecule 45: 50S ribosomal protein L20

Chain p:  98%



- Molecule 46: 50S ribosomal protein L21

Chain q:  94% 6%





- Molecule 47: 50S ribosomal protein L22

Chain r:  98%




- Molecule 48: 50S ribosomal protein L23

Chain s:  89% 7%




- Molecule 49: 50S ribosomal protein L24

Chain t:  98%




- Molecule 50: 50S ribosomal protein L25

Chain u:  94% 6%



- Molecule 51: 50S ribosomal protein L27

Chain v:  92% 8%



- Molecule 52: 50S ribosomal protein L28

Chain w:  95%




- Molecule 53: 50S ribosomal protein L29

Chain x:  98%



- Molecule 54: 50S ribosomal protein L30

Chain y:  97%



- Molecule 55: 50S ribosomal protein L32

Chain z:  96%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1088035	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30.745	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.598	Depositor
Minimum map value	-1.927	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.125	Depositor
Recommended contour level	0.21	Depositor
Map size (\AA)	426.496, 426.496, 426.496	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.833, 0.833, 0.833	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 6MZ, 1MG, T8B, UR3, G7M, MG, 5MU, 5MC, 2MG, 2MA, MA6, 4OC, OMC, MEQ, PSU, OMG, OMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.38	0/424	0.57	0/565
2	1	0.33	0/380	0.73	0/498
3	2	0.35	0/513	0.60	0/676
4	3	0.38	0/303	0.60	0/397
5	4	0.29	0/488	0.53	0/649
6	5	0.62	0/46	0.87	0/69
7	A	0.77	0/36236	0.93	8/56520 (0.0%)
8	B	0.35	0/1784	0.55	0/2403
9	C	0.34	0/1651	0.58	0/2225
10	D	0.32	0/1665	0.58	0/2227
11	E	0.37	0/1165	0.58	0/1568
12	F	0.42	1/858 (0.1%)	0.70	3/1160 (0.3%)
13	G	0.33	0/1219	0.59	0/1635
14	H	0.37	0/989	0.58	0/1326
15	I	0.37	0/1034	0.62	0/1375
16	J	0.38	0/796	0.62	0/1077
17	K	0.33	0/893	0.64	1/1205 (0.1%)
18	L	0.36	0/969	0.63	0/1300
19	M	0.32	0/900	0.59	0/1204
20	N	0.34	0/817	0.60	0/1088
21	O	0.33	0/722	0.57	0/964
22	P	0.34	0/653	0.61	0/877
23	Q	0.39	0/650	0.60	0/871
24	R	0.36	0/553	0.63	0/742
25	S	0.31	0/685	0.54	0/922
26	T	0.32	0/676	0.54	0/895
27	U	0.36	0/597	0.61	0/792
28	X	0.71	0/147	0.91	0/227
29	Z	0.66	0/1813	0.94	0/2825
30	a	0.91	8/65696 (0.0%)	1.03	78/102485 (0.1%)
31	b	0.74	0/2850	0.87	0/4444

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.40	0/2121	0.64	0/2852
33	d	0.36	0/1576	0.58	0/2119
34	e	0.34	0/1571	0.55	0/2113
35	f	0.35	0/1434	0.55	0/1926
36	g	0.35	0/1343	0.56	0/1816
37	h	0.31	0/306	0.57	0/413
38	i	0.38	0/1152	0.57	0/1551
39	j	0.39	0/955	0.66	0/1279
40	k	0.34	0/1062	0.62	0/1413
41	l	0.37	0/1092	0.64	0/1457
42	m	0.38	0/958	0.66	0/1281
43	n	0.35	0/902	0.61	0/1209
44	o	0.38	0/929	0.61	0/1242
45	p	0.37	0/960	0.61	0/1278
46	q	0.37	0/829	0.60	0/1107
47	r	0.36	0/864	0.58	0/1156
48	s	0.34	0/744	0.56	0/994
49	t	0.33	0/787	0.56	0/1051
50	u	0.38	0/766	0.56	0/1025
51	v	0.37	0/593	0.58	0/785
52	w	0.37	0/635	0.61	0/848
53	x	0.31	0/502	0.55	0/667
54	y	0.34	0/453	0.63	0/605
55	z	0.37	0/450	0.64	0/599
All	All	0.74	9/151156 (0.0%)	0.91	90/225997 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
52	w	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	2449	U	C5-C6	17.63	1.50	1.34
30	a	2449	U	C2-N3	13.90	1.47	1.37
30	a	2449	U	N1-C2	10.25	1.47	1.38
30	a	2449	U	C4-O4	-8.77	1.16	1.23
30	a	2449	U	N1-C6	8.54	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	2449	U	C4-C5	6.91	1.49	1.43
12	F	101	PRO	CG-CD	-6.59	1.28	1.50
30	a	2449	U	C2-O2	-6.10	1.16	1.22
30	a	2449	U	N3-C4	5.78	1.43	1.38

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	a	2449	U	C2-N3-C4	-11.12	120.33	127.00
12	F	101	PRO	N-CD-CG	-10.47	87.50	103.20
30	a	2449	U	N1-C2-N3	10.27	121.06	114.90
30	a	512	G	O4'-C1'-N9	9.19	115.55	108.20
30	a	2449	U	N3-C4-C5	8.38	119.63	114.60
30	a	2848	G	O4'-C1'-N9	7.96	114.57	108.20
30	a	12	U	N3-C2-O2	-7.56	116.91	122.20
30	a	2449	U	C5-C4-O4	-7.38	121.47	125.90
30	a	984	A	O4'-C1'-N9	7.38	114.11	108.20
30	a	2506	U	N1-C2-O2	7.20	127.84	122.80
30	a	2795	C	C2-N1-C1'	7.10	126.61	118.80
30	a	790	U	C5-C6-N1	-6.87	119.27	122.70
30	a	2449	U	C5-C6-N1	-6.80	119.30	122.70
30	a	1857	G	O4'-C1'-N9	6.69	113.55	108.20
30	a	1670	C	C6-N1-C2	-6.66	117.63	120.30
7	A	792	A	O4'-C1'-N9	6.63	113.50	108.20
30	a	1774	C	N3-C2-O2	-6.53	117.33	121.90
30	a	790	U	N1-C2-N3	6.47	118.78	114.90
30	a	2645	G	O4'-C1'-N9	6.41	113.32	108.20
30	a	574	A	O5'-P-OP2	6.34	118.31	110.70
30	a	2576	G	C2-N3-C4	6.33	115.07	111.90
30	a	704	G	O4'-C1'-N9	6.24	113.19	108.20
30	a	574	A	O5'-P-OP1	-6.14	100.17	105.70
30	a	2447	G	C8-N9-C4	6.14	108.86	106.40
7	A	872	A	O4'-C1'-N9	6.08	113.06	108.20
30	a	1937	A	O4'-C1'-N9	6.03	113.03	108.20
30	a	2683	C	C6-N1-C2	-6.03	117.89	120.30
30	a	1788	C	C2-N3-C4	5.97	122.89	119.90
30	a	790	U	C4-C5-C6	5.97	123.28	119.70
7	A	1331	G	O4'-C1'-N9	5.94	112.95	108.20
30	a	2063	C	C6-N1-C2	-5.82	117.97	120.30
30	a	1936	A	O4'-C1'-N9	5.79	112.83	108.20
30	a	790	U	C2-N3-C4	-5.78	123.53	127.00
30	a	481	G	O4'-C1'-N9	5.78	112.82	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	a	395	U	O4'-C1'-N1	5.78	112.82	108.20
30	a	12	U	N1-C2-O2	5.75	126.82	122.80
30	a	2795	C	C6-N1-C1'	-5.70	113.96	120.80
30	a	784	G	P-O3'-C3'	5.68	126.52	119.70
30	a	1915	U	O4'-C1'-N1	5.67	112.74	108.20
12	F	101	PRO	CA-N-CD	-5.65	103.59	111.50
7	A	686	U	O4'-C1'-N1	5.64	112.71	108.20
30	a	370	G	O4'-C1'-N9	-5.63	103.69	108.20
7	A	1035	A	OP1-P-O3'	5.62	117.56	105.20
30	a	571	U	O4'-C1'-N1	5.61	112.69	108.20
30	a	2064	C	N3-C4-C5	-5.61	119.66	121.90
12	F	101	PRO	CA-CB-CG	-5.59	93.39	104.00
30	a	1313	U	C2-N1-C1'	5.57	124.39	117.70
30	a	2282	G	O4'-C1'-N9	5.51	112.61	108.20
30	a	805	G	C8-N9-C4	5.45	108.58	106.40
7	A	1201	A	O4'-C1'-N9	5.45	112.56	108.20
30	a	2473	U	N1-C2-O2	5.45	126.61	122.80
30	a	2456	C	C6-N1-C2	-5.43	118.13	120.30
30	a	1993	U	N3-C2-O2	-5.41	118.41	122.20
30	a	1324	G	O4'-C1'-N9	5.40	112.52	108.20
30	a	12	U	C6-N1-C2	-5.35	117.79	121.00
30	a	1785	A	N1-C2-N3	-5.35	126.63	129.30
30	a	205	G	O4'-C1'-N9	5.34	112.47	108.20
30	a	1288	G	O4'-C1'-N9	5.32	112.45	108.20
30	a	2576	G	N3-C4-N9	5.32	129.19	126.00
30	a	2321	U	N3-C2-O2	-5.30	118.49	122.20
30	a	2071	A	N1-C2-N3	-5.28	126.66	129.30
30	a	951	C	C6-N1-C2	-5.27	118.19	120.30
30	a	1313	U	N3-C2-O2	-5.27	118.51	122.20
17	K	118	HIS	C-N-CA	5.27	134.87	121.70
30	a	757	G	N9-C1'-C2'	-5.27	106.21	112.00
30	a	2825	G	N3-C4-N9	5.26	129.16	126.00
30	a	846	U	OP1-P-O3'	5.25	116.74	105.20
30	a	1764	C	C6-N1-C2	-5.23	118.21	120.30
30	a	846	U	C2-N1-C1'	5.22	123.96	117.70
30	a	2035	G	O4'-C1'-N9	5.22	112.37	108.20
30	a	2500	U	N3-C2-O2	-5.20	118.56	122.20
30	a	1188	U	N3-C2-O2	-5.19	118.56	122.20
30	a	1786	A	O4'-C1'-N9	5.18	112.34	108.20
30	a	177	G	O4'-C1'-N9	5.17	112.33	108.20
30	a	2449	U	N3-C2-O2	-5.16	118.58	122.20
30	a	2566	A	O4'-C1'-N9	5.16	112.33	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	a	2391	G	O4'-C1'-N9	5.16	112.33	108.20
30	a	2321	U	C2-N1-C1'	5.15	123.88	117.70
30	a	783	A	C2-N3-C4	5.14	113.17	110.60
7	A	1035	A	P-O3'-C3'	5.13	125.86	119.70
30	a	775	G	O4'-C1'-N9	5.11	112.29	108.20
30	a	1776	G	C2-N3-C4	5.11	114.45	111.90
7	A	993	G	C4-N9-C1'	5.10	133.13	126.50
30	a	729	G	O4'-C1'-N9	5.08	112.27	108.20
30	a	2517	C	O4'-C1'-N1	5.05	112.24	108.20
30	a	1323	C	C5-C4-N4	5.04	123.73	120.20
30	a	2579	C	C6-N1-C2	-5.04	118.29	120.30
30	a	2321	U	N1-C2-O2	5.03	126.32	122.80
30	a	1963	U	N1-C2-N3	5.01	117.91	114.90
30	a	1791	A	N1-C2-N3	-5.01	126.80	129.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
52	w	16	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	49/55 (89%)	49 (100%)	0	0	100	100
2	1	44/46 (96%)	44 (100%)	0	0	100	100
3	2	62/65 (95%)	60 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	3	36/38 (95%)	36 (100%)	0	0	100	100
5	4	56/70 (80%)	52 (93%)	4 (7%)	0	100	100
8	B	222/241 (92%)	216 (97%)	5 (2%)	1 (0%)	29	17
9	C	204/233 (88%)	195 (96%)	9 (4%)	0	100	100
10	D	203/206 (98%)	201 (99%)	2 (1%)	0	100	100
11	E	154/167 (92%)	152 (99%)	2 (1%)	0	100	100
12	F	101/135 (75%)	100 (99%)	1 (1%)	0	100	100
13	G	151/179 (84%)	143 (95%)	8 (5%)	0	100	100
14	H	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
15	I	125/130 (96%)	121 (97%)	4 (3%)	0	100	100
16	J	96/103 (93%)	92 (96%)	3 (3%)	1 (1%)	15	6
17	K	115/129 (89%)	109 (95%)	5 (4%)	1 (1%)	17	8
18	L	121/124 (98%)	116 (96%)	5 (4%)	0	100	100
19	M	113/118 (96%)	111 (98%)	2 (2%)	0	100	100
20	N	98/101 (97%)	98 (100%)	0	0	100	100
21	O	86/89 (97%)	85 (99%)	1 (1%)	0	100	100
22	P	79/82 (96%)	71 (90%)	7 (9%)	1 (1%)	12	3
23	Q	77/84 (92%)	75 (97%)	2 (3%)	0	100	100
24	R	64/75 (85%)	61 (95%)	2 (3%)	1 (2%)	9	2
25	S	82/92 (89%)	82 (100%)	0	0	100	100
26	T	84/87 (97%)	84 (100%)	0	0	100	100
27	U	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
32	c	269/273 (98%)	262 (97%)	7 (3%)	0	100	100
33	d	206/209 (99%)	199 (97%)	7 (3%)	0	100	100
34	e	199/201 (99%)	197 (99%)	2 (1%)	0	100	100
35	f	175/179 (98%)	169 (97%)	6 (3%)	0	100	100
36	g	174/177 (98%)	168 (97%)	6 (3%)	0	100	100
37	h	39/149 (26%)	36 (92%)	3 (8%)	0	100	100
38	i	140/142 (99%)	140 (100%)	0	0	100	100
39	j	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
40	k	142/144 (99%)	139 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	l	132/136 (97%)	126 (96%)	6 (4%)	0	100	100
42	m	116/127 (91%)	111 (96%)	5 (4%)	0	100	100
43	n	114/117 (97%)	112 (98%)	2 (2%)	0	100	100
44	o	112/115 (97%)	110 (98%)	2 (2%)	0	100	100
45	p	115/118 (98%)	115 (100%)	0	0	100	100
46	q	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
47	r	108/110 (98%)	107 (99%)	1 (1%)	0	100	100
48	s	91/100 (91%)	89 (98%)	2 (2%)	0	100	100
49	t	100/104 (96%)	90 (90%)	10 (10%)	0	100	100
50	u	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
51	v	76/85 (89%)	74 (97%)	2 (3%)	0	100	100
52	w	75/78 (96%)	75 (100%)	0	0	100	100
53	x	60/63 (95%)	60 (100%)	0	0	100	100
54	y	56/59 (95%)	54 (96%)	1 (2%)	1 (2%)	8	2
55	z	54/57 (95%)	53 (98%)	1 (2%)	0	100	100
All	All	5484/5913 (93%)	5333 (97%)	145 (3%)	6 (0%)	54	43

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
24	R	10	PHE
16	J	57	VAL
17	K	119	ASP
22	P	46	LYS
54	y	4	THR
8	B	131	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	46/49 (94%)	45 (98%)	1 (2%)	52	44
2	1	38/38 (100%)	37 (97%)	1 (3%)	46	36
3	2	51/52 (98%)	50 (98%)	1 (2%)	55	48
4	3	34/34 (100%)	34 (100%)	0	100	100
5	4	55/62 (89%)	53 (96%)	2 (4%)	35	23
8	B	186/199 (94%)	179 (96%)	7 (4%)	33	21
9	C	170/190 (90%)	163 (96%)	7 (4%)	30	18
10	D	172/173 (99%)	165 (96%)	7 (4%)	30	18
11	E	119/126 (94%)	119 (100%)	0	100	100
12	F	90/116 (78%)	87 (97%)	3 (3%)	38	26
13	G	126/147 (86%)	120 (95%)	6 (5%)	25	12
14	H	104/105 (99%)	103 (99%)	1 (1%)	76	74
15	I	105/107 (98%)	100 (95%)	5 (5%)	25	12
16	J	86/90 (96%)	84 (98%)	2 (2%)	50	42
17	K	90/99 (91%)	87 (97%)	3 (3%)	38	26
18	L	103/104 (99%)	100 (97%)	3 (3%)	42	31
19	M	93/96 (97%)	89 (96%)	4 (4%)	29	16
20	N	83/84 (99%)	81 (98%)	2 (2%)	49	40
21	O	76/77 (99%)	75 (99%)	1 (1%)	69	65
22	P	65/65 (100%)	64 (98%)	1 (2%)	65	60
23	Q	73/78 (94%)	68 (93%)	5 (7%)	16	5
24	R	57/65 (88%)	53 (93%)	4 (7%)	15	5
25	S	72/79 (91%)	71 (99%)	1 (1%)	67	62
26	T	65/66 (98%)	63 (97%)	2 (3%)	40	28
27	U	60/61 (98%)	58 (97%)	2 (3%)	38	26
32	c	216/218 (99%)	214 (99%)	2 (1%)	78	77
33	d	163/163 (100%)	161 (99%)	2 (1%)	71	68
34	e	165/165 (100%)	162 (98%)	3 (2%)	59	53
35	f	148/150 (99%)	143 (97%)	5 (3%)	37	25
36	g	137/138 (99%)	131 (96%)	6 (4%)	28	15
37	h	32/114 (28%)	30 (94%)	2 (6%)	18	7
38	i	116/116 (100%)	116 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	j	104/104 (100%)	102 (98%)	2 (2%)	57	50
40	k	103/103 (100%)	102 (99%)	1 (1%)	76	74
41	l	109/109 (100%)	107 (98%)	2 (2%)	59	53
42	m	98/103 (95%)	97 (99%)	1 (1%)	76	74
43	n	86/87 (99%)	85 (99%)	1 (1%)	71	68
44	o	99/100 (99%)	97 (98%)	2 (2%)	55	48
45	p	89/90 (99%)	88 (99%)	1 (1%)	73	71
46	q	84/84 (100%)	78 (93%)	6 (7%)	14	5
47	r	93/93 (100%)	91 (98%)	2 (2%)	52	44
48	s	80/84 (95%)	76 (95%)	4 (5%)	24	11
49	t	83/85 (98%)	83 (100%)	0	100	100
50	u	78/78 (100%)	72 (92%)	6 (8%)	13	4
51	v	58/63 (92%)	58 (100%)	0	100	100
52	w	67/68 (98%)	65 (97%)	2 (3%)	41	30
53	x	54/55 (98%)	54 (100%)	0	100	100
54	y	48/49 (98%)	48 (100%)	0	100	100
55	z	47/48 (98%)	46 (98%)	1 (2%)	53	46
All	All	4576/4829 (95%)	4454 (97%)	122 (3%)	48	34

All (122) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	33	LYS
2	1	25	LYS
3	2	31	HIS
5	4	22	MET
5	4	63	ARG
8	B	4	VAL
8	B	6	MET
8	B	10	LEU
8	B	23	TRP
8	B	88	ASP
8	B	132	LYS
8	B	147	SER
9	C	17	PRO
9	C	38	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	C	72	ARG
9	C	144	LEU
9	C	164	ARG
9	C	185	ASN
9	C	206	GLU
10	D	8	LYS
10	D	23	SER
10	D	58	LYS
10	D	116	GLN
10	D	119	SER
10	D	128	ARG
10	D	153	SER
12	F	1	MET
12	F	100	SER
12	F	102	MET
13	G	15	ASP
13	G	45	SER
13	G	57	SER
13	G	113	ASP
13	G	140	ASP
13	G	143	ARG
14	H	76	GLN
15	I	4	ASN
15	I	56	ASP
15	I	57	MET
15	I	59	GLU
15	I	123	ARG
16	J	7	ARG
16	J	44	THR
17	K	13	ARG
17	K	119	ASP
17	K	129	VAL
18	L	15	LYS
18	L	43	LYS
18	L	86	ARG
19	M	11	ASP
19	M	14	HIS
19	M	75	MET
19	M	90	ARG
20	N	97	LYS
20	N	100	SER
21	O	75	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	P	46	LYS
23	Q	9	GLN
23	Q	40	ARG
23	Q	42	THR
23	Q	62	ARG
23	Q	65	ARG
24	R	10	PHE
24	R	14	THR
24	R	43	ARG
24	R	66	SER
25	S	29	LYS
26	T	60	ARG
26	T	85	LYS
27	U	25	LYS
27	U	54	LYS
32	c	36	LYS
32	c	272	SER
33	d	17	GLU
33	d	95	SER
34	e	21	ARG
34	e	57	LYS
34	e	127	GLU
35	f	24	SER
35	f	27	GLN
35	f	47	LYS
35	f	112	ARG
35	f	167	ARG
36	g	16	ASP
36	g	35	ARG
36	g	49	THR
36	g	51	THR
36	g	95	ARG
36	g	152	ARG
37	h	35	LYS
37	h	41	LYS
39	j	76	VAL
39	j	114	LYS
40	k	144	GLU
41	l	115	GLU
41	l	127	LYS
42	m	35	LYS
43	n	3	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	o	6	LYS
44	o	38	LYS
45	p	51	ARG
46	q	10	LYS
46	q	18	GLN
46	q	43	ASN
46	q	55	ASP
46	q	60	LYS
46	q	102	SER
47	r	7	HIS
47	r	92	ARG
48	s	1	MET
48	s	5	GLU
48	s	25	GLU
48	s	64	LYS
50	u	1	MET
50	u	11	GLU
50	u	34	LYS
50	u	71	LYS
50	u	85	LYS
50	u	90	ASP
52	w	45	ARG
52	w	54	LYS
55	z	57	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
8	B	122	GLN
13	G	68	ASN
13	G	130	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
28	X	5/6 (83%)	0	0
29	Z	75/76 (98%)	20 (26%)	0
30	a	2746/2903 (94%)	308 (11%)	0
31	b	118/120 (98%)	12 (10%)	0
6	5	1/2 (50%)	1 (100%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
7	A	1513/1542 (98%)	186 (12%)	6 (0%)
All	All	4458/4649 (95%)	527 (11%)	6 (0%)

All (527) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	5	76	A
7	A	4	U
7	A	5	U
7	A	6	G
7	A	13	U
7	A	32	A
7	A	39	G
7	A	47	C
7	A	48	C
7	A	50	A
7	A	51	A
7	A	71	A
7	A	72	A
7	A	73	C
7	A	74	A
7	A	81	A
7	A	83	C
7	A	84	U
7	A	85	U
7	A	86	G
7	A	87	C
7	A	88	U
7	A	94	G
7	A	122	G
7	A	128	G
7	A	131	A
7	A	141	G
7	A	151	A
7	A	164	G
7	A	182	A
7	A	183	C
7	A	191	G
7	A	197	A
7	A	200	G
7	A	201	G
7	A	240	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	245	U
7	A	247	G
7	A	251	G
7	A	266	G
7	A	267	C
7	A	289	G
7	A	321	A
7	A	328	C
7	A	329	A
7	A	330	C
7	A	339	C
7	A	347	G
7	A	352	C
7	A	354	G
7	A	367	U
7	A	372	C
7	A	384	G
7	A	406	G
7	A	411	A
7	A	412	A
7	A	413	G
7	A	414	A
7	A	415	A
7	A	417	G
7	A	421	U
7	A	422	C
7	A	424	G
7	A	429	U
7	A	436	C
7	A	457	G
7	A	458	U
7	A	464	U
7	A	467	U
7	A	468	A
7	A	469	C
7	A	474	G
7	A	478	A
7	A	481	G
7	A	484	G
7	A	486	U
7	A	497	G
7	A	511	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	518	C
7	A	531	U
7	A	532	A
7	A	542	G
7	A	547	A
7	A	559	A
7	A	564	C
7	A	572	A
7	A	573	A
7	A	576	C
7	A	577	G
7	A	579	A
7	A	596	A
7	A	633	G
7	A	650	G
7	A	653	U
7	A	665	A
7	A	723	U
7	A	724	G
7	A	748	G
7	A	755	G
7	A	777	A
7	A	792	A
7	A	793	U
7	A	794	A
7	A	815	A
7	A	817	C
7	A	821	G
7	A	829	G
7	A	890	G
7	A	914	A
7	A	926	G
7	A	934	C
7	A	935	A
7	A	960	U
7	A	966	2MG
7	A	969	A
7	A	975	A
7	A	976	G
7	A	977	A
7	A	996	A
7	A	1004	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1009	U
7	A	1024	G
7	A	1027	C
7	A	1029	U
7	A	1030	U
7	A	1031	C
7	A	1032	G
7	A	1033	G
7	A	1034	G
7	A	1036	A
7	A	1039	G
7	A	1044	A
7	A	1065	U
7	A	1070	U
7	A	1085	U
7	A	1094	G
7	A	1095	U
7	A	1101	A
7	A	1123	U
7	A	1126	U
7	A	1137	C
7	A	1138	G
7	A	1139	G
7	A	1157	A
7	A	1159	U
7	A	1167	A
7	A	1169	A
7	A	1184	G
7	A	1196	A
7	A	1197	A
7	A	1213	A
7	A	1227	A
7	A	1238	A
7	A	1248	A
7	A	1258	G
7	A	1260	G
7	A	1275	A
7	A	1279	G
7	A	1280	A
7	A	1287	A
7	A	1300	G
7	A	1302	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1317	C
7	A	1320	C
7	A	1338	G
7	A	1346	A
7	A	1353	G
7	A	1363	A
7	A	1370	G
7	A	1378	C
7	A	1379	G
7	A	1380	U
7	A	1381	U
7	A	1398	A
7	A	1419	G
7	A	1441	A
7	A	1451	U
7	A	1452	C
7	A	1453	G
7	A	1492	A
7	A	1493	A
7	A	1497	G
7	A	1503	A
7	A	1506	U
7	A	1517	G
7	A	1529	G
7	A	1530	G
29	Z	5	G
29	Z	9	G
29	Z	14	A
29	Z	17(A)	U
29	Z	18	G
29	Z	20	U
29	Z	21	A
29	Z	43	A
29	Z	47	U
29	Z	51	C
29	Z	52	G
29	Z	58	A
29	Z	62	C
29	Z	65	C
29	Z	66	C
29	Z	69	C
29	Z	71	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
29	Z	73	A
29	Z	74	C
29	Z	76	A
30	a	10	A
30	a	15	G
30	a	34	U
30	a	42	A
30	a	45	G
30	a	58	G
30	a	71	A
30	a	74	A
30	a	75	G
30	a	80	G
30	a	84	A
30	a	101	A
30	a	102	U
30	a	118	A
30	a	119	A
30	a	120	U
30	a	125	A
30	a	139	U
30	a	142	A
30	a	163	C
30	a	164	C
30	a	181	A
30	a	196	A
30	a	199	A
30	a	215	G
30	a	216	A
30	a	222	A
30	a	248	G
30	a	265	A
30	a	272	A
30	a	274	C
30	a	278	A
30	a	281	C
30	a	282	A
30	a	285	G
30	a	287	G
30	a	288	U
30	a	311	A
30	a	329	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	330	A
30	a	358	U
30	a	359	G
30	a	361	G
30	a	362	A
30	a	386	G
30	a	405	U
30	a	411	G
30	a	412	A
30	a	456	C
30	a	481	G
30	a	491	G
30	a	504	A
30	a	505	A
30	a	509	C
30	a	532	A
30	a	533	G
30	a	544	C
30	a	545	U
30	a	546	U
30	a	547	A
30	a	548	G
30	a	549	G
30	a	563	A
30	a	573	U
30	a	575	A
30	a	586	A
30	a	603	A
30	a	614	A
30	a	615	U
30	a	627	A
30	a	637	A
30	a	645	C
30	a	647	G
30	a	653	U
30	a	654	A
30	a	655	A
30	a	686	U
30	a	717	C
30	a	721	A
30	a	730	A
30	a	738	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	747	5MU
30	a	775	G
30	a	776	G
30	a	782	A
30	a	784	G
30	a	785	G
30	a	789	A
30	a	792	A
30	a	805	G
30	a	812	C
30	a	827	U
30	a	828	U
30	a	845	A
30	a	846	U
30	a	847	U
30	a	859	G
30	a	877	A
30	a	879	G
30	a	881	G
30	a	882	G
30	a	883	G
30	a	884	U
30	a	885	C
30	a	888	C
30	a	890	C
30	a	891	G
30	a	895	U
30	a	896	A
30	a	897	C
30	a	898	C
30	a	903	C
30	a	910	A
30	a	914	G
30	a	931	U
30	a	946	C
30	a	961	C
30	a	974	G
30	a	983	A
30	a	996	A
30	a	1012	U
30	a	1013	C
30	a	1022	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	1033	U
30	a	1046	A
30	a	1047	G
30	a	1108	U
30	a	1110	G
30	a	1111	A
30	a	1112	G
30	a	1115	G
30	a	1116	G
30	a	1122	G
30	a	1132	U
30	a	1135	C
30	a	1142	A
30	a	1169	A
30	a	1170	C
30	a	1171	G
30	a	1172	C
30	a	1253	A
30	a	1256	G
30	a	1271	G
30	a	1272	A
30	a	1273	U
30	a	1300	G
30	a	1301	A
30	a	1352	U
30	a	1365	A
30	a	1379	U
30	a	1383	A
30	a	1416	G
30	a	1419	A
30	a	1427	A
30	a	1428	C
30	a	1434	A
30	a	1452	G
30	a	1453	A
30	a	1459	G
30	a	1476	U
30	a	1482	G
30	a	1493	C
30	a	1497	U
30	a	1508	A
30	a	1509	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	1510	G
30	a	1515	A
30	a	1534	U
30	a	1535	A
30	a	1536	C
30	a	1537	G
30	a	1566	A
30	a	1569	A
30	a	1578	U
30	a	1583	A
30	a	1585	C
30	a	1608	A
30	a	1647	U
30	a	1648	U
30	a	1649	G
30	a	1674	G
30	a	1714	U
30	a	1715	G
30	a	1729	U
30	a	1730	C
30	a	1731	G
30	a	1738	G
30	a	1744	A
30	a	1764	C
30	a	1773	A
30	a	1782	U
30	a	1800	C
30	a	1801	A
30	a	1808	A
30	a	1816	C
30	a	1829	A
30	a	1847	A
30	a	1848	A
30	a	1858	A
30	a	1868	C
30	a	1871	A
30	a	1872	A
30	a	1873	G
30	a	1874	C
30	a	1906	G
30	a	1907	G
30	a	1914	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	1915	U
30	a	1929	G
30	a	1930	G
30	a	1937	A
30	a	1938	A
30	a	1955	U
30	a	1965	C
30	a	1967	C
30	a	1970	A
30	a	1971	U
30	a	1972	G
30	a	1991	U
30	a	1992	G
30	a	1993	U
30	a	2023	C
30	a	2031	A
30	a	2033	A
30	a	2043	C
30	a	2055	C
30	a	2056	G
30	a	2060	A
30	a	2061	G
30	a	2062	A
30	a	2069	G7M
30	a	2198	A
30	a	2203	U
30	a	2204	G
30	a	2211	A
30	a	2223	G
30	a	2225	A
30	a	2238	G
30	a	2239	G
30	a	2268	A
30	a	2283	C
30	a	2287	A
30	a	2305	U
30	a	2308	G
30	a	2322	A
30	a	2325	G
30	a	2333	A
30	a	2335	A
30	a	2347	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	2361	G
30	a	2383	G
30	a	2385	C
30	a	2396	G
30	a	2402	U
30	a	2403	C
30	a	2406	A
30	a	2422	C
30	a	2424	C
30	a	2425	A
30	a	2429	G
30	a	2430	A
30	a	2435	A
30	a	2441	U
30	a	2448	A
30	a	2470	G
30	a	2476	A
30	a	2491	U
30	a	2502	G
30	a	2505	G
30	a	2518	A
30	a	2529	G
30	a	2547	A
30	a	2554	U
30	a	2566	A
30	a	2567	G
30	a	2573	C
30	a	2578	G
30	a	2602	A
30	a	2609	U
30	a	2613	U
30	a	2629	U
30	a	2661	G
30	a	2663	G
30	a	2669	G
30	a	2689	U
30	a	2690	U
30	a	2714	G
30	a	2716	C
30	a	2726	A
30	a	2744	G
30	a	2748	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	a	2757	A
30	a	2765	A
30	a	2778	A
30	a	2791	G
30	a	2792	A
30	a	2795	C
30	a	2798	U
30	a	2799	A
30	a	2818	U
30	a	2820	A
30	a	2821	A
30	a	2861	U
30	a	2873	A
30	a	2883	A
30	a	2884	U
30	a	2899	A
30	a	2902	C
31	b	35	C
31	b	36	C
31	b	44	G
31	b	45	A
31	b	56	G
31	b	57	A
31	b	67	G
31	b	89	U
31	b	90	C
31	b	99	A
31	b	109	A
31	b	119	A

All (6) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	5	U
7	A	199	A
7	A	827	U
7	A	1026	G
7	A	1035	A
7	A	1492	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

34 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MA6	A	1518	7	19,26,27	1.48	3 (15%)	18,38,41	3.45	3 (16%)
30	PSU	a	955	30	18,21,22	1.20	1 (5%)	22,30,33	2.04	3 (13%)
30	PSU	a	2604	30	18,21,22	1.10	1 (5%)	22,30,33	1.80	4 (18%)
30	PSU	a	2605	30	18,21,22	1.14	1 (5%)	22,30,33	1.74	4 (18%)
33	MEQ	d	150	33	8,9,10	0.83	0	5,10,12	0.98	0
7	5MC	A	967	7	18,22,23	3.61	7 (38%)	26,32,35	1.05	2 (7%)
30	PSU	a	1917	30	18,21,22	1.06	1 (5%)	22,30,33	1.70	3 (13%)
7	G7M	A	527	7	20,26,27	2.31	7 (35%)	17,39,42	1.17	2 (11%)
7	2MG	A	966	7	18,26,27	2.58	6 (33%)	16,38,41	1.51	4 (25%)
30	1MG	a	745	30	18,26,27	2.56	6 (33%)	19,39,42	1.51	3 (15%)
30	PSU	a	2580	30	18,21,22	1.14	2 (11%)	22,30,33	1.80	5 (22%)
30	PSU	a	746	57,30	18,21,22	1.23	1 (5%)	22,30,33	1.67	4 (18%)
7	PSU	A	516	7	18,21,22	1.20	1 (5%)	22,30,33	1.79	5 (22%)
30	2MA	a	2503	57,30	17,25,26	2.27	4 (23%)	17,37,40	1.31	2 (11%)
30	6MZ	a	1618	30	18,25,26	2.11	3 (16%)	16,36,39	2.59	4 (25%)
7	4OC	A	1402	7	20,23,24	2.92	8 (40%)	26,32,35	1.19	2 (7%)
30	G7M	a	2069	30	20,26,27	2.14	7 (35%)	17,39,42	1.05	1 (5%)
30	OMG	a	2251	29,30	18,26,27	2.38	8 (44%)	19,38,41	1.67	5 (26%)
7	UR3	A	1498	7,57	19,22,23	2.76	8 (42%)	26,32,35	1.47	1 (3%)
30	OMC	a	2498	57,30	19,22,23	2.89	8 (42%)	26,31,34	0.96	1 (3%)
30	PSU	a	1911	30	18,21,22	1.14	1 (5%)	22,30,33	1.88	4 (18%)
30	2MG	a	1835	30	18,26,27	2.53	7 (38%)	16,38,41	1.55	3 (18%)
30	PSU	a	2457	30	18,21,22	1.15	1 (5%)	22,30,33	1.90	4 (18%)
7	2MG	A	1516	7	18,26,27	2.58	7 (38%)	16,38,41	1.40	2 (12%)
30	5MU	a	1939	30	19,22,23	7.11	8 (42%)	28,32,35	3.45	8 (28%)
7	2MG	A	1207	7	18,26,27	2.66	6 (33%)	16,38,41	1.45	3 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	5MC	a	1962	30	18,22,23	3.47	7 (38%)	26,32,35	1.05	1 (3%)
30	PSU	a	2504	30	18,21,22	1.14	1 (5%)	22,30,33	1.89	2 (9%)
30	2MG	a	2445	30	18,26,27	2.79	7 (38%)	16,38,41	1.57	3 (18%)
7	5MC	A	1407	7	18,22,23	3.48	7 (38%)	26,32,35	1.18	3 (11%)
30	OMU	a	2552	30	19,22,23	2.94	8 (42%)	26,31,34	1.72	4 (15%)
30	5MU	a	747	30	19,22,23	7.18	8 (42%)	28,32,35	3.41	8 (28%)
7	MA6	A	1519	7	19,26,27	1.47	4 (21%)	18,38,41	3.77	3 (16%)
30	6MZ	a	2030	30	18,25,26	1.95	2 (11%)	16,36,39	2.85	3 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MA6	A	1518	7	-	0/7/29/30	0/3/3/3
30	PSU	a	955	30	-	0/7/25/26	0/2/2/2
30	PSU	a	2604	30	-	0/7/25/26	0/2/2/2
30	PSU	a	2605	30	-	0/7/25/26	0/2/2/2
33	MEQ	d	150	33	-	2/8/9/11	-
7	5MC	A	967	7	-	0/7/25/26	0/2/2/2
30	PSU	a	1917	30	-	0/7/25/26	0/2/2/2
7	G7M	A	527	7	-	0/3/25/26	0/3/3/3
7	2MG	A	966	7	-	0/5/27/28	0/3/3/3
30	1MG	a	745	30	-	0/3/25/26	0/3/3/3
30	PSU	a	2580	30	-	0/7/25/26	0/2/2/2
30	PSU	a	746	57,30	-	3/7/25/26	0/2/2/2
7	PSU	A	516	7	-	0/7/25/26	0/2/2/2
30	2MA	a	2503	57,30	-	2/3/25/26	0/3/3/3
30	6MZ	a	1618	30	-	0/5/27/28	0/3/3/3
7	4OC	A	1402	7	-	0/9/29/30	0/2/2/2
30	G7M	a	2069	30	-	2/3/25/26	0/3/3/3
30	OMG	a	2251	29,30	-	1/5/27/28	0/3/3/3
7	UR3	A	1498	7,57	-	0/7/25/26	0/2/2/2
30	OMC	a	2498	57,30	-	0/9/27/28	0/2/2/2
30	PSU	a	1911	30	-	1/7/25/26	0/2/2/2
30	2MG	a	1835	30	-	0/5/27/28	0/3/3/3
30	PSU	a	2457	30	-	0/7/25/26	0/2/2/2
7	2MG	A	1516	7	-	0/5/27/28	0/3/3/3
30	5MU	a	1939	30	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	2MG	A	1207	7	-	0/5/27/28	0/3/3/3
30	5MC	a	1962	30	-	0/7/25/26	0/2/2/2
30	PSU	a	2504	30	-	0/7/25/26	0/2/2/2
30	2MG	a	2445	30	-	0/5/27/28	0/3/3/3
7	5MC	A	1407	7	-	0/7/25/26	0/2/2/2
30	OMU	a	2552	30	-	1/9/27/28	0/2/2/2
30	5MU	a	747	30	-	1/7/25/26	0/2/2/2
7	MA6	A	1519	7	-	2/7/29/30	0/3/3/3
30	6MZ	a	2030	30	-	2/5/27/28	0/3/3/3

All (157) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	747	5MU	C4-C5	20.47	1.78	1.44
30	a	1939	5MU	C4-C5	20.34	1.78	1.44
30	a	747	5MU	C6-N1	15.03	1.63	1.38
30	a	1939	5MU	C6-N1	14.78	1.63	1.38
30	a	747	5MU	C6-C5	-12.22	1.14	1.34
30	a	1939	5MU	C6-C5	-12.14	1.14	1.34
30	a	1939	5MU	C4-N3	-11.74	1.17	1.38
30	a	747	5MU	C4-N3	-11.63	1.17	1.38
30	a	1962	5MC	C6-C5	9.63	1.50	1.34
7	A	1407	5MC	C6-C5	9.54	1.50	1.34
7	A	967	5MC	C6-C5	9.52	1.50	1.34
30	a	1618	6MZ	C6-N6	7.67	1.47	1.35
7	A	1498	UR3	C2-N1	6.94	1.48	1.38
30	a	2030	6MZ	C6-N6	6.76	1.46	1.35
30	a	2503	2MA	C2-N3	6.56	1.45	1.31
30	a	745	1MG	C2-N3	6.52	1.46	1.34
7	A	1207	2MG	C2-N2	6.43	1.47	1.33
30	a	2445	2MG	C2-N2	6.41	1.47	1.33
30	a	2552	OMU	C2-N1	6.40	1.48	1.38
7	A	967	5MC	C4-N3	6.31	1.44	1.34
7	A	966	2MG	C2-N2	6.26	1.47	1.33
7	A	1498	UR3	C6-C5	6.18	1.49	1.35
7	A	967	5MC	C2-N3	6.10	1.48	1.36
7	A	1516	2MG	C2-N2	6.09	1.46	1.33
30	a	1835	2MG	C2-N2	6.08	1.46	1.33
7	A	1402	4OC	C4-N3	6.04	1.43	1.32
7	A	1402	4OC	C6-C5	6.00	1.49	1.35
30	a	2552	OMU	C2-N3	5.95	1.48	1.38
7	A	1407	5MC	C4-N3	5.67	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	2498	OMC	C6-C5	5.66	1.48	1.35
30	a	2552	OMU	C6-C5	5.65	1.48	1.35
30	a	2445	2MG	C2-N1	5.62	1.45	1.36
7	A	1407	5MC	C2-N3	5.56	1.47	1.36
30	a	1962	5MC	C2-N3	5.45	1.47	1.36
30	a	745	1MG	C2-N2	5.34	1.43	1.34
7	A	966	2MG	C4-N3	5.27	1.50	1.37
30	a	1962	5MC	C4-N3	5.25	1.43	1.34
30	a	2498	OMC	C2-N3	5.23	1.47	1.36
7	A	1207	2MG	C4-N3	5.23	1.50	1.37
30	a	2498	OMC	C4-N4	5.03	1.45	1.33
7	A	527	G7M	C2-N3	5.01	1.45	1.33
7	A	1207	2MG	C2-N1	4.95	1.44	1.36
30	a	745	1MG	C4-N3	4.95	1.49	1.37
7	A	1402	4OC	C2-N3	4.90	1.46	1.36
7	A	1516	2MG	C4-N3	4.85	1.49	1.37
7	A	1516	2MG	C2-N1	4.83	1.44	1.36
30	a	2445	2MG	C4-N3	4.77	1.48	1.37
7	A	967	5MC	C4-N4	4.70	1.46	1.34
7	A	966	2MG	C2-N1	4.65	1.44	1.36
30	a	1835	2MG	C2-N1	4.64	1.44	1.36
30	a	2069	G7M	C2-N3	4.60	1.44	1.33
30	a	1835	2MG	C4-N3	4.57	1.48	1.37
7	A	1407	5MC	C4-N4	4.56	1.45	1.34
30	a	2503	2MA	C4-N3	4.52	1.48	1.37
7	A	1498	UR3	C2-N3	4.49	1.47	1.39
30	a	2251	OMG	C2-N3	4.47	1.44	1.33
7	A	527	G7M	C4-N3	4.47	1.48	1.37
7	A	1402	4OC	C4-N4	4.40	1.44	1.35
30	a	2498	OMC	C4-N3	4.39	1.43	1.34
7	A	527	G7M	C2-N2	4.36	1.44	1.34
30	a	2552	OMU	O4-C4	-4.30	1.16	1.24
30	a	2069	G7M	C4-N3	4.26	1.47	1.37
30	a	1962	5MC	C4-N4	4.19	1.45	1.34
30	a	1962	5MC	C6-N1	4.15	1.45	1.38
30	a	747	5MU	C2-N3	4.15	1.45	1.38
30	a	2498	OMC	O2-C2	-4.15	1.16	1.23
30	a	2251	OMG	C2-N2	4.13	1.44	1.34
7	A	967	5MC	C6-N1	4.05	1.45	1.38
30	a	2445	2MG	C6-N1	4.03	1.43	1.37
30	a	2498	OMC	C2-N1	4.03	1.48	1.40
30	a	2251	OMG	C4-N3	4.02	1.47	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1402	4OC	O2-C2	-4.01	1.16	1.23
30	a	1962	5MC	C2-N1	3.98	1.48	1.40
30	a	1835	2MG	C5-C6	3.95	1.55	1.47
7	A	1407	5MC	C6-N1	3.87	1.44	1.38
7	A	967	5MC	C2-N1	3.87	1.48	1.40
30	a	1939	5MU	C2-N3	3.81	1.44	1.38
30	a	746	PSU	C6-C5	3.79	1.39	1.35
30	a	2069	G7M	C2-N2	3.75	1.43	1.34
7	A	1402	4OC	C5-C4	3.72	1.48	1.40
30	a	1962	5MC	O2-C2	-3.69	1.16	1.23
7	A	1516	2MG	C5-C6	3.68	1.54	1.47
7	A	516	PSU	C6-C5	3.65	1.39	1.35
7	A	1407	5MC	C2-N1	3.65	1.47	1.40
7	A	1402	4OC	C2-N1	3.64	1.47	1.40
30	a	2504	PSU	C6-C5	3.61	1.39	1.35
7	A	1207	2MG	C5-C6	3.55	1.54	1.47
7	A	1407	5MC	O2-C2	-3.51	1.17	1.23
30	a	2251	OMG	C6-N1	3.50	1.43	1.37
7	A	1498	UR3	O4-C4	-3.47	1.16	1.23
30	a	2605	PSU	C6-C5	3.43	1.39	1.35
30	a	2445	2MG	C5-C6	3.34	1.54	1.47
30	a	1939	5MU	O2-C2	-3.33	1.17	1.23
7	A	527	G7M	C6-N1	3.31	1.42	1.37
30	a	2498	OMC	C6-N1	3.31	1.46	1.38
30	a	747	5MU	O2-C2	-3.31	1.17	1.23
30	a	955	PSU	C6-C5	3.31	1.39	1.35
30	a	2604	PSU	C6-C5	3.29	1.39	1.35
7	A	966	2MG	C5-C6	3.25	1.54	1.47
30	a	2457	PSU	C6-C5	3.24	1.39	1.35
7	A	967	5MC	O2-C2	-3.21	1.17	1.23
30	a	1917	PSU	C6-C5	3.19	1.39	1.35
30	a	2251	OMG	O6-C6	-3.16	1.16	1.23
30	a	2069	G7M	C6-N1	3.14	1.42	1.37
30	a	747	5MU	C2-N1	3.14	1.43	1.38
30	a	2503	2MA	C5-C4	-3.13	1.35	1.43
30	a	2251	OMG	C5-C4	-3.12	1.35	1.43
30	a	2552	OMU	C4-N3	3.12	1.44	1.38
30	a	2552	OMU	O2-C2	-3.11	1.17	1.23
7	A	1518	MA6	C5-C4	-3.08	1.32	1.40
30	a	747	5MU	O4-C4	-3.08	1.17	1.23
30	a	1911	PSU	C6-C5	3.08	1.38	1.35
7	A	527	G7M	C5-C6	3.07	1.53	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	1939	5MU	O4-C4	-3.00	1.17	1.23
7	A	1518	MA6	C9-N6	2.93	1.52	1.45
7	A	1498	UR3	O2-C2	-2.92	1.17	1.22
30	a	2552	OMU	C6-N1	2.92	1.45	1.38
30	a	2069	G7M	C5-C6	2.91	1.52	1.45
30	a	2251	OMG	C5-C6	2.90	1.53	1.47
30	a	2030	6MZ	C5-C4	-2.88	1.33	1.40
7	A	527	G7M	O6-C6	-2.86	1.17	1.23
7	A	966	2MG	C6-N1	2.86	1.42	1.37
30	a	2580	PSU	C6-C5	2.86	1.38	1.35
30	a	2069	G7M	O6-C6	-2.82	1.17	1.23
7	A	1519	MA6	C5-C4	-2.81	1.33	1.40
30	a	2498	OMC	C5-C4	2.80	1.49	1.42
7	A	1519	MA6	C9-N6	2.78	1.52	1.45
7	A	1402	4OC	C6-N1	2.75	1.44	1.38
7	A	1518	MA6	C2-N3	2.75	1.36	1.32
30	a	1835	2MG	C6-N1	2.74	1.41	1.37
7	A	1207	2MG	C5-C4	-2.73	1.36	1.43
7	A	1498	UR3	C6-N1	2.70	1.44	1.38
7	A	1516	2MG	C5-C4	-2.69	1.36	1.43
7	A	1516	2MG	C6-N1	2.68	1.41	1.37
30	a	1618	6MZ	C5-C4	-2.58	1.34	1.40
7	A	1207	2MG	C6-N1	2.57	1.41	1.37
30	a	2445	2MG	C5-C4	-2.55	1.36	1.43
30	a	1939	5MU	C2-N1	2.55	1.42	1.38
7	A	1519	MA6	C2-N3	2.53	1.36	1.32
30	a	745	1MG	C5-C6	2.53	1.55	1.47
7	A	966	2MG	C5-C4	-2.42	1.36	1.43
30	a	745	1MG	C5-C4	-2.40	1.37	1.43
30	a	2580	PSU	O4'-C1'	-2.40	1.40	1.43
7	A	527	G7M	C2-N1	2.39	1.43	1.37
30	a	2552	OMU	C5-C4	2.35	1.48	1.43
30	a	2251	OMG	C2-N1	2.29	1.43	1.37
30	a	2069	G7M	C2-N1	2.28	1.43	1.37
30	a	1835	2MG	C5-C4	-2.27	1.37	1.43
30	a	745	1MG	O6-C6	-2.27	1.18	1.22
30	a	1835	2MG	O6-C6	-2.18	1.18	1.23
7	A	1519	MA6	C10-N6	2.17	1.50	1.45
30	a	2445	2MG	O6-C6	-2.14	1.19	1.23
7	A	1498	UR3	C4-N3	2.12	1.45	1.40
7	A	1516	2MG	O6-C6	-2.08	1.19	1.23
30	a	2503	2MA	C6-N1	2.06	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1498	UR3	C5-C4	2.04	1.49	1.43
30	a	1618	6MZ	C9-N6	2.03	1.48	1.45

All (109) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1519	MA6	N1-C6-N6	-14.26	102.05	117.06
7	A	1518	MA6	N1-C6-N6	-12.36	104.05	117.06
30	a	1939	5MU	C5-C4-N3	10.68	124.43	115.31
30	a	747	5MU	C5-C4-N3	9.36	123.30	115.31
30	a	1939	5MU	C5-C6-N1	-9.07	114.01	123.34
30	a	747	5MU	C5-C6-N1	-8.98	114.10	123.34
30	a	747	5MU	C4-N3-C2	-7.16	118.08	127.35
30	a	1939	5MU	C4-N3-C2	-7.07	118.20	127.35
30	a	2030	6MZ	C9-N6-C6	-6.76	117.05	122.87
30	a	2030	6MZ	N3-C2-N1	-6.63	118.32	128.68
30	a	1618	6MZ	N3-C2-N1	-6.45	118.60	128.68
30	a	1939	5MU	O4-C4-C5	-6.20	117.71	124.90
7	A	1498	UR3	C4-N3-C2	-5.91	119.00	124.56
30	a	2030	6MZ	C2-N1-C6	5.65	121.43	116.59
7	A	1518	MA6	N3-C2-N1	-5.53	120.04	128.68
30	a	955	PSU	N1-C2-N3	5.48	121.33	115.13
30	a	955	PSU	C4-N3-C2	-5.47	118.46	126.34
30	a	1618	6MZ	C2-N1-C6	5.46	121.28	116.59
30	a	2552	OMU	C4-N3-C2	-5.43	119.42	126.58
7	A	1519	MA6	N3-C2-N1	-5.37	120.29	128.68
30	a	747	5MU	O4-C4-C5	-5.25	118.82	124.90
30	a	747	5MU	N3-C2-N1	5.06	121.60	114.89
30	a	2504	PSU	N1-C2-N3	5.05	120.85	115.13
30	a	2504	PSU	C4-N3-C2	-5.04	119.07	126.34
7	A	1518	MA6	C1'-N9-C4	-4.97	117.92	126.64
30	a	1911	PSU	C4-N3-C2	-4.93	119.23	126.34
30	a	1618	6MZ	C9-N6-C6	-4.91	118.64	122.87
30	a	2457	PSU	N1-C2-N3	4.90	120.69	115.13
30	a	2604	PSU	N1-C2-N3	4.89	120.67	115.13
30	a	747	5MU	C6-C5-C4	4.87	122.10	118.03
30	a	2457	PSU	C4-N3-C2	-4.84	119.37	126.34
30	a	1911	PSU	N1-C2-N3	4.81	120.58	115.13
30	a	2605	PSU	N1-C2-N3	4.73	120.49	115.13
30	a	2580	PSU	C4-N3-C2	-4.63	119.67	126.34
7	A	516	PSU	C4-N3-C2	-4.63	119.67	126.34
30	a	746	PSU	C4-N3-C2	-4.56	119.76	126.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	a	1917	PSU	C4-N3-C2	-4.50	119.86	126.34
30	a	2552	OMU	C5-C4-N3	4.45	121.50	114.84
30	a	746	PSU	N1-C2-N3	4.40	120.12	115.13
30	a	2604	PSU	C4-N3-C2	-4.40	120.00	126.34
7	A	516	PSU	N1-C2-N3	4.35	120.06	115.13
30	a	1917	PSU	N1-C2-N3	4.32	120.03	115.13
30	a	2605	PSU	C4-N3-C2	-4.24	120.22	126.34
30	a	2580	PSU	N1-C2-N3	4.18	119.87	115.13
30	a	745	1MG	C5-C6-N1	4.11	120.07	113.90
7	A	1519	MA6	C1'-N9-C4	-4.05	119.53	126.64
7	A	967	5MC	C5-C6-N1	-3.97	119.25	123.34
30	a	1939	5MU	N3-C2-N1	3.92	120.10	114.89
7	A	1407	5MC	C5-C6-N1	-3.77	119.46	123.34
30	a	2503	2MA	C5-C6-N1	3.77	120.53	114.02
7	A	1207	2MG	C5-C6-N1	3.76	120.60	113.95
7	A	966	2MG	C5-C6-N1	3.75	120.57	113.95
30	a	1835	2MG	C5-C6-N1	3.65	120.39	113.95
30	a	2251	OMG	C5-C6-N1	3.62	120.35	113.95
30	a	1962	5MC	C5-C6-N1	-3.59	119.65	123.34
7	A	1402	4OC	C6-C5-C4	3.53	121.28	116.96
30	a	2445	2MG	C5-C6-N1	3.48	120.09	113.95
30	a	2552	OMU	N3-C2-N1	3.42	119.42	114.89
30	a	2445	2MG	O6-C6-C5	-3.41	117.71	124.37
7	A	1516	2MG	C5-C6-N1	3.32	119.82	113.95
7	A	527	G7M	C2-N1-C6	-3.28	119.06	125.10
30	a	2445	2MG	C8-N7-C5	3.26	109.20	102.99
30	a	2457	PSU	O2-C2-N1	-3.22	119.25	122.79
30	a	1939	5MU	C6-C5-C4	3.19	120.70	118.03
30	a	747	5MU	O2-C2-N1	-3.08	118.69	122.79
30	a	2251	OMG	C8-N7-C5	3.05	108.79	102.99
30	a	1835	2MG	CM2-N2-C2	-3.00	117.23	123.86
7	A	1516	2MG	C8-N7-C5	2.97	108.64	102.99
30	a	745	1MG	C2-N1-C6	-2.96	118.54	120.95
30	a	747	5MU	C5M-C5-C6	-2.95	118.91	122.85
30	a	1939	5MU	O2-C2-N1	-2.92	118.91	122.79
30	a	745	1MG	C8-N7-C5	2.87	108.47	102.99
30	a	1835	2MG	C8-N7-C5	2.83	108.39	102.99
7	A	1207	2MG	C8-N7-C5	2.68	108.09	102.99
30	a	2604	PSU	O2-C2-N1	-2.63	119.89	122.79
30	a	2580	PSU	C6-C5-C4	2.62	120.03	118.20
30	a	2605	PSU	C6-N1-C2	-2.60	120.02	122.68
30	a	2251	OMG	N2-C2-N1	2.58	122.21	116.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	966	2MG	C8-N7-C5	2.58	107.90	102.99
30	a	2503	2MA	C8-N7-C5	2.57	107.89	102.99
30	a	2069	G7M	C2-N1-C6	-2.56	120.39	125.10
7	A	1407	5MC	C5-C4-N3	-2.51	118.97	121.67
30	a	2251	OMG	C2-N1-C6	-2.50	120.49	125.10
30	a	2457	PSU	C6-C5-C4	2.50	119.94	118.20
7	A	1207	2MG	O6-C6-C5	-2.44	119.60	124.37
7	A	966	2MG	O6-C6-C5	-2.41	119.66	124.37
30	a	2580	PSU	O4'-C1'-C2'	2.41	108.54	105.14
7	A	966	2MG	CM2-N2-C2	-2.38	118.60	123.86
30	a	1917	PSU	O2-C2-N1	-2.38	120.17	122.79
30	a	2580	PSU	O2-C2-N1	-2.38	120.18	122.79
30	a	1911	PSU	O2-C2-N1	-2.36	120.19	122.79
30	a	2552	OMU	O4-C4-C5	-2.32	121.08	125.16
30	a	1939	5MU	C5M-C5-C6	-2.30	119.78	122.85
30	a	2251	OMG	N1-C2-N3	-2.30	119.03	123.32
7	A	1407	5MC	CM5-C5-C6	-2.29	119.79	122.85
30	a	2604	PSU	C6-N1-C2	-2.27	120.37	122.68
30	a	746	PSU	O2-C2-N3	-2.26	117.56	121.82
7	A	516	PSU	O2-C2-N1	-2.26	120.31	122.79
30	a	2498	OMC	C2'-C1'-N1	-2.25	109.86	114.22
30	a	2605	PSU	O2-C2-N3	-2.20	117.67	121.82
7	A	516	PSU	O4'-C1'-C2'	2.19	108.24	105.14
30	a	1911	PSU	C6-N1-C2	-2.19	120.44	122.68
7	A	516	PSU	C6-N1-C2	-2.14	120.50	122.68
7	A	967	5MC	CM5-C5-C6	-2.14	120.00	122.85
30	a	955	PSU	O2-C2-N3	-2.12	117.81	121.82
7	A	1402	4OC	C5-C6-N1	-2.09	118.31	121.81
30	a	1618	6MZ	C4-C5-N7	-2.04	107.27	109.40
30	a	746	PSU	C5-C4-N3	2.02	121.15	116.58
7	A	527	G7M	N2-C2-N1	2.00	120.98	116.71

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
30	a	746	PSU	C2'-C1'-C5-C4
30	a	746	PSU	O4'-C1'-C5-C6
30	a	2030	6MZ	O4'-C4'-C5'-O5'
30	a	2030	6MZ	C3'-C4'-C5'-O5'
33	d	150	MEQ	NE2-CD-CG-CB
33	d	150	MEQ	OE1-CD-CG-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1519	MA6	O4'-C4'-C5'-O5'
7	A	1519	MA6	C3'-C4'-C5'-O5'
30	a	2552	OMU	C3'-C2'-O2'-CM2
30	a	2069	G7M	C4'-C5'-O5'-P
30	a	747	5MU	C3'-C4'-C5'-O5'
30	a	1911	PSU	C3'-C4'-C5'-O5'
30	a	746	PSU	O4'-C1'-C5'-C4
30	a	2503	2MA	C4'-C5'-O5'-P
30	a	2251	OMG	C1'-C2'-O2'-CM2
30	a	2503	2MA	O4'-C4'-C5'-O5'
30	a	2069	G7M	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 311 ligands modelled in this entry, 310 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	T8B	A	1689	57	48,48,48	0.80	2 (4%)	63,71,71	1.07	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	T8B	A	1689	57	-	2/26/26/26	0/5/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	A	1689	T8B	C10-C11	3.91	1.38	1.34
58	A	1689	T8B	O1-C1	-2.19	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	A	1689	T8B	C21-C23-C24	-5.27	118.89	125.03
58	A	1689	T8B	O7-C16-C15	-2.61	116.08	121.29

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	A	1689	T8B	O11-C26-C27-C32
58	A	1689	T8B	C25-C26-C27-C28

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
41	1	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	81:ARG	C	82:MET	N	2.56


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15712. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 250




Y Index: 270




Z Index: 205


6.3.2 Raw map



X Index: 249



Y Index: 268




Z Index: 228

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.21. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1845 nm³; this corresponds to an approximate mass of 1666 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.510 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.510 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	1.96	-	-
Author-provided FSC curve	2.03	2.30	2.06
Unmasked-calculated*	2.45	2.85	2.50

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.45 differs from the reported value 1.96 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-15712 and PDB model 8AYE. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.21 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.21).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.21) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9744	 0.7340
0	 0.9829	 0.7670
1	 0.9915	 0.8020
2	 1.0000	 0.8050
3	 0.9932	 0.7800
4	 0.8390	 0.6080
5	 0.7857	 0.6560
A	 0.9712	 0.7100
B	 0.9245	 0.6760
C	 0.9607	 0.7160
D	 0.9566	 0.7160
E	 0.9797	 0.7650
F	 0.9487	 0.6870
G	 0.9416	 0.6930
H	 0.9771	 0.7630
I	 0.9499	 0.6980
J	 0.8397	 0.6310
K	 0.9660	 0.7280
L	 0.9761	 0.7520
M	 0.9639	 0.7110
N	 0.9690	 0.7190
O	 0.9768	 0.7490
P	 0.9565	 0.7210
Q	 0.9553	 0.7000
R	 0.9503	 0.7160
S	 0.9294	 0.6770
T	 0.9740	 0.7370
U	 0.8712	 0.6500
X	 0.9618	 0.7100
Z	 0.9365	 0.6540
a	 0.9845	 0.7480
b	 0.9839	 0.7100
c	 0.9950	 0.7970
d	 0.9851	 0.7890
e	 0.9625	 0.7510



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.9585	 0.6970
g	 0.9291	 0.6630
h	 0.9400	 0.6800
i	 0.9891	 0.7860
j	 0.9924	 0.7910
k	 0.9815	 0.7750
l	 0.9914	 0.7800
m	 1.0000	 0.8040
n	 0.9687	 0.7320
o	 0.9820	 0.7780
p	 0.9978	 0.8040
q	 0.9774	 0.7670
r	 0.9844	 0.7870
s	 0.9626	 0.7490
t	 0.9635	 0.7200
u	 0.9634	 0.7330
v	 0.9825	 0.7820
w	 0.9917	 0.7810
x	 0.9407	 0.7130
y	 0.9794	 0.7810
z	 0.9767	 0.7820