



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 14, 2023 – 11:00 am GMT

PDB ID : 4B0J
Title : Crystal Structure of 3-hydroxydecanoyl-Acyl Carrier Protein Dehydratase (FabA) from *Pseudomonas aeruginosa* in complex with 5-(2-thienyl)-3-isoxazolyl methanol
Authors : Moynie, L.; McMahon, S.A.; Duthie, F.G.; Naismith, J.H.
Deposited on : 2012-07-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	 4% 92% 5%
1	B	171	 6% 95% 5%
1	C	171	 5% 95%
1	D	171	 8% 94% 5%
1	E	171	 4% 93% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	171	<p>4% 94% 5% . .</p>
1	G	171	<p>5% 93%</p>
1	H	171	<p>4% 92% 6% . .</p>
1	I	171	<p>4% 95%</p>
1	J	171	<p>2% 92% 6% . .</p>
1	K	171	<p>6% 93% 6% . .</p>
1	L	171	<p>6% 92% 7% . .</p>
1	M	171	<p>6% 94%</p>
1	N	171	<p>2% 94% 5% . .</p>
1	O	171	<p>7% 96%</p>
1	P	171	<p>6% 94% 5% . .</p>
1	Q	171	<p>5% 92% 6% . .</p>
1	R	171	<p>6% 93% 5% . .</p>
1	S	171	<p>9% 94%</p>
1	T	171	<p>8% 92% 5% . .</p>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 27044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	167	1287	825	222	233	7	0	0	0
1	B	170	1312	838	229	238	7	0	0	0
1	C	168	1295	829	224	235	7	0	0	0
1	D	170	1312	838	229	238	7	0	0	0
1	E	168	1295	829	224	235	7	0	0	0
1	F	169	1306	835	228	236	7	0	0	0
1	G	166	1279	819	221	232	7	0	0	0
1	H	167	1287	825	222	233	7	0	0	0
1	I	169	1306	835	228	236	7	0	0	0
1	J	168	1295	829	224	235	7	0	0	0
1	K	169	1306	835	228	236	7	0	0	0
1	L	170	1312	838	229	238	7	0	0	0
1	M	168	1295	829	224	235	7	0	0	0
1	N	168	1298	829	227	235	7	0	0	0
1	O	170	1312	838	229	238	7	0	0	0
1	P	170	1312	838	229	238	7	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	Q	168	Total 1295	C 829	N 224	O 235	S 7	0	0	0
1	R	167	Total 1287	C 825	N 222	O 233	S 7	0	0	0
1	S	167	Total 1287	C 825	N 222	O 233	S 7	0	0	0
1	T	167	Total 1287	C 825	N 222	O 233	S 7	0	0	0

- Molecule 2 is (5-thiophen-2-ylisoxazol-3-yl)methanol (three-letter code: 3MQ) (formula: C₈H₇NO₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	B	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	C	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	D	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	E	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	F	1	Total 12	C 8	N 1	O 2	S 1	0	0
2	G	1	Total 12	C 8	N 1	O 2	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	I	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	J	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	K	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	L	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	M	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	N	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	O	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	P	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	Q	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	R	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	S	1	Total	C	N	O	S	0	0
			12	8	1	2	1		
2	T	1	Total	C	N	O	S	0	0
			12	8	1	2	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	57	Total	O	0	0
			57	57		
3	B	41	Total	O	0	0
			41	41		
3	C	60	Total	O	0	0
			60	60		
3	D	35	Total	O	0	0
			35	35		
3	E	41	Total	O	0	0
			41	41		
3	F	35	Total	O	0	0
			35	35		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	42	Total 42	O 42	0	0
3	H	40	Total 40	O 40	0	0
3	I	68	Total 68	O 68	0	0
3	J	54	Total 54	O 54	0	0
3	K	43	Total 43	O 43	0	0
3	L	43	Total 43	O 43	0	0
3	M	51	Total 51	O 51	0	0
3	N	41	Total 41	O 41	0	0
3	O	44	Total 44	O 44	0	0
3	P	33	Total 33	O 33	0	0
3	Q	30	Total 30	O 30	0	0
3	R	29	Total 29	O 29	0	0
3	S	30	Total 30	O 30	0	0
3	T	22	Total 22	O 22	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE

Chain A: 




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE

Chain B: 




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE

Chain C: 




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE

Chain D: 





- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE



Chain E: 




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE





- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE



- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE




- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE





- Molecule 1: 3-HYDROXYDECANOYL-[ACYL-CARRIER-PROTEIN] DEHYDRATASE



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	109.75Å 108.17Å 201.77Å 90.00° 103.22° 90.00°	Depositor
Resolution (Å)	23.95 – 2.50 23.95 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.9 (23.95-2.50) 97.0 (23.95-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.45 (at 2.50Å)	Xtrriage
Refinement program	REFMAC 5.6.0119	Depositor
R, R_{free}	0.233 , 0.265 0.236 , 0.264	Depositor DCC
R_{free} test set	7798 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtrriage
Anisotropy	0.598	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	27044	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2281e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3MQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/1317	0.69	0/1779
1	B	0.57	1/1343 (0.1%)	0.69	0/1815
1	C	0.53	0/1325	0.64	0/1790
1	D	0.55	0/1343	0.66	0/1815
1	E	0.56	1/1325 (0.1%)	0.65	0/1790
1	F	0.54	0/1336	0.67	0/1804
1	G	0.55	0/1309	0.64	0/1768
1	H	0.52	0/1317	0.64	0/1779
1	I	0.60	2/1336 (0.1%)	0.67	0/1804
1	J	0.56	0/1325	0.69	0/1790
1	K	0.55	0/1336	0.73	2/1804 (0.1%)
1	L	0.57	1/1343 (0.1%)	0.68	1/1815 (0.1%)
1	M	0.59	1/1325 (0.1%)	0.68	0/1790
1	N	0.54	0/1328	0.68	0/1793
1	O	0.53	0/1343	0.66	0/1815
1	P	0.56	0/1343	0.67	0/1815
1	Q	0.54	0/1325	0.65	0/1790
1	R	0.55	0/1317	0.65	0/1779
1	S	0.51	0/1317	0.64	0/1779
1	T	0.53	0/1317	0.67	0/1779
All	All	0.55	6/26570 (0.0%)	0.67	3/35893 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	65	TRP	CD2-CE2	5.50	1.48	1.41
1	M	96	TRP	CD2-CE2	5.36	1.47	1.41
1	B	87	TRP	CD2-CE2	5.27	1.47	1.41
1	I	96	TRP	CD2-CE2	5.17	1.47	1.41
1	I	87	TRP	CD2-CE2	5.13	1.47	1.41
1	L	87	TRP	CD2-CE2	5.09	1.47	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	169	ASP	CB-CG-OD1	-9.15	110.07	118.30
1	K	169	ASP	CB-CG-OD2	8.22	125.70	118.30
1	L	10	GLU	CB-CA-C	-6.35	97.69	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1287	0	1272	7	0
1	B	1312	0	1297	7	0
1	C	1295	0	1278	4	0
1	D	1312	0	1297	7	0
1	E	1295	0	1278	6	0
1	F	1306	0	1291	8	0
1	G	1279	0	1261	6	0
1	H	1287	0	1272	8	0
1	I	1306	0	1291	4	0
1	J	1295	0	1278	6	0
1	K	1306	0	1291	6	0
1	L	1312	0	1297	17	0
1	M	1295	0	1278	4	0
1	N	1298	0	1280	11	0
1	O	1312	0	1297	5	0
1	P	1312	0	1297	8	0
1	Q	1295	0	1278	9	1
1	R	1287	0	1272	18	0
1	S	1287	0	1272	5	0
1	T	1287	0	1272	7	1
2	A	12	0	7	3	0
2	B	12	0	7	0	0
2	C	12	0	7	0	0
2	D	12	0	7	1	0
2	E	12	0	7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	12	0	7	0	0
2	G	12	0	7	2	0
2	H	12	0	7	1	0
2	I	12	0	7	1	0
2	J	12	0	7	0	0
2	K	12	0	7	1	0
2	L	12	0	7	0	0
2	M	12	0	7	1	0
2	N	12	0	7	0	0
2	O	12	0	7	0	0
2	P	12	0	7	3	0
2	Q	12	0	7	2	0
2	R	12	0	7	3	0
2	S	12	0	7	3	0
2	T	12	0	7	2	0
3	A	57	0	0	0	0
3	B	41	0	0	3	0
3	C	60	0	0	1	0
3	D	35	0	0	1	0
3	E	41	0	0	2	0
3	F	35	0	0	2	0
3	G	42	0	0	1	0
3	H	40	0	0	2	0
3	I	68	0	0	1	0
3	J	54	0	0	0	0
3	K	43	0	0	0	0
3	L	43	0	0	0	0
3	M	51	0	0	1	0
3	N	41	0	0	0	0
3	O	44	0	0	1	0
3	P	33	0	0	4	0
3	Q	30	0	0	1	0
3	R	29	0	0	0	0
3	S	30	0	0	0	0
3	T	22	0	0	0	0
All	All	27044	0	25789	127	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:THR:HG21	3:B:2013:HOH:O	1.52	1.07
1:L:63:ASP:OD2	1:R:13:LEU:HD12	1.52	1.06
1:L:13:LEU:HD12	1:R:63:ASP:OD2	1.65	0.96
1:B:2:THR:CG2	3:B:2013:HOH:O	2.08	0.95
1:L:63:ASP:CG	1:R:10:GLU:OE2	2.15	0.84
1:S:109:GLY:O	1:T:109:GLY:O	1.95	0.84
1:Q:109:GLY:O	1:R:109:GLY:O	1.96	0.83
1:L:63:ASP:OD2	1:R:10:GLU:OE2	1.98	0.80
1:I:109:GLY:O	1:J:109:GLY:O	2.00	0.80
1:N:35:MET:HE3	1:N:58:LEU:HD22	1.66	0.77
1:K:109:GLY:O	1:L:109:GLY:O	2.04	0.76
1:C:109:GLY:O	1:D:109:GLY:O	2.03	0.76
1:G:97:GLN:NE2	3:G:2025:HOH:O	2.18	0.75
1:M:109:GLY:O	1:N:109:GLY:O	2.04	0.75
1:G:109:GLY:O	1:H:109:GLY:O	2.06	0.73
1:E:109:GLY:O	1:F:109:GLY:O	2.06	0.73
1:L:63:ASP:OD2	1:R:10:GLU:CD	2.27	0.72
1:A:109:GLY:O	1:B:109:GLY:O	2.07	0.72
1:L:62:PRO:HG2	1:R:10:GLU:HG3	1.71	0.71
1:B:9:ARG:NH1	3:B:2001:HOH:O	2.23	0.71
1:F:77:MET:CE	1:F:117:VAL:HG21	2.21	0.70
1:O:109:GLY:O	1:P:109:GLY:O	2.10	0.69
1:E:25:ASN:OD1	3:E:2008:HOH:O	2.12	0.67
1:P:79:GLY:H	2:P:1172:3MQ:H06A	1.59	0.67
1:N:35:MET:HE3	1:N:58:LEU:CD2	2.26	0.65
1:L:63:ASP:OD2	1:R:13:LEU:CD1	2.39	0.64
1:N:35:MET:HE2	1:N:77:MET:CE	2.27	0.64
1:P:41:HIS:ND1	3:P:2002:HOH:O	2.29	0.64
1:P:53:GLU:OE2	3:P:2012:HOH:O	2.15	0.63
1:F:77:MET:HE1	1:F:117:VAL:HG21	1.79	0.63
1:G:140:LEU:C	1:G:140:LEU:HD12	2.19	0.62
1:C:140:LEU:C	1:C:140:LEU:HD12	2.21	0.61
1:R:79:GLY:H	2:R:1172:3MQ:H06A	1.64	0.61
1:D:35:MET:HE3	1:D:58:LEU:HD22	1.81	0.60
1:N:35:MET:HE2	1:N:77:MET:HE1	1.84	0.59
1:P:161:ARG:NE	3:P:2031:HOH:O	2.28	0.59
1:Q:17:ARG:NH1	3:Q:2004:HOH:O	2.31	0.59
1:D:79:GLY:H	2:D:1172:3MQ:H06A	1.66	0.59
2:S:1172:3MQ:H06	1:T:105:ALA:HB3	1.86	0.58
1:A:79:GLY:H	2:A:1172:3MQ:H06A	1.67	0.58
1:Q:105:ALA:O	2:R:1172:3MQ:H02	2.04	0.57
1:E:9:ARG:NH1	3:E:2003:HOH:O	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:79:GLY:H	2:Q:1172:3MQ:H06A	1.69	0.56
1:E:94:LEU:HB3	1:E:164:LEU:HD11	1.87	0.56
1:O:146:THR:HB	3:O:2039:HOH:O	2.05	0.56
1:L:62:PRO:HD2	1:R:10:GLU:CG	2.35	0.56
1:F:77:MET:HE2	1:F:117:VAL:HG21	1.88	0.55
1:N:35:MET:CE	1:N:77:MET:CE	2.84	0.55
1:C:63:ASP:HB2	3:C:2025:HOH:O	2.07	0.55
1:H:94:LEU:HB3	1:H:164:LEU:HD11	1.88	0.55
1:L:62:PRO:CG	1:R:10:GLU:HG3	2.37	0.54
1:S:79:GLY:H	2:S:1172:3MQ:H06A	1.72	0.54
1:T:35:MET:CE	1:T:81:LEU:HB3	2.37	0.54
2:S:1172:3MQ:H02	1:T:105:ALA:O	2.08	0.53
1:H:166:THR:CG2	3:H:2040:HOH:O	2.56	0.53
1:T:79:GLY:H	2:T:1172:3MQ:H06A	1.74	0.51
1:O:105:ALA:O	2:P:1172:3MQ:H02	2.11	0.51
1:N:35:MET:CE	1:N:77:MET:HE1	2.40	0.51
1:E:126:TYR:HD1	1:E:147:VAL:HG22	1.77	0.50
1:H:77:MET:CE	1:H:117:VAL:HG21	2.41	0.50
1:O:77:MET:CE	1:O:117:VAL:HG21	2.42	0.49
1:L:13:LEU:HD12	1:R:63:ASP:CG	2.32	0.49
2:K:1172:3MQ:H02	1:L:105:ALA:O	2.11	0.49
1:H:166:THR:HG21	3:H:2040:HOH:O	2.12	0.49
2:G:1172:3MQ:H02	1:H:105:ALA:O	2.12	0.49
1:K:77:MET:CE	1:K:117:VAL:HG21	2.42	0.49
2:I:1172:3MQ:H02	1:J:105:ALA:O	2.13	0.48
1:L:63:ASP:CG	1:R:10:GLU:CD	2.71	0.48
2:A:1172:3MQ:H02	1:B:105:ALA:O	2.13	0.48
1:N:35:MET:HE2	1:N:77:MET:HE3	1.95	0.48
1:A:77:MET:CE	1:A:117:VAL:HG21	2.44	0.47
1:L:35:MET:CE	1:L:81:LEU:HB3	2.45	0.47
1:F:61:ASN:HA	3:F:2020:HOH:O	2.13	0.47
1:K:77:MET:HE1	1:K:117:VAL:HG21	1.95	0.47
1:E:126:TYR:CD1	1:E:147:VAL:HG22	2.49	0.47
1:F:77:MET:HE2	1:F:117:VAL:CG2	2.44	0.47
1:F:51:LYS:NZ	3:F:2017:HOH:O	2.42	0.47
1:B:94:LEU:HB3	1:B:164:LEU:HD11	1.97	0.46
1:A:77:MET:HE1	1:A:117:VAL:HG21	1.97	0.46
1:N:35:MET:CE	1:N:77:MET:HE3	2.45	0.46
1:A:79:GLY:N	2:A:1172:3MQ:H06A	2.30	0.46
1:L:12:LEU:HD22	1:L:28:LEU:HD11	1.98	0.46
1:H:86:MET:O	1:H:90:VAL:HG23	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:LEU:HD21	1:A:141:ALA:HB2	1.99	0.45
1:F:35:MET:CE	1:F:81:LEU:HB3	2.46	0.45
1:Q:94:LEU:HB3	1:Q:164:LEU:HD11	1.98	0.45
1:H:77:MET:HE1	1:H:117:VAL:HG21	1.98	0.45
1:P:161:ARG:NH2	3:P:2031:HOH:O	2.49	0.45
1:L:62:PRO:HD2	1:R:10:GLU:HG3	1.98	0.44
1:S:110:GLU:HA	1:T:109:GLY:O	2.17	0.44
1:R:94:LEU:HB3	1:R:164:LEU:HD11	2.00	0.44
1:D:13:LEU:HD23	1:D:13:LEU:HA	1.74	0.43
1:A:94:LEU:HB3	1:A:164:LEU:HD11	2.01	0.43
1:J:126:TYR:HD1	1:J:147:VAL:HG22	1.84	0.43
1:Q:54:LEU:HD12	1:Q:54:LEU:N	2.33	0.43
1:I:94:LEU:HB3	1:I:164:LEU:HD11	2.01	0.43
1:M:79:GLY:H	2:M:1172:3MQ:H06A	1.84	0.43
1:K:126:TYR:HD1	1:K:147:VAL:HG22	1.84	0.43
1:G:79:GLY:H	2:G:1172:3MQ:H06A	1.84	0.42
1:J:94:LEU:HB3	1:J:164:LEU:HD11	2.01	0.42
1:P:94:LEU:HB3	1:P:164:LEU:HD11	2.01	0.42
1:I:94:LEU:HD21	1:I:141:ALA:HB2	2.01	0.42
1:R:94:LEU:HD13	1:R:164:LEU:HG	2.01	0.42
1:N:12:LEU:HD22	1:N:28:LEU:HD11	2.01	0.42
2:Q:1172:3MQ:H02	1:R:105:ALA:O	2.19	0.42
1:M:94:LEU:HB3	1:M:164:LEU:HD11	2.01	0.42
1:G:86:MET:O	1:G:90:VAL:HG23	2.20	0.42
1:I:161:ARG:NH2	3:I:2067:HOH:O	2.38	0.41
1:D:94:LEU:HB3	1:D:164:LEU:HD11	2.01	0.41
1:M:17:ARG:NH1	3:M:2003:HOH:O	2.31	0.41
1:J:94:LEU:HD21	1:J:141:ALA:HB2	2.03	0.41
1:O:77:MET:HE2	1:O:117:VAL:HG21	2.02	0.41
1:Q:140:LEU:C	1:Q:140:LEU:HD12	2.41	0.41
1:C:110:GLU:HA	1:D:109:GLY:O	2.20	0.41
1:G:105:ALA:O	2:H:1172:3MQ:H02	2.20	0.41
1:J:115:GLY:HA3	1:J:154:ILE:HG22	2.03	0.41
1:L:63:ASP:OD1	1:R:10:GLU:OE1	2.39	0.41
1:K:35:MET:CE	1:K:81:LEU:HB3	2.51	0.41
1:K:94:LEU:HB3	1:K:164:LEU:HD11	2.02	0.41
1:Q:105:ALA:HB3	2:R:1172:3MQ:H06	2.02	0.41
1:S:126:TYR:HD1	1:S:147:VAL:HG22	1.86	0.40
1:S:105:ALA:O	2:T:1172:3MQ:H02	2.21	0.40
1:T:94:LEU:HD13	1:T:164:LEU:HG	2.04	0.40
1:D:76:VAL:HG22	3:D:2019:HOH:O	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:114:PHE:CG	1:Q:48:LYS:HA	2.57	0.40
1:B:2:THR:O	1:B:2:THR:HG22	2.22	0.40
1:P:79:GLY:N	2:P:1172:3MQ:H06A	2.32	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:19:GLU:O	1:T:169:ASP:OD2[2_647]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/171 (95%)	159 (98%)	4 (2%)	0	100	100
1	B	168/171 (98%)	161 (96%)	7 (4%)	0	100	100
1	C	164/171 (96%)	160 (98%)	4 (2%)	0	100	100
1	D	168/171 (98%)	162 (96%)	6 (4%)	0	100	100
1	E	164/171 (96%)	160 (98%)	4 (2%)	0	100	100
1	F	165/171 (96%)	161 (98%)	4 (2%)	0	100	100
1	G	162/171 (95%)	157 (97%)	5 (3%)	0	100	100
1	H	163/171 (95%)	159 (98%)	4 (2%)	0	100	100
1	I	165/171 (96%)	160 (97%)	5 (3%)	0	100	100
1	J	164/171 (96%)	160 (98%)	4 (2%)	0	100	100
1	K	165/171 (96%)	161 (98%)	4 (2%)	0	100	100
1	L	168/171 (98%)	161 (96%)	7 (4%)	0	100	100
1	M	164/171 (96%)	159 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	N	164/171 (96%)	159 (97%)	5 (3%)	0	100	100
1	O	168/171 (98%)	161 (96%)	7 (4%)	0	100	100
1	P	168/171 (98%)	161 (96%)	7 (4%)	0	100	100
1	Q	164/171 (96%)	159 (97%)	5 (3%)	0	100	100
1	R	163/171 (95%)	159 (98%)	4 (2%)	0	100	100
1	S	163/171 (95%)	159 (98%)	4 (2%)	0	100	100
1	T	163/171 (95%)	159 (98%)	4 (2%)	0	100	100
All	All	3296/3420 (96%)	3197 (97%)	99 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/138 (97%)	132 (98%)	2 (2%)	65	85
1	B	137/138 (99%)	136 (99%)	1 (1%)	84	94
1	C	135/138 (98%)	134 (99%)	1 (1%)	84	94
1	D	137/138 (99%)	136 (99%)	1 (1%)	84	94
1	E	135/138 (98%)	134 (99%)	1 (1%)	84	94
1	F	136/138 (99%)	135 (99%)	1 (1%)	84	94
1	G	133/138 (96%)	133 (100%)	0	100	100
1	H	134/138 (97%)	133 (99%)	1 (1%)	84	94
1	I	136/138 (99%)	136 (100%)	0	100	100
1	J	135/138 (98%)	134 (99%)	1 (1%)	84	94
1	K	136/138 (99%)	136 (100%)	0	100	100
1	L	137/138 (99%)	136 (99%)	1 (1%)	84	94
1	M	135/138 (98%)	134 (99%)	1 (1%)	84	94
1	N	135/138 (98%)	134 (99%)	1 (1%)	84	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	137/138 (99%)	136 (99%)	1 (1%)	84	94
1	P	137/138 (99%)	135 (98%)	2 (2%)	65	85
1	Q	135/138 (98%)	134 (99%)	1 (1%)	84	94
1	R	134/138 (97%)	134 (100%)	0	100	100
1	S	134/138 (97%)	133 (99%)	1 (1%)	84	94
1	T	134/138 (97%)	133 (99%)	1 (1%)	84	94
All	All	2706/2760 (98%)	2688 (99%)	18 (1%)	84	94

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	36	ILE
1	B	14	ARG
1	C	14	ARG
1	D	14	ARG
1	E	14	ARG
1	F	14	ARG
1	H	14	ARG
1	J	14	ARG
1	L	14	ARG
1	M	14	ARG
1	N	14	ARG
1	O	14	ARG
1	P	14	ARG
1	P	136	ARG
1	Q	14	ARG
1	S	3	LYS
1	T	14	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3MQ	T	1172	-	10,13,13	2.12	4 (40%)	7,17,17	5.18	5 (71%)
2	3MQ	C	1172	-	10,13,13	1.81	1 (10%)	7,17,17	3.76	5 (71%)
2	3MQ	H	1172	-	10,13,13	3.19	3 (30%)	7,17,17	4.09	5 (71%)
2	3MQ	L	1172	-	10,13,13	3.99	3 (30%)	7,17,17	5.09	5 (71%)
2	3MQ	S	1172	-	10,13,13	2.68	4 (40%)	7,17,17	4.94	5 (71%)
2	3MQ	I	1172	-	10,13,13	1.63	2 (20%)	7,17,17	4.71	4 (57%)
2	3MQ	R	1172	-	10,13,13	2.19	4 (40%)	7,17,17	5.26	5 (71%)
2	3MQ	Q	1172	-	10,13,13	2.05	3 (30%)	7,17,17	4.64	5 (71%)
2	3MQ	A	1172	-	10,13,13	1.95	2 (20%)	7,17,17	4.29	5 (71%)
2	3MQ	B	1172	-	10,13,13	1.85	2 (20%)	7,17,17	3.85	6 (85%)
2	3MQ	K	1172	-	10,13,13	3.03	4 (40%)	7,17,17	4.16	4 (57%)
2	3MQ	G	1172	-	10,13,13	2.10	3 (30%)	7,17,17	5.10	4 (57%)
2	3MQ	P	1172	-	10,13,13	2.16	3 (30%)	7,17,17	4.68	5 (71%)
2	3MQ	O	1172	-	10,13,13	3.68	2 (20%)	7,17,17	4.33	4 (57%)
2	3MQ	N	1172	-	10,13,13	3.39	3 (30%)	7,17,17	4.56	5 (71%)
2	3MQ	E	1172	-	10,13,13	2.62	2 (20%)	7,17,17	3.64	3 (42%)
2	3MQ	D	1172	-	10,13,13	2.58	4 (40%)	7,17,17	4.34	5 (71%)
2	3MQ	F	1172	-	10,13,13	2.83	3 (30%)	7,17,17	4.37	5 (71%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3MQ	M	1172	-	10,13,13	2.35	3 (30%)	7,17,17	4.93	6 (85%)
2	3MQ	J	1172	-	10,13,13	2.18	3 (30%)	7,17,17	4.48	5 (71%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3MQ	T	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	C	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	H	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	L	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	S	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	I	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	R	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	Q	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	A	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	B	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	K	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	G	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	P	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	O	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	N	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	E	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	D	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	F	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	M	1172	-	-	0/0/6/6	0/2/2/2
2	3MQ	J	1172	-	-	0/0/6/6	0/2/2/2

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	1172	3MQ	C08-S09	-11.44	1.65	1.74
2	O	1172	3MQ	C08-S09	-10.77	1.65	1.74
2	N	1172	3MQ	C08-S09	-9.16	1.66	1.74
2	H	1172	3MQ	C08-S09	-8.49	1.67	1.74
2	K	1172	3MQ	C08-S09	-7.54	1.68	1.74
2	F	1172	3MQ	C08-S09	-7.11	1.68	1.74
2	E	1172	3MQ	C08-S09	-7.09	1.68	1.74
2	S	1172	3MQ	C06-C03	5.76	1.60	1.51
2	D	1172	3MQ	C06-C03	5.18	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	1172	3MQ	C06-C03	5.13	1.59	1.51
2	Q	1172	3MQ	C06-C03	5.01	1.59	1.51
2	M	1172	3MQ	C08-S09	-4.95	1.70	1.74
2	R	1172	3MQ	C06-C03	4.91	1.59	1.51
2	G	1172	3MQ	C06-C03	4.87	1.59	1.51
2	K	1172	3MQ	C02-C03	-4.82	1.33	1.39
2	C	1172	3MQ	C02-C03	-4.71	1.33	1.39
2	B	1172	3MQ	C02-C03	-4.41	1.33	1.39
2	H	1172	3MQ	C02-C03	-4.38	1.33	1.39
2	D	1172	3MQ	C08-S09	4.25	1.77	1.74
2	S	1172	3MQ	C08-S09	4.18	1.77	1.74
2	A	1172	3MQ	C06-C03	4.12	1.58	1.51
2	F	1172	3MQ	C02-C03	-3.88	1.34	1.39
2	N	1172	3MQ	C02-C03	-3.85	1.34	1.39
2	P	1172	3MQ	C08-S09	-3.80	1.71	1.74
2	T	1172	3MQ	C06-C03	3.79	1.57	1.51
2	M	1172	3MQ	C06-C03	3.75	1.57	1.51
2	L	1172	3MQ	C02-C03	-3.68	1.34	1.39
2	I	1172	3MQ	C02-C03	-3.42	1.35	1.39
2	P	1172	3MQ	C06-C03	3.40	1.56	1.51
2	O	1172	3MQ	C02-C03	-3.36	1.35	1.39
2	D	1172	3MQ	C02-C03	-3.34	1.35	1.39
2	T	1172	3MQ	C08-S09	-3.26	1.71	1.74
2	P	1172	3MQ	C02-C03	-3.26	1.35	1.39
2	E	1172	3MQ	C02-C03	-3.21	1.35	1.39
2	A	1172	3MQ	C02-C03	-3.16	1.35	1.39
2	S	1172	3MQ	C02-C03	-3.04	1.35	1.39
2	T	1172	3MQ	C02-C03	-3.01	1.35	1.39
2	N	1172	3MQ	C06-C03	3.01	1.56	1.51
2	R	1172	3MQ	C08-S09	2.95	1.76	1.74
2	M	1172	3MQ	C02-C03	-2.84	1.35	1.39
2	G	1172	3MQ	O07-C06	2.80	1.53	1.41
2	J	1172	3MQ	O07-C06	2.65	1.52	1.41
2	Q	1172	3MQ	C02-C03	-2.55	1.36	1.39
2	L	1172	3MQ	C06-C03	2.42	1.55	1.51
2	I	1172	3MQ	C06-C03	2.40	1.55	1.51
2	S	1172	3MQ	O07-C06	2.36	1.51	1.41
2	Q	1172	3MQ	O07-C06	2.36	1.51	1.41
2	D	1172	3MQ	O07-C06	2.28	1.51	1.41
2	G	1172	3MQ	C02-C03	-2.27	1.36	1.39
2	B	1172	3MQ	C06-C03	2.24	1.55	1.51
2	K	1172	3MQ	C02-C01	-2.24	1.33	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	R	1172	3MQ	O07-C06	2.20	1.50	1.41
2	J	1172	3MQ	C02-C03	-2.16	1.36	1.39
2	R	1172	3MQ	C02-C03	-2.14	1.36	1.39
2	K	1172	3MQ	C12-C08	-2.14	1.33	1.42
2	F	1172	3MQ	C12-C08	-2.05	1.34	1.42
2	T	1172	3MQ	C12-C08	-2.04	1.34	1.42
2	H	1172	3MQ	C02-C01	-2.02	1.34	1.42

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	T	1172	3MQ	C11-C10-S09	-10.04	104.83	112.98
2	G	1172	3MQ	C11-C10-S09	-9.94	104.91	112.98
2	M	1172	3MQ	C11-C10-S09	-9.44	105.32	112.98
2	O	1172	3MQ	C11-C10-S09	-9.21	105.51	112.98
2	L	1172	3MQ	C11-C10-S09	-9.17	105.54	112.98
2	I	1172	3MQ	C11-C10-S09	-9.14	105.56	112.98
2	R	1172	3MQ	C11-C10-S09	-9.02	105.66	112.98
2	P	1172	3MQ	C11-C10-S09	-8.90	105.76	112.98
2	F	1172	3MQ	C11-C10-S09	-8.67	105.94	112.98
2	N	1172	3MQ	C11-C10-S09	-8.07	106.43	112.98
2	Q	1172	3MQ	C11-C10-S09	-7.93	106.55	112.98
2	E	1172	3MQ	C11-C10-S09	-7.83	106.63	112.98
2	K	1172	3MQ	C11-C10-S09	-7.74	106.70	112.98
2	S	1172	3MQ	C11-C10-S09	-7.72	106.72	112.98
2	R	1172	3MQ	C11-C12-C08	7.63	118.37	108.39
2	D	1172	3MQ	C11-C10-S09	-7.52	106.88	112.98
2	J	1172	3MQ	C11-C10-S09	-7.41	106.97	112.98
2	A	1172	3MQ	C11-C10-S09	-7.15	107.18	112.98
2	S	1172	3MQ	C11-C12-C08	6.79	117.27	108.39
2	B	1172	3MQ	C11-C10-S09	-6.79	107.47	112.98
2	J	1172	3MQ	C11-C12-C08	6.72	117.17	108.39
2	H	1172	3MQ	C11-C10-S09	-6.63	107.60	112.98
2	Q	1172	3MQ	C11-C12-C08	6.62	117.05	108.39
2	C	1172	3MQ	C11-C10-S09	-6.53	107.68	112.98
2	A	1172	3MQ	C11-C12-C08	6.51	116.91	108.39
2	D	1172	3MQ	C11-C12-C08	6.12	116.39	108.39
2	L	1172	3MQ	C11-C12-C08	6.08	116.34	108.39
2	H	1172	3MQ	C11-C12-C08	5.99	116.22	108.39
2	G	1172	3MQ	C10-S09-C08	5.88	97.97	91.55
2	P	1172	3MQ	C11-C12-C08	5.71	115.86	108.39
2	N	1172	3MQ	C11-C12-C08	5.68	115.82	108.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	T	1172	3MQ	C10-S09-C08	5.64	97.71	91.55
2	M	1172	3MQ	C11-C12-C08	5.47	115.54	108.39
2	K	1172	3MQ	C11-C12-C08	5.44	115.50	108.39
2	R	1172	3MQ	C10-S09-C08	5.40	97.45	91.55
2	L	1172	3MQ	C10-S09-C08	5.40	97.44	91.55
2	G	1172	3MQ	C11-C12-C08	5.39	115.44	108.39
2	T	1172	3MQ	C11-C12-C08	5.23	115.22	108.39
2	I	1172	3MQ	C11-C12-C08	5.22	115.22	108.39
2	M	1172	3MQ	C10-S09-C08	5.09	97.11	91.55
2	S	1172	3MQ	O07-C06-C03	4.91	122.92	112.10
2	F	1172	3MQ	C11-C12-C08	4.86	114.75	108.39
2	B	1172	3MQ	C11-C12-C08	4.81	114.68	108.39
2	N	1172	3MQ	C10-S09-C08	4.76	96.74	91.55
2	I	1172	3MQ	C10-S09-C08	4.74	96.72	91.55
2	L	1172	3MQ	C06-C03-C02	-4.70	122.20	130.00
2	C	1172	3MQ	C06-C03-C02	-4.66	122.27	130.00
2	H	1172	3MQ	C06-C03-C02	-4.58	122.40	130.00
2	P	1172	3MQ	C10-S09-C08	4.56	96.53	91.55
2	C	1172	3MQ	C11-C12-C08	4.47	114.23	108.39
2	O	1172	3MQ	C10-S09-C08	4.46	96.42	91.55
2	S	1172	3MQ	C02-C03-N04	-4.44	104.95	111.51
2	Q	1172	3MQ	C10-S09-C08	4.37	96.32	91.55
2	J	1172	3MQ	C10-S09-C08	4.37	96.32	91.55
2	O	1172	3MQ	C11-C12-C08	4.32	114.04	108.39
2	D	1172	3MQ	C02-C03-N04	-4.14	105.39	111.51
2	F	1172	3MQ	C10-S09-C08	4.07	95.99	91.55
2	S	1172	3MQ	C10-S09-C08	4.06	95.98	91.55
2	E	1172	3MQ	C11-C12-C08	4.03	113.66	108.39
2	N	1172	3MQ	C02-C03-N04	-4.02	105.57	111.51
2	G	1172	3MQ	C02-C03-N04	-3.91	105.74	111.51
2	I	1172	3MQ	C02-C03-N04	-3.89	105.76	111.51
2	B	1172	3MQ	C02-C03-N04	-3.84	105.83	111.51
2	T	1172	3MQ	C02-C03-N04	-3.84	105.83	111.51
2	Q	1172	3MQ	C02-C03-N04	-3.77	105.94	111.51
2	J	1172	3MQ	C02-C03-N04	-3.76	105.96	111.51
2	A	1172	3MQ	C10-S09-C08	3.74	95.64	91.55
2	K	1172	3MQ	C10-S09-C08	3.73	95.63	91.55
2	K	1172	3MQ	C06-C03-C02	-3.70	123.85	130.00
2	R	1172	3MQ	C02-C03-N04	-3.48	106.37	111.51
2	H	1172	3MQ	C10-S09-C08	3.39	95.25	91.55
2	D	1172	3MQ	C10-S09-C08	3.38	95.24	91.55
2	A	1172	3MQ	C02-C03-N04	-3.35	106.55	111.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	1172	3MQ	C02-C03-N04	-3.31	106.61	111.51
2	P	1172	3MQ	C02-C03-N04	-3.30	106.63	111.51
2	R	1172	3MQ	O07-C06-C03	3.14	119.02	112.10
2	E	1172	3MQ	C10-S09-C08	3.11	94.95	91.55
2	Q	1172	3MQ	O07-C06-C03	3.06	118.85	112.10
2	F	1172	3MQ	C06-C03-C02	-3.01	125.00	130.00
2	T	1172	3MQ	O07-C06-C03	2.99	118.68	112.10
2	M	1172	3MQ	O07-C06-C03	2.95	118.59	112.10
2	F	1172	3MQ	C02-C03-N04	-2.86	107.28	111.51
2	C	1172	3MQ	C02-C03-N04	-2.72	107.49	111.51
2	B	1172	3MQ	O07-C06-C03	2.53	117.67	112.10
2	B	1172	3MQ	C10-S09-C08	2.48	94.26	91.55
2	B	1172	3MQ	C06-C03-C02	-2.46	125.91	130.00
2	A	1172	3MQ	O07-C06-C03	2.45	117.50	112.10
2	N	1172	3MQ	C06-C03-C02	-2.28	126.20	130.00
2	P	1172	3MQ	C06-C03-C02	-2.28	126.21	130.00
2	J	1172	3MQ	C06-C03-C02	-2.26	126.24	130.00
2	H	1172	3MQ	C02-C03-N04	-2.26	108.17	111.51
2	D	1172	3MQ	O07-C06-C03	2.24	117.02	112.10
2	L	1172	3MQ	C02-C03-N04	-2.22	108.23	111.51
2	C	1172	3MQ	C10-S09-C08	2.20	93.95	91.55
2	O	1172	3MQ	C06-C03-C02	-2.20	126.35	130.00
2	M	1172	3MQ	C06-C03-C02	-2.11	126.49	130.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	T	1172	3MQ	2	0
2	H	1172	3MQ	1	0
2	S	1172	3MQ	3	0
2	I	1172	3MQ	1	0
2	R	1172	3MQ	3	0
2	Q	1172	3MQ	2	0
2	A	1172	3MQ	3	0
2	K	1172	3MQ	1	0
2	G	1172	3MQ	2	0
2	P	1172	3MQ	3	0
2	D	1172	3MQ	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	M	1172	3MQ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	167/171 (97%)	0.14	6 (3%) 42 46	37, 49, 65, 106	0
1	B	170/171 (99%)	0.35	10 (5%) 22 23	37, 51, 72, 138	0
1	C	168/171 (98%)	0.23	8 (4%) 30 32	43, 55, 75, 104	0
1	D	170/171 (99%)	0.47	13 (7%) 13 14	43, 58, 92, 133	0
1	E	168/171 (98%)	0.32	7 (4%) 36 39	40, 51, 72, 109	0
1	F	169/171 (98%)	0.18	6 (3%) 42 46	39, 51, 71, 129	0
1	G	166/171 (97%)	0.36	9 (5%) 25 27	45, 57, 76, 125	0
1	H	167/171 (97%)	0.29	6 (3%) 42 46	44, 56, 76, 119	0
1	I	169/171 (98%)	0.28	7 (4%) 37 40	36, 47, 65, 125	0
1	J	168/171 (98%)	0.07	4 (2%) 59 62	35, 46, 64, 103	0
1	K	169/171 (98%)	0.33	10 (5%) 22 23	41, 55, 75, 148	0
1	L	170/171 (99%)	0.24	10 (5%) 22 23	39, 51, 68, 129	0
1	M	168/171 (98%)	0.23	10 (5%) 21 22	38, 48, 67, 107	0
1	N	168/171 (98%)	0.14	4 (2%) 59 62	37, 48, 70, 126	0
1	O	170/171 (99%)	0.49	12 (7%) 16 16	43, 56, 83, 133	0
1	P	170/171 (99%)	0.45	10 (5%) 22 23	46, 55, 75, 125	0
1	Q	168/171 (98%)	0.45	9 (5%) 25 27	39, 55, 80, 138	0
1	R	167/171 (97%)	0.27	10 (5%) 21 22	40, 54, 75, 117	0
1	S	167/171 (97%)	0.61	16 (9%) 8 7	49, 62, 82, 107	0
1	T	167/171 (97%)	0.51	13 (7%) 13 13	44, 59, 88, 140	0
All	All	3366/3420 (98%)	0.32	180 (5%) 26 28	35, 53, 78, 148	0

All (180) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	THR	8.2
1	P	136	ARG	8.2
1	T	2	THR	7.3
1	B	136	ARG	6.8
1	Q	2	THR	6.5
1	F	2	THR	6.4
1	M	2	THR	6.4
1	O	136	ARG	6.3
1	L	137	SER	6.3
1	T	3	LYS	6.2
1	D	136	ARG	6.0
1	K	136	ARG	5.9
1	P	2	THR	5.7
1	L	136	ARG	5.7
1	G	2	THR	5.6
1	D	170	SER	5.5
1	L	2	THR	5.4
1	N	136	ARG	5.2
1	C	135	ASN	5.1
1	D	137	SER	5.1
1	K	2	THR	5.1
1	D	2	THR	5.0
1	P	135	ASN	4.9
1	E	170	SER	4.8
1	S	23	PRO	4.8
1	B	3	LYS	4.8
1	B	137	SER	4.8
1	G	3	LYS	4.7
1	P	3	LYS	4.7
1	F	136	ARG	4.6
1	K	23	PRO	4.5
1	M	3	LYS	4.4
1	Q	23	PRO	4.4
1	H	2	THR	4.4
1	P	137	SER	4.4
1	M	138	LEU	4.4
1	E	138	LEU	4.3
1	T	169	ASP	4.3
1	C	3	LYS	4.3
1	R	3	LYS	4.2
1	Q	135	ASN	4.2
1	A	138	LEU	4.2
1	I	136	ARG	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	135	ASN	4.1
1	L	135	ASN	4.1
1	S	138	LEU	4.0
1	J	2	THR	3.8
1	G	169	ASP	3.8
1	O	3	LYS	3.7
1	S	2	THR	3.7
1	I	2	THR	3.7
1	B	135	ASN	3.6
1	S	134	ILE	3.6
1	B	138	LEU	3.6
1	G	23	PRO	3.6
1	S	63	ASP	3.6
1	E	3	LYS	3.5
1	I	170	SER	3.5
1	K	3	LYS	3.5
1	C	2	THR	3.5
1	I	138	LEU	3.4
1	Q	138	LEU	3.4
1	I	3	LYS	3.4
1	G	61	ASN	3.4
1	D	138	LEU	3.3
1	G	170	SER	3.3
1	A	3	LYS	3.3
1	J	3	LYS	3.3
1	R	2	THR	3.3
1	R	23	PRO	3.2
1	K	169	ASP	3.2
1	K	138	LEU	3.2
1	B	23	PRO	3.2
1	S	5	HIS	3.2
1	H	138	LEU	3.2
1	N	3	LYS	3.2
1	O	2	THR	3.1
1	R	134	ILE	3.1
1	R	10	GLU	3.1
1	Q	3	LYS	3.1
1	T	170	SER	3.1
1	B	169	ASP	3.1
1	K	135	ASN	3.0
1	Q	166	THR	3.0
1	T	138	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	169	ASP	3.0
1	L	138	LEU	3.0
1	L	169	ASP	3.0
1	O	5	HIS	2.9
1	N	2	THR	2.9
1	B	170	SER	2.9
1	L	170	SER	2.9
1	H	120	THR	2.9
1	P	90	VAL	2.9
1	O	63	ASP	2.9
1	M	23	PRO	2.8
1	T	166	THR	2.8
1	G	89	LEU	2.8
1	R	170	SER	2.8
1	R	138	LEU	2.8
1	K	170	SER	2.8
1	C	170	SER	2.8
1	S	3	LYS	2.7
1	E	122	LYS	2.7
1	Q	8	THR	2.7
1	M	170	SER	2.7
1	S	170	SER	2.7
1	L	3	LYS	2.7
1	N	135	ASN	2.7
1	P	138	LEU	2.7
1	I	169	ASP	2.7
1	J	135	ASN	2.7
1	D	23	PRO	2.6
1	M	134	ILE	2.6
1	O	170	SER	2.6
1	F	171	PHE	2.6
1	L	122	LYS	2.6
1	K	109	GLY	2.5
1	E	2	THR	2.5
1	L	89	LEU	2.5
1	D	3	LYS	2.5
1	D	169	ASP	2.5
1	D	11	ASP	2.5
1	D	166	THR	2.5
1	Q	169	ASP	2.5
1	B	8	THR	2.5
1	J	169	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	23	PRO	2.4
1	S	68	ALA	2.4
1	C	169	ASP	2.4
1	T	17	ARG	2.4
1	O	23	PRO	2.4
1	H	5	HIS	2.4
1	A	169	ASP	2.4
1	R	169	ASP	2.4
1	C	138	LEU	2.4
1	O	13	LEU	2.4
1	M	169	ASP	2.4
1	C	89	LEU	2.4
1	P	8	THR	2.4
1	D	24	GLY	2.3
1	Q	109	GLY	2.3
1	A	2	THR	2.3
1	O	135	ASN	2.3
1	T	133	THR	2.3
1	E	120	THR	2.3
1	O	137	SER	2.3
1	E	134	ILE	2.2
1	S	92	PHE	2.2
1	R	132	ARG	2.2
1	A	120	THR	2.2
1	M	63	ASP	2.2
1	T	134	ILE	2.2
1	F	3	LYS	2.2
1	S	91	GLY	2.2
1	D	61	ASN	2.2
1	M	135	ASN	2.2
1	M	61	ASN	2.1
1	G	14	ARG	2.1
1	O	134	ILE	2.1
1	K	24	GLY	2.1
1	R	122	LYS	2.1
1	S	21	PHE	2.1
1	H	68	ALA	2.1
1	P	169	ASP	2.1
1	A	170	SER	2.1
1	H	3	LYS	2.1
1	S	85	ALA	2.1
1	P	122	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	T	122	LYS	2.1
1	T	90	VAL	2.0
1	F	170	SER	2.0
1	C	109	GLY	2.0
1	G	122	LYS	2.0
1	D	109	GLY	2.0
1	S	171	PHE	2.0
1	S	122	LYS	2.0
1	S	132	ARG	2.0
1	T	91	GLY	2.0
1	T	28	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	3MQ	S	1172	12/12	0.73	0.27	61,73,76,76	0
2	3MQ	Q	1172	12/12	0.80	0.23	56,63,68,70	0
2	3MQ	R	1172	12/12	0.84	0.20	58,64,69,72	0
2	3MQ	T	1172	12/12	0.84	0.23	65,75,77,80	0
2	3MQ	F	1172	12/12	0.85	0.20	53,57,66,69	0
2	3MQ	H	1172	12/12	0.85	0.20	57,61,65,65	0
2	3MQ	J	1172	12/12	0.85	0.20	43,51,63,65	0
2	3MQ	P	1172	12/12	0.85	0.21	52,65,70,76	0
2	3MQ	N	1172	12/12	0.86	0.22	48,53,60,66	0
2	3MQ	G	1172	12/12	0.86	0.25	49,61,65,66	0
2	3MQ	D	1172	12/12	0.87	0.20	53,57,62,67	0
2	3MQ	M	1172	12/12	0.88	0.20	41,54,63,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	3MQ	A	1172	12/12	0.89	0.18	39,49,61,73	0
2	3MQ	B	1172	12/12	0.89	0.18	49,54,60,75	0
2	3MQ	O	1172	12/12	0.91	0.18	51,60,66,67	0
2	3MQ	E	1172	12/12	0.92	0.19	49,58,61,64	0
2	3MQ	K	1172	12/12	0.92	0.17	53,55,58,61	0
2	3MQ	I	1172	12/12	0.93	0.13	47,52,57,63	0
2	3MQ	L	1172	12/12	0.93	0.17	53,56,60,70	0
2	3MQ	C	1172	12/12	0.94	0.15	49,60,66,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.