



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 05:50 am BST

PDB ID : 4BBJ
Title : Copper-transporting PIB-ATPase in complex with beryllium fluoride representing the E2P state
Authors : Mattle, D.; Gourdon, P.; Nissen, P.
Deposited on : 2012-09-25
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	736	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called COPPER EFFLUX ATPASE.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
			Total	Be	C	F	N	O	S			
1	A	664	4945	1	3161	3	845	910	25	6	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	14	0
			44	21	7	14	2		

- Molecule 4 is O-DODECANYL OCTAETHYLENE GLYCOL (three-letter code: CE1) (formula: $C_{28}H_{58}O_9$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	37	28	9	0	0

- Molecule 5 is PHOSPHOCHOLINE (three-letter code: PC) (formula: $C_5H_{15}NO_4P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	11	5	1	4	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	58	Total	O	0	0
			58	58		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: COPPER EFFLUX ATPASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	242.01Å 71.37Å 72.43Å 90.00° 100.01° 90.00°	Depositor
Resolution (Å)	48.17 – 2.75 48.17 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.8 (48.17-2.75) 96.7 (48.17-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.199 , 0.247 0.190 , 0.240	Depositor DCC
R_{free} test set	2390 reflections (7.33%)	wwPDB-VP
Wilson B-factor (Å ²)	62.3	Xtrriage
Anisotropy	0.478	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5096	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PC, MG, CE1, NAD, BFD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.41	0/5015	0.59	1/6808 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	522	LEU	CA-CB-CG	5.32	127.53	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	501	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4945	0	5133	152	0
2	A	1	0	0	0	0
3	A	44	0	26	0	0
4	A	37	0	58	4	0
5	A	11	0	13	2	0
6	A	58	0	0	4	0
All	All	5096	0	5230	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:VAL:HG13	1:A:225:GLU:HG2	1.45	0.98
1:A:680:GLN:HE22	4:A:900:CE1:H352	1.31	0.94
1:A:143:THR:HG22	1:A:145:GLN:H	1.35	0.92
1:A:109:ILE:HG22	1:A:110:SER:H	1.36	0.89
1:A:271:VAL:HG12	1:A:295:THR:HG22	1.56	0.86
1:A:506:ILE:HD13	1:A:539:MET:HG3	1.64	0.80
1:A:333:GLN:OE1	1:A:338:THR:HG22	1.83	0.79
1:A:207:LYS:O	1:A:211:GLN:HG2	1.85	0.77
1:A:484:VAL:HG12	1:A:499:VAL:HG22	1.68	0.75
1:A:109:ILE:CG2	1:A:110:SER:H	1.98	0.75
1:A:109:ILE:HG22	1:A:110:SER:N	2.01	0.75
1:A:271:VAL:HG12	1:A:295:THR:CG2	2.16	0.74
1:A:91:LEU:O	1:A:94:PRO:HD2	1.88	0.74
1:A:680:GLN:NE2	4:A:900:CE1:H352	2.03	0.73
1:A:680:GLN:HE21	4:A:900:CE1:H332	1.54	0.72
1:A:223:VAL:CG1	1:A:225:GLU:HG2	2.21	0.71
1:A:556:LYS:HB2	1:A:559:THR:HG23	1.72	0.70
1:A:160:TRP:O	1:A:164:MET:HG2	1.92	0.70
1:A:563:ILE:HD12	1:A:573:ILE:HD13	1.72	0.69
1:A:430:THR:HG21	1:A:623:GLY:HA2	1.74	0.69
1:A:273:GLU:HA	1:A:295:THR:HG23	1.73	0.69
1:A:510:ARG:O	1:A:513:GLN:HG2	1.91	0.69
1:A:140:SER:HG	1:A:150:THR:HG1	1.39	0.68
1:A:380:ILE:HD13	1:A:708:LEU:HD21	1.76	0.68
1:A:293:GLY:O	6:A:2009:HOH:O	2.13	0.65
1:A:175:HIS:O	1:A:176:ALA:HB3	1.97	0.64
1:A:273:GLU:HG2	1:A:295:THR:HG21	1.78	0.64
1:A:229:ARG:NH1	1:A:248:ASP:OD2	2.31	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:ASP:C	1:A:235:SER:H	2.01	0.62
1:A:272:ASP:O	1:A:295:THR:HG23	1.99	0.62
1:A:273:GLU:OE1	6:A:2014:HOH:O	2.15	0.62
1:A:418:GLU:HG3	1:A:419:LYS:HG2	1.82	0.62
1:A:225:GLU:HB2	1:A:241:LEU:HG	1.82	0.61
1:A:561:GLU:OE2	1:A:662:ARG:HD3	2.01	0.61
1:A:317:ARG:O	1:A:321:MET:HG3	2.01	0.61
1:A:166:ALA:HB1	1:A:184:VAL:HB	1.84	0.60
1:A:493:LYS:HB3	1:A:511:LEU:HB2	1.84	0.60
1:A:110:SER:OG	1:A:112:ASN:HB3	2.02	0.59
1:A:138:TRP:HE1	1:A:142:LYS:HE3	1.69	0.58
1:A:271:VAL:CG1	1:A:295:THR:HG22	2.32	0.58
1:A:194:ILE:O	1:A:198:VAL:HG23	2.03	0.58
1:A:506:ILE:CD1	1:A:539:MET:HG3	2.34	0.57
1:A:138:TRP:NE1	1:A:142:LYS:HE3	2.19	0.57
1:A:225:GLU:HG3	1:A:225:GLU:O	2.05	0.57
1:A:110:SER:C	1:A:112:ASN:H	2.06	0.56
1:A:147:ASN:HB2	1:A:337:ASP:OD2	2.06	0.56
1:A:618:ILE:HA	1:A:636:ASP:OD2	2.05	0.56
1:A:565:GLU:OE2	1:A:665:ALA:HB1	2.06	0.56
1:A:239:VAL:CG2	1:A:243:ASN:HB2	2.36	0.56
1:A:272:ASP:O	1:A:295:THR:CG2	2.54	0.55
1:A:257:LYS:HG2	1:A:294:ALA:HB1	1.89	0.55
1:A:520:ALA:N	1:A:521:PRO:HD2	2.21	0.55
1:A:334:ARG:O	1:A:338:THR:HG23	2.08	0.54
1:A:601:MET:HB3	1:A:602:PRO:CD	2.36	0.54
1:A:121:LEU:O	1:A:124:PRO:HD2	2.08	0.54
1:A:347:VAL:HG21	1:A:381:ALA:HB1	1.90	0.54
1:A:674:THR:O	1:A:678:ILE:HG13	2.08	0.54
1:A:163:SER:HB2	1:A:188:PHE:CE1	2.43	0.54
1:A:313:THR:O	1:A:317:ARG:HG3	2.08	0.54
1:A:360:LEU:HB2	1:A:361:LEU:HD13	1.89	0.54
1:A:162:TYR:HD2	1:A:375:VAL:HG11	1.74	0.53
1:A:556:LYS:HB2	1:A:559:THR:CG2	2.39	0.53
1:A:273:GLU:CG	1:A:295:THR:HG21	2.38	0.52
1:A:143:THR:HG22	1:A:145:GLN:N	2.16	0.52
1:A:175:HIS:O	1:A:176:ALA:CB	2.58	0.52
1:A:349:LEU:HD12	1:A:349:LEU:O	2.10	0.52
1:A:400:LYS:O	1:A:403:GLN:HG2	2.10	0.52
1:A:417:MET:O	1:A:420:VAL:HG13	2.09	0.51
1:A:431:LEU:O	1:A:559:THR:HG21	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:SER:C	1:A:112:ASN:N	2.64	0.51
1:A:601:MET:HB3	1:A:602:PRO:HD2	1.93	0.51
1:A:137:GLY:O	1:A:140:SER:HB3	2.11	0.51
1:A:424:VAL:HG23	1:A:621:MET:SD	2.51	0.50
1:A:98:LEU:HD11	1:A:117:ILE:HG21	1.93	0.50
1:A:390:THR:HB	1:A:391:PRO:HD3	1.94	0.50
1:A:268:ARG:NH2	1:A:286:GLU:OE2	2.44	0.50
1:A:600:ILE:HB	1:A:604:ASP:HB2	1.93	0.50
1:A:223:VAL:HG12	1:A:223:VAL:O	2.11	0.50
1:A:400:LYS:HE3	1:A:734:VAL:O	2.12	0.50
1:A:587:VAL:HG12	1:A:591:LEU:HD12	1.94	0.49
1:A:680:GLN:NE2	4:A:900:CE1:H332	2.25	0.49
1:A:233:ASP:C	1:A:235:SER:N	2.66	0.49
1:A:283:VAL:HG12	1:A:285:LYS:HE2	1.94	0.49
1:A:119:LEU:C	1:A:119:LEU:HD23	2.33	0.49
1:A:426:bfd:O	1:A:430:THR:OG1	2.30	0.49
1:A:425:VAL:HG21	1:A:431:LEU:HD21	1.93	0.48
1:A:292:ILE:HG22	1:A:293:GLY:O	2.13	0.48
1:A:519:ASN:OD1	1:A:521:PRO:HG2	2.13	0.48
1:A:427:LYS:HD2	1:A:587:VAL:HG21	1.95	0.48
1:A:165:VAL:HG12	1:A:173:PHE:HE1	1.77	0.48
1:A:490:PRO:HB2	1:A:493:LYS:HD2	1.95	0.48
1:A:458:LEU:HG	1:A:495:VAL:CG1	2.43	0.48
1:A:221:LYS:HD3	1:A:224:PRO:HG3	1.96	0.48
1:A:412:GLU:O	1:A:416:ARG:HG3	2.14	0.47
1:A:145:GLN:HE21	1:A:333:GLN:NE2	2.12	0.47
1:A:301:SER:O	1:A:302:PHE:HB3	2.15	0.47
1:A:158:VAL:CG1	1:A:375:VAL:HG13	2.44	0.47
1:A:407:LEU:HD23	1:A:407:LEU:N	2.30	0.47
1:A:512:MET:CE	1:A:540:ALA:HB2	2.44	0.47
1:A:162:TYR:CD2	1:A:375:VAL:HG11	2.50	0.47
5:A:950:PC:O4	5:A:950:PC:H43	2.14	0.47
1:A:382:CYS:HA	1:A:383:PRO:HD3	1.63	0.47
1:A:201:GLY:HA3	1:A:387:GLY:O	2.14	0.47
1:A:165:VAL:HG12	1:A:173:PHE:CE1	2.50	0.46
1:A:512:MET:HG3	1:A:538:PHE:CB	2.45	0.46
1:A:424:VAL:HA	1:A:574:VAL:O	2.16	0.46
1:A:670:LEU:HD13	1:A:736:LEU:HD11	1.98	0.46
1:A:687:ILE:HG23	1:A:688:TYR:N	2.31	0.46
1:A:84:ARG:NH1	1:A:128:TRP:O	2.50	0.45
1:A:701:TYR:O	1:A:704:THR:O	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:PRO:HB3	1:A:685:ALA:O	2.17	0.45
1:A:582:ARG:HB2	1:A:582:ARG:HE	1.56	0.45
1:A:85:PHE:CE2	1:A:200:LEU:HB2	2.51	0.45
1:A:393:SER:OG	1:A:677:ASN:OD1	2.35	0.45
1:A:173:PHE:O	1:A:178:ARG:NH1	2.50	0.44
1:A:356:ILE:O	1:A:359:ALA:HB3	2.17	0.44
1:A:432:THR:HG22	1:A:555:ILE:HA	1.99	0.44
1:A:131:TRP:N	1:A:132:PRO:HD2	2.33	0.44
1:A:358:TRP:CE3	1:A:369:TYR:HB3	2.53	0.44
1:A:419:LYS:HA	1:A:419:LYS:HE2	1.99	0.44
1:A:392:MET:HG2	6:A:2025:HOH:O	2.17	0.44
1:A:409:LYS:HD3	1:A:652:ALA:O	2.17	0.44
1:A:271:VAL:CG1	1:A:295:THR:CG2	2.92	0.44
1:A:442:VAL:HG11	1:A:525:LYS:HD2	1.99	0.44
1:A:540:ALA:HA	1:A:544:LYS:O	2.18	0.44
1:A:131:TRP:CD1	5:A:950:PC:O4	2.71	0.43
1:A:693:VAL:N	1:A:694:PRO:CD	2.81	0.43
1:A:229:ARG:HA	1:A:250:LEU:HD23	2.01	0.43
1:A:400:LYS:HE2	1:A:732:LYS:O	2.19	0.43
1:A:85:PHE:CE2	1:A:200:LEU:HD22	2.54	0.43
1:A:583:THR:O	1:A:587:VAL:HG23	2.18	0.43
1:A:688:TYR:HB2	6:A:2057:HOH:O	2.18	0.43
1:A:140:SER:OG	1:A:146:LEU:HA	2.19	0.43
1:A:444:ASP:O	1:A:445:ASP:C	2.56	0.43
1:A:115:SER:HB3	1:A:167:VAL:HG22	1.99	0.43
1:A:123:THR:N	1:A:124:PRO:CD	2.81	0.43
1:A:268:ARG:HB3	1:A:286:GLU:HG3	1.99	0.42
1:A:219:LEU:HD21	1:A:657:LEU:HD12	2.00	0.42
1:A:424:VAL:CG2	1:A:621:MET:SD	3.07	0.42
1:A:522:LEU:HD13	1:A:548:LEU:HD21	2.02	0.42
1:A:420:VAL:HA	1:A:618:ILE:CG2	2.50	0.42
1:A:392:MET:HB2	1:A:392:MET:HE2	1.81	0.41
1:A:163:SER:CB	1:A:188:PHE:CE1	3.03	0.41
1:A:233:ASP:HB2	1:A:235:SER:HB3	2.01	0.41
1:A:525:LYS:HB2	1:A:525:LYS:HE3	1.66	0.41
1:A:499:VAL:O	1:A:500:ASP:C	2.57	0.41
1:A:107:HIS:O	1:A:109:ILE:N	2.44	0.41
1:A:610:SER:OG	1:A:634:LYS:HD3	2.21	0.41
1:A:269:SER:HB2	1:A:300:GLY:HA3	2.02	0.41
1:A:308:HIS:O	1:A:313:THR:HG22	2.20	0.41
1:A:131:TRP:HB3	1:A:132:PRO:HD3	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:MET:HG2	1:A:276:VAL:HG23	2.02	0.40
1:A:564:LEU:O	1:A:568:GLN:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	661/736 (90%)	624 (94%)	30 (4%)	7 (1%)	14 25

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	109	ILE
1	A	108	PHE
1	A	223	VAL
1	A	298	GLN
1	A	110	SER
1	A	224	PRO
1	A	332	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	523/585 (89%)	509 (97%)	14 (3%)	44 65

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	214	SER
1	A	253	ARG
1	A	275	MET
1	A	314	MET
1	A	392	MET
1	A	393	SER
1	A	424	VAL
1	A	461	GLN
1	A	527	ASP
1	A	634	LYS
1	A	673	SER
1	A	707	LEU
1	A	708	LEU
1	A	723	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	GLN
1	A	211	GLN
1	A	680	GLN
1	A	727	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	BFD	A	426	1,2	8,11,12	4.09	3 (37%)	3,15,17	1.93	2 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	BFD	A	426	1,2	-	0/5/11/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	426	BFD	F2-BE	-6.74	1.37	1.54
1	A	426	BFD	F3-BE	-6.67	1.37	1.54
1	A	426	BFD	F1-BE	-6.20	1.39	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	426	BFD	CA-CB-CG	2.23	117.54	112.86
1	A	426	BFD	OD2-CG-CB	-2.09	120.12	124.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	426	BFD	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAD	A	800	-	42,48,48	1.94	10 (23%)	50,73,73	1.36	3 (6%)
5	PC	A	950	-	10,10,10	1.00	0	15,15,15	0.64	0
4	CE1	A	900	-	36,36,36	0.43	0	35,35,35	1.01	3 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	800	-	-	14/26/62/62	0/5/5/5
5	PC	A	950	-	-	5/8/8/8	-
4	CE1	A	900	-	-	17/34/34/34	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	800	NAD	C2B-C3B	-4.95	1.39	1.53
3	A	800	NAD	C7N-N7N	4.62	1.41	1.33
3	A	800	NAD	C2D-C3D	-4.27	1.41	1.53
3	A	800	NAD	O7N-C7N	-4.12	1.16	1.24
3	A	800	NAD	C2B-C1B	-3.51	1.48	1.53
3	A	800	NAD	O4D-C1D	3.28	1.45	1.41
3	A	800	NAD	C2D-C1D	-3.00	1.49	1.53
3	A	800	NAD	O4D-C4D	-2.99	1.38	1.45
3	A	800	NAD	C6A-N6A	2.46	1.43	1.34
3	A	800	NAD	O4B-C4B	-2.14	1.40	1.45

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	800	NAD	N3A-C2A-N1A	-5.73	119.72	128.68
3	A	800	NAD	PN-O3-PA	-3.61	120.43	132.83
3	A	800	NAD	O5B-C5B-C4B	3.34	120.48	108.99
4	A	900	CE1	C29-O28-C27	2.21	122.86	113.29
4	A	900	CE1	C32-O31-C30	2.06	122.23	113.29
4	A	900	CE1	C14-O13-C12	2.02	122.04	113.29

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	800	NAD	PN-O3-PA-O5B
3	A	800	NAD	C5D-O5D-PN-O3
3	A	800	NAD	C5D-O5D-PN-O1N
3	A	800	NAD	C5D-O5D-PN-O2N
3	A	800	NAD	O4D-C4D-C5D-O5D
3	A	800	NAD	C3D-C4D-C5D-O5D
3	A	800	NAD	O4D-C1D-N1N-C2N
3	A	800	NAD	C2N-C3N-C7N-O7N
3	A	800	NAD	C2N-C3N-C7N-N7N
5	A	950	PC	O2-C1-C2-N1
3	A	800	NAD	C4N-C3N-C7N-O7N
3	A	800	NAD	C4N-C3N-C7N-N7N
4	A	900	CE1	O28-C29-C30-O31
4	A	900	CE1	O31-C32-C33-O34
5	A	950	PC	C1-C2-N1-C3
5	A	950	PC	C1-C2-N1-C4
4	A	900	CE1	O16-C17-C18-O19
4	A	900	CE1	O13-C14-C15-O16
5	A	950	PC	C1-C2-N1-C5
4	A	900	CE1	C33-C32-O31-C30
4	A	900	CE1	C4-C5-C6-C7
3	A	800	NAD	O4B-C4B-C5B-O5B
3	A	800	NAD	C3B-C4B-C5B-O5B
4	A	900	CE1	O34-C35-C36-O37
4	A	900	CE1	C10-C11-C12-O13
4	A	900	CE1	C5-C6-C7-C8
4	A	900	CE1	C23-C24-O25-C26
4	A	900	CE1	C17-C18-O19-C20
4	A	900	CE1	C15-C14-O13-C12
4	A	900	CE1	C24-C23-O22-C21
4	A	900	CE1	C11-C10-C9-C8
3	A	800	NAD	C4B-C5B-O5B-PA

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	900	CE1	C1-C2-C3-C4
4	A	900	CE1	C21-C20-O19-C18
4	A	900	CE1	O19-C20-C21-O22
5	A	950	PC	C2-C1-O2-P1

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	950	PC	2	0
4	A	900	CE1	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	663/736 (90%)	-0.02	19 (2%) 51 61	36, 58, 105, 173	1 (0%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	223	VAL	5.3
1	A	222	LEU	5.0
1	A	103	HIS	4.4
1	A	73	VAL	4.2
1	A	224	PRO	3.8
1	A	235	SER	3.1
1	A	234	GLY	3.0
1	A	230	ILE	2.9
1	A	232	GLU	2.8
1	A	181	GLU	2.8
1	A	267	GLY	2.6
1	A	233	ASP	2.6
1	A	180	GLN	2.6
1	A	225	GLU	2.5
1	A	265	GLN	2.4
1	A	266	GLU	2.4
1	A	303	VAL	2.2
1	A	107	HIS	2.1
1	A	74	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	BFD	A	426	12/13	0.97	0.15	40,52,63,69	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PC	A	950	11/11	0.76	0.24	116,128,221,221	0
4	CE1	A	900	37/37	0.87	0.23	42,66,108,111	0
3	NAD	A	800	44/44	0.89	0.21	55,174,187,386	14
2	MG	A	750	1/1	0.95	0.15	54,54,54,54	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CE1 A 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD A 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.