



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 24, 2022 – 12:34 am GMT

PDB ID : 8BCJ
Title : Crystal structure of short-chain dehydrogenase PA3128 from *Pseudomonas aeruginosa* PAO1 in complex with NADP+
Authors : Popp, M.A.; Vit, A.; Blankenfeldt, W.
Deposited on : 2022-10-16
Resolution : 1.15 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.3
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1492 (1.18-1.10)
Clashscore	141614	1537 (1.18-1.10)
Ramachandran outliers	138981	1483 (1.18-1.10)
Sidechain outliers	138945	1480 (1.18-1.10)
RSRZ outliers	127900	1464 (1.18-1.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 90% 9%
1	B	250	 2% 91% 9%
1	C	250	 92% 8%
1	D	250	 3% 92% 7%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 18724 atoms, of which 8701 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable short-chain dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	248	4311	1319	2182	402	402	6	0	54	0
1	B	250	4129	1263	2095	384	379	8	0	39	0
1	C	249	4223	1287	2127	406	397	6	8	46	0
1	D	248	4176	1284	2100	381	405	6	0	52	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q9HZ96
A	0	HIS	-	expression tag	UNP Q9HZ96
B	-1	GLY	-	expression tag	UNP Q9HZ96
B	0	HIS	-	expression tag	UNP Q9HZ96
C	-1	GLY	-	expression tag	UNP Q9HZ96
C	0	HIS	-	expression tag	UNP Q9HZ96
D	-1	GLY	-	expression tag	UNP Q9HZ96
D	0	HIS	-	expression tag	UNP Q9HZ96

- Molecule 2 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: C₄H₆O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	28	8	8	12	0	1
2	B	1	28	8	8	12	0	1
2	C	1	28	8	8	12	0	1
2	D	1	28	8	8	12	0	1

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
3	A	1	Total 146	C 42	H 50	N 14	O 34	P 6	0	1
3	B	1	Total 73	C 21	H 25	N 7	O 17	P 3	0	0
3	C	1	Total 73	C 21	H 25	N 7	O 17	P 3	0	0
3	D	1	Total 146	C 42	H 50	N 14	O 34	P 6	0	1

- Molecule 4 is IMIDAZOLE (three-letter code: IMD) (formula: C₃H₅N₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	N		
4	A	1	Total 10	C 3	H 5	N 2	0	1
4	B	1	Total 10	C 3	H 5	N 2	0	0
4	C	1	Total 10	C 3	H 5	N 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	307	Total 310	O 310	0	17
5	B	342	Total 344	O 344	0	10
5	C	342	Total 343	O 343	0	14

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	304	Total 308	O 308	0	10

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable short-chain dehydrogenase

Chain A: 



- Molecule 1: Probable short-chain dehydrogenase

Chain B: 





- Molecule 1: Probable short-chain dehydrogenase

Chain C: 



- Molecule 1: Probable short-chain dehydrogenase

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.69Å 143.00Å 72.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.12 – 1.15 44.62 – 1.15	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.12-1.15) 99.8 (44.62-1.15)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 1.15Å)	Xtriage
Refinement program	PHENIX 1.20_4459	Depositor
R, R_{free}	0.135 , 0.149 0.135 , 0.148	Depositor DCC
R_{free} test set	17044 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	9.6	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	18724	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TLA, IMD, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2315	0.73	0/3116
1	B	0.38	0/2198	0.74	0/2957
1	C	0.40	0/2251	0.74	0/3027
1	D	0.38	0/2286	0.71	0/3076
All	All	0.39	0/9050	0.73	0/12176

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2129	2182	2047	23	0
1	B	2034	2095	1963	18	0
1	C	2096	2127	1998	19	0
1	D	2076	2100	1923	21	0
2	A	20	8	8	0	0
2	B	20	8	8	0	0
2	C	20	8	8	0	0
2	D	20	8	8	1	0
3	A	96	50	50	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	48	25	25	2	0
3	C	48	25	25	2	0
3	D	96	50	50	4	0
4	A	5	5	5	1	0
4	B	5	5	5	3	0
4	C	5	5	5	3	0
5	A	310	0	0	6	0
5	B	344	0	0	2	0
5	C	343	0	0	5	0
5	D	308	0	0	3	0
All	All	10023	8701	8128	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:31[A]:LEU:CD2	1:D:43[A]:LEU:HD23	2.11	0.81
1:A:121[B]:ARG:HG3	1:B:98:GLU:HA	1.75	0.67
1:A:129:THR:OG1	4:A:303[A]:IMD:H5	1.96	0.65
1:A:31[B]:LEU:CD2	1:A:43[B]:LEU:HD23	2.28	0.64
1:D:31[A]:LEU:HD21	1:D:43[A]:LEU:HD23	1.80	0.62
1:A:31[B]:LEU:HD23	1:A:43[B]:LEU:HD23	1.82	0.61
1:C:31:LEU:HD21	1:C:43[B]:LEU:HD23	1.82	0.61
1:A:98[B]:GLU:HA	1:B:121[B]:ARG:HG3	1.82	0.60
1:D:240[B]:THR:HG22	5:D:479:HOH:O	2.02	0.59
1:D:31[A]:LEU:HD23	1:D:43[A]:LEU:HD23	1.83	0.59
1:A:41[B]:GLU:OE1	1:A:44[B]:ARG:NH1	2.35	0.59
1:C:121[B]:ARG:HG3	1:D:98:GLU:HA	1.85	0.58
1:B:20[A]:LEU:HG	1:B:43[A]:LEU:HD11	1.85	0.58
1:C:31:LEU:CD2	1:C:43[B]:LEU:HD23	2.33	0.57
1:C:25[B]:ARG:NH1	5:C:402:HOH:O	2.33	0.56
1:B:183:ASN:OD1	1:B:240[A]:THR:HG22	2.06	0.55
1:D:29[B]:VAL:HG21	1:D:47:ILE:HD13	1.90	0.53
1:C:188:GLY:O	3:C:302:NAP:H4N	2.08	0.53
1:A:169[A]:ILE:CD1	4:B:303:IMD:C4	2.87	0.53
1:D:188:GLY:O	3:D:302[B]:NAP:H4N	2.08	0.53
1:D:106[B]:HIS:CD2	5:D:410:HOH:O	2.62	0.52
1:A:69[B]:ARG:CZ	5:A:430:HOH:O	2.57	0.52
4:C:303:IMD:C2	1:D:169[A]:ILE:CD1	2.89	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:154[A]:TYR:HH	2:D:301[A]:TLA:HB	1.58	0.50
5:A:528:HOH:O	4:B:303:IMD:H2	2.12	0.50
1:A:243[A]:ASP:OD2	5:A:401:HOH:O	2.19	0.49
1:D:9:GLY:HA2	3:D:302[A]:NAP:H1B	1.94	0.48
1:A:34[B]:LEU:HD23	5:A:700:HOH:O	2.12	0.48
4:B:303:IMD:H4	5:B:445:HOH:O	2.14	0.47
1:B:188:GLY:O	3:B:302:NAP:H4N	2.13	0.47
1:C:183:ASN:OD1	1:C:240[B]:THR:HG22	2.15	0.47
1:A:106[B]:HIS:CD2	5:A:455:HOH:O	2.66	0.47
5:A:402:HOH:O	1:B:96[A]:ARG:HD2	2.15	0.47
1:D:188:GLY:O	3:D:302[A]:NAP:H4N	2.14	0.46
1:C:130:ARG:HG3	1:C:178[B]:GLU:HG2	1.97	0.46
1:D:34:LEU:HB3	3:D:302[A]:NAP:O2X	2.16	0.45
1:A:242:ILE:HA	5:C:403:HOH:O	2.17	0.45
1:B:81:LEU:HD23	1:B:127[B]:LEU:CD1	2.47	0.45
1:C:178[B]:GLU:OE2	1:D:96[B]:ARG:NH1	2.41	0.44
1:A:188:GLY:O	3:A:302[B]:NAP:H4N	2.17	0.44
1:A:29[A]:VAL:HG21	1:A:47:ILE:HD13	1.99	0.44
1:B:7[B]:ILE:CD1	1:B:19:ALA:HA	2.49	0.43
1:A:188:GLY:O	3:A:302[A]:NAP:H4N	2.18	0.43
1:C:2[B]:ARG:HD2	1:C:53:GLU:OE1	2.18	0.43
1:C:109[A]:PHE:CD2	1:D:109[A]:PHE:CD2	3.07	0.43
1:B:96[A]:ARG:NH2	5:B:408:HOH:O	2.51	0.43
1:A:101:ASP:HB2	1:B:64[A]:GLU:OE2	2.19	0.42
4:C:303:IMD:H2	5:C:441:HOH:O	2.19	0.42
1:A:109[A]:PHE:HE2	1:B:109[A]:PHE:HE2	1.68	0.42
1:C:142:SER:O	3:C:302:NAP:H6N	2.20	0.42
1:B:189:LEU:HD12	1:B:211:ILE:HD11	2.02	0.42
1:A:109[A]:PHE:CD2	1:B:109[A]:PHE:CD2	3.08	0.42
1:A:142:SER:O	3:A:302[A]:NAP:H6N	2.20	0.42
1:A:109[A]:PHE:CE2	1:B:109[A]:PHE:CE2	3.08	0.42
1:A:142:SER:O	3:A:302[B]:NAP:H6N	2.20	0.42
1:C:109[A]:PHE:CE2	1:D:109[A]:PHE:CE2	3.08	0.41
1:C:178[B]:GLU:HG3	5:C:470:HOH:O	2.20	0.41
1:D:44[B]:ARG:CZ	1:D:44[B]:ARG:HB3	2.50	0.41
1:C:46[B]:ARG:HG2	1:C:49[B]:ARG:HH12	1.85	0.41
1:C:102:ALA:O	1:C:106[B]:HIS:ND1	2.53	0.41
1:C:240[B]:THR:CG2	5:C:403:HOH:O	2.67	0.41
1:D:189:LEU:HD12	1:D:211:ILE:HD11	2.02	0.41
1:B:90[A]:MET:SD	1:B:90[A]:MET:C	2.99	0.41
4:C:303:IMD:H5	5:D:491:HOH:O	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:GLY:HA2	3:B:302:NAP:H1B	2.02	0.41
1:C:102:ALA:HB2	1:D:64[A]:GLU:HG3	2.04	0.40
1:A:36[B]:ASN:HB2	3:A:302[B]:NAP:O2X	2.22	0.40
1:B:68:GLU:HG2	1:B:122[B]:GLU:OE2	2.21	0.40
1:C:109[A]:PHE:HE2	1:D:109[A]:PHE:HE2	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/250 (120%)	292 (97%)	8 (3%)	0	100	100
1	B	287/250 (115%)	280 (98%)	7 (2%)	0	100	100
1	C	293/250 (117%)	280 (96%)	13 (4%)	0	100	100
1	D	298/250 (119%)	293 (98%)	5 (2%)	0	100	100
All	All	1178/1000 (118%)	1145 (97%)	33 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/181 (124%)	223 (99%)	2 (1%)	78	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	212/181 (117%)	210 (99%)	2 (1%)	78	46
1	C	217/181 (120%)	215 (99%)	2 (1%)	78	46
1	D	220/181 (122%)	218 (99%)	2 (1%)	78	46
All	All	874/724 (121%)	866 (99%)	8 (1%)	86	46

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154[A]	TYR
1	A	154[B]	TYR
1	B	154[A]	TYR
1	B	154[B]	TYR
1	C	154[A]	TYR
1	C	154[B]	TYR
1	D	154[A]	TYR
1	D	154[B]	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	IMD	A	303[A]	-	3,5,5	0.34	0	4,5,5	0.70	0
3	NAP	A	302[B]	-	45,52,52	0.78	2 (4%)	56,80,80	0.83	1 (1%)
3	NAP	D	302[B]	-	45,52,52	0.79	2 (4%)	56,80,80	0.85	1 (1%)
4	IMD	B	303	-	3,5,5	0.33	0	4,5,5	0.70	0
2	TLA	A	301[B]	-	9,9,9	1.08	0	12,12,12	0.99	0
3	NAP	D	302[A]	-	45,52,52	0.66	1 (2%)	56,80,80	0.77	0
3	NAP	C	302	-	45,52,52	0.81	2 (4%)	56,80,80	0.84	1 (1%)
2	TLA	D	301[A]	-	9,9,9	0.97	0	12,12,12	1.01	0
2	TLA	B	301[A]	-	9,9,9	0.98	0	12,12,12	1.02	0
4	IMD	C	303	-	3,5,5	0.34	0	4,5,5	0.71	0
3	NAP	B	302	-	45,52,52	0.70	1 (2%)	56,80,80	0.86	0
2	TLA	C	301[A]	-	9,9,9	1.06	0	12,12,12	0.90	0
2	TLA	C	301[B]	-	9,9,9	1.15	1 (11%)	12,12,12	1.00	0
3	NAP	A	302[A]	-	45,52,52	0.72	1 (2%)	56,80,80	0.91	2 (3%)
2	TLA	D	301[B]	-	9,9,9	1.08	0	12,12,12	0.94	0
2	TLA	B	301[B]	-	9,9,9	1.00	0	12,12,12	1.01	0
2	TLA	A	301[A]	-	9,9,9	1.01	0	12,12,12	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IMD	A	303[A]	-	-	-	0/1/1/1
3	NAP	A	302[B]	-	-	3/31/67/67	0/5/5/5
3	NAP	D	302[B]	-	-	5/31/67/67	0/5/5/5
4	IMD	B	303	-	-	-	0/1/1/1
2	TLA	A	301[B]	-	-	4/12/12/12	-
3	NAP	D	302[A]	-	-	4/31/67/67	0/5/5/5
3	NAP	C	302	-	-	6/31/67/67	0/5/5/5
2	TLA	D	301[A]	-	-	4/12/12/12	-
2	TLA	B	301[A]	-	-	4/12/12/12	-
4	IMD	C	303	-	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	B	302	-	-	5/31/67/67	0/5/5/5
2	TLA	C	301[A]	-	-	4/12/12/12	-
2	TLA	C	301[B]	-	-	4/12/12/12	-
3	NAP	A	302[A]	-	-	6/31/67/67	0/5/5/5
2	TLA	D	301[B]	-	-	4/12/12/12	-
2	TLA	B	301[B]	-	-	4/12/12/12	-
2	TLA	A	301[A]	-	-	4/12/12/12	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302[B]	NAP	C2N-N1N	2.70	1.38	1.35
3	B	302	NAP	C2N-N1N	2.45	1.37	1.35
3	A	302[B]	NAP	P2B-O2B	2.45	1.63	1.59
3	A	302[A]	NAP	O4D-C1D	2.43	1.44	1.41
3	C	302	NAP	C2N-N1N	2.28	1.37	1.35
3	D	302[B]	NAP	P2B-O2B	2.20	1.63	1.59
3	A	302[B]	NAP	C2N-N1N	2.19	1.37	1.35
3	D	302[A]	NAP	C2N-N1N	2.13	1.37	1.35
2	C	301[B]	TLA	O41-C4	-2.03	1.23	1.30
3	C	302	NAP	O4D-C1D	2.02	1.43	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[A]	NAP	O4D-C1D-C2D	-2.77	102.88	106.93
3	C	302	NAP	C5A-C6A-N6A	2.46	124.08	120.35
3	A	302[B]	NAP	C5A-C6A-N6A	2.32	123.88	120.35
3	D	302[B]	NAP	C5A-C6A-N6A	2.26	123.79	120.35
3	A	302[A]	NAP	C5A-C6A-N6A	2.25	123.77	120.35

There are no chirality outliers.

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301[A]	TLA	O1-C1-C2-O2
2	A	301[A]	TLA	O11-C1-C2-O2
2	D	301[A]	TLA	O1-C1-C2-O2
2	D	301[A]	TLA	O11-C1-C2-O2
3	A	302[A]	NAP	C2B-O2B-P2B-O2X

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	302[A]	NAP	C5D-O5D-PN-O3
3	A	302[A]	NAP	C5D-O5D-PN-O2N
3	B	302	NAP	C2B-O2B-P2B-O3X
3	B	302	NAP	C5D-O5D-PN-O1N
3	B	302	NAP	C5D-O5D-PN-O2N
3	C	302	NAP	C5D-O5D-PN-O1N
3	D	302[A]	NAP	C5D-O5D-PN-O1N
3	D	302[A]	NAP	C5D-O5D-PN-O2N
2	B	301[A]	TLA	O3-C3-C4-O4
2	B	301[A]	TLA	O3-C3-C4-O41
2	C	301[A]	TLA	O1-C1-C2-O2
2	C	301[A]	TLA	O11-C1-C2-O2
2	A	301[A]	TLA	O11-C1-C2-C3
2	A	301[B]	TLA	C2-C3-C4-O41
2	B	301[A]	TLA	C2-C3-C4-O4
2	B	301[A]	TLA	C2-C3-C4-O41
2	B	301[B]	TLA	O11-C1-C2-C3
2	C	301[A]	TLA	O1-C1-C2-C3
2	C	301[A]	TLA	O11-C1-C2-C3
2	D	301[A]	TLA	O1-C1-C2-C3
2	D	301[A]	TLA	O11-C1-C2-C3
2	D	301[B]	TLA	C2-C3-C4-O41
2	A	301[A]	TLA	O1-C1-C2-C3
2	B	301[B]	TLA	O1-C1-C2-C3
2	C	301[B]	TLA	C2-C3-C4-O4
2	C	301[B]	TLA	C2-C3-C4-O41
2	D	301[B]	TLA	C2-C3-C4-O4
2	D	301[B]	TLA	O3-C3-C4-O4
2	D	301[B]	TLA	O3-C3-C4-O41
2	A	301[B]	TLA	C2-C3-C4-O4
2	B	301[B]	TLA	O1-C1-C2-O2
2	B	301[B]	TLA	O11-C1-C2-O2
2	C	301[B]	TLA	O3-C3-C4-O4
2	C	301[B]	TLA	O3-C3-C4-O41
2	A	301[B]	TLA	O3-C3-C4-O41
3	D	302[B]	NAP	PN-O3-PA-O1A
2	A	301[B]	TLA	O3-C3-C4-O4
3	A	302[A]	NAP	C2B-O2B-P2B-O1X
3	C	302	NAP	C5D-O5D-PN-O3
3	A	302[A]	NAP	PA-O3-PN-O1N
3	C	302	NAP	C5D-O5D-PN-O2N
3	D	302[B]	NAP	PN-O3-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	302	NAP	PN-O3-PA-O1A
3	D	302[B]	NAP	C1B-C2B-O2B-P2B
3	D	302[A]	NAP	O4B-C4B-C5B-O5B
3	A	302[B]	NAP	C1B-C2B-O2B-P2B
3	B	302	NAP	C5D-O5D-PN-O3
3	D	302[A]	NAP	C5D-O5D-PN-O3
3	A	302[A]	NAP	O4B-C4B-C5B-O5B
3	A	302[B]	NAP	O4B-C4B-C5B-O5B
3	B	302	NAP	O4B-C4B-C5B-O5B
3	C	302	NAP	O4B-C4B-C5B-O5B
3	C	302	NAP	PN-O3-PA-O2A
3	D	302[B]	NAP	O4B-C4B-C5B-O5B
3	A	302[B]	NAP	C3B-C2B-O2B-P2B
3	D	302[B]	NAP	C3B-C2B-O2B-P2B


There are no ring outliers.


10 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	303[A]	IMD	1	0
3	A	302[B]	NAP	3	0
3	D	302[B]	NAP	1	0
4	B	303	IMD	3	0
3	D	302[A]	NAP	3	0
3	C	302	NAP	2	0
2	D	301[A]	TLA	1	0
4	C	303	IMD	3	0
3	B	302	NAP	2	0
3	A	302[A]	NAP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/250 (99%)	-0.19	1 (0%) 92 90	6, 10, 20, 48	3 (1%)
1	B	250/250 (100%)	-0.07	4 (1%) 72 69	6, 10, 21, 39	2 (0%)
1	C	249/250 (99%)	-0.19	1 (0%) 92 90	6, 10, 18, 41	0
1	D	248/250 (99%)	0.01	7 (2%) 53 51	6, 12, 25, 45	2 (0%)
All	All	995/1000 (99%)	-0.11	13 (1%) 77 74	6, 10, 21, 48	7 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	-1	GLY	4.5
1	A	1	MET	4.4
1	D	130[A]	ARG	3.4
1	B	1[A]	MET	3.3
1	D	1	MET	3.0
1	D	43[A]	LEU	3.0
1	B	79	GLY	2.6
1	C	0	HIS	2.6
1	D	209	GLY	2.4
1	D	45[A]	GLN	2.4
1	D	50[A]	GLN	2.4
1	D	202	GLY	2.1
1	B	80	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IMD	C	303	5/5	0.85	0.16	15,29,38,41	0
4	IMD	A	303[A]	5/5	0.88	0.13	10,12,14,15	10
4	IMD	B	303	5/5	0.90	0.26	11,19,23,25	10
2	TLA	D	301[B]	10/10	0.96	0.14	11,13,15,15	14
2	TLA	D	301[A]	10/10	0.96	0.14	11,16,21,25	14
2	TLA	B	301[B]	10/10	0.97	0.12	8,11,12,14	14
2	TLA	C	301[A]	10/10	0.97	0.09	9,13,21,26	14
2	TLA	C	301[B]	10/10	0.97	0.09	9,11,14,16	14
2	TLA	B	301[A]	10/10	0.97	0.12	9,13,17,20	14
2	TLA	A	301[B]	10/10	0.98	0.09	8,10,11,11	14
2	TLA	A	301[A]	10/10	0.98	0.09	8,14,16,19	14
3	NAP	C	302	48/48	0.99	0.05	6,8,10,11	0
3	NAP	D	302[A]	48/48	0.99	0.06	7,9,13,20	73
3	NAP	D	302[B]	48/48	0.99	0.06	6,9,11,12	73
3	NAP	A	302[A]	48/48	0.99	0.06	6,8,10,12	73
3	NAP	A	302[B]	48/48	0.99	0.06	6,8,10,11	73
3	NAP	B	302	48/48	0.99	0.06	6,8,11,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [i](#)

There are no such residues in this entry.