

# Full wwPDB X-ray Structure Validation Report (i)

#### Sep 18, 2023 – 03:57 PM EDT

PDB ID	:	5BK3
Title	:	Crystal structure of the neutralizing anti-circumsporozoite protein 580 anti-
		body
Authors	:	Scally, S.W.; Bosch, A.; Triller, G.; Wardemann, H.; Julien, J.P.
Deposited on	:	2017-09-12
Resolution	:	2.80  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
R <sub>free</sub>	130704	3140 (2.80-2.80)
Clashscore	141614	3569(2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	В	220	88%	10%	••
1	D	220	3% 	11%	
1	F	220	4%	10%	•
1	L	220	86%	13%	•
2	А	228	84%	11%	·



Conti	nueu fron	i previous	puye	
Mol	Chain	Length	Quality of	of chain
0	С	<u> </u>	2%	
	U	220	86%	9% •
	Б	222	4%	
2	E	228	82%	13% • •
2	Н	228	86%	11% •
3	G	3	33%	67%
3	Ι	3	67%	33%
	_	_		
4	J	2	50%	50%
		_		
5	K	6	33%	67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	Ι	2	-	-	-	Х
6	GOL	В	306	-	-	-	Х
6	GOL	F	307	-	-	-	Х
6	GOL	L	304	-	-	-	Х
7	SO4	В	309	-	-	-	Х



## 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 13490 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
1	т	217	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
			1686	1057	284	340	5	0	0	0
1	р	217	Total	С	Ν	0	S	0	0 0	0
	ГВ	217	1686	1057	284	340	5	0		0
1	П	017	Total	С	Ν	0	S	0	0	0
	217	1652	1034	277	336	5	0	0	0	
1 F	917	Total	С	Ν	Ο	S	0	0	0	
	Г	217	1661	1040	277	339	5	0	0	0

• Molecule 1 is a protein called 580 Antibody, light chain.

• Molecule 2 is a protein called 580 Antibody, heavy chain.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
0	о п	010	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	219	1619	1018	276	319	6	0	0	0	
0	Δ	210	Total	С	Ν	0	S	0	0	0
	219	1617	1016	275	320	6	0	0	0	
0	C	218	Total	С	Ν	0	S	0	0	0
			1610	1012	274	318	6			0
2 E	F	E 218	Total	С	Ν	0	S	0	0	0
	E		1602	1007	272	317	6	0	0	

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	3	Total 38	C 22	N 2	0 14	0	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	Ι	3	Total 38	C 22	N 2	0 14	0	0	0

• Molecule 4 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-bet a-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	2	Total 24	C 14	N 1	O 9	0	0	0

• Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	K	6	Total 71	C 40	N 2	O 29	0	0	0

• Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	L	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	L	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	L	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Н	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	F	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	L	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	L	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 580 Antibody, light chain

FUC FUC

• Molecule 2: 580 Antibody, heavy chain Chain A: 84% 11% SER SER SER SER SER SER SER SER SER CYS • Molecule 2: 580 Antibody, heavy chain Chain C: 86% 9% SER SER LYS SER THR SER SER GLY • Molecule 2: 580 Antibody, heavy chain 4% Chain E: 82% 13% . . SER SER LYS SER SER SER

 • Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:	33%	67%	
NAG1 NAG2 FUC3			
• Molecule 3:	2-acetamido-2-de	oxy-beta-D-glucopyranose-(1-4)-[alpha-L-fuc	opyranose-(1-6)]2-a

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-ace tamido-2-deoxy-beta-D-glucopyranose

Chain I:	67%	33%					
NAG1 NAG2 FUC3							
• Molecule 4: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose							
Chain J:	50%	50%					



 $\label{eq:constraint} \bullet \mbox{Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]2-acetamido$ 

Chain K: 33% 67%





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	108.36Å 179.57Å 140.43Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $109.61^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	39.58 - 2.80	Depositor
Resolution (A)	39.58 - 2.80	EDS
% Data completeness	99.9 (39.58-2.80)	Depositor
(in resolution range)	92.5(39.58-2.80)	EDS
R <sub>merge</sub>	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.60 (at 2.81 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
D D.	0.190 , 0.231	Depositor
$n, n_{free}$	0.190 , $0.233$	DCC
$R_{free}$ test set	2003 reflections $(3.23%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	42.6	Xtriage
Anisotropy	0.408	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , $41.2$	EDS
L-test for twinning <sup>2</sup>	$ L  > = 0.48, < L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13490	wwPDB-VP
Average B, all atoms $(Å^2)$	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, SO4, FUC, GOL, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles	
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	В	0.40	0/1724	0.56	0/2342
1	D	0.35	0/1690	0.56	0/2304
1	F	0.35	0/1699	0.55	0/2314
1	L	0.41	0/1724	0.58	0/2342
2	А	0.46	1/1657~(0.1%)	0.60	0/2259
2	С	0.42	0/1650	0.60	0/2249
2	Е	0.40	0/1642	0.57	0/2240
2	Н	0.52	1/1659~(0.1%)	0.64	0/2260
All	All	0.42	2/13445~(0.0%)	0.58	0/18310

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	92	CYS	CB-SG	-7.27	1.69	1.82
2	Н	92	CYS	CB-SG	-5.72	1.72	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	1686	0	1627	15	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1652	0	1548	12	0
1	F	1661	0	1568	14	0
1	L	1686	0	1627	22	0
2	А	1617	0	1558	16	0
2	С	1610	0	1554	11	0
2	Е	1602	0	1537	17	0
2	Н	1619	0	1567	13	0
3	G	38	0	34	3	0
3	Ι	38	0	34	2	0
4	J	24	0	22	1	0
5	Κ	71	0	61	0	0
6	А	18	0	24	4	0
6	В	18	0	22	4	0
6	С	18	0	24	2	0
6	D	18	0	23	2	0
6	Ε	12	0	16	3	0
6	F	12	0	16	1	0
6	Н	12	0	15	2	0
6	L	18	0	24	2	0
7	А	10	0	0	1	0
7	В	15	0	0	2	0
7	С	5	0	0	0	0
7	D	10	0	0	0	0
7	F	5	0	0	0	0
7	Н	5	0	0	0	0
7	L	10	0	0	0	0
All	All	13490	0	12901	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
2:A:19:ARG:HH22	6:A:302:GOL:H32	1.48	0.79	
1:D:50:TRP:HB3	4:J:2:FUC:H4	1.64	0.78	
2:E:198:VAL:HB	2:E:207:VAL:HG23	1.73	0.71	
1:D:59:PRO:HB3	6:D:304:GOL:H2	1.74	0.69	
2:H:32:TYR:OH	6:H:301:GOL:O2	2.08	0.69	
1:B:59:PRO:HB3	6:B:306:GOL:H2	1.76	0.66	
2:E:28:ILE:HD12	6:E:301:GOL:H11	1.77	0.66	



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:E:93:ALA:HB1	2:E:100(H):PHE:HB3	1.78	0.65
2:H:19:ARG:HH22	6:C:303:GOL:H2	1.62	0.64
1:L:50:TRP:HB3	3:G:3:FUC:H62	1.80	0.64
1:B:37:GLN:HB2	1:B:47:LEU:HD11	1.78	0.64
2:A:93:ALA:HB1	2:A:100(H):PHE:HB3	1.80	0.64
1:L:9:ASP:H	6:L:305:GOL:H2	1.62	0.63
2:A:41:PRO:HG2	3:G:1:NAG:H81	1.81	0.63
1:F:59:PRO:HB3	6:F:307:GOL:H2	1.81	0.62
1:B:45:LYS:NZ	7:B:309:SO4:O3	2.26	0.60
2:H:93:ALA:HB1	2:H:100(H):PHE:HB3	1.83	0.60
2:E:8:GLY:H	6:E:302:GOL:H2	1.67	0.60
2:E:29:PHE:HZ	2:E:78:VAL:HG22	1.66	0.60
1:L:145:LYS:HB3	1:L:197:THR:HB	1.86	0.58
1:B:142:ARG:H	6:B:305:GOL:H2	1.69	0.57
1:L:37:GLN:HB2	1:L:47:LEU:HD11	1.85	0.57
2:C:93:ALA:HB1	2:C:100(H):PHE:HB3	1.86	0.57
2:A:193:THR:HG23	2:A:210:LYS:HE3	1.86	0.57
1:D:120:PRO:HD3	1:D:132:VAL:HG22	1.89	0.55
2:C:119:PRO:HD2	2:C:205:THR:HG21	1.88	0.55
2:H:22:CYS:HB3	2:H:78:VAL:HG13	1.89	0.54
1:L:59:PRO:HB3	6:L:304:GOL:H2	1.90	0.54
2:A:47:TRP:HH2	2:A:58:ASN:HB3	1.72	0.54
1:F:14:SER:HA	1:F:107:LYS:HB2	1.90	0.54
2:E:195:ILE:HD11	2:E:208:ASP:HB3	1.90	0.54
2:A:30:GLY:HA3	6:A:303:GOL:H2	1.90	0.53
2:A:31:HIS:NE2	7:A:305:SO4:O1	2.33	0.53
2:C:7:SER:HA	6:C:302:GOL:H31	1.91	0.53
1:B:27(D):PHE:CE2	1:B:27(F):SER:HB3	2.44	0.52
1:D:108:ARG:HG2	1:D:109:THR:N	2.26	0.51
1:F:108:ARG:HH12	1:F:111:ALA:HB2	1.75	0.51
2:H:7:SER:HA	6:H:302:GOL:H2	1.92	0.51
1:D:108:ARG:HG2	1:D:109:THR:H	1.75	0.51
1:F:61:ARG:NH1	1:F:82:ASP:OD1	2.45	0.50
1:L:61:ARG:CZ	1:L:79:GLN:HG3	2.42	0.49
1:F:107:LYS:HA	1:F:140:TYR:OH	2.12	0.49
2:C:163:VAL:HG22	2:C:182:VAL:HB	1.94	0.49
2:A:39:GLN:HB2	2:A:45:LEU:HD23	1.95	0.49
2:E:47:TRP:HH2	2:E:58:ASN:HB3	1.77	0.49
2:H:55:GLU:HG3	2:C:65:GLY:O	2.13	0.48
1:D:107:LYS:HA	1:D:140:TYR:OH	2.12	0.48
1:B:140:TYR:CD2	1:B:141:PRO:HA	2.48	0.48



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:H:116:THR:CG2	2:H:203:SER:HB3	2.43	0.48
1:D:40:PRO:HB3	1:D:165:GLU:HG3	1.94	0.48
2:E:45:LEU:N	2:E:45:LEU:HD23	2.29	0.47
1:L:163:VAL:HG22	1:L:175:LEU:HD12	1.96	0.47
1:L:61:ARG:HH21	1:L:82:ASP:CG	2.17	0.47
2:A:6:GLU:CD	2:A:106:GLY:H	2.17	0.47
1:F:83:VAL:HG21	1:F:166:GLN:HB3	1.96	0.47
1:B:14:SER:HA	1:B:107:LYS:HB2	1.97	0.47
1:L:140:TYR:CD2	1:L:141:PRO:HA	2.50	0.46
2:E:119:PRO:HD2	2:E:205:THR:HG21	1.97	0.46
1:L:50:TRP:O	3:G:3:FUC:H4	2.16	0.46
1:B:33:PHE:HE2	1:B:35:TRP:NE1	2.13	0.46
2:E:22:CYS:O	2:E:77:THR:HA	2.16	0.46
1:L:83:VAL:HG21	1:L:166:GLN:HB3	1.97	0.46
2:C:101:ASP:HA	2:C:102:PRO:HA	1.79	0.46
1:L:50:TRP:O	1:L:52:SER:N	2.48	0.45
1:D:91:TYR:HA	1:D:96:ILE:HG22	1.98	0.45
2:H:151:THR:OG1	2:H:199:ASN:HB3	2.16	0.45
1:D:35:TRP:CE2	1:D:73:LEU:HB2	2.51	0.45
2:H:121:VAL:HA	2:H:141:LEU:O	2.16	0.45
7:B:308:SO4:O3	1:F:18:ARG:NH1	2.50	0.45
2:A:101:ASP:HA	2:A:102:PRO:HA	1.77	0.45
1:B:141:PRO:HB2	6:B:305:GOL:O2	2.17	0.44
1:F:59:PRO:HG2	1:F:62:PHE:CE1	2.53	0.44
2:E:11:LEU:HB2	2:E:147:PRO:HG3	2.00	0.44
2:E:154:TRP:CH2	2:E:196:CYS:HB3	2.53	0.44
1:L:29:ASN:O	2:A:42:GLN:NE2	2.47	0.44
2:E:101:ASP:HA	2:E:102:PRO:HA	1.80	0.44
1:D:135:LEU:HD21	1:D:137:ASN:HD22	1.84	0.43
1:L:61:ARG:NH2	1:L:82:ASP:OD2	2.51	0.43
1:L:140:TYR:CG	1:L:141:PRO:HA	2.53	0.43
2:C:154:TRP:CH2	2:C:196:CYS:HB3	2.54	0.43
1:L:61:ARG:HD2	1:L:76:ASN:O	2.19	0.43
1:B:120:PRO:HD3	1:B:132:VAL:HG22	2.00	0.43
2:C:96:PRO:HD3	2:C:100(G):TRP:O	2.19	0.43
1:B:90:GLN:OE1	1:B:92:TYR:N	2.50	0.42
1:B:50:TRP:O	3:I:3:FUC:H4	2.19	0.42
1:B:91:TYR:O	2:A:100(E):ARG:NH1	2.51	0.42
2:A:135:THR:N	2:A:186:SER:HG	2.17	0.42
2:A:32:TYR:CE2	6:A:301:GOL:H31	2.55	0.42
1:L:24:LYS:HE2	1:L:24:LYS:HB3	1.73	0.42



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:A:32:TYR:OH	6:A:301:GOL:H31	2.20	0.42	
1:L:160:GLN:HE22	2:H:171:GLN:HA	1.84	0.42	
2:E:32:TYR:OH	6:E:301:GOL:H2	2.20	0.42	
2:C:66:ARG:HB3	2:C:82(A):ASN:O	2.19	0.41	
2:C:119:PRO:HB3	2:C:145:TYR:HB3	2.02	0.41	
1:F:210:ASN:O	1:F:211:ARG:HB2	2.20	0.41	
1:B:30:ARG:HA	3:I:3:FUC:O4	2.20	0.41	
1:F:37:GLN:HB2	1:F:47:LEU:HD11	2.01	0.41	
1:F:140:TYR:CD2	1:F:141:PRO:HA	2.56	0.41	
1:L:78:LEU:HD12	1:L:78:LEU:HA	1.88	0.41	
1:F:43:PRO:HB2	2:E:103:TRP:HB2	2.02	0.41	
2:H:145:TYR:CE2	2:H:150:VAL:HG13	2.56	0.41	
2:H:150:VAL:CG2	2:H:178:LEU:HD21	2.51	0.41	
1:B:105:GLU:OE1	6:B:304:GOL:H12	2.21	0.41	
2:A:168:ALA:HA	2:A:178:LEU:HB3	2.02	0.41	
1:D:8:PRO:HB2	6:D:305:GOL:H12	2.03	0.41	
2:E:63:VAL:HB	2:E:67:PHE:CG	2.55	0.41	
2:E:168:ALA:HA	2:E:178:LEU:HB3	2.03	0.41	
1:L:31:THR:HG21	1:L:71:PHE:CE2	2.56	0.41	
2:C:6:GLU:OE2	2:C:92:CYS:N	2.46	0.41	
1:L:40:PRO:HB3	1:L:165:GLU:HG3	2.03	0.40	
2:H:12:VAL:HG22	2:H:18:LEU:HD13	2.03	0.40	
1:D:123:GLU:HA	1:D:126:LYS:NZ	2.37	0.40	
1:F:33:PHE:CZ	1:F:88:CYS:HB2	2.56	0.40	
1:L:107:LYS:HA	1:L:140:TYR:OH	2.20	0.40	
1:F:47:LEU:HA	1:F:58:VAL:HG21	2.04	0.40	

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	В	215/220~(98%)	208~(97%)	7 (3%)	0	100	100
1	D	215/220~(98%)	208~(97%)	7 (3%)	0	100	100
1	F	215/220~(98%)	209~(97%)	6 (3%)	0	100	100
1	L	215/220~(98%)	210 (98%)	5(2%)	0	100	100
2	А	215/228~(94%)	207~(96%)	8 (4%)	0	100	100
2	С	214/228~(94%)	208~(97%)	6 (3%)	0	100	100
2	Е	214/228~(94%)	208~(97%)	6 (3%)	0	100	100
2	Н	215/228~(94%)	$208 \ (97\%)$	7(3%)	0	100	100
All	All	1718/1792~(96%)	1666 (97%)	52 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	В	193/195~(99%)	189~(98%)	4 (2%)	53 84
1	D	184/195~(94%)	179~(97%)	5(3%)	44 78
1	F	187/195~(96%)	185~(99%)	2(1%)	73 92
1	L	193/195~(99%)	192~(100%)	1 (0%)	88 96
2	А	178/187~(95%)	174~(98%)	4 (2%)	52 83
2	С	177/187~(95%)	175~(99%)	2(1%)	73 92
2	Ε	175/187~(94%)	171~(98%)	4 (2%)	50 82
2	Η	178/187~(95%)	175~(98%)	3~(2%)	60 87
All	All	1465/1528~(96%)	1440 (98%)	25(2%)	60 87

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	104	LEU
2	Н	42	GLN



Mol	Chain	Res	Type
2	Н	45	LEU
2	Н	80	LEU
1	В	30	ARG
1	В	65	SER
1	В	104	LEU
1	В	142	ARG
2	А	61	ASP
2	А	80	LEU
2	А	121	VAL
2	А	186	SER
1	D	31	THR
1	D	70	ASP
1	D	94	SER
1	D	142	ARG
1	D	211	ARG
2	С	71	ARG
2	С	80	LEU
1	F	104	LEU
1	F	108	ARG
2	Е	45	LEU
2	Е	55	GLU
2	Е	78	VAL
2	Е	80	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	$\operatorname{Res}$	Type
1	L	160	GLN
1	D	137	ASN
2	С	204	ASN
2	Ε	3	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 5.5 Carbohydrates (i)

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bo	ond leng	ths	В	ond ang	les
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	NAG	G	1	1,3	14,14,15	0.94	1 (7%)	$17,\!19,\!21$	0.69	0
3	NAG	G	2	3	14,14,15	0.43	0	17,19,21	0.73	1 (5%)
3	FUC	G	3	3	10,10,11	2.19	2 (20%)	14,14,16	2.03	4 (28%)
3	NAG	Ι	1	1,3	14,14,15	0.41	0	17,19,21	0.35	0
3	NAG	Ι	2	3	14,14,15	0.49	0	17,19,21	0.49	0
3	FUC	Ι	3	3	10,10,11	1.10	1 (10%)	14,14,16	1.09	1 (7%)
4	NAG	J	1	4,1	14,14,15	0.70	1 (7%)	17,19,21	0.90	1 (5%)
4	FUC	J	2	4	10,10,11	1.26	2 (20%)	14,14,16	1.00	1 (7%)
5	NAG	К	1	5,1	14,14,15	0.36	0	17,19,21	0.90	1 (5%)
5	NAG	K	2	5	14,14,15	0.48	0	17,19,21	0.45	0
5	BMA	К	3	5	11,11,12	0.92	0	$15,\!15,\!17$	0.87	0
5	MAN	K	4	5	11,11,12	1.48	3 (27%)	$15,\!15,\!17$	0.93	0
5	MAN	K	5	5	11,11,12	1.03	0	$15,\!15,\!17$	0.95	1 (6%)
5	FUC	K	6	5	10,10,11	0.74	0	14,14,16	0.96	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	FUC	G	3	3	-	-	0/1/1/1
3	NAG	Ι	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Ι	2	3	-	4/6/23/26	0/1/1/1
3	FUC	Ι	3	3	-	-	0/1/1/1
4	NAG	J	1	4,1	-	0/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FUC	J	2	4	-	-	0/1/1/1
5	NAG	Κ	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	Κ	2	5	-	2/6/23/26	0/1/1/1
5	BMA	Κ	3	5	-	0/2/19/22	0/1/1/1
5	MAN	К	4	5	-	2/2/19/22	0/1/1/1
5	MAN	Κ	5	5	-	0/2/19/22	0/1/1/1
5	FUC	K	6	5	-	-	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
3	G	3	FUC	C1-C2	5.63	1.65	1.52
3	G	3	FUC	C4-C5	2.91	1.59	1.52
3	G	1	NAG	O5-C1	-2.87	1.39	1.43
4	J	2	FUC	C1-C2	2.64	1.58	1.52
5	Κ	4	MAN	C4-C3	2.51	1.58	1.52
3	Ι	3	FUC	C1-C2	2.48	1.57	1.52
5	Κ	4	MAN	O5-C1	-2.37	1.39	1.43
5	Κ	4	MAN	C4-C5	2.35	1.58	1.53
4	J	1	NAG	O5-C1	-2.20	1.40	1.43
4	J	2	FUC	C4-C3	2.06	1.57	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	G	3	FUC	O2-C2-C1	5.18	119.74	109.15
3	G	3	FUC	O5-C1-C2	-3.10	105.98	110.77
4	J	1	NAG	C1-O5-C5	-2.72	108.51	112.19
4	J	2	FUC	O2-C2-C1	2.62	114.52	109.15
3	G	2	NAG	C1-O5-C5	2.59	115.70	112.19
5	Κ	1	NAG	C1-O5-C5	2.39	115.43	112.19
3	G	3	FUC	C1-O5-C5	-2.27	107.63	112.78
5	Κ	5	MAN	C1-O5-C5	2.20	115.17	112.19
3	Ι	3	FUC	O2-C2-C1	2.12	113.48	109.15
5	Κ	6	FUC	C1-O5-C5	2.07	117.47	112.78
3	G	3	FUC	C1-C2-C3	-2.05	107.15	109.67

There are no chirality outliers.

All (14) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	G	1	NAG	O5-C5-C6-O6
3	Ι	2	NAG	C4-C5-C6-O6
5	Κ	2	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
5	Κ	2	NAG	C4-C5-C6-O6
5	Κ	4	MAN	C4-C5-C6-O6
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	Ι	2	NAG	C8-C7-N2-C2
3	Ι	2	NAG	O7-C7-N2-C2
3	Ι	2	NAG	O5-C5-C6-O6
3	Ι	1	NAG	C4-C5-C6-O6
5	Κ	4	MAN	O5-C5-C6-O6
3	Ι	1	NAG	O5-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	J	2	FUC	1	0
3	G	1	NAG	1	0
3	G	3	FUC	2	0
3	Ι	3	FUC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.













### 5.6 Ligand geometry (i)

33 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	l Type Chain Bes Lir		Tinle	B	ond leng	gths	Bond angles			
	Tor Type Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2	
7	SO4	L	307	-	4,4,4	0.15	0	6,6,6	0.22	0
6	GOL	L	305	-	5,5,5	0.91	0	$5,\!5,\!5$	1.06	0
6	GOL	В	306	-	$5,\!5,\!5$	0.95	0	$5,\!5,\!5$	0.91	0
6	GOL	Е	302	-	5,5,5	0.88	0	$5,\!5,\!5$	1.04	0
6	GOL	F	307	-	$5,\!5,\!5$	0.93	0	$5,\!5,\!5$	0.91	0
7	SO4	Н	303	-	4,4,4	0.13	0	6,6,6	0.15	0
7	SO4	В	309	-	4,4,4	0.15	0	6,6,6	0.15	0



Mal	Turne	Chain	Dec	Tink	B	ond leng	$\operatorname{gths}$	Bond angles		
	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	GOL	L	304	-	$5,\!5,\!5$	0.88	0	$5,\!5,\!5$	0.92	0
7	SO4	В	308	-	4,4,4	0.17	0	6,6,6	0.21	0
6	GOL	С	301	-	$5,\!5,\!5$	1.14	0	$5,\!5,\!5$	0.80	0
6	GOL	E	301	-	$5,\!5,\!5$	0.97	0	$5,\!5,\!5$	0.71	0
6	GOL	D	305	-	$5,\!5,\!5$	0.92	0	$5,\!5,\!5$	1.03	0
6	GOL	В	305	-	$5,\!5,\!5$	1.58	1 (20%)	$5,\!5,\!5$	1.24	1 (20%)
6	GOL	Н	301	-	$5,\!5,\!5$	1.48	1 (20%)	$5,\!5,\!5$	0.68	0
7	SO4	А	305	-	4,4,4	0.12	0	6,6,6	0.10	0
7	SO4	L	308	-	4,4,4	0.12	0	$6,\!6,\!6$	0.12	0
7	SO4	D	307	-	4,4,4	0.19	0	$6,\!6,\!6$	0.20	0
6	GOL	Н	302	-	$5,\!5,\!5$	0.95	0	$5,\!5,\!5$	0.95	0
6	GOL	L	306	-	$5,\!5,\!5$	1.18	0	$^{5,5,5}$	1.06	0
6	GOL	А	301	-	$5,\!5,\!5$	1.11	0	$5,\!5,\!5$	1.12	0
6	GOL	F	308	-	$5,\!5,\!5$	0.88	0	$5,\!5,\!5$	1.10	0
6	GOL	D	303	-	$5,\!5,\!5$	1.15	1 (20%)	$5,\!5,\!5$	0.85	0
6	GOL	А	302	-	$5,\!5,\!5$	1.15	0	$5,\!5,\!5$	0.91	0
6	GOL	D	304	-	$5,\!5,\!5$	0.95	0	$5,\!5,\!5$	0.95	0
6	GOL	В	304	-	$5,\!5,\!5$	1.29	1 (20%)	$5,\!5,\!5$	0.90	0
7	SO4	А	304	-	4,4,4	0.13	0	6,6,6	0.14	0
7	SO4	С	304	-	4,4,4	0.16	0	$6,\!6,\!6$	0.11	0
6	GOL	С	302	-	$5,\!5,\!5$	1.07	0	$5,\!5,\!5$	0.81	0
7	SO4	F	309	-	4,4,4	0.13	0	$6,\!6,\!6$	0.08	0
7	SO4	В	307	-	4,4,4	0.14	0	$6,\!6,\!6$	0.11	0
7	SO4	D	306	-	4,4,4	0.14	0	$6,\!6,\!6$	0.16	0
6	GOL	А	303	-	5,5,5	0.81	0	5,5,5	0.99	0
6	GOL	С	303	-	$5,\!5,\!5$	0.84	0	$5,\!5,\!5$	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	L	305	-	-	2/4/4/4	-
6	GOL	В	306	-	-	0/4/4/4	-
6	GOL	Е	302	-	-	0/4/4/4	-
6	GOL	F	307	-	-	2/4/4/4	-
6	GOL	L	304	-	-	4/4/4/4	-
6	GOL	С	301	-	-	0/4/4/4	-
6	GOL	Е	301	-	-	4/4/4/4	-
6	GOL	D	305	-	-	2/4/4/4	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	В	305	-	-	0/4/4/4	-
6	GOL	Н	301	-	-	0/4/4/4	-
6	GOL	Н	302	-	-	4/4/4/4	-
6	GOL	L	306	-	-	3/4/4/4	-
6	GOL	А	301	-	-	2/4/4/4	-
6	GOL	F	308	-	-	4/4/4/4	-
6	GOL	D	303	-	-	2/4/4/4	-
6	GOL	А	302	-	-	2/4/4/4	-
6	GOL	D	304	-	-	3/4/4/4	-
6	GOL	В	304	-	-	2/4/4/4	-
6	GOL	С	302	-	-	2/4/4/4	-
6	GOL	А	303	-	-	2/4/4/4	-
6	GOL	С	303	-	-	2/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
6	В	305	GOL	O2-C2	-3.25	1.33	1.43
6	Н	301	GOL	O2-C2	-2.72	1.35	1.43
6	В	304	GOL	O2-C2	-2.54	1.35	1.43
6	D	303	GOL	O2-C2	-2.25	1.36	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	В	305	GOL	O1-C1-C2	-2.09	100.19	110.20

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	L	304	GOL	O1-C1-C2-C3
6	L	304	GOL	C1-C2-C3-O3
6	L	305	GOL	O1-C1-C2-O2
6	L	305	GOL	O1-C1-C2-C3
6	Н	302	GOL	C1-C2-C3-O3
6	А	301	GOL	O1-C1-C2-C3
6	А	302	GOL	O1-C1-C2-O2
6	А	302	GOL	O1-C1-C2-C3



Mol	Chain	Res	Type	Atoms
6	А	303	GOL	O1-C1-C2-O2
6	А	303	GOL	O1-C1-C2-C3
6	D	303	GOL	O1-C1-C2-C3
6	D	305	GOL	C1-C2-C3-O3
6	D	305	GOL	O2-C2-C3-O3
6	С	302	GOL	O1-C1-C2-O2
6	С	302	GOL	O1-C1-C2-C3
6	С	303	GOL	O1-C1-C2-C3
6	F	307	GOL	O1-C1-C2-C3
6	F	308	GOL	O1-C1-C2-C3
6	Е	301	GOL	O1-C1-C2-C3
6	Н	302	GOL	O2-C2-C3-O3
6	Е	301	GOL	O2-C2-C3-O3
6	L	306	GOL	C1-C2-C3-O3
6	D	304	GOL	C1-C2-C3-O3
6	Е	301	GOL	C1-C2-C3-O3
6	L	304	GOL	O2-C2-C3-O3
6	С	303	GOL	O1-C1-C2-O2
6	F	307	GOL	O1-C1-C2-O2
6	Е	301	GOL	O1-C1-C2-O2
6	L	306	GOL	O2-C2-C3-O3
6	А	301	GOL	O1-C1-C2-O2
6	F	308	GOL	O1-C1-C2-O2
6	Н	302	GOL	O1-C1-C2-O2
6	D	303	GOL	O1-C1-C2-O2
6	D	304	GOL	O2-C2-C3-O3
6	В	304	GOL	O2-C2-C3-O3
6	F	308	GOL	O2-C2-C3-O3
6	Н	302	GOL	O1-C1-C2-C3
6	D	304	GOL	O1-C1-C2-O2
6	В	304	GOL	C1-C2-C3-O3
6	L	304	GOL	O1-C1-C2-O2
6	F	308	GOL	C1-C2-C3-O3
6	L	306	GOL	O1-C1-C2-O2

Continued from previous page...

There are no ring outliers.

20 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	L	305	GOL	1	0
6	В	306	GOL	1	0
6	Е	302	GOL	1	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	307	GOL	1	0
7	В	309	SO4	1	0
6	L	304	GOL	1	0
7	В	308	SO4	1	0
6	Ε	301	GOL	2	0
6	D	305	GOL	1	0
6	В	305	GOL	2	0
6	Н	301	GOL	1	0
7	А	305	SO4	1	0
6	Н	302	GOL	1	0
6	А	301	GOL	2	0
6	А	302	GOL	1	0
6	D	304	GOL	1	0
6	В	304	GOL	1	0
6	С	302	GOL	1	0
6	А	303	GOL	1	0
6	С	303	GOL	1	0

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	В	217/220~(98%)	-0.16	0 100 100	32, 56, 83, 101	0
1	D	217/220~(98%)	0.18	6 (2%) 53 43	35, 69, 100, 124	0
1	F	217/220~(98%)	0.15	8 (3%) 41 31	37, 67, 116, 126	0
1	L	217/220~(98%)	-0.30	0 100 100	30, 45, 68, 80	0
2	А	219/228~(96%)	-0.43	0 100 100	32,  44,  67,  136	0
2	С	218/228~(95%)	-0.25	5 (2%) 60 51	26, 43, 88, 120	0
2	Ε	218/228~(95%)	-0.19	8 (3%) 41 31	34, 52, 107, 135	0
2	Н	219/228~(96%)	-0.52	0 100 100	19, 35, 61, 91	0
All	All	1742/1792~(97%)	-0.19	27 (1%) 73 68	19, 50, 98, 136	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	201	LEU	4.4
2	С	135	THR	3.5
2	С	188	SER	3.5
1	F	199	GLN	3.5
2	С	136	ALA	2.9
1	D	203	SER	2.8
1	F	191	VAL	2.8
2	Е	185	PRO	2.7
1	F	157	GLY	2.7
1	D	191	VAL	2.7
2	Е	194	TYR	2.6
1	D	29	ASN	2.6
1	F	192	TYR	2.6
2	С	184	VAL	2.6
1	F	152	ASN	2.6
2	E	187	SER	2.4



		1	1 0	
$\mathbf{Mol}$	Chain	Res	Type	RSRZ
1	F	154	LEU	2.4
2	Е	192	GLN	2.3
1	F	195	GLU	2.3
2	Е	134	GLY	2.3
2	Е	193	THR	2.2
2	С	161	SER	2.2
1	F	156	SER	2.2
1	D	150	VAL	2.2
1	D	206	THR	2.1
2	Е	136	ALA	2.1
2	Е	189	LEU	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
3	NAG	Ι	2	14/15	0.77	0.46	116,125,131,133	0
3	NAG	Ι	1	14/15	0.78	0.32	77,86,105,112	0
4	FUC	J	2	10/11	0.79	0.40	97,106,112,112	0
5	MAN	K	4	11/12	0.80	0.38	98,101,103,105	0
5	MAN	Κ	5	11/12	0.82	0.27	79,87,91,95	0
4	NAG	J	1	14/15	0.85	0.30	73,81,94,101	0
3	NAG	G	2	14/15	0.88	0.32	62,82,93,96	0
3	FUC	G	3	10/11	0.90	0.19	$50,\!53,\!57,\!58$	0
3	FUC	Ι	3	10/11	0.90	0.33	91,96,100,101	0
5	BMA	Κ	3	11/12	0.91	0.22	80,86,91,96	0
3	NAG	G	1	14/15	0.92	0.14	33,49,58,61	0
5	NAG	K	2	14/15	0.96	0.15	54,57,63,72	0
5	NAG	Κ	1	14/15	0.97	0.16	35,44,53,58	0
5	FUC	K	6	10/11	0.98	0.14	36,44,48,52	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.















### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
6	GOL	В	306	6/6	0.55	0.52	81,82,84,86	0
6	GOL	L	304	6/6	0.67	0.41	80,82,84,86	0
7	SO4	В	309	5/5	0.73	0.44	148,148,149,149	0
7	SO4	L	308	5/5	0.74	0.38	137,137,138,138	0
6	GOL	F	307	6/6	0.76	0.47	76,81,82,83	0
6	GOL	L	306	6/6	0.77	0.33	58,61,62,63	0
7	SO4	С	304	5/5	0.77	0.27	137,137,137,138	0
7	SO4	А	305	5/5	0.81	0.22	146,146,146,147	0
6	GOL	D	304	6/6	0.82	0.18	79,82,82,84	0
6	GOL	Н	302	6/6	0.82	0.29	69,70,71,74	0
6	GOL	А	303	6/6	0.83	0.30	72,73,79,83	0
6	GOL	Е	302	6/6	0.83	0.24	61,63,67,71	0
6	GOL	D	305	6/6	0.84	0.21	77,81,84,85	0
7	SO4	А	304	5/5	0.84	0.27	127,127,128,128	0
6	GOL	С	301	6/6	0.87	0.16	58,59,60,61	0
6	GOL	С	303	6/6	0.87	0.15	56,57,60,65	0
6	GOL	L	305	6/6	0.87	0.33	66,72,72,73	0
6	GOL	Е	301	6/6	0.89	0.20	56,60,61,64	0
6	GOL	С	302	6/6	0.90	0.18	61,66,73,76	0
6	GOL	F	308	6/6	0.91	0.22	57,61,64,69	0
7	SO4	D	307	5/5	0.91	0.20	100,101,102,102	0
6	GOL	А	302	6/6	0.91	0.15	$51,\!57,\!59,\!61$	0
6	GOL	Н	301	6/6	0.93	0.18	33,36,40,42	0
7	SO4	D	306	5/5	0.93	0.14	99,99,101,102	0
6	GOL	В	305	6/6	0.94	0.26	$34,\!38,\!48,\!52$	0
6	GOL	В	304	6/6	0.94	0.26	$45,\!47,\!47,\!47$	0
6	GOL	А	301	6/6	0.94	0.19	$41,\!43,\!50,\!52$	0
7	SO4	Н	303	5/5	0.95	0.18	98,99,101,104	0
7	SO4	F	309	5/5	0.95	0.14	107,107,108,108	0
7	SO4	В	308	5/5	0.96	0.17	83,84,85,86	0
7	SO4	L	307	5/5	0.96	0.18	84,84,86,91	0
7	SO4	В	307	5/5	0.97	0.13	76,77,79,79	0
6	GOL	D	303	6/6	0.98	0.18	41,50,55,59	0



## 6.5 Other polymers (i)

There are no such residues in this entry.

