



Full wwPDB EM Validation Report ⓘ

Sep 27, 2023 – 08:26 PM EDT

PDB ID : 5BKI
EMDB ID : EMD-9405
Title : Blocker-free closed MthK channel in nanodisc
Authors : Fan, C.; Nimigean, C.M.
Deposited on : 2021-03-19
Resolution : 3.10 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	
1	B	336	
1	C	336	
1	D	336	
1	E	336	
1	F	336	
1	G	336	
1	H	336	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 16933 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium-gated potassium channel MthK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	317	2467	1569	418	470	10	0	0
1	C	317	2467	1569	418	470	10	0	0
1	E	317	2467	1569	418	470	10	0	0
1	G	317	2467	1569	418	470	10	0	0
1	B	222	1725	1072	306	340	7	0	0
1	D	222	1725	1072	306	340	7	0	0
1	F	222	1725	1072	306	340	7	0	0
1	H	222	1725	1072	306	340	7	0	0

- Molecule 2 is CADMIUM ION (three-letter code: CD) (formula: Cd).


Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total 1	Cd 1	0
2	C	1	Total 1	Cd 1	0
2	E	1	Total 1	Cd 1	0
2	G	1	Total 1	Cd 1	0
2	B	2	Total 2	Cd 2	0
2	D	2	Total 2	Cd 2	0
2	F	2	Total 2	Cd 2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
2	H	2	Total	Cd	0
			2	2	

- Molecule 3 is (1R)-2-{[(S)-{[(2S)-2,3-dihydroxypropyl]oxy}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (three-letter code: PGW) (formula: C₄₀H₇₇O₁₀P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
3	A	1	Total	C	O	0
			36	31	5	
3	C	1	Total	C	O	0
			36	31	5	
3	E	1	Total	C	O	0
			36	31	5	
3	G	1	Total	C	O	0
			36	31	5	

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
4	A	5	Total	K	0
			5	5	


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	AltConf
5	A	1	Total O 1 1	0
5	C	1	Total O 1 1	0
5	E	1	Total O 1 1	0
5	G	1	Total O 1 1	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium-gated potassium channel MthK




- Molecule 1: Calcium-gated potassium channel MthK



- Molecule 1: Calcium-gated potassium channel MthK





- Molecule 1: Calcium-gated potassium channel MthK







- Molecule 1: Calcium-gated potassium channel MthK



- Molecule 1: Calcium-gated potassium channel MthK



- Molecule 1: Calcium-gated potassium channel MthK



- Molecule 1: Calcium-gated potassium channel MthK



MET	VAL	LEU	VAL	ILE	ILE	ILE	ARG	LYS	HIS	LEU	PRO	ARG	VAL	LEU	VAL	PRO	ALA	THR	ARG	ILE	LEU	LEU	VAL	LEU	ALA	ALA	VAL	ILE	ILE	TYR	GLY	THR	ALA	GLY	PHE	HIS	PHE	ILE	GLU	GLY	SER	TRP	THR	VAL	SER	LEU	THR	TRP	THR	VAL	THR	ILE	ALA	THR	VAL					
GLY	TYR	GLY	ASP	TYR	SER	PRO	SER	THR	PRO	LEU	GLY	MET	TYR	PHE	THR	VAL	THR	LEU	ILE	VAL	THR	GLY	ILE	GLY	THR	PHE	ALA	VAL	ALA	VAL	GLU	ARG	LEU	LEU	GLU	PHE	LEU	ILE	ASN	ARG	GLU	GLN	MET	LYS	LEU	MET	THR	GLY	VAL	LEU	ILE	ASP	VAL	VAL	ALA	LYS	S115	R116	L131	R135

G136	S137	E138	V139	E144	H161	K200	R221	P231	S240	V252	L256	A257	E258	M264	E271	G272	S273	K274	D282	A283	D284	I285	T289	I294	D300	D309	I321	S335	A336
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C4	Depositor
Number of particles used	40536	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.53	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.207	Depositor
Minimum map value	-0.124	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.02	Depositor
Map size (\AA)	263.064, 263.064, 263.064	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.0961, 1.0961, 1.0961	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CD, PGW, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2506	0.55	0/3393
1	B	0.41	0/1746	0.52	0/2355
1	C	0.43	0/2506	0.55	0/3393
1	D	0.41	0/1746	0.52	0/2355
1	E	0.43	0/2506	0.55	0/3393
1	F	0.41	0/1746	0.52	0/2355
1	G	0.43	0/2506	0.55	0/3393
1	H	0.41	0/1746	0.52	0/2355
All	All	0.42	0/17008	0.54	0/22992

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2467	0	2498	31	0
1	B	1725	0	1731	12	0
1	C	2467	0	2498	28	0
1	D	1725	0	1731	12	0
1	E	2467	0	2498	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1725	0	1731	12	0
1	G	2467	0	2498	31	0
1	H	1725	0	1731	14	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	1	0	0	0	0
2	D	2	0	0	0	0
2	E	1	0	0	0	0
2	F	2	0	0	0	0
2	G	1	0	0	0	0
2	H	2	0	0	0	0
3	A	36	0	51	0	0
3	C	36	0	51	0	0
3	E	36	0	51	0	0
3	G	36	0	51	1	0
4	A	5	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
All	All	16933	0	17120	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:75:PHE:O	1:C:78:THR:HG22	1.34	1.25
1:E:75:PHE:O	1:E:78:THR:HG22	1.35	1.24
1:G:75:PHE:O	1:G:78:THR:HG22	1.35	1.23
1:A:75:PHE:O	1:A:78:THR:HG22	1.35	1.18
1:C:273:SER:O	1:C:275:LEU:HD23	1.62	0.99
1:G:273:SER:O	1:G:275:LEU:HD23	1.62	0.99
1:A:273:SER:O	1:A:275:LEU:HD23	1.62	0.97
1:E:273:SER:O	1:E:275:LEU:HD23	1.62	0.97
1:A:75:PHE:O	1:A:78:THR:CG2	2.25	0.81
1:G:75:PHE:O	1:G:78:THR:CG2	2.25	0.81
1:E:75:PHE:O	1:E:78:THR:CG2	2.25	0.80
1:C:75:PHE:O	1:C:78:THR:CG2	2.25	0.79
1:C:72:GLY:O	1:C:76:THR:HG23	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:72:GLY:O	1:E:76:THR:HG23	1.96	0.66
1:C:33:TYR:OH	1:C:78:THR:HG21	1.96	0.66
1:A:33:TYR:OH	1:A:78:THR:HG21	1.96	0.66
1:A:72:GLY:O	1:A:76:THR:HG23	1.96	0.66
1:G:33:TYR:OH	1:G:78:THR:HG21	1.96	0.65
1:E:33:TYR:OH	1:E:78:THR:HG21	1.96	0.65
1:G:72:GLY:O	1:G:76:THR:HG23	1.96	0.65
1:G:131:LEU:HD21	1:G:139:VAL:HG11	1.86	0.58
1:D:115:SER:O	1:D:116:ARG:NH1	2.37	0.58
1:H:115:SER:O	1:H:116:ARG:NH1	2.37	0.58
1:F:115:SER:O	1:F:116:ARG:NH1	2.37	0.58
1:A:131:LEU:HD21	1:A:139:VAL:HG11	1.86	0.58
1:E:131:LEU:HD21	1:E:139:VAL:HG11	1.86	0.58
1:C:131:LEU:HD21	1:C:139:VAL:HG11	1.86	0.57
1:A:258:GLU:OE2	1:B:221:ARG:NH2	2.36	0.57
1:B:115:SER:O	1:B:116:ARG:NH1	2.37	0.56
1:C:138:GLU:OE2	1:C:179:ARG:NH1	2.40	0.55
1:E:138:GLU:OE2	1:E:179:ARG:NH1	2.40	0.55
1:G:138:GLU:OE2	1:G:179:ARG:NH1	2.40	0.55
1:C:258:GLU:OE2	1:D:221:ARG:NH2	2.37	0.55
1:D:252:VAL:HG13	1:D:256:LEU:HD12	1.89	0.55
1:A:154:ARG:NH1	1:C:161:HIS:O	2.40	0.55
1:F:252:VAL:HG13	1:F:256:LEU:HD12	1.89	0.54
1:C:154:ARG:NH1	1:E:161:HIS:O	2.41	0.54
1:A:138:GLU:OE2	1:A:179:ARG:NH1	2.40	0.54
1:C:135:ARG:NH2	1:C:137:SER:OG	2.42	0.53
1:G:135:ARG:NH2	1:G:137:SER:OG	2.42	0.53
1:B:252:VAL:HG13	1:B:256:LEU:HD12	1.89	0.53
1:H:252:VAL:HG13	1:H:256:LEU:HD12	1.89	0.53
1:A:135:ARG:NH2	1:A:137:SER:OG	2.42	0.53
1:E:135:ARG:NH2	1:E:137:SER:OG	2.42	0.53
1:E:69:THR:HG22	1:E:71:LEU:H	1.74	0.53
1:A:69:THR:HG22	1:A:71:LEU:H	1.74	0.53
1:C:69:THR:HG22	1:C:71:LEU:H	1.74	0.53
1:E:154:ARG:NH1	1:G:161:HIS:O	2.43	0.51
1:G:69:THR:HG22	1:G:71:LEU:H	1.74	0.51
1:A:161:HIS:O	1:G:154:ARG:NH1	2.44	0.51
1:G:289:THR:HG21	1:G:330:LEU:HB2	1.93	0.50
1:A:289:THR:HG21	1:A:330:LEU:HB2	1.93	0.50
1:E:258:GLU:OE2	1:F:221:ARG:NH2	2.42	0.50
1:B:264:MET:HG2	1:B:321:ILE:HG12	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:264:MET:HG2	1:D:321:ILE:HG12	1.93	0.49
1:F:264:MET:HG2	1:F:321:ILE:HG12	1.93	0.49
1:E:289:THR:HG21	1:E:330:LEU:HB2	1.93	0.49
1:H:264:MET:HG2	1:H:321:ILE:HG12	1.93	0.49
1:E:235:SER:HB2	1:F:231:PRO:HB3	1.95	0.49
1:C:289:THR:HG21	1:C:330:LEU:HB2	1.93	0.49
1:H:274:LYS:NZ	1:H:335:SER:O	2.39	0.49
1:G:124:SER:OG	1:G:184:ASP:OD2	2.25	0.49
1:A:279:SER:OG	1:A:308:ARG:O	2.31	0.48
1:G:258:GLU:OE2	1:H:221:ARG:NH2	2.39	0.48
1:G:279:SER:OG	1:G:308:ARG:O	2.31	0.48
1:C:279:SER:OG	1:C:308:ARG:O	2.31	0.48
1:F:273:SER:O	1:F:273:SER:OG	2.32	0.47
1:C:208:ILE:HG23	1:C:227:GLN:HB3	1.96	0.47
1:A:67:PRO:HG3	1:A:76:THR:HG21	1.97	0.47
1:A:208:ILE:HG23	1:A:227:GLN:HB3	1.96	0.47
1:E:279:SER:OG	1:E:308:ARG:O	2.31	0.47
1:E:221:ARG:NH2	1:F:258:GLU:OE2	2.40	0.47
1:C:67:PRO:HG3	1:C:76:THR:HG21	1.97	0.47
1:E:208:ILE:HG23	1:E:227:GLN:HB3	1.96	0.47
1:G:208:ILE:HG23	1:G:227:GLN:HB3	1.96	0.47
1:E:67:PRO:HG3	1:E:76:THR:HG21	1.96	0.46
1:A:221:ARG:NH2	1:B:258:GLU:OE2	2.42	0.46
1:G:67:PRO:HG3	1:G:76:THR:HG21	1.96	0.46
1:G:235:SER:HB2	1:H:231:PRO:HB3	1.96	0.46
1:A:73:MET:O	1:A:77:VAL:HG23	2.16	0.46
1:C:235:SER:HB2	1:D:231:PRO:HB3	1.98	0.46
1:C:73:MET:O	1:C:77:VAL:HG23	2.16	0.46
1:F:285:ILE:O	1:F:289:THR:OG1	2.26	0.45
1:D:273:SER:O	1:D:273:SER:OG	2.32	0.45
1:E:73:MET:O	1:E:77:VAL:HG23	2.16	0.45
1:G:130:CYS:HB2	1:H:240:SER:HB3	1.97	0.45
1:A:235:SER:HB2	1:B:231:PRO:HB3	1.98	0.45
1:D:131:LEU:HD21	1:D:139:VAL:HG11	1.99	0.45
1:C:261:THR:HG23	1:C:262:ARG:HG2	2.00	0.44
1:B:131:LEU:HD21	1:B:139:VAL:HG11	1.99	0.44
1:A:78:THR:HG23	1:A:79:LEU:N	2.32	0.44
1:E:78:THR:HG23	1:E:79:LEU:N	2.33	0.44
1:G:78:THR:HG23	1:G:79:LEU:N	2.32	0.44
1:A:77:VAL:HG13	1:G:54:PHE:CG	2.52	0.44
1:A:130:CYS:HB2	1:B:240:SER:HB3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:THR:HG23	1:C:79:LEU:N	2.32	0.44
1:C:130:CYS:HB2	1:D:240:SER:HB3	1.98	0.44
1:A:275:LEU:O	1:A:278:VAL:HG22	2.18	0.44
1:G:73:MET:O	1:G:77:VAL:HG23	2.16	0.44
1:A:261:THR:HG23	1:A:262:ARG:HG2	2.00	0.44
1:C:221:ARG:NH2	1:D:258:GLU:OE2	2.42	0.44
1:E:275:LEU:O	1:E:278:VAL:HG22	2.17	0.44
1:G:275:LEU:O	1:G:278:VAL:HG22	2.18	0.44
1:C:275:LEU:O	1:C:278:VAL:HG22	2.18	0.44
1:F:144:GLU:O	1:F:161:HIS:NE2	2.51	0.44
1:D:285:ILE:O	1:D:289:THR:OG1	2.26	0.43
1:H:144:GLU:O	1:H:161:HIS:NE2	2.51	0.43
1:H:131:LEU:HD21	1:H:139:VAL:HG11	1.99	0.43
1:D:200:LYS:HA	1:D:200:LYS:HD3	1.82	0.43
1:F:131:LEU:HD21	1:F:139:VAL:HG11	1.99	0.43
1:H:273:SER:O	1:H:273:SER:OG	2.32	0.43
1:A:34:GLY:HA2	1:A:75:PHE:HZ	1.84	0.43
1:C:37:GLY:HA3	1:C:75:PHE:CZ	2.54	0.43
1:E:261:THR:HG23	1:E:262:ARG:HG2	1.99	0.43
1:G:34:GLY:HA2	1:G:75:PHE:HZ	1.84	0.43
1:G:324:PRO:HA	1:G:327:ILE:HD12	2.00	0.43
1:F:200:LYS:HD3	1:F:200:LYS:HA	1.82	0.43
1:C:34:GLY:HA2	1:C:75:PHE:HZ	1.84	0.43
1:C:54:PHE:CG	1:E:77:VAL:HG13	2.54	0.43
1:C:324:PRO:HA	1:C:327:ILE:HD12	2.00	0.42
1:G:261:THR:HG23	1:G:262:ARG:HG2	2.00	0.42
1:D:144:GLU:O	1:D:161:HIS:NE2	2.51	0.42
1:B:144:GLU:O	1:B:161:HIS:NE2	2.51	0.42
1:A:324:PRO:HA	1:A:327:ILE:HD12	2.01	0.42
1:E:54:PHE:CG	1:G:77:VAL:HG13	2.54	0.42
1:A:124:SER:OG	1:A:184:ASP:OD2	2.25	0.42
1:E:37:GLY:HA3	1:E:75:PHE:CZ	2.54	0.42
1:A:37:GLY:HA3	1:A:75:PHE:CZ	2.54	0.42
1:E:324:PRO:HA	1:E:327:ILE:HD12	2.00	0.42
1:G:37:GLY:HA3	1:G:75:PHE:CZ	2.54	0.42
1:B:200:LYS:HA	1:B:200:LYS:HD3	1.82	0.42
1:H:294:ILE:HD13	1:H:294:ILE:HA	1.94	0.42
3:G:402:PGW:H5A	3:G:402:PGW:H2A	1.89	0.42
1:E:34:GLY:HA2	1:E:75:PHE:HZ	1.84	0.41
1:E:124:SER:OG	1:E:184:ASP:OD2	2.25	0.41
1:E:67:PRO:CG	1:E:76:THR:HG21	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:67:PRO:CG	1:G:76:THR:HG21	2.50	0.41
1:C:67:PRO:CG	1:C:76:THR:HG21	2.50	0.41
1:G:221:ARG:NH2	1:H:258:GLU:OE2	2.44	0.41
1:G:93:ARG:HD2	1:G:93:ARG:HA	1.83	0.41
1:A:25:LEU:HD23	1:A:25:LEU:HA	1.94	0.41
1:A:67:PRO:CG	1:A:76:THR:HG21	2.50	0.41
1:B:294:ILE:HD13	1:B:294:ILE:HA	1.94	0.41
1:H:200:LYS:HD3	1:H:200:LYS:HA	1.83	0.40
1:E:93:ARG:HD2	1:E:93:ARG:HA	1.83	0.40
1:H:285:ILE:O	1:H:289:THR:OG1	2.26	0.40
1:B:288:VAL:HG23	1:B:289:THR:HG23	2.03	0.40
1:A:200:LYS:HA	1:A:200:LYS:HD3	1.90	0.40
1:E:130:CYS:HB2	1:F:240:SER:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/336 (94%)	295 (94%)	20 (6%)	0	100	100
1	B	220/336 (66%)	211 (96%)	9 (4%)	0	100	100
1	C	315/336 (94%)	295 (94%)	20 (6%)	0	100	100
1	D	220/336 (66%)	211 (96%)	9 (4%)	0	100	100
1	E	315/336 (94%)	295 (94%)	20 (6%)	0	100	100
1	F	220/336 (66%)	211 (96%)	9 (4%)	0	100	100
1	G	315/336 (94%)	295 (94%)	20 (6%)	0	100	100
1	H	220/336 (66%)	211 (96%)	9 (4%)	0	100	100
All	All	2140/2688 (80%)	2024 (95%)	116 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/288 (93%)	267 (99%)	2 (1%)	84	93
1	B	190/288 (66%)	189 (100%)	1 (0%)	88	94
1	C	269/288 (93%)	267 (99%)	2 (1%)	84	93
1	D	190/288 (66%)	189 (100%)	1 (0%)	88	94
1	E	269/288 (93%)	267 (99%)	2 (1%)	84	93
1	F	190/288 (66%)	189 (100%)	1 (0%)	88	94
1	G	269/288 (93%)	267 (99%)	2 (1%)	84	93
1	H	190/288 (66%)	189 (100%)	1 (0%)	88	94
All	All	1836/2304 (80%)	1824 (99%)	12 (1%)	84	93

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	200	LYS
1	A	275	LEU
1	C	200	LYS
1	C	275	LEU
1	E	200	LYS
1	E	275	LEU
1	G	200	LYS
1	G	275	LEU
1	B	309	ASP
1	D	309	ASP
1	F	309	ASP
1	H	309	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 17 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PGW	G	402	-	35,35,50	1.35	4 (11%)	37,37,56	1.75	3 (8%)
3	PGW	C	402	-	35,35,50	1.35	4 (11%)	37,37,56	1.76	4 (10%)
3	PGW	E	402	-	35,35,50	1.35	4 (11%)	37,37,56	1.75	4 (10%)
3	PGW	A	402	-	35,35,50	1.35	4 (11%)	37,37,56	1.76	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PGW	G	402	-	-	21/37/37/55	-
3	PGW	C	402	-	-	21/37/37/55	-
3	PGW	E	402	-	-	21/37/37/55	-
3	PGW	A	402	-	-	21/37/37/55	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	PGW	C10-C9	3.84	1.54	1.31
3	E	402	PGW	C10-C9	3.84	1.54	1.31
3	G	402	PGW	C10-C9	3.84	1.54	1.31
3	A	402	PGW	C10-C9	3.83	1.54	1.31
3	C	402	PGW	O03-C19	3.38	1.43	1.33
3	A	402	PGW	O03-C19	3.35	1.43	1.33
3	G	402	PGW	O03-C19	3.34	1.43	1.33
3	A	402	PGW	O01-C1	3.34	1.43	1.34
3	E	402	PGW	O01-C1	3.34	1.43	1.34
3	E	402	PGW	O03-C19	3.34	1.43	1.33
3	C	402	PGW	O01-C1	3.33	1.43	1.34
3	G	402	PGW	O01-C1	3.33	1.43	1.34
3	E	402	PGW	O01-C02	-2.23	1.41	1.46
3	A	402	PGW	O01-C02	-2.20	1.41	1.46
3	G	402	PGW	O01-C02	-2.20	1.41	1.46
3	C	402	PGW	O01-C02	-2.18	1.41	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	402	PGW	C08-C07-C06	-7.54	80.95	113.79
3	A	402	PGW	C08-C07-C06	-7.54	80.96	113.79
3	G	402	PGW	C08-C07-C06	-7.53	80.96	113.79
3	E	402	PGW	C08-C07-C06	-7.53	80.96	113.79
3	C	402	PGW	O01-C1-C2	4.06	120.26	111.50
3	G	402	PGW	O01-C1-C2	4.04	120.21	111.50
3	A	402	PGW	O01-C1-C2	4.04	120.20	111.50
3	E	402	PGW	O01-C1-C2	4.04	120.20	111.50
3	A	402	PGW	O03-C19-C20	2.53	119.85	111.91
3	C	402	PGW	O03-C19-C20	2.53	119.84	111.91
3	E	402	PGW	O03-C19-C20	2.52	119.83	111.91
3	G	402	PGW	O03-C19-C20	2.52	119.82	111.91
3	E	402	PGW	C02-O01-C1	-2.01	112.83	117.79
3	A	402	PGW	C02-O01-C1	-2.01	112.85	117.79
3	C	402	PGW	C02-O01-C1	-2.00	112.86	117.79

There are no chirality outliers.

All (84) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	PGW	O01-C02-C03-O11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	402	PGW	O01-C02-C03-O11
3	E	402	PGW	O01-C02-C03-O11
3	G	402	PGW	O01-C02-C03-O11
3	A	402	PGW	C06-C10-C9-C8
3	C	402	PGW	C06-C10-C9-C8
3	E	402	PGW	C06-C10-C9-C8
3	G	402	PGW	C06-C10-C9-C8
3	A	402	PGW	C2-C1-O01-C02
3	C	402	PGW	C2-C1-O01-C02
3	E	402	PGW	C2-C1-O01-C02
3	G	402	PGW	C2-C1-O01-C02
3	A	402	PGW	C24-C25-C26-C27
3	C	402	PGW	C24-C25-C26-C27
3	E	402	PGW	C24-C25-C26-C27
3	G	402	PGW	C24-C25-C26-C27
3	A	402	PGW	O02-C1-O01-C02
3	C	402	PGW	O02-C1-O01-C02
3	E	402	PGW	O02-C1-O01-C02
3	G	402	PGW	O02-C1-O01-C02
3	A	402	PGW	C3-C4-C5-C6
3	C	402	PGW	C3-C4-C5-C6
3	E	402	PGW	C3-C4-C5-C6
3	G	402	PGW	C3-C4-C5-C6
3	A	402	PGW	C19-C20-C21-C22
3	C	402	PGW	C19-C20-C21-C22
3	G	402	PGW	C19-C20-C21-C22
3	E	402	PGW	C19-C20-C21-C22
3	A	402	PGW	C4-C5-C6-C7
3	C	402	PGW	C4-C5-C6-C7
3	E	402	PGW	C4-C5-C6-C7
3	G	402	PGW	C4-C5-C6-C7
3	A	402	PGW	C5-C6-C7-C8
3	C	402	PGW	C5-C6-C7-C8
3	G	402	PGW	C5-C6-C7-C8
3	E	402	PGW	C5-C6-C7-C8
3	A	402	PGW	C10-C06-C07-C08
3	A	402	PGW	C6-C7-C8-C9
3	C	402	PGW	C10-C06-C07-C08
3	C	402	PGW	C6-C7-C8-C9
3	E	402	PGW	C10-C06-C07-C08
3	E	402	PGW	C6-C7-C8-C9
3	G	402	PGW	C10-C06-C07-C08

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	G	402	PGW	C6-C7-C8-C9
3	A	402	PGW	C22-C23-C24-C25
3	C	402	PGW	C22-C23-C24-C25
3	E	402	PGW	C22-C23-C24-C25
3	G	402	PGW	C22-C23-C24-C25
3	A	402	PGW	C27-C15-C16-C17
3	E	402	PGW	C27-C15-C16-C17
3	G	402	PGW	C27-C15-C16-C17
3	C	402	PGW	C27-C15-C16-C17
3	A	402	PGW	C16-C15-C27-C26
3	G	402	PGW	C16-C15-C27-C26
3	C	402	PGW	C16-C15-C27-C26
3	E	402	PGW	C16-C15-C27-C26
3	A	402	PGW	C01-C02-C03-O11
3	C	402	PGW	C01-C02-C03-O11
3	E	402	PGW	C01-C02-C03-O11
3	G	402	PGW	C01-C02-C03-O11
3	C	402	PGW	C25-C26-C27-C15
3	E	402	PGW	C25-C26-C27-C15
3	G	402	PGW	C25-C26-C27-C15
3	A	402	PGW	C25-C26-C27-C15
3	G	402	PGW	C15-C16-C17-C18
3	A	402	PGW	C15-C16-C17-C18
3	C	402	PGW	C15-C16-C17-C18
3	E	402	PGW	C15-C16-C17-C18
3	A	402	PGW	C20-C19-O03-C01
3	C	402	PGW	C20-C19-O03-C01
3	E	402	PGW	C20-C19-O03-C01
3	G	402	PGW	C20-C19-O03-C01
3	E	402	PGW	O04-C19-O03-C01
3	A	402	PGW	O04-C19-O03-C01
3	C	402	PGW	O04-C19-O03-C01
3	G	402	PGW	O04-C19-O03-C01
3	A	402	PGW	C7-C8-C9-C10
3	C	402	PGW	C7-C8-C9-C10
3	E	402	PGW	C7-C8-C9-C10
3	G	402	PGW	C7-C8-C9-C10
3	G	402	PGW	C06-C07-C08-C09
3	A	402	PGW	C06-C07-C08-C09
3	C	402	PGW	C06-C07-C08-C09
3	E	402	PGW	C06-C07-C08-C09


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	402	PGW	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9405. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 111



Y Index: 111




Z Index: 136


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 98 nm^3 ; this corresponds to an approximate mass of 88 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.323\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-9405 and PDB model 5BKI. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).



















9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8190	 0.5660
A	 0.8230	 0.5640
B	 0.8270	 0.5710
C	 0.8240	 0.5630
D	 0.8300	 0.5680
E	 0.8240	 0.5630
F	 0.8280	 0.5690
G	 0.8230	 0.5630
H	 0.8280	 0.5700

