

Full wwPDB X-ray Structure Validation Report (i)

Sep 10, 2023 - 07:05 am BST

:	8BOR
:	Photosensory module from DrBphP without PHY tongue
:	Kurttila, M.; Takala, H.; Ihalainen, J.A.
:	2022-11-15
:	2.30 Å(reported)
	::

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575(2.30-2.30)
Sidechain outliers	138945	5575(2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	496	13%	10%	8%
1	В	496	<u>6%</u> 84%	9%	7%
1	С	496	83%	10%	7%
1	D	496	5% 86%	8%	6%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 14714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace			
1	1 A	457	Total	С	Ν	0	S	0	3	0			
1			3513	2241	619	641	12						
1	1 B	D	D	D	D 469	Total	С	Ν	0	S	0	2	0
1		402	3524	2243	623	647	11	0		U			
1	C	462	Total	С	Ν	0	S	0	1	0			
	405	3538	2254	623	649	12	0						
1 D	466	Total	С	Ν	0	S	0	1	0				
		3541	2253	628	649	11	0		0				

• Molecule 1 is a protein called Bacteriophytochrome.

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-13	MET	-	initiating methionine	UNP Q9RZA4
А	-12	ALA	-	expression tag	UNP Q9RZA4
А	-11	SER	-	expression tag	UNP Q9RZA4
А	-10	MET	-	expression tag	UNP Q9RZA4
А	-9	THR	-	expression tag	UNP Q9RZA4
A	-8	GLY	-	expression tag	UNP Q9RZA4
А	-7	GLY	-	expression tag	UNP Q9RZA4
А	-6	GLN	-	expression tag	UNP Q9RZA4
A	-5	GLN	-	expression tag	UNP Q9RZA4
А	-4	MET	-	expression tag	UNP Q9RZA4
А	-3	GLY	-	expression tag	UNP Q9RZA4
А	-2	ARG	-	expression tag	UNP Q9RZA4
А	-1	GLY	-	expression tag	UNP Q9RZA4
A	0	SER	-	expression tag	UNP Q9RZA4
А	?	-	LEU	deletion	UNP Q9RZA4
А	?	-	GLU	deletion	UNP Q9RZA4
А	?	-	VAL	deletion	UNP Q9RZA4
А	?	-	ALA	deletion	UNP Q9RZA4
А	?	-	TRP	deletion	UNP Q9RZA4
А	?	-	GLY	deletion	UNP Q9RZA4
А	?	-	GLY	deletion	UNP Q9RZA4



8BOR

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ALA	deletion	UNP Q9RZA4
A	?	-	THR	deletion	UNP Q9RZA4
A	?	-	PRO	deletion	UNP Q9RZA4
A	?	-	ASP	deletion	UNP Q9RZA4
A	?	-	GLN	deletion	UNP Q9RZA4
A	?	-	ALA	deletion	UNP Q9RZA4
A	?	-	LYS	deletion	UNP Q9RZA4
А	?	-	ASP	deletion	UNP Q9RZA4
А	?	-	ASP	deletion	UNP Q9RZA4
А	?	-	LEU	deletion	UNP Q9RZA4
А	?	-	GLY	deletion	UNP Q9RZA4
А	?	-	PRO	deletion	UNP Q9RZA4
А	?	-	ARG	deletion	UNP Q9RZA4
А	?	-	HIS	deletion	UNP Q9RZA4
А	?	-	SER	deletion	UNP Q9RZA4
А	?	-	PHE	deletion	UNP Q9RZA4
А	?	-	ASP	deletion	UNP Q9RZA4
А	?	-	THR	deletion	UNP Q9RZA4
А	?	-	TYR	deletion	UNP Q9RZA4
А	?	-	LEU	deletion	UNP Q9RZA4
А	?	-	GLU	deletion	UNP Q9RZA4
А	?	-	GLU	deletion	UNP Q9RZA4
А	?	-	LYS	deletion	UNP Q9RZA4
А	?	-	ARG	deletion	UNP Q9RZA4
А	474	GLY	-	linker	UNP Q9RZA4
А	475	GLY	-	linker	UNP Q9RZA4
А	476	GLY	-	linker	UNP Q9RZA4
А	477	SER	-	linker	UNP Q9RZA4
А	503	GLU	-	expression tag	UNP Q9RZA4
A	504	HIS	-	expression tag	UNP Q9RZA4
A	505	HIS	-	expression tag	UNP Q9RZA4
A	506	HIS	-	expression tag	UNP Q9RZA4
A	507	HIS	-	expression tag	UNP Q9RZA4
A	508	HIS	-	expression tag	UNP Q9RZA4
A	509	HIS	-	expression tag	UNP Q9RZA4
В	-13	MET	-	initiating methionine	UNP Q9RZA $\overline{4}$
В	-12	ALA	-	expression tag	UNP Q9RZA4
В	-11	SER	-	expression tag	UNP Q9RZA4
В	-10	MET	-	expression tag	UNP Q9RZA $\overline{4}$
В	-9	THR	-	expression tag	UNP Q9RZA4
В	-8	GLY	-	expression tag	UNP Q9RZA4
В	-7	GLY	-	expression tag	UNP Q9RZA4



8BOR

Chain	Residue	Modelled	Actual	Comment	Reference
В	-6	GLN	_	expression tag	UNP Q9RZA4
В	-5	GLN	_	expression tag	UNP Q9RZA4
В	-4	MET	_	expression tag	UNP Q9RZA4
В	-3	GLY	-	expression tag	UNP Q9RZA4
В	-2	ARG	_	expression tag	UNP Q9RZA4
В	-1	GLY	_	expression tag	UNP Q9RZA4
В	0	SER	-	expression tag	UNP Q9RZA4
В	?	-	LEU	deletion	UNP Q9RZA4
В	?	-	GLU	deletion	UNP Q9RZA4
В	?	-	VAL	deletion	UNP Q9RZA4
В	?	-	ALA	deletion	UNP Q9RZA4
В	?	-	TRP	deletion	UNP Q9RZA4
В	?	-	GLY	deletion	UNP Q9RZA4
В	?	-	GLY	deletion	UNP Q9RZA4
В	?	-	ALA	deletion	UNP Q9RZA4
В	?	-	THR	deletion	UNP Q9RZA4
В	?	-	PRO	deletion	UNP Q9RZA4
В	?	-	ASP	deletion	UNP Q9RZA4
В	?	-	GLN	deletion	UNP Q9RZA4
В	?	-	ALA	deletion	UNP Q9RZA4
В	?	-	LYS	deletion	UNP Q9RZA4
В	?	-	ASP	deletion	UNP Q9RZA4
В	?	_	ASP	deletion	UNP Q9RZA4
В	?	-	LEU	deletion	UNP Q9RZA4
В	?	-	GLY	deletion	UNP Q9RZA4
В	?	-	PRO	deletion	UNP Q9RZA4
В	?	-	ARG	deletion	UNP Q9RZA4
В	?	-	HIS	deletion	UNP Q9RZA4
В	?	-	SER	deletion	UNP Q9RZA4
В	?	-	PHE	deletion	UNP Q9RZA4
В	?	-	ASP	deletion	UNP Q9RZA4
В	?	-	THR	deletion	UNP Q9RZA4
В	?	-	TYR	deletion	UNP Q9RZA4
В	?	-	LEU	deletion	UNP Q9RZA4
В	?	-	GLU	deletion	UNP Q9RZA4
В	?	-	GLU	deletion	UNP Q9RZA4
В	?	-	LYS	deletion	UNP Q9RZA4
В	?	-	ARG	deletion	UNP Q9RZA4
В	474	GLY	-	linker	UNP Q9RZA4
В	475	GLY	-	linker	UNP Q9RZA4
В	476	GLY	-	linker	UNP Q9RZA4
В	477	SER	_	linker	UNP Q9RZA4



Chain	Residue	Modelled	Actual	Comment	Reference
В	503	GLU	-	expression tag	UNP Q9RZA4
В	504	HIS	_	expression tag	UNP Q9RZA4
В	505	HIS	_	expression tag	UNP Q9RZA4
В	506	HIS	-	expression tag	UNP Q9RZA4
В	507	HIS	-	expression tag	UNP Q9RZA4
В	508	HIS	-	expression tag	UNP Q9RZA4
В	509	HIS	_	expression tag	UNP Q9RZA4
С	-13	MET	_	initiating methionine	UNP Q9RZA4
С	-12	ALA	_	expression tag	UNP Q9RZA4
С	-11	SER	_	expression tag	UNP Q9RZA4
С	-10	MET	_	expression tag	UNP Q9RZA4
С	-9	THR	-	expression tag	UNP Q9RZA4
С	-8	GLY	_	expression tag	UNP Q9RZA4
С	-7	GLY	_	expression tag	UNP Q9RZA4
С	-6	GLN	_	expression tag	UNP Q9RZA4
С	-5	GLN	_	expression tag	UNP Q9RZA4
С	-4	MET	-	expression tag	UNP Q9RZA4
С	-3	GLY	_	expression tag	UNP Q9RZA4
С	-2	ARG	_	expression tag	UNP Q9RZA4
С	-1	GLY	-	expression tag	UNP Q9RZA4
С	0	SER	-	expression tag	UNP Q9RZA4
С	?	-	LEU	deletion	UNP Q9RZA4
С	?	-	GLU	deletion	UNP Q9RZA4
С	?	-	VAL	deletion	UNP Q9RZA4
С	?	-	ALA	deletion	UNP Q9RZA4
С	?	_	TRP	deletion	UNP Q9RZA4
С	?	-	GLY	deletion	UNP Q9RZA4
С	?	-	GLY	deletion	UNP Q9RZA4
С	?	-	ALA	deletion	UNP Q9RZA4
С	?	-	THR	deletion	UNP Q9RZA4
С	?	-	PRO	deletion	UNP Q9RZA4
С	?	-	ASP	deletion	UNP Q9RZA4
С	?	-	GLN	deletion	UNP Q9RZA4
С	?	-	ALA	deletion	UNP Q9RZA4
С	?	-	LYS	deletion	UNP Q9RZA4
С	?	-	ASP	deletion	UNP Q9RZA4
С	?	-	ASP	deletion	UNP Q9RZA4
С	?	-	LEU	deletion	UNP Q9RZA4
С	?	-	GLY	deletion	UNP Q9RZA4
С	?	-	PRO	deletion	UNP Q9RZA4
С	?	-	ARG	deletion	UNP Q9RZA4
С	?	-	HIS	deletion	UNP Q9RZA4

Continued from previous page...



8BOR

Chain	hain Residue Modelled Actual Comment			Reference	
С	?	-	SER	deletion	UNP O9RZA4
C	. ?		PHE	deletion	$\frac{0000}{0000000000000000000000000000000$
	· · · · · · · · · · · · · · · · · · ·		ASP	deletion	UNP O9RZA4
C	·?		THR	deletion	UNP O9RZA4
	· · · · · · · · · · · · · · · · · · ·		TYR	deletion	UNP O9RZA4
C	· ?		LEU	deletion	UNP O9RZA4
C	?		GLU	deletion	UNP Q9RZA4
C	?		GLU	deletion	UNP Q9RZA4
C	?		LYS	deletion	UNP Q9RZA4
C	?	_	ARG	deletion	UNP Q9RZA4
C	474	GLY	-	linker	UNP Q9RZA4
C	475	GLY	_	linker	UNP Q9RZA4
C	476	GLY	_	linker	UNP Q9RZA4
C	477	SER	_	linker	UNP Q9RZA4
C	503	GLU	_	expression tag	UNP Q9RZA4
C	504	HIS	_	expression tag	UNP Q9RZA4
C	505	HIS	_	expression tag	UNP Q9RZA4
C	506	HIS	_	expression tag	UNP Ø9RZA4
C	507	HIS	_	expression tag	UNP Q9RZA4
C	508	HIS	_	expression tag	UNP Q9RZA4
С	509	HIS	_	expression tag	UNP Q9RZA4
D	-13	MET	_	initiating methionine	UNP Q9RZA4
D	-12	ALA	_	expression tag	UNP Q9RZA4
D	-11	SER	-	expression tag	UNP Q9RZA4
D	-10	MET	-	expression tag	UNP Q9RZA4
D	-9	THR	-	expression tag	UNP Q9RZA4
D	-8	GLY	-	expression tag	UNP Q9RZA4
D	-7	GLY	-	expression tag	UNP Q9RZA4
D	-6	GLN	-	expression tag	UNP Q9RZA4
D	-5	GLN	-	expression tag	UNP Q9RZA4
D	-4	MET	-	expression tag	UNP Q9RZA4
D	-3	GLY	-	expression tag	UNP Q9RZA4
D	-2	ARG	-	expression tag	UNP Q9RZA4
D	-1	GLY	-	expression tag	UNP Q9RZA4
D	0	SER	-	expression tag	UNP Q9RZA4
D	?	-	LEU	deletion	UNP Q9RZA4
D	?	-	GLU	deletion	UNP Q9RZA4
D	?	-	VAL	deletion	UNP Q9RZA4
D	?	-	ALA	deletion	UNP Q9RZA4
D	?	-	TRP	deletion	UNP Q9RZA4
D	?	_	GLY	deletion	UNP Q9RZA4
D	?	-	GLY	deletion	UNP Q9RZA4



8BOR

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	ALA	deletion	UNP Q9RZA4
D	?	-	THR	deletion	UNP Q9RZA4
D	?	-	PRO	deletion	UNP Q9RZA4
D	?	-	ASP	deletion	UNP Q9RZA4
D	?	-	GLN	deletion	UNP Q9RZA4
D	?	_	ALA	deletion	UNP Q9RZA4
D	?	-	LYS	deletion	UNP Q9RZA4
D	?	-	ASP	deletion	UNP Q9RZA4
D	?	-	ASP	deletion	UNP Q9RZA4
D	?	-	LEU	deletion	UNP Q9RZA4
D	?	-	GLY	deletion	UNP Q9RZA4
D	?	-	PRO	deletion	UNP Q9RZA4
D	?	-	ARG	deletion	UNP Q9RZA4
D	?	-	HIS	deletion	UNP Q9RZA4
D	?	-	SER	deletion	UNP Q9RZA4
D	?	-	PHE	deletion	UNP Q9RZA4
D	?	-	ASP	deletion	UNP Q9RZA4
D	?	-	THR	deletion	UNP Q9RZA4
D	?	-	TYR	deletion	UNP Q9RZA4
D	?	-	LEU	deletion	UNP Q9RZA4
D	?	-	GLU	deletion	UNP Q9RZA4
D	?	-	GLU	deletion	UNP Q9RZA4
D	?	-	LYS	deletion	UNP Q9RZA4
D	?	-	ARG	deletion	UNP Q9RZA4
D	474	GLY	-	linker	UNP Q9RZA4
D	475	GLY	-	linker	UNP Q9RZA4
D	476	GLY	-	linker	UNP Q9RZA4
D	477	SER	-	linker	UNP Q9RZA4
D	503	GLU	-	expression tag	UNP Q9RZA4
D	504	HIS	-	expression tag	UNP Q9RZA4
D	505	HIS	-	expression tag	UNP Q9RZA4
D	506	HIS	-	expression tag	UNP Q9RZA4
D	507	HIS	-	expression tag	UNP Q9RZA4
D	508	HIS	-	expression tag	UNP Q9RZA4
D	509	HIS	-	expression tag	UNP Q9RZA4

• Molecule 2 is 3-[2-[(Z)-[3-(2-carboxyethyl)-5-[(Z)-(4-ethenyl-3-methyl-5-oxidanylidene-pyr rol-2-ylidene)methyl]-4-methyl-pyrrol-1-ium -2-ylidene]methyl]-5-[(Z)-[(3E)-3-ethylidene-4 -methyl-5-oxidanylidene-pyrrolidin-2-ylidene]methyl]-4-methyl-1H-pyrrol-3- yl]propanoic acid (three-letter code: LBV) (formula: $C_{33}H_{37}N_4O_6$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf			
2	Δ	1	Total	С	Ν	0	0	0	
2	Π	T	43	33	4	6	0		
9	В	1	Total	С	Ν	Ο	0	0	
	D	1	43	33	4	6	0		
9	С	1	Total	С	Ν	Ο	0	0	
	U	1	43	33	4	6	0	0	
9	Л	1	Total	С	Ν	0	0	0	
			43	33	4	6	0		

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	100	Total O 100 100	0	0
3	В	94	Total O 94 94	0	0
3	С	104	Total O 104 104	0	0
3	D	128	Total O 128 128	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Bacteriophytochrome







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	119.63Å 64.59 Å 131.04 Å	Deperitor
a, b, c, α , β , γ	90.00° 91.55° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	45.99 - 2.30	Depositor
Resolution (A)	45.99 - 2.30	EDS
% Data completeness	98.8 (45.99-2.30)	Depositor
(in resolution range)	98.8(45.99-2.30)	EDS
R _{merge}	0.15	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.35 (at 2.29 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
B B.	0.235 , 0.268	Depositor
II, II, <i>free</i>	0.236 , 0.266	DCC
R_{free} test set	4418 reflections (5.00%)	wwPDB-VP
Wilson B-factor $(Å^2)$	45.1	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.35 , 36.8	EDS
L-test for twinning ²	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.046 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	14714	wwPDB-VP
Average B, all atoms $(Å^2)$	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 29.26 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5991e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: LBV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.31	0/3606	0.54	0/4934
1	В	0.31	0/3614	0.55	0/4946
1	С	0.31	0/3629	0.55	0/4967
1	D	0.31	0/3632	0.54	0/4970
All	All	0.31	0/14481	0.55	0/19817

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3513	0	3497	34	0
1	В	3524	0	3496	36	0
1	С	3538	0	3511	29	0
1	D	3541	0	3510	30	0
2	А	43	0	33	0	0
2	В	43	0	33	2	0
2	С	43	0	34	1	0
2	D	43	0	33	4	0
3	A	100	0	0	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
3	В	94	0	0	1	0	
3	С	104	0	0	1	0	
3	D	128	0	0	2	0	
All	All	14714	0	14147	119	0	

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:326:ALA:O	1:C:329:GLN:HG3	1.79	0.83
1:D:54:MET:N	1:D:54:MET:SD	2.59	0.76
1:B:370:LEU:HD23	1:B:438[B]:LEU:CD2	2.16	0.75
1:B:100:ARG:HH22	1:B:299:PRO:HB3	1.54	0.72
1:D:158:GLU:HG2	3:D:1015:HOH:O	1.88	0.71
1:D:100:ARG:HH22	1:D:299:PRO:HB3	1.56	0.70
1:A:138:HIS:CE1	1:B:100:ARG:HG3	2.28	0.69
1:B:261:MET:HE3	3:B:979:HOH:O	1.93	0.68
1:D:100:ARG:HH22	1:D:299:PRO:CB	2.07	0.67
1:B:100:ARG:HH22	1:B:299:PRO:CB	2.07	0.67
1:B:378:THR:HB	1:B:382:VAL:HG11	1.78	0.66
1:B:370:LEU:HD23	1:B:438[B]:LEU:HD22	1.77	0.66
1:D:59:ALA:HA	1:D:64:GLN:O	1.96	0.65
1:C:297:LEU:HD11	1:C:301:LEU:HD23	1.79	0.65
1:A:297:LEU:HD11	1:A:301:LEU:HD23	1.79	0.65
1:B:59:ALA:HA	1:B:64:GLN:O	1.97	0.65
1:B:428:ILE:HD11	1:B:438[B]:LEU:HD12	1.81	0.62
2:B:800:LBV:HMA3	1:D:243:ASN:HD22	1.64	0.62
1:B:54:MET:CE	1:B:66:PRO:HA	2.31	0.60
1:C:37:PRO:HG3	1:C:229:ALA:HB1	1.82	0.60
1:C:310:ARG:NH1	3:C:902:HOH:O	2.34	0.59
1:C:293:THR:HG23	1:C:294:PRO:HD2	1.85	0.58
1:B:172:ARG:NH1	1:D:15:GLY:O	2.36	0.57
1:B:54:MET:HE1	1:B:69:LEU:HB2	1.87	0.56
1:A:100:ARG:HB2	1:B:138:HIS:CE1	2.41	0.56
1:D:378:THR:HB	1:D:382:VAL:HG11	1.87	0.55
1:A:485:PRO:HA	1:A:488:ILE:HD12	1.89	0.55
1:A:293:THR:HG23	1:A:294:PRO:HD2	1.88	0.55
1:D:259:MET:CE	2:D:800:LBV:HMA2	2.36	0.55
1:A:100:ARG:HD3	1:B:138:HIS:CD2	2.42	0.55



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:485:PRO:HA	1:B:488:ILE:HD12	1.89	0.55
1:D:485:PRO:HA	1:D:488:ILE:HD12	1.89	0.54
1:B:274:SER:HA	1:B:287:ILE:O	2.07	0.54
1:B:54:MET:HE1	1:B:66:PRO:HA	1.89	0.54
1:C:485:PRO:HA	1:C:488:ILE:HD12	1.89	0.54
1:C:401:ALA:HB1	1:C:495:ARG:NE	2.23	0.54
1:D:274:SER:HA	1:D:287:ILE:O	2.08	0.54
1:B:69:LEU:CD2	1:B:77:LEU:HD21	2.38	0.53
1:D:176:TYR:CZ	1:D:184:GLY:HA3	2.44	0.53
1:C:140:LEU:HD22	1:C:304:THR:HG23	1.91	0.53
1:A:140:LEU:HD22	1:A:304:THR:HG23	1.91	0.53
1:A:176:TYR:CZ	1:A:184:GLY:HA3	2.44	0.52
1:B:176:TYR:CZ	1:B:184:GLY:HA3	2.44	0.52
1:B:10:PRO:HG2	1:B:16:GLY:HA2	1.91	0.52
1:C:274:SER:HA	1:C:287:ILE:O	2.09	0.52
1:C:176:TYR:CZ	1:C:184:GLY:HA3	2.45	0.52
1:C:138:HIS:CE1	1:D:100:ARG:HG3	2.44	0.52
1:A:274:SER:HA	1:A:287:ILE:O	2.10	0.52
1:A:145:PHE:CE1	1:B:310:ARG:NH1	2.78	0.51
1:D:10:PRO:HG2	1:D:16:GLY:HA2	1.91	0.51
1:C:206:SER:O	2:C:800:LBV:HBA3	2.11	0.50
1:C:297:LEU:CD1	1:C:301:LEU:HD23	2.41	0.50
1:A:138:HIS:CD2	1:B:100:ARG:HD3	2.47	0.50
1:A:382:VAL:HG13	1:A:383:PRO:HD2	1.93	0.50
1:A:297:LEU:CD1	1:A:301:LEU:HD23	2.42	0.50
1:C:382:VAL:HG13	1:C:383:PRO:HD2	1.92	0.49
1:D:382:VAL:HG22	3:D:947:HOH:O	2.12	0.49
1:B:260:HIS:NE2	2:B:800:LBV:HBC1	2.28	0.48
1:A:140:LEU:HD21	1:A:307:TYR:CD2	2.48	0.48
1:A:378:THR:HB	1:A:382:VAL:HG21	1.96	0.48
1:A:407:ALA:O	1:A:410:GLN:HG2	2.14	0.47
1:D:259:MET:HE2	2:D:800:LBV:HMA2	1.96	0.47
1:C:430:VAL:HG11	1:C:502:LEU:HD12	1.95	0.47
1:C:100:ARG:NH1	1:C:112:SER:OG	2.46	0.47
1:A:382:VAL:CG1	1:A:383:PRO:HD2	2.45	0.47
1:B:100:ARG:NH2	1:B:112:SER:OG	2.48	0.47
1:C:164:VAL:HG22	1:C:308:LEU:HD13	1.96	0.47
1:B:54:MET:HE1	1:B:69:LEU:HD12	1.96	0.47
1:D:100:ARG:NH2	1:D:112:SER:OG	2.48	0.47
1:C:378:THR:HB	1:C:382:VAL:HG21	1.97	0.46
1:A:61[B]:PHE:CE1	1:A:111:LEU:HD11	2.49	0.46



	1 1 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:61[A]:PHE:CE1	1:A:111:LEU:HD11	2.49	0.46
1:D:419:ALA:N	1:D:420:PRO:CD	2.78	0.46
1:A:61[C]:PHE:CE1	1:A:111:LEU:HD11	2.50	0.46
1:B:444:GLU:OE1	1:B:478:GLY:N	2.44	0.46
1:C:37:PRO:CG	1:C:229:ALA:HB1	2.45	0.46
1:B:164:VAL:HG22	1:B:308:LEU:HD13	1.98	0.46
1:C:382:VAL:CG1	1:C:383:PRO:HD2	2.45	0.46
1:D:203:PHE:CZ	2:D:800:LBV:HAD1	2.51	0.46
1:D:164:VAL:HG22	1:D:308:LEU:HD13	1.97	0.45
1:B:308:LEU:O	1:B:308:LEU:HD23	2.17	0.45
1:D:259:MET:HE1	2:D:800:LBV:HMA2	1.99	0.45
1:D:69:LEU:CD2	1:D:77:LEU:HD21	2.46	0.45
1:B:419:ALA:N	1:B:420:PRO:CD	2.80	0.45
1:A:419:ALA:N	1:A:420:PRO:CD	2.80	0.44
1:C:61:PHE:CE1	1:C:111:LEU:HD11	2.52	0.44
1:C:385:ALA:HB3	1:C:386:PRO:HD3	2.00	0.44
1:C:419:ALA:N	1:C:420:PRO:CD	2.80	0.44
1:A:1:MET:HE3	3:A:978:HOH:O	2.18	0.44
1:A:164:VAL:HG22	1:A:308:LEU:HD13	2.00	0.44
1:D:308:LEU:HD23	1:D:308:LEU:O	2.16	0.44
1:B:267:MET:O	1:D:10:PRO:HG3	2.18	0.44
1:B:385:ALA:HB3	1:B:386:PRO:HD3	1.99	0.44
1:C:311:LEU:HD22	1:D:314:LEU:HD12	1.99	0.44
1:D:100:ARG:NH2	1:D:299:PRO:HB3	2.28	0.44
1:A:308:LEU:O	1:A:308:LEU:HD23	2.18	0.43
1:A:410:GLN:HG3	1:A:411:LEU:N	2.33	0.43
1:C:308:LEU:HD23	1:C:308:LEU:O	2.18	0.43
1:D:181:ASP:O	1:D:182:ALA:HB3	2.19	0.43
1:A:385:ALA:HB3	1:A:386:PRO:HD3	1.99	0.43
1:A:405:THR:HB	1:A:411:LEU:HD12	2.01	0.43
1:D:391:LEU:C	1:D:391:LEU:HD23	2.39	0.43
1:A:181:ASP:O	1:A:182:ALA:HB3	2.19	0.42
1:C:273:LEU:HD13	1:C:297:LEU:HD22	2.01	0.42
1:B:100:ARG:NH2	1:B:299:PRO:HB3	2.27	0.42
1:D:385:ALA:HB3	1:D:386:PRO:HD3	2.01	0.42
1:A:430:VAL:HG11	1:A:502:LEU:HD12	2.02	0.42
1:B:391:LEU:HD23	1:B:391:LEU:C	2.40	0.42
1:B:54:MET:CE	1:B:69:LEU:HB2	2.49	0.42
1:B:181:ASP:O	1:B:182:ALA:HB3	2.20	0.41
1:D:54:MET:SD	1:D:235:ASP:O	2.78	0.41
1:A:164:VAL:HB	1:A:173:VAL:HG11	2.02	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:ALA:O	1:C:159:VAL:HG23	2.20	0.41
1:A:140:LEU:HD21	1:A:307:TYR:HD2	1.85	0.41
1:A:155:ALA:O	1:A:159:VAL:HG23	2.21	0.41
1:A:328:ARG:HG3	1:A:328:ARG:HH11	1.85	0.41
1:C:181:ASP:O	1:C:182:ALA:HB3	2.21	0.40
1:A:340:LEU:HD23	1:B:343:ALA:O	2.22	0.40
1:C:164:VAL:HB	1:C:173:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	451/496~(91%)	445 (99%)	6 (1%)	0	100	100
1	В	454/496~(92%)	447 (98%)	7 (2%)	0	100	100
1	С	454/496~(92%)	445 (98%)	9(2%)	0	100	100
1	D	457/496~(92%)	449 (98%)	8 (2%)	0	100	100
All	All	1816/1984 (92%)	1786 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	365/386~(95%)	355~(97%)	10 (3%)	44 61
1	В	364/386~(94%)	357~(98%)	7(2%)	57 73
1	С	366/386~(95%)	359~(98%)	7(2%)	57 73
1	D	364/386~(94%)	357~(98%)	7(2%)	57 73
All	All	1459/1544~(94%)	1428 (98%)	31 (2%)	53 70

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	А	105	TRP
1	А	110	HIS
1	А	144	MET
1	А	148	GLU
1	А	167	LEU
1	А	222	ARG
1	А	310	ARG
1	А	404	GLN
1	А	432	GLU
1	В	6	LEU
1	В	54	MET
1	В	105	TRP
1	В	144	MET
1	В	222	ARG
1	В	300	ASP
1	В	503	GLU
1	С	72	GLN
1	С	105	TRP
1	С	144	MET
1	С	222	ARG
1	С	310	ARG
1	С	328	ARG
1	C	404	GLN
1	D	54	MET
1	D	105	TRP
1	D	144	MET
1	D	192	ARG
1	D	222	ARG
1	D	494	LEU
1	D	504	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such



sidechains are listed below:

Mol	Chain	Res	Type
1	А	72	GLN
1	А	86	GLN
1	В	86	GLN
1	С	86	GLN
1	D	243	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dog	Tink	Bo	ond leng	$_{ m sths}$	Bond angles		
WIOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LBV	В	800	1	42,46,46	1.24	1 (2%)	47,67,67	1.46	6 (12%)
2	LBV	С	800	1	42,46,46	1.11	1 (2%)	47,67,67	1.45	6 (12%)
2	LBV	D	800	1	42,46,46	1.23	1 (2%)	47,67,67	1.66	8 (17%)
2	LBV	А	800	1	42,46,46	1.07	1 (2%)	47,67,67	1.56	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LBV	В	800	1	-	11/26/74/74	0/4/4/4
2	LBV	С	800	1	-	11/26/74/74	0/4/4/4
2	LBV	D	800	1	-	10/26/74/74	0/4/4/4
2	LBV	А	800	1	-	12/26/74/74	0/4/4/4

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
2	В	800	LBV	CHC-C1C	5.62	1.39	1.35
2	С	800	LBV	CHC-C1C	5.18	1.39	1.35
2	D	800	LBV	CHC-C1C	4.97	1.39	1.35
2	А	800	LBV	CHC-C1C	4.01	1.38	1.35

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	D	800	LBV	CAA-C3A-C4A	-6.03	119.08	126.36
2	А	800	LBV	CHD-C4C-N-C	-4.48	115.56	124.93
2	А	800	LBV	CAA-C3A-C4A	-4.36	121.09	126.36
2	А	800	LBV	CHD-C4C-C3C	4.11	135.47	124.90
2	В	800	LBV	CAA-C3A-C4A	-4.05	121.47	126.36
2	В	800	LBV	CHD-C4C-N-C	-3.91	116.75	124.93
2	В	800	LBV	CHD-C4C-C3C	3.86	134.83	124.90
2	D	800	LBV	CHD-C4C-N-C	-3.72	117.15	124.93
2	D	800	LBV	CHD-C4C-C3C	3.56	134.06	124.90
2	С	800	LBV	CHD-C4C-N-C	-3.53	117.54	124.93
2	С	800	LBV	C4B-CHC-C1C	3.47	132.96	128.81
2	С	800	LBV	CHD-C4C-C3C	3.37	133.57	124.90
2	D	800	LBV	O1C-CGC-CBC	2.96	123.54	114.03
2	D	800	LBV	C2C-C1C-N-C	-2.95	105.76	110.05
2	С	800	LBV	CAA-C3A-C4A	-2.82	122.96	126.36
2	В	800	LBV	C4B-CHC-C1C	2.81	132.16	128.81
2	С	800	LBV	C2C-C1C-N-C	-2.76	106.03	110.05
2	В	800	LBV	C2C-C1C-N-C	-2.70	106.12	110.05
2	D	800	LBV	O-A-C1A-C2A	2.62	128.81	126.28
2	А	800	LBV	C2C-C1C-N-C	-2.26	106.76	110.05
2	В	800	LBV	O1C-CGC-CBC	2.25	121.25	114.03
2	D	800	LBV	C1C-N-C-C4C	2.18	110.61	106.51
2	А	800	LBV	O1C-CGC-CBC	2.17	121.00	114.03



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	800	LBV	O-A-C1A-N-A	-2.17	122.32	124.94
2	С	800	LBV	CMC-C3C-C4C	2.14	128.36	125.06
2	D	800	LBV	CMB-C2B-C3B	2.01	128.73	124.94

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	800	LBV	C2A-C3A-CAA-CBA
2	А	800	LBV	C4A-C3A-CAA-CBA
2	А	800	LBV	A-N-C4A-CHB-C1B
2	А	800	LBV	C-N-C4C-CHD-C1D
2	В	800	LBV	C2A-C3A-CAA-CBA
2	В	800	LBV	C4A-C3A-CAA-CBA
2	В	800	LBV	C-N-C4C-CHD-C1D
2	С	800	LBV	C4A-C3A-CAA-CBA
2	С	800	LBV	A-N-C4A-CHB-C1B
2	С	800	LBV	C-N-C4C-CHD-C1D
2	D	800	LBV	C2A-C3A-CAA-CBA
2	D	800	LBV	С4А-СЗА-САА-СВА
2	D	800	LBV	C-N-C4C-CHD-C1D
2	А	800	LBV	C3C-C4C-CHD-C1D
2	В	800	LBV	C3C-C4C-CHD-C1D
2	С	800	LBV	C3C-C4C-CHD-C1D
2	D	800	LBV	C3C-C4C-CHD-C1D
2	С	800	LBV	D-N-C1D-CHD-C4C
2	С	800	LBV	C2D-C1D-CHD-C4C
2	А	800	LBV	D-N-C1D-CHD-C4C
2	С	800	LBV	C2C-CAC-CBC-CGC
2	D	800	LBV	A-N-C4A-CHB-C1B
2	А	800	LBV	C2D-C1D-CHD-C4C
2	В	800	LBV	D-N-C1D-CHD-C4C
2	В	800	LBV	C2C-CAC-CBC-CGC
2	С	800	LBV	CAB-CBB-CGB-O1B
2	С	800	LBV	CAB-CBB-CGB-O2B
2	С	800	LBV	CAC-CBC-CGC-O2C
2	В	800	LBV	CAB-CBB-CGB-O2B
2	A	800	LBV	CAB-CBB-CGB-O2B
2	В	800	LBV	CAB-CBB-CGB-O1B
2	А	800	LBV	CAB-CBB-CGB-O1B
2	С	800	LBV	CAC-CBC-CGC-O1C
2	В	800	LBV	CAC-CBC-CGC-O1C



Mol	Chain	Res	Type	Atoms
2	А	800	LBV	CAC-CBC-CGC-O1C
2	D	800	LBV	CAC-CBC-CGC-O1C
2	А	800	LBV	CAC-CBC-CGC-O2C
2	D	800	LBV	CAB-CBB-CGB-O1B
2	D	800	LBV	CAB-CBB-CGB-O2B
2	D	800	LBV	D-N-C1D-CHD-C4C
2	В	800	LBV	CAC-CBC-CGC-O2C
2	D	800	LBV	CAC-CBC-CGC-O2C
2	В	800	LBV	C2D-C1D-CHD-C4C
2	А	800	LBV	C3A-C4A-CHB-C1B

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	800	LBV	2	0
2	С	800	LBV	1	0
2	D	800	LBV	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	457/496~(92%)	0.82	63 (13%) 2 4	30, 53, 97, 134	0
1	В	462/496~(93%)	0.52	31 (6%) 17 23	29, 46, 84, 113	0
1	С	463/496~(93%)	0.86	64 (13%) 2 4	28, 53, 93, 128	0
1	D	466/496~(93%)	0.51	27 (5%) 23 29	30, 45, 78, 118	0
All	All	1848/1984~(93%)	0.68	185 (10%) 7 10	28, 48, 91, 134	0

All (185) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	409	GLY	10.8
1	С	2	SER	6.8
1	С	412	TRP	6.8
1	В	105	TRP	6.6
1	А	397	THR	6.5
1	С	346	LEU	6.3
1	А	395	LEU	6.3
1	А	109	GLY	6.3
1	С	424	GLY	6.2
1	А	412	TRP	6.1
1	С	3	ARG	5.8
1	В	106	PRO	5.7
1	А	47	HIS	5.7
1	В	446	ARG	5.3
1	С	397	THR	5.2
1	С	413	PRO	5.2
1	D	107	ALA	5.2
1	А	406	ASP	4.9
1	D	77	LEU	4.8
1	А	413	PRO	4.7
1	А	484	HIS	4.7



8BOR

Mol	Chain	Res	Type	RSRZ
1	С	479[A]	TYR	4.7
1	D	62	LEU	4.6
1	С	431	GLY	4.6
1	С	409	GLY	4.6
1	А	485	PRO	4.6
1	В	432	GLU	4.5
1	А	390	ALA	4.4
1	А	410	GLN	4.4
1	В	110	HIS	4.3
1	А	3	ARG	4.3
1	D	502	LEU	4.3
1	В	431	GLY	4.2
1	С	80	GLU	4.2
1	С	423	ALA	4.2
1	С	138	HIS	4.1
1	С	395	LEU	4.1
1	А	110	HIS	4.0
1	А	104	ASP	4.0
1	А	83	PRO	4.0
1	D	106	PRO	4.0
1	С	4	ASP	3.9
1	С	71	GLY	3.9
1	В	501	ALA	3.9
1	С	345	SER	3.8
1	А	346	LEU	3.8
1	С	504	HIS	3.7
1	А	105	TRP	3.7
1	D	432	GLU	3.7
1	С	422	ALA	3.7
1	С	407	ALA	3.6
1	D	504	HIS	3.6
1	В	430	VAL	3.6
1	С	363	MET	3.6
1	С	502	LEU	3.6
1	A	332	ARG	3.5
1	D	105	TRP	3.5
1	C	432	GLU	3.4
1	С	400	GLY	3.4
1	С	406	ASP	3.4
1	С	425	LEU	3.4
1	D	109	GLY	3.4
1	В	77	LEU	3.4



Continued from previous page...

Mol	Chain	Res	Type	RSRZ	
1	С	392	LEU	3.4	
1	А	1	MET	3.3	
1	С	478	GLY	3.3	
1	А	345	SER	3.3	
1	А	400	GLY	3.3	
1	А	481	GLU	3.3	
1	С	145	PHE	3.2	
1	С	393	ALA	3.2	
1	А	66	PRO	3.1	
1	В	80	GLU	3.1	
1	В	6	LEU	3.1	
1	С	344	HIS	3.1	
1	А	334	HIS	3.1	
1	С	333	GLU	3.1	
1	В	390	ALA	3.1	
1	А	79	PRO	3.0	
1	А	394	TRP	3.0	
1	С	484	HIS	3.0	
1	С	410	GLN	3.0	
1	А	363	MET	2.9	
1	А	502	LEU	2.9	
1	А	82	TRP	2.9	
1	С	67	THR	2.9	
1	А	84	ALA	2.9	
1	В	136	GLY	2.9	
1	С	399	PRO	2.9	
1	С	405	THR	2.9	
1	С	328	ARG	2.9	
1	В	500	GLY	2.9	
1	A	416	ALA	2.9	
1	D	329	GLN	2.8	
1	A	67	THR	2.8	
1	A	432	GLU	2.8	
1	A	92	GLY	2.8	
1	С	414	ALA	2.7	
1	С	421	SER	2.7	
1	C	428	ILE	2.7	
1	D	79	PRO	2.7	
1	D	130	GLU	2.7	
1	D	446	ARG	2.6	
1	A	393	ALA	2.6	
1	А	74	LEU	2.6	



Continued from previous page						
Mol	Chain	Res	Type	RSRZ		
1	С	374	GLY	2.6		
1	D	60	THR	2.6		
1	А	482	PRO	2.6		
1	В	419	ALA	2.6		
1	В	499	THR	2.6		
1	D	285	GLY	2.5		
1	С	130	GLU	2.5		
1	А	480	ALA	2.5		
1	В	234	LEU	2.5		
1	А	327	PHE	2.5		
1	А	403	VAL	2.5		
1	А	418	LEU	2.5		
1	С	416	ALA	2.4		
1	D	214	ALA	2.4		
1	А	405	THR	2.4		
1	В	235	ASP	2.4		
1	С	154	ARG	2.4		
1	С	403	VAL	2.4		
1	В	130	GLU	2.4		
1	С	411	LEU	2.4		
1	А	385	ALA	2.4		
1	В	109	GLY	2.4		
1	С	351	THR	2.4		
1	D	332	ARG	2.4		
1	D	475	GLY	2.3		
1	А	490	GLU	2.3		
1	С	445	LEU	2.3		
1	В	287	ILE	2.3		
1	С	79	PRO	2.3		
1	С	336	ALA	2.3		
1	С	417	ASP	2.3		
1	В	107	ALA	2.3		
1	A	77	LEU	2.3		
1	В	76	ALA	2.3		
1	A	89	LEU	2.2		
1	С	383	PRO	2.2		
1	А	329	GLN	2.2		
1	А	408	LEU	2.2		
1	D	433	GLY	2.2		
1	В	298	PRO	2.2		
1	С	503	GLU	2.2		
1	А	62	LEU	2.2		

62LEU2.2Continued on next page...



Mol	Chain	Res	Type	RSRZ
1	А	344	HIS	2.2
1	С	419	ALA	2.2
1	С	433	GLY	2.2
1	С	111	LEU	2.2
1	С	357	LEU	2.2
1	С	90	PRO	2.2
1	А	2	SER	2.2
1	А	309	GLY	2.2
1	А	364	ARG	2.2
1	В	22	GLU	2.2
1	В	329	GLN	2.2
1	А	58	ALA	2.1
1	А	483	TRP	2.1
1	D	64	GLN	2.1
1	D	399	PRO	2.1
1	D	80	GLU	2.1
1	А	342	ALA	2.1
1	А	417	ASP	2.1
1	А	411	LEU	2.1
1	С	74	LEU	2.1
1	D	309	GLY	2.1
1	С	193	GLU	2.1
1	А	59	ALA	2.1
1	А	386	PRO	2.1
1	В	63	GLY	2.1
1	В	78	LEU	2.1
1	С	487	GLU	2.1
1	В	336	ALA	2.1
1	D	129	THR	2.1
1	В	25	GLU	2.1
1	D	58	ALA	2.1
1	А	398	GLN	2.0
1	В	433	GLY	2.0
1	С	76	ALA	2.0
1	С	65	GLU	2.0
1	А	91	PRO	2.0
1	D	24	CYS	2.0
1	D	344	HIS	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	LBV	В	800	43/43	0.93	0.17	33,38,59,70	0
2	LBV	С	800	43/43	0.93	0.19	32,38,54,78	0
2	LBV	D	800	43/43	0.93	0.14	30,37,49,62	0
2	LBV	А	800	43/43	0.94	0.16	32,38,52,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

















6.5 Other polymers (i)

There are no such residues in this entry.

