



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 25, 2023 – 08:52 PM EDT

PDB ID : 3BSD  
Title : Light harvesting protein from RC of Chlorobium tepidum  
Authors : Nelson, N.; Frolow, F.; Brn-Shem, A.  
Deposited on : 2007-12-23  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BCL	A	367	X	-	-	-
3	BCL	A	368	X	-	-	-
3	BCL	A	369	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
3	BCL	A	370	X	-	-	-
3	BCL	A	371	X	-	-	-
3	BCL	A	372	X	-	-	-
3	BCL	A	373	X	-	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3481 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriochlorophyll a protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	359	2798	1774	497	520	7	0	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
2	A	1	1	1	0	0

- Molecule 3 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C<sub>55</sub>H<sub>74</sub>MgN<sub>4</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Mg	N	O		
3	A	1	66	55	1	4	6	0	0
3	A	1	66	55	1	4	6	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
3	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
3	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
3	A	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
3	A	1	Total	C	Mg	N	O	0	0
			42	33	1	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	178	Total	O	0	0
			178	178		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bacteriochlorophyll a protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 41 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	167.69Å 167.69Å 167.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.82 – 2.30 44.82 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (44.82-2.30) 99.1 (44.82-2.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.00 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.2.0013	Depositor
R, $R_{free}$	0.174 , 0.273 0.181 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.5	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 51.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	3481	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.76	0/2868	0.80	2/3886 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	76	ASP	N-CA-C	-5.38	96.47	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2798	0	2736	102	0
2	A	1	0	0	0	0
3	A	504	0	549	51	0
4	A	178	0	0	23	0
All	All	3481	0	3285	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.



All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:ALA:HB3	1:A:328:PRO:CD	1.82	1.09
3:A:373:BCL:C2	4:A:568:HOH:O	2.04	1.04
1:A:327:ALA:CB	1:A:328:PRO:CD	2.37	1.02
1:A:327:ALA:HB3	1:A:328:PRO:HD2	1.40	1.01
3:A:373:BCL:C3	4:A:568:HOH:O	2.12	0.97
1:A:152:VAL:HG21	3:A:367:BCL:HHC	1.51	0.92
1:A:327:ALA:CB	1:A:328:PRO:HD3	2.04	0.88
3:A:373:BCL:C5	4:A:568:HOH:O	2.25	0.85
1:A:327:ALA:HB2	1:A:361:GLU:H	1.40	0.84
1:A:195:GLU:HG3	1:A:300:MET:SD	2.19	0.83
1:A:151:LYS:HG2	1:A:220:VAL:HG22	1.60	0.83
1:A:56:LYS:HG3	1:A:251:PRO:HB3	1.62	0.81
1:A:84:ILE:HG21	3:A:372:BCL:H42	1.61	0.81
1:A:327:ALA:HB1	1:A:328:PRO:HD3	1.60	0.80
1:A:66:ARG:HD3	1:A:87:ASP:OD1	1.82	0.80
1:A:141:GLN:HE21	1:A:141:GLN:H	1.26	0.79
1:A:147:ASP:OD1	1:A:222:ARG:NH1	2.17	0.78
1:A:125:TYR:HB2	3:A:400:BCL:HHC	1.64	0.77
1:A:188:PRO:HG3	3:A:373:BCL:H42	1.69	0.75
1:A:315:VAL:HG23	1:A:340:TRP:CZ3	2.22	0.74
1:A:113:PHE:HZ	4:A:458:HOH:O	1.72	0.73
1:A:29:LYS:HG3	1:A:272:GLU:HG3	1.70	0.73
1:A:212:SER:HB3	1:A:220:VAL:HG21	1.70	0.73
1:A:34:ALA:HB3	1:A:267:VAL:HG13	1.72	0.71
1:A:328:PRO:HD2	1:A:360:PHE:CD2	2.25	0.71
1:A:168:LYS:O	1:A:172:SER:HB3	1.91	0.70
1:A:177:ASN:ND2	4:A:470:HOH:O	2.24	0.70
3:A:400:BCL:HMB1	3:A:400:BCL:HBB3	1.73	0.69
3:A:373:BCL:H2	4:A:568:HOH:O	1.79	0.68
3:A:372:BCL:HBC1	3:A:373:BCL:HMC2	1.78	0.65
1:A:315:VAL:HG23	1:A:340:TRP:HZ3	1.62	0.65
3:A:400:BCL:HBC2	3:A:400:BCL:HHD	1.79	0.64
3:A:372:BCL:HMB1	3:A:372:BCL:HBB3	1.81	0.63
1:A:31:LYS:HE2	1:A:33:ARG:HG3	1.80	0.62
1:A:55:VAL:CG2	1:A:65:VAL:CG1	2.78	0.61
1:A:141:GLN:H	1:A:141:GLN:NE2	1.97	0.61
1:A:18:ILE:HD11	3:A:370:BCL:HAA1	1.82	0.61
3:A:370:BCL:HBB2	3:A:371:BCL:H51	1.81	0.61
1:A:94:GLU:HG2	4:A:411:HOH:O	2.00	0.61
1:A:145:PHE:N	4:A:564:HOH:O	2.29	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:PHE:HB3	1:A:152:VAL:HG22	1.84	0.60
1:A:327:ALA:CB	1:A:361:GLU:H	2.13	0.60
1:A:177:ASN:HB3	1:A:203:ILE:HG13	1.83	0.59
3:A:373:BCL:H2	3:A:373:BCL:HED2	1.85	0.59
1:A:8:ASP:HA	4:A:512:HOH:O	2.03	0.58
1:A:55:VAL:CG2	1:A:65:VAL:HG13	2.34	0.58
1:A:40:PRO:HG2	1:A:45:LEU:HD21	1.86	0.58
3:A:371:BCL:C14	3:A:373:BCL:HHD	2.34	0.57
1:A:209:ASN:HB3	1:A:220:VAL:HB	1.87	0.57
3:A:373:BCL:HBB2	3:A:373:BCL:HMB1	1.88	0.56
1:A:254:VAL:CG2	3:A:372:BCL:H171	2.36	0.56
1:A:331:ARG:NH1	1:A:341:SER:O	2.39	0.56
1:A:278:VAL:HG23	1:A:279:ASP:O	2.06	0.55
1:A:128:ASP:O	1:A:132:ARG:HG2	2.06	0.55
1:A:163:TRP:CH2	1:A:210:THR:OG1	2.60	0.55
3:A:367:BCL:H41	3:A:367:BCL:H203	1.89	0.54
1:A:22:GLY:O	1:A:25:SER:HB3	2.06	0.54
3:A:372:BCL:HMB1	3:A:372:BCL:CBB	2.37	0.54
1:A:144:GLN:HG3	4:A:564:HOH:O	2.07	0.54
1:A:326:ALA:HA	1:A:361:GLU:O	2.08	0.54
1:A:24:SER:N	4:A:433:HOH:O	2.41	0.53
1:A:84:ILE:CG2	3:A:372:BCL:H42	2.34	0.53
1:A:167:VAL:HG22	1:A:208:LEU:HD13	1.91	0.53
1:A:27:TRP:HA	1:A:274:PRO:HA	1.90	0.53
1:A:156:ASN:HD22	1:A:156:ASN:N	2.07	0.53
1:A:156:ASN:H	1:A:159:LEU:HD12	1.74	0.52
1:A:254:VAL:HG23	3:A:372:BCL:H171	1.92	0.51
1:A:56:LYS:HD2	4:A:516:HOH:O	2.10	0.51
1:A:55:VAL:O	1:A:251:PRO:HA	2.12	0.50
3:A:373:BCL:C2	3:A:373:BCL:HED2	2.41	0.50
1:A:38:ALA:O	1:A:264:GLY:HA2	2.12	0.49
1:A:82:LEU:HD21	4:A:458:HOH:O	2.12	0.49
1:A:157:ASN:HA	1:A:160:ILE:HG12	1.94	0.49
3:A:372:BCL:HBC2	3:A:372:BCL:HHD	1.94	0.49
3:A:370:BCL:HMB1	3:A:370:BCL:HBB3	1.95	0.48
1:A:315:VAL:CG2	1:A:340:TRP:CZ3	2.93	0.48
3:A:368:BCL:HBB3	3:A:368:BCL:HMB1	1.95	0.48
1:A:125:TYR:CB	3:A:400:BCL:HHC	2.40	0.48
1:A:263:GLN:NE2	4:A:528:HOH:O	2.46	0.48
3:A:367:BCL:H41	3:A:367:BCL:C20	2.44	0.48
1:A:88:ILE:HD11	3:A:372:BCL:O1A	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:THR:HG23	1:A:308:ASN:HB2	1.96	0.48
1:A:84:ILE:HB	4:A:458:HOH:O	2.13	0.48
1:A:156:ASN:HD22	1:A:156:ASN:H	1.60	0.47
1:A:327:ALA:CB	4:A:418:HOH:O	2.62	0.47
1:A:60:PRO:O	1:A:61:ALA:CB	2.62	0.47
1:A:109:PHE:CZ	3:A:367:BCL:HMA3	2.51	0.46
1:A:141:GLN:HE21	1:A:141:GLN:N	2.04	0.46
1:A:185:PHE:CE1	1:A:200:ILE:HG13	2.50	0.46
1:A:125:TYR:HD1	1:A:127:SER:H	1.64	0.46
3:A:368:BCL:HBA2	3:A:368:BCL:H3A	1.79	0.45
1:A:120:VAL:N	4:A:564:HOH:O	2.48	0.45
1:A:188:PRO:CG	3:A:373:BCL:H42	2.43	0.45
1:A:214:PRO:HA	4:A:541:HOH:O	2.16	0.45
1:A:62:LYS:HE2	1:A:64:PHE:CE1	2.52	0.45
1:A:256:ALA:HB3	3:A:371:BCL:H93	1.99	0.45
1:A:166:THR:HG21	3:A:367:BCL:H101	1.99	0.44
1:A:281:GLY:C	4:A:419:HOH:O	2.55	0.44
1:A:286:ARG:NH1	1:A:361:GLU:OE2	2.44	0.44
1:A:348:TRP:CZ2	1:A:352:VAL:HG11	2.53	0.44
1:A:294:PRO:HB3	3:A:370:BCL:HHC	1.99	0.44
1:A:316:VAL:HG22	1:A:337:GLU:HG3	1.99	0.43
3:A:371:BCL:H172	3:A:372:BCL:H72	2.01	0.43
1:A:327:ALA:HB3	1:A:360:PHE:HD2	1.83	0.43
3:A:369:BCL:H101	3:A:369:BCL:H62	1.58	0.43
1:A:333:GLN:HA	1:A:337:GLU:O	2.18	0.43
1:A:154:LEU:HB3	1:A:160:ILE:HG23	2.00	0.43
1:A:282:GLY:CA	4:A:419:HOH:O	2.65	0.43
1:A:292:LEU:O	1:A:296:VAL:HG23	2.18	0.43
3:A:368:BCL:HMB1	3:A:368:BCL:CBB	2.49	0.42
3:A:370:BCL:CGA	3:A:370:BCL:C1A	2.97	0.42
3:A:371:BCL:H92	3:A:371:BCL:H111	1.57	0.42
3:A:371:BCL:H42	3:A:371:BCL:H11	1.90	0.42
1:A:79:LYS:HB2	1:A:79:LYS:HE3	1.71	0.42
1:A:94:GLU:O	1:A:120:VAL:HA	2.20	0.42
1:A:55:VAL:HG22	1:A:65:VAL:HG13	2.01	0.42
1:A:284:LEU:CD2	1:A:324:ARG:HG3	2.50	0.42
3:A:372:BCL:HBC2	3:A:372:BCL:CHD	2.49	0.42
1:A:277:SER:HG	1:A:285:ARG:HH21	1.64	0.41
1:A:152:VAL:CG2	3:A:367:BCL:HHC	2.35	0.41
1:A:327:ALA:HB1	4:A:418:HOH:O	2.18	0.41
1:A:60:PRO:O	1:A:61:ALA:HB2	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:GLY:HA2	4:A:504:HOH:O	2.20	0.41
1:A:203:ILE:HG22	1:A:225:PHE:HB3	2.02	0.41
3:A:367:BCL:HMB1	3:A:367:BCL:HBB2	2.02	0.41
3:A:370:BCL:H93	3:A:370:BCL:H62	1.96	0.41
3:A:368:BCL:H162	3:A:368:BCL:H121	1.66	0.41
1:A:62:LYS:HE2	1:A:64:PHE:HE1	1.86	0.41
3:A:367:BCL:HMB1	3:A:367:BCL:CBB	2.51	0.41
3:A:368:BCL:C19	3:A:372:BCL:HBB	2.50	0.41
1:A:360:PHE:CD2	1:A:360:PHE:C	2.94	0.41
3:A:400:BCL:HBC2	3:A:400:BCL:CHD	2.49	0.41
1:A:242:LEU:C	1:A:242:LEU:HD12	2.41	0.40
1:A:210:THR:HA	1:A:211:GLU:HA	1.64	0.40
3:A:373:BCL:H2	3:A:373:BCL:CED	2.51	0.40
1:A:282:GLY:N	4:A:419:HOH:O	2.53	0.40
3:A:373:BCL:HMB1	3:A:373:BCL:CBB	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	357/366 (98%)	335 (94%)	19 (5%)	3 (1%)	19 23

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	327	ALA
1	A	61	ALA
1	A	215	LYS

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	297/302 (98%)	266 (90%)	31 (10%)	<b>7</b> <b>8</b>

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	LYS
1	A	56	LYS
1	A	66	ARG
1	A	68	SER
1	A	79	LYS
1	A	85	GLU
1	A	94	GLU
1	A	97	ILE
1	A	99	VAL
1	A	105	SER
1	A	140	MET
1	A	141	GLN
1	A	149	LEU
1	A	156	ASN
1	A	163	TRP
1	A	172	SER
1	A	177	ASN
1	A	201	SER
1	A	211	GLU
1	A	215	LYS
1	A	227	HIS
1	A	255	GLU
1	A	262	SER
1	A	267	VAL
1	A	268	LYS
1	A	270	ASP
1	A	278	VAL
1	A	329	GLN
1	A	333	GLN
1	A	341	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	360	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	141	GLN
1	A	156	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	BCL	A	373	1	64,74,74	2.13	10 (15%)	78,115,115	2.78	22 (28%)
3	BCL	A	369	1	64,74,74	2.06	9 (14%)	78,115,115	2.20	21 (26%)
3	BCL	A	372	1	64,74,74	2.01	9 (14%)	78,115,115	3.10	22 (28%)
3	BCL	A	367	-	64,74,74	1.85	9 (14%)	78,115,115	2.52	26 (33%)
3	BCL	A	371	1	64,74,74	1.79	9 (14%)	78,115,115	2.62	27 (34%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	BCL	A	370	1	64,74,74	2.00	10 (15%)	78,115,115	2.11	16 (20%)
3	BCL	A	368	4	64,74,74	1.98	11 (17%)	78,115,115	2.86	24 (30%)
3	BCL	A	400	1	40,50,74	2.35	8 (20%)	49,86,115	3.69	21 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BCL	A	373	1	2/2/21/25	12/37/137/137	-
3	BCL	A	369	1	2/2/21/25	15/37/137/137	-
3	BCL	A	372	1	2/2/21/25	20/37/137/137	-
3	BCL	A	367	-	2/2/21/25	15/37/137/137	-
3	BCL	A	371	1	2/2/21/25	16/37/137/137	-
3	BCL	A	370	1	2/2/21/25	13/37/137/137	-
3	BCL	A	368	4	2/2/21/25	18/37/137/137	-
3	BCL	A	400	1	-	4/8/108/137	-

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	373	BCL	OBD-CAD	12.02	1.43	1.22
3	A	369	BCL	OBD-CAD	11.90	1.43	1.22
3	A	372	BCL	OBD-CAD	10.95	1.41	1.22
3	A	400	BCL	OBD-CAD	10.80	1.41	1.22
3	A	370	BCL	OBD-CAD	10.52	1.40	1.22
3	A	368	BCL	OBD-CAD	9.74	1.39	1.22
3	A	367	BCL	OBD-CAD	9.51	1.38	1.22
3	A	371	BCL	OBD-CAD	8.54	1.37	1.22
3	A	368	BCL	O1A-CGA	6.54	1.42	1.22
3	A	372	BCL	O1A-CGA	6.47	1.41	1.22
3	A	370	BCL	O1A-CGA	6.28	1.41	1.22
3	A	371	BCL	O1A-CGA	6.16	1.40	1.22
3	A	367	BCL	O1A-CGA	5.93	1.40	1.22
3	A	373	BCL	O1A-CGA	5.42	1.38	1.22
3	A	369	BCL	O1A-CGA	4.94	1.37	1.22
3	A	400	BCL	C4B-NB	4.55	1.39	1.35
3	A	369	BCL	C4D-ND	-4.42	1.31	1.37
3	A	400	BCL	C3D-C4D	-4.39	1.34	1.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	367	BCL	C4D-ND	-4.35	1.31	1.37
3	A	373	BCL	C4B-NB	4.29	1.39	1.35
3	A	372	BCL	C4D-ND	-4.15	1.32	1.37
3	A	368	BCL	C3D-C4D	-4.10	1.34	1.44
3	A	371	BCL	C3D-C4D	-4.01	1.35	1.44
3	A	373	BCL	C3D-C4D	-3.97	1.35	1.44
3	A	370	BCL	C4D-ND	-3.96	1.32	1.37
3	A	372	BCL	C3D-C4D	-3.95	1.35	1.44
3	A	370	BCL	C3D-C4D	-3.92	1.35	1.44
3	A	371	BCL	C4D-ND	-3.88	1.32	1.37
3	A	400	BCL	C1B-NB	3.86	1.38	1.35
3	A	368	BCL	C4D-ND	-3.76	1.32	1.37
3	A	373	BCL	C4D-ND	-3.69	1.32	1.37
3	A	369	BCL	C4B-NB	3.64	1.38	1.35
3	A	368	BCL	C4B-NB	3.63	1.38	1.35
3	A	367	BCL	C3D-C4D	-3.62	1.36	1.44
3	A	372	BCL	C4B-NB	3.33	1.38	1.35
3	A	369	BCL	C2-C3	3.28	1.40	1.33
3	A	400	BCL	C4D-ND	-3.27	1.33	1.37
3	A	368	BCL	CHD-C4C	3.26	1.48	1.39
3	A	373	BCL	CHD-C4C	3.20	1.48	1.39
3	A	373	BCL	C1B-NB	3.14	1.38	1.35
3	A	368	BCL	C2-C3	3.13	1.40	1.33
3	A	372	BCL	CHD-C4C	3.06	1.47	1.39
3	A	369	BCL	C3D-C4D	-3.05	1.37	1.44
3	A	371	BCL	CHD-C4C	2.97	1.47	1.39
3	A	368	BCL	O2A-CGA	-2.97	1.24	1.33
3	A	370	BCL	O2D-CGD	-2.92	1.26	1.33
3	A	370	BCL	C4B-NB	2.92	1.37	1.35
3	A	371	BCL	C2-C3	2.89	1.39	1.33
3	A	369	BCL	C1B-NB	2.84	1.37	1.35
3	A	373	BCL	O2D-CGD	-2.74	1.26	1.33
3	A	400	BCL	O2D-CGD	-2.73	1.26	1.33
3	A	370	BCL	C2-C3	2.71	1.39	1.33
3	A	370	BCL	CHD-C4C	2.69	1.46	1.39
3	A	371	BCL	O2D-CGD	-2.66	1.26	1.33
3	A	372	BCL	C2-C3	2.63	1.39	1.33
3	A	367	BCL	CHD-C4C	2.60	1.46	1.39
3	A	367	BCL	C2-C3	2.59	1.39	1.33
3	A	369	BCL	O2A-CGA	-2.59	1.25	1.33
3	A	373	BCL	O2A-CGA	-2.58	1.25	1.33
3	A	400	BCL	CHD-C4C	2.56	1.46	1.39

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	372	BCL	O2D-CGD	-2.56	1.27	1.33
3	A	368	BCL	C1B-NB	2.54	1.37	1.35
3	A	370	BCL	C1B-NB	2.54	1.37	1.35
3	A	367	BCL	O2A-CGA	-2.49	1.26	1.33
3	A	371	BCL	C4B-NB	2.48	1.37	1.35
3	A	367	BCL	O2D-CGD	-2.43	1.27	1.33
3	A	369	BCL	CHD-C4C	2.43	1.46	1.39
3	A	368	BCL	O2D-CGD	-2.39	1.27	1.33
3	A	370	BCL	MG-ND	-2.36	2.01	2.05
3	A	373	BCL	MG-NA	2.30	2.11	2.06
3	A	372	BCL	O2A-CGA	-2.27	1.26	1.33
3	A	400	BCL	C3A-C2A	-2.26	1.52	1.54
3	A	368	BCL	C1D-C2D	-2.16	1.41	1.45
3	A	371	BCL	C1D-C2D	-2.14	1.41	1.45
3	A	367	BCL	C3D-CAD	-2.09	1.38	1.45

All (179) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	372	BCL	CHD-C1D-ND	-13.68	111.88	124.45
3	A	400	BCL	CHD-C1D-ND	-12.48	112.98	124.45
3	A	373	BCL	CHD-C1D-ND	-11.04	114.31	124.45
3	A	373	BCL	C2D-C1D-ND	-10.32	102.50	110.10
3	A	400	BCL	C2D-C1D-ND	-10.17	102.61	110.10
3	A	372	BCL	C2D-C1D-ND	-10.05	102.70	110.10
3	A	368	BCL	C1D-ND-C4D	9.12	112.82	106.33
3	A	368	BCL	C2D-C1D-ND	-8.69	103.70	110.10
3	A	372	BCL	C1D-ND-C4D	8.68	112.50	106.33
3	A	373	BCL	C1D-ND-C4D	8.02	112.03	106.33
3	A	369	BCL	CMB-C2B-C1B	-8.01	116.15	128.46
3	A	372	BCL	CMB-C2B-C1B	-7.96	116.23	128.46
3	A	367	BCL	CMB-C2B-C1B	-7.96	116.23	128.46
3	A	373	BCL	CMB-C2B-C1B	-7.75	116.55	128.46
3	A	370	BCL	CMB-C2B-C1B	-7.72	116.60	128.46
3	A	371	BCL	C4A-NA-C1A	7.70	110.17	106.71
3	A	400	BCL	C1D-ND-C4D	7.67	111.78	106.33
3	A	368	BCL	C1C-NC-C4C	7.66	110.15	106.71
3	A	400	BCL	CMB-C2B-C1B	-7.38	117.11	128.46
3	A	368	BCL	CHD-C1D-ND	-7.09	117.94	124.45
3	A	372	BCL	O2D-CGD-CBD	6.92	123.56	111.27
3	A	368	BCL	CMB-C2B-C1B	-6.57	118.36	128.46
3	A	400	BCL	CHD-C4C-NC	-6.57	117.78	125.08

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	370	BCL	C1D-ND-C4D	6.56	110.99	106.33
3	A	367	BCL	C1D-ND-C4D	6.49	110.94	106.33
3	A	371	BCL	C1-C2-C3	-6.45	114.88	126.04
3	A	368	BCL	C4A-NA-C1A	6.41	109.59	106.71
3	A	367	BCL	CHD-C4C-NC	-6.20	118.19	125.08
3	A	370	BCL	O2D-CGD-CBD	6.17	122.24	111.27
3	A	368	BCL	C4B-CHC-C1C	-6.15	117.95	130.12
3	A	370	BCL	C2D-C1D-ND	-6.14	105.58	110.10
3	A	371	BCL	CMB-C2B-C1B	-6.14	119.03	128.46
3	A	367	BCL	C2D-C1D-ND	-6.05	105.65	110.10
3	A	371	BCL	CHB-C4A-NA	-6.01	116.20	124.51
3	A	372	BCL	C4A-NA-C1A	5.91	109.36	106.71
3	A	371	BCL	C1D-ND-C4D	5.83	110.48	106.33
3	A	371	BCL	C4B-CHC-C1C	-5.71	118.80	130.12
3	A	367	BCL	C4B-CHC-C1C	-5.56	119.11	130.12
3	A	371	BCL	C2D-C1D-ND	-5.53	106.03	110.10
3	A	369	BCL	C1D-ND-C4D	5.42	110.19	106.33
3	A	367	BCL	CMD-C2D-C1D	5.42	134.26	124.71
3	A	371	BCL	O2D-CGD-CBD	5.33	120.75	111.27
3	A	367	BCL	CHC-C1C-NC	-5.30	117.18	124.51
3	A	372	BCL	CMB-C2B-C3B	5.24	134.49	124.68
3	A	372	BCL	C1-C2-C3	-5.20	117.05	126.04
3	A	373	BCL	O2D-CGD-CBD	5.12	120.37	111.27
3	A	371	BCL	CMD-C2D-C1D	5.10	133.69	124.71
3	A	369	BCL	O2D-CGD-CBD	5.09	120.31	111.27
3	A	370	BCL	CMB-C2B-C3B	5.06	134.15	124.68
3	A	367	BCL	CMB-C2B-C3B	5.06	134.15	124.68
3	A	400	BCL	CMB-C2B-C3B	5.06	134.14	124.68
3	A	400	BCL	C1B-CHB-C4A	-5.00	120.21	130.12
3	A	400	BCL	CMD-C2D-C1D	4.96	133.46	124.71
3	A	400	BCL	C4B-CHC-C1C	-4.92	120.38	130.12
3	A	368	BCL	CMD-C2D-C1D	4.88	133.32	124.71
3	A	373	BCL	C4-C3-C5	4.84	123.41	115.27
3	A	369	BCL	C2D-C1D-ND	-4.82	106.55	110.10
3	A	369	BCL	CMB-C2B-C3B	4.79	133.64	124.68
3	A	369	BCL	C4B-CHC-C1C	-4.74	120.72	130.12
3	A	367	BCL	C1D-CHD-C4C	-4.72	115.24	126.62
3	A	373	BCL	CMB-C2B-C3B	4.62	133.33	124.68
3	A	400	BCL	O2D-CGD-CBD	4.59	119.42	111.27
3	A	368	BCL	O2D-CGD-CBD	4.57	119.39	111.27
3	A	368	BCL	CHD-C4C-NC	-4.56	120.01	125.08
3	A	368	BCL	CMB-C2B-C3B	4.50	133.10	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	371	BCL	CMB-C2B-C3B	4.36	132.83	124.68
3	A	372	BCL	C4B-CHC-C1C	-4.24	121.72	130.12
3	A	400	BCL	CMD-C2D-C3D	-4.20	117.96	127.61
3	A	369	BCL	O1D-CGD-CBD	-4.07	116.15	124.48
3	A	369	BCL	C1-O2A-CGA	3.97	126.86	116.44
3	A	373	BCL	O2A-CGA-CBA	3.95	124.31	111.91
3	A	368	BCL	O2A-CGA-O1A	-3.91	113.72	123.59
3	A	400	BCL	CAA-C2A-C3A	-3.90	107.00	116.10
3	A	373	BCL	C4-C3-C2	-3.88	113.71	123.68
3	A	370	BCL	CMD-C2D-C1D	3.88	131.56	124.71
3	A	371	BCL	C3C-C4C-CHD	-3.80	115.27	123.39
3	A	372	BCL	CHB-C4A-NA	-3.79	119.27	124.51
3	A	373	BCL	C1C-NC-C4C	-3.78	105.01	106.71
3	A	368	BCL	CMD-C2D-C3D	-3.76	118.97	127.61
3	A	372	BCL	C1D-CHD-C4C	-3.75	117.57	126.62
3	A	368	BCL	CHC-C1C-NC	-3.74	119.34	124.51
3	A	367	BCL	CED-O2D-CGD	3.69	124.29	115.94
3	A	367	BCL	C1-C2-C3	-3.67	119.70	126.04
3	A	370	BCL	O2D-CGD-O1D	-3.65	116.71	123.84
3	A	372	BCL	CMD-C2D-C1D	3.63	131.11	124.71
3	A	371	BCL	O2A-CGA-CBA	3.61	123.24	111.91
3	A	400	BCL	C1D-CHD-C4C	-3.60	117.94	126.62
3	A	373	BCL	C4B-CHC-C1C	-3.51	123.16	130.12
3	A	371	BCL	C1B-CHB-C4A	-3.49	123.21	130.12
3	A	368	BCL	O2A-CGA-CBA	3.48	122.82	111.91
3	A	369	BCL	C1-C2-C3	-3.44	120.09	126.04
3	A	369	BCL	C4A-NA-C1A	3.40	108.23	106.71
3	A	370	BCL	CMA-C3A-C4A	-3.40	102.64	111.77
3	A	369	BCL	CMD-C2D-C1D	3.37	130.65	124.71
3	A	367	BCL	CHD-C1D-ND	-3.36	121.37	124.45
3	A	369	BCL	O2A-CGA-CBA	3.35	122.42	111.91
3	A	400	BCL	CED-O2D-CGD	3.32	123.46	115.94
3	A	367	BCL	CMD-C2D-C3D	-3.29	120.05	127.61
3	A	372	BCL	CMD-C2D-C3D	-3.27	120.09	127.61
3	A	368	BCL	C1-O2A-CGA	3.27	125.02	116.44
3	A	372	BCL	C1B-CHB-C4A	-3.26	123.66	130.12
3	A	373	BCL	C3D-C2D-C1D	3.16	110.15	105.83
3	A	400	BCL	CHB-C4A-NA	-3.16	120.14	124.51
3	A	371	BCL	C1C-NC-C4C	-3.16	105.28	106.71
3	A	372	BCL	O2D-CGD-O1D	-3.08	117.81	123.84
3	A	373	BCL	C1-C2-C3	-3.08	120.71	126.04
3	A	373	BCL	C6-C7-C8	-3.08	105.97	115.92

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	367	BCL	O2D-CGD-CBD	3.08	116.74	111.27
3	A	367	BCL	CAA-C2A-C1A	3.07	122.05	111.97
3	A	371	BCL	C7-C6-C5	-3.06	105.04	113.36
3	A	369	BCL	CED-O2D-CGD	3.03	122.79	115.94
3	A	370	BCL	O2A-CGA-CBA	3.02	121.37	111.91
3	A	371	BCL	CMD-C2D-C3D	-3.01	120.69	127.61
3	A	373	BCL	O2A-CGA-O1A	-2.99	116.03	123.59
3	A	371	BCL	O1D-CGD-CBD	-2.98	118.39	124.48
3	A	373	BCL	CMD-C2D-C3D	-2.97	120.79	127.61
3	A	373	BCL	O2D-CGD-O1D	-2.90	118.16	123.84
3	A	368	BCL	CED-O2D-CGD	2.88	122.44	115.94
3	A	367	BCL	O2A-CGA-CBA	2.86	120.89	111.91
3	A	372	BCL	O1D-CGD-CBD	-2.86	118.64	124.48
3	A	371	BCL	CED-O2D-CGD	2.85	122.39	115.94
3	A	370	BCL	C4-C3-C5	2.84	120.05	115.27
3	A	368	BCL	C1D-CHD-C4C	-2.84	119.78	126.62
3	A	367	BCL	CGD-CBD-CAD	2.83	119.89	110.73
3	A	369	BCL	CHC-C1C-NC	-2.79	120.65	124.51
3	A	368	BCL	O1D-CGD-CBD	-2.79	118.78	124.48
3	A	368	BCL	CHA-C1A-NA	-2.79	120.02	126.40
3	A	372	BCL	O2A-CGA-CBA	2.78	120.65	111.91
3	A	372	BCL	C6-C5-C3	-2.76	106.22	113.45
3	A	371	BCL	CHD-C4C-NC	-2.73	122.05	125.08
3	A	370	BCL	C4B-CHC-C1C	-2.72	124.73	130.12
3	A	371	BCL	CHD-C1D-C2D	2.70	131.14	125.48
3	A	368	BCL	CHB-C4A-NA	-2.67	120.82	124.51
3	A	371	BCL	CBC-CAC-C3C	-2.65	107.57	113.47
3	A	367	BCL	O1D-CGD-CBD	-2.63	119.09	124.48
3	A	367	BCL	CAA-CBA-CGA	-2.63	105.58	113.25
3	A	369	BCL	CHD-C4C-NC	-2.62	122.17	125.08
3	A	367	BCL	C7-C6-C5	-2.61	106.27	113.36
3	A	369	BCL	C11-C12-C13	-2.54	107.72	115.92
3	A	369	BCL	O2A-CGA-O1A	-2.53	117.22	123.59
3	A	400	BCL	CHD-C1D-C2D	-2.51	120.22	125.48
3	A	367	BCL	CHA-C1A-NA	-2.48	120.73	126.40
3	A	373	BCL	CMD-C2D-C1D	2.45	129.03	124.71
3	A	369	BCL	C1B-CHB-C4A	-2.41	125.35	130.12
3	A	400	BCL	CHC-C1C-NC	-2.36	121.25	124.51
3	A	371	BCL	C1-O2A-CGA	2.36	122.63	116.44
3	A	400	BCL	C4A-NA-C1A	2.35	107.76	106.71
3	A	370	BCL	C1B-CHB-C4A	-2.35	125.46	130.12
3	A	371	BCL	C1D-CHD-C4C	-2.34	120.97	126.62

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	370	BCL	CHA-C4D-ND	2.32	137.35	132.50
3	A	368	BCL	C2A-C3A-C4A	2.31	105.60	101.87
3	A	368	BCL	CHA-C4D-ND	2.29	137.30	132.50
3	A	367	BCL	C4-C3-C5	2.29	119.13	115.27
3	A	400	BCL	O1D-CGD-CBD	-2.29	119.80	124.48
3	A	400	BCL	CAC-C3C-C4C	2.28	117.65	112.58
3	A	370	BCL	CMD-C2D-C3D	-2.28	122.37	127.61
3	A	371	BCL	CHA-C4D-ND	2.27	137.25	132.50
3	A	372	BCL	C6-C7-C8	-2.27	108.60	115.92
3	A	369	BCL	C3A-C2A-C1A	2.26	104.72	101.34
3	A	370	BCL	C1-O2A-CGA	2.24	122.31	116.44
3	A	368	BCL	C6-C7-C8	-2.23	108.72	115.92
3	A	370	BCL	C11-C10-C8	-2.21	108.78	115.92
3	A	371	BCL	OBD-CAD-C3D	-2.20	123.22	128.52
3	A	371	BCL	C2A-C3A-C4A	2.18	105.39	101.87
3	A	373	BCL	C11-C10-C8	2.18	122.95	115.92
3	A	373	BCL	C1B-CHB-C4A	-2.17	125.81	130.12
3	A	373	BCL	C1D-CHD-C4C	-2.17	121.39	126.62
3	A	372	BCL	C3D-C2D-C1D	2.16	108.78	105.83
3	A	400	BCL	CHA-C1A-NA	-2.16	121.45	126.40
3	A	369	BCL	CAC-C3C-C2C	2.16	119.64	114.26
3	A	372	BCL	CED-O2D-CGD	2.15	120.80	115.94
3	A	367	BCL	C4-C3-C2	-2.14	118.19	123.68
3	A	372	BCL	CAC-C3C-C2C	-2.13	108.94	114.26
3	A	369	BCL	C4-C3-C5	2.08	118.77	115.27
3	A	371	BCL	CMA-C3A-C2A	-2.05	105.58	113.83
3	A	367	BCL	C3C-C4C-CHD	-2.03	119.05	123.39
3	A	373	BCL	C9-C8-C10	2.02	118.61	111.29
3	A	367	BCL	CBA-CAA-C2A	2.00	119.78	113.86
3	A	367	BCL	CHA-C4D-ND	2.00	136.69	132.50

All (14) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	367	BCL	C13
3	A	367	BCL	C8
3	A	368	BCL	C13
3	A	368	BCL	C8
3	A	369	BCL	C13
3	A	369	BCL	C8
3	A	370	BCL	C13
3	A	370	BCL	C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom
3	A	371	BCL	C13
3	A	371	BCL	C8
3	A	372	BCL	C13
3	A	372	BCL	C8
3	A	373	BCL	C13
3	A	373	BCL	C8

All (113) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	368	BCL	C1A-C2A-CAA-CBA
3	A	368	BCL	C3A-C2A-CAA-CBA
3	A	368	BCL	CBA-CGA-O2A-C1
3	A	368	BCL	O1A-CGA-O2A-C1
3	A	368	BCL	CHA-CBD-CGD-O1D
3	A	368	BCL	O2A-C1-C2-C3
3	A	368	BCL	C1-C2-C3-C4
3	A	369	BCL	C4C-C3C-CAC-CBC
3	A	371	BCL	C1-C2-C3-C4
3	A	371	BCL	C1-C2-C3-C5
3	A	372	BCL	C4C-C3C-CAC-CBC
3	A	372	BCL	CHA-CBD-CGD-O1D
3	A	372	BCL	C1-C2-C3-C4
3	A	372	BCL	C1-C2-C3-C5
3	A	400	BCL	C4C-C3C-CAC-CBC
3	A	400	BCL	CBD-CGD-O2D-CED
3	A	368	BCL	C1-C2-C3-C5
3	A	372	BCL	CBD-CGD-O2D-CED
3	A	400	BCL	O1D-CGD-O2D-CED
3	A	372	BCL	CBA-CGA-O2A-C1
3	A	367	BCL	C8-C10-C11-C12
3	A	369	BCL	C5-C6-C7-C8
3	A	372	BCL	C15-C16-C17-C18
3	A	367	BCL	C6-C7-C8-C9
3	A	369	BCL	C14-C13-C15-C16
3	A	370	BCL	C6-C7-C8-C9
3	A	371	BCL	C11-C10-C8-C9
3	A	373	BCL	C11-C10-C8-C9
3	A	372	BCL	O1A-CGA-O2A-C1
3	A	370	BCL	C15-C16-C17-C18
3	A	372	BCL	C5-C6-C7-C8
3	A	373	BCL	C13-C15-C16-C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	371	BCL	C15-C16-C17-C18
3	A	371	BCL	C5-C6-C7-C8
3	A	368	BCL	C12-C13-C15-C16
3	A	369	BCL	C6-C7-C8-C10
3	A	373	BCL	C11-C12-C13-C15
3	A	367	BCL	C15-C16-C17-C18
3	A	369	BCL	C13-C15-C16-C17
3	A	370	BCL	C3-C5-C6-C7
3	A	368	BCL	CBD-CGD-O2D-CED
3	A	370	BCL	C16-C17-C18-C20
3	A	367	BCL	C16-C17-C18-C19
3	A	367	BCL	C16-C17-C18-C20
3	A	370	BCL	C16-C17-C18-C19
3	A	369	BCL	C15-C16-C17-C18
3	A	369	BCL	C3A-C2A-CAA-CBA
3	A	368	BCL	O1D-CGD-O2D-CED
3	A	372	BCL	O1D-CGD-O2D-CED
3	A	372	BCL	C10-C11-C12-C13
3	A	373	BCL	C3-C5-C6-C7
3	A	372	BCL	C12-C13-C15-C16
3	A	373	BCL	CBA-CGA-O2A-C1
3	A	368	BCL	C14-C13-C15-C16
3	A	370	BCL	C11-C10-C8-C9
3	A	372	BCL	C11-C10-C8-C9
3	A	373	BCL	O1A-CGA-O2A-C1
3	A	367	BCL	C1A-C2A-CAA-CBA
3	A	369	BCL	C1A-C2A-CAA-CBA
3	A	367	BCL	C13-C15-C16-C17
3	A	371	BCL	C4-C3-C5-C6
3	A	369	BCL	C2C-C3C-CAC-CBC
3	A	368	BCL	C15-C16-C17-C18
3	A	369	BCL	C10-C11-C12-C13
3	A	367	BCL	C11-C12-C13-C15
3	A	369	BCL	C11-C12-C13-C15
3	A	369	BCL	C12-C13-C15-C16
3	A	370	BCL	C12-C13-C15-C16
3	A	371	BCL	C11-C10-C8-C7
3	A	372	BCL	C11-C10-C8-C7
3	A	373	BCL	C6-C7-C8-C10
3	A	373	BCL	C11-C10-C8-C7
3	A	368	BCL	C11-C12-C13-C14
3	A	369	BCL	C11-C12-C13-C14

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	370	BCL	C14-C13-C15-C16
3	A	372	BCL	C14-C13-C15-C16
3	A	373	BCL	C11-C12-C13-C14
3	A	371	BCL	C2-C3-C5-C6
3	A	367	BCL	C11-C12-C13-C14
3	A	373	BCL	C6-C7-C8-C9
3	A	372	BCL	C8-C10-C11-C12
3	A	367	BCL	C6-C7-C8-C10
3	A	368	BCL	C11-C12-C13-C15
3	A	373	BCL	CAD-CBD-CGD-O2D
3	A	370	BCL	C5-C6-C7-C8
3	A	372	BCL	CHA-CBD-CGD-O2D
3	A	400	BCL	CAD-CBD-CGD-O1D
3	A	371	BCL	O1D-CGD-O2D-CED
3	A	370	BCL	C6-C7-C8-C10
3	A	370	BCL	C11-C12-C13-C15
3	A	368	BCL	C6-C7-C8-C9
3	A	370	BCL	C11-C12-C13-C14
3	A	370	BCL	C11-C10-C8-C7
3	A	372	BCL	C2-C1-O2A-CGA
3	A	373	BCL	O2A-C1-C2-C3
3	A	372	BCL	C11-C12-C13-C15
3	A	369	BCL	C6-C7-C8-C9
3	A	371	BCL	C11-C12-C13-C14
3	A	368	BCL	C3-C5-C6-C7
3	A	371	BCL	CAA-CBA-CGA-O2A
3	A	367	BCL	C1-C2-C3-C4
3	A	369	BCL	C1-C2-C3-C4
3	A	367	BCL	CAA-CBA-CGA-O2A
3	A	371	BCL	C13-C15-C16-C17
3	A	372	BCL	C11-C12-C13-C14
3	A	371	BCL	C3A-C2A-CAA-CBA
3	A	367	BCL	CHA-CBD-CGD-O1D
3	A	367	BCL	CHA-CBD-CGD-O2D
3	A	368	BCL	CHA-CBD-CGD-O2D
3	A	371	BCL	C1A-C2A-CAA-CBA
3	A	367	BCL	CAA-CBA-CGA-O1A
3	A	371	BCL	C6-C7-C8-C10
3	A	371	BCL	C8-C10-C11-C12


There are no ring outliers.




8 monomers are involved in 51 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	373	BCL	13	0
3	A	369	BCL	1	0
3	A	372	BCL	12	0
3	A	367	BCL	8	0
3	A	371	BCL	6	0
3	A	370	BCL	6	0
3	A	368	BCL	5	0
3	A	400	BCL	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	359/366 (98%)	0.26	20 (5%) 24 30	40, 55, 70, 90	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	214	PRO	7.7
1	A	167	VAL	4.8
1	A	160	ILE	4.8
1	A	327	ALA	4.7
1	A	163	TRP	3.9
1	A	213	GLY	3.8
1	A	217	PRO	3.4
1	A	211	GLU	3.2
1	A	210	THR	3.2
1	A	209	ASN	3.0
1	A	152	VAL	2.7
1	A	324	ARG	2.6
1	A	188	PRO	2.6
1	A	192	ALA	2.4
1	A	196	GLY	2.3
1	A	41	ALA	2.2
1	A	194	ASN	2.1
1	A	229	GLY	2.1
1	A	300	MET	2.1
1	A	208	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	BCL	A	400	42/66	0.87	0.19	71,75,79,80	0
3	BCL	A	372	66/66	0.88	0.15	42,51,58,61	0
3	BCL	A	369	66/66	0.93	0.16	35,44,52,60	0
3	BCL	A	371	66/66	0.93	0.13	39,49,59,59	0
3	BCL	A	367	66/66	0.93	0.16	46,51,59,65	0
3	BCL	A	368	66/66	0.93	0.14	39,49,60,62	0
3	BCL	A	370	66/66	0.94	0.12	36,45,47,50	0
3	BCL	A	373	66/66	0.96	0.16	36,45,66,67	0
2	MG	A	374	1/1	0.99	0.33	51,51,51,51	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around BCL A 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around BCL A 372:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BCL A 369:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BCL A 371:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCL A 367:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BCL A 368:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BCL A 370:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.