



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 23, 2023 – 12:38 PM EDT

PDB ID : 3BTV
Title : Crystal structure of the super-repressor mutant of Gal80p from *Saccharomyces cerevisiae*; Gal80(S0)-[G301R]
Authors : Kumar, P.R.; Joshua-Tor, L.
Deposited on : 2007-12-31
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	 6% 63% 24% 11%
1	B	438	 17% 63% 25% 11%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactose/lactose metabolism regulatory protein GAL80.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	390	3107	1995	524	576	12	0	4	0
1	B	392	3106	1999	519	576	12	0	1	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P04387
A	-1	SER	-	expression tag	UNP P04387
A	0	HIS	-	expression tag	UNP P04387
A	301	ARG	GLY	engineered mutation	UNP P04387
B	-2	GLY	-	expression tag	UNP P04387
B	-1	SER	-	expression tag	UNP P04387
B	0	HIS	-	expression tag	UNP P04387
B	301	ARG	GLY	engineered mutation	UNP P04387


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	113	Total 113	O 113	0	0
2	B	54	Total 54	O 54	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Galactose/lactose metabolism regulatory protein GAL80



- Molecule 1: Galactose/lactose metabolism regulatory protein GAL80





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.09Å 103.95Å 106.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.61 – 2.10 46.68 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.61-2.10) 99.9 (46.68-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.2.0019, PHENIX	Depositor
R, R_{free}	0.215 , 0.257 0.237 , 0.271	Depositor DCC
R_{free} test set	2867 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	42.5	Xtrriage
Anisotropy	0.271	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 66.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.012 for -h,l,k	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6380	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/3173	0.58	3/4297 (0.1%)
1	B	0.35	0/3173	0.56	3/4295 (0.1%)
All	All	0.38	0/6346	0.57	6/8592 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	346	GLY	N-CA-C	-7.79	93.62	113.10
1	B	281	GLY	C-N-CA	7.61	138.29	122.30
1	A	308	ASP	N-CA-C	-6.80	92.64	111.00
1	B	282	GLY	N-CA-C	-6.39	97.12	113.10
1	A	323	GLY	N-CA-C	-5.51	99.33	113.10
1	B	313	GLU	N-CA-C	-5.45	96.28	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	281	GLY	Peptide
1	A	346	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3107	0	3117	72	0
1	B	3106	0	3111	84	0
2	A	113	0	0	4	0
2	B	54	0	0	1	0
All	All	6380	0	6228	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:LEU:HD13	1:B:319:LEU:HD11	1.36	1.02
1:A:89:MET:HE1	1:A:372:ILE:HG21	1.40	1.01
1:A:46:GLN:HE21	1:A:46:GLN:H	1.14	0.96
1:B:46:GLN:HE21	1:B:46:GLN:H	1.14	0.96
1:B:286:LYS:HD3	1:B:289:THR:HG23	1.50	0.92
1:B:145:GLN:HE22	1:B:389:PHE:H	1.20	0.90
1:A:301[B]:ARG:NH1	1:A:319:LEU:HD21	1.97	0.80
1:A:301[B]:ARG:HG2	1:A:321:TYR:HB3	1.66	0.77
1:B:286:LYS:HD3	1:B:289:THR:CG2	2.17	0.75
1:B:151:GLN:HG3	1:B:365:ILE:HD12	1.68	0.74
1:A:301[A]:ARG:HG2	1:A:321:TYR:HB3	1.71	0.73
1:A:434:SER:HA	1:A:435:LEU:C	2.08	0.72
1:A:385:LEU:HD12	1:A:386:PRO:HD2	1.70	0.72
1:A:285:THR:HG23	1:B:322:SER:OG	1.90	0.72
1:A:295:ASP:OD2	1:A:304:LYS:HE2	1.89	0.71
1:A:375:PHE:O	1:A:378[B]:ASN:ND2	2.23	0.71
1:B:191:VAL:HA	1:B:242:LEU:HD22	1.73	0.71
1:B:189:ARG:O	1:B:242:LEU:HA	1.90	0.71
1:A:46:GLN:HE21	1:A:46:GLN:N	1.88	0.70
1:B:46:GLN:HE21	1:B:46:GLN:N	1.89	0.70
1:B:291:ASN:CB	1:B:308:ASP:HA	2.24	0.68
1:A:104:MET:HB2	1:A:105:PRO:HD3	1.76	0.67
1:B:382:ILE:O	1:B:382:ILE:HG13	1.95	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378[B]:ASN:ND2	1:A:385:LEU:HD23	2.09	0.67
1:B:145:GLN:NE2	1:B:389:PHE:H	1.93	0.66
1:A:301[B]:ARG:HD3	1:A:319:LEU:HD11	1.77	0.66
1:B:104:MET:HB2	1:B:105:PRO:HD3	1.77	0.66
1:B:378:ASN:ND2	1:B:385:LEU:HD11	2.10	0.66
1:B:291:ASN:HB2	1:B:308:ASP:HA	1.78	0.65
1:A:363:GLY:O	1:A:367:ARG:HG3	1.95	0.65
1:A:137:LYS:O	1:A:141:GLU:HG2	1.98	0.63
1:B:381:LYS:O	1:B:383:PRO:HD3	1.97	0.63
1:A:433:TYR:HB2	2:A:542:HOH:O	1.99	0.62
1:A:145:GLN:HE22	1:A:389:PHE:H	1.49	0.61
1:B:343:TYR:N	1:B:343:TYR:CD2	2.67	0.61
1:A:123:TRP:CD2	1:A:124:ALA:HA	2.36	0.61
1:A:60:SER:O	1:A:64:ILE:HG13	2.01	0.60
1:A:153:ARG:HD2	1:A:400:PRO:HG3	1.83	0.60
1:B:60:SER:O	1:B:64:ILE:HG13	2.02	0.59
1:B:133:GLU:HG3	1:B:406:LEU:HD11	1.83	0.59
1:B:137:LYS:O	1:B:141:GLU:HG2	2.01	0.59
1:B:153:ARG:HD2	1:B:400:PRO:HG3	1.83	0.59
1:B:189:ARG:HD3	1:B:198:TYR:CE1	2.37	0.59
1:B:123:TRP:CD2	1:B:124:ALA:HA	2.38	0.59
1:A:263:LEU:HD22	1:B:276:SER:HB2	1.84	0.59
1:B:155:SER:HB3	1:B:158:ILE:HG12	1.85	0.58
1:A:90:ILE:HD13	1:A:106:LEU:HD21	1.84	0.58
1:B:107:LEU:O	1:B:110:SER:HB3	2.04	0.57
1:B:292:LEU:HD12	1:B:314:ILE:CD1	2.34	0.57
1:A:291:ASN:HB2	1:A:308:ASP:OD2	2.04	0.57
1:A:261:HIS:HD2	2:B:470:HOH:O	1.87	0.57
1:A:155:SER:HB3	1:A:158:ILE:HG12	1.85	0.57
1:A:196:TYR:CE1	1:A:197:ILE:HG22	2.40	0.56
1:B:145:GLN:NE2	1:B:388:GLN:HG3	2.21	0.56
1:B:37:TYR:HB3	1:B:38:PRO:HD3	1.88	0.56
2:A:505:HOH:O	1:B:261:HIS:HD2	1.87	0.55
1:A:385:LEU:HD12	1:A:386:PRO:CD	2.35	0.55
1:B:145:GLN:HE21	1:B:388:GLN:HA	1.72	0.55
1:A:181[B]:ASN:HD21	1:A:282:GLY:C	2.11	0.54
1:B:89:MET:HE1	1:B:372:ILE:HG21	1.88	0.54
1:A:107:LEU:O	1:A:110:SER:HB3	2.08	0.54
1:A:410:ARG:NH1	2:A:542:HOH:O	2.40	0.54
1:B:90:ILE:HD13	1:B:106:LEU:HD21	1.89	0.54
1:A:37:TYR:HB3	1:A:38:PRO:HD3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:PRO:HB2	1:A:289:THR:OG1	2.09	0.53
1:A:348:GLU:OE1	1:B:287:LYS:HB3	2.08	0.53
1:B:169:TYR:CE2	1:B:319:LEU:HD13	2.44	0.52
1:B:291:ASN:HB3	1:B:308:ASP:HA	1.89	0.52
1:A:181[B]:ASN:OD1	1:A:282:GLY:O	2.28	0.52
1:A:133:GLU:HG3	1:A:406:LEU:HD11	1.91	0.52
1:B:164:LEU:CD1	1:B:319:LEU:HD11	2.26	0.51
1:B:277[A]:CYS:SG	1:B:279:PHE:CE2	3.04	0.51
1:A:305:LEU:HB3	1:A:314:ILE:CD1	2.41	0.51
1:B:19:ARG:NH1	1:B:86:THR:HA	2.26	0.51
1:B:177:GLU:OE1	1:B:297:HIS:NE2	2.37	0.51
1:B:22:PHE:CD1	1:B:25:LEU:HB2	2.46	0.50
1:A:277[A]:CYS:SG	1:A:279:PHE:CE2	3.04	0.50
1:A:378[B]:ASN:ND2	1:A:385:LEU:CD2	2.74	0.50
1:A:76:PRO:HD2	1:A:80:SER:OG	2.12	0.49
1:B:292:LEU:HD12	1:B:314:ILE:HD11	1.94	0.49
1:B:76:PRO:HD2	1:B:80:SER:OG	2.12	0.49
1:B:244:ASP:HB3	1:B:250:LEU:HD21	1.95	0.49
1:A:22:PHE:CD1	1:A:25:LEU:HB2	2.47	0.49
1:A:46:GLN:HG2	1:A:373:SER:OG	2.14	0.47
1:A:115:ASN:O	1:A:117:LYS:HG2	2.14	0.47
1:A:356:ARG:HA	1:A:357:ASN:HA	1.44	0.47
1:B:115:ASN:O	1:B:117:LYS:HG2	2.13	0.47
1:B:192:LYS:HG2	1:B:192:LYS:O	2.15	0.47
1:B:151:GLN:HG3	1:B:365:ILE:CD1	2.43	0.47
1:A:244:ASP:HB3	1:A:250:LEU:HD21	1.97	0.46
1:B:26:ASN:HB3	1:B:29:LYS:O	2.15	0.46
1:B:193:SER:HA	1:B:194:PRO:HD3	1.82	0.46
1:A:18:ILE:HD11	1:A:376:HIS:CD2	2.50	0.46
1:B:178:ILE:HD11	1:B:218:LEU:HD22	1.97	0.46
1:A:92:ILE:HG23	1:A:94:ILE:HG12	1.97	0.46
1:A:64:ILE:HA	1:A:69:LEU:HD12	1.98	0.46
1:A:26:ASN:HB3	1:A:29:LYS:O	2.16	0.46
1:A:145:GLN:NE2	1:A:388:GLN:HB2	2.31	0.46
1:B:373:SER:O	1:B:377:PHE:N	2.46	0.45
1:B:75:PHE:HA	1:B:76:PRO:HD3	1.79	0.45
1:B:92:ILE:HG23	1:B:94:ILE:HG12	1.99	0.45
1:B:356:ARG:O	1:B:357:ASN:HB2	2.16	0.45
1:B:194:PRO:HB2	1:B:197:ILE:HG13	1.97	0.45
1:A:435:LEU:HD23	2:A:542:HOH:O	2.16	0.45
1:B:64:ILE:HA	1:B:69:LEU:HD12	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:PHE:CE2	1:A:84:SER:HB2	2.52	0.44
1:A:153:ARG:HD3	1:A:392:GLN:OE1	2.17	0.44
1:A:169:TYR:O	1:A:301[B]:ARG:HD2	2.16	0.44
1:B:191:VAL:HB	1:B:250:LEU:CD1	2.47	0.44
1:A:75:PHE:HA	1:A:76:PRO:HD3	1.78	0.44
1:A:90:ILE:HG22	1:A:92:ILE:HD12	2.00	0.44
1:A:159:LEU:O	1:A:163:GLU:HG3	2.17	0.44
1:B:145:GLN:NE2	1:B:388:GLN:HA	2.32	0.43
1:A:276:SER:HB2	1:B:263:LEU:HD22	2.00	0.43
1:B:18:ILE:HD11	1:B:376:HIS:CD2	2.54	0.43
1:A:292:LEU:C	1:A:292:LEU:HD13	2.39	0.43
1:A:434:SER:CA	1:A:435:LEU:C	2.85	0.43
1:B:407:ILE:HG12	1:B:431:SER:HA	2.01	0.43
1:A:64:ILE:HG23	1:A:69:LEU:HB2	2.01	0.42
1:A:305:LEU:CD2	1:A:317:LEU:HD13	2.49	0.42
1:B:16:ALA:HB3	1:B:17:PRO:HD3	2.01	0.42
1:B:33:ILE:HG23	1:B:34:LYS:HG3	2.01	0.42
1:B:277[A]:CYS:SG	1:B:279:PHE:HE2	2.43	0.42
1:A:92:ILE:HD13	1:A:119:LEU:HD11	2.01	0.42
1:B:90:ILE:HG22	1:B:92:ILE:HD12	2.01	0.42
1:B:292:LEU:C	1:B:292:LEU:HD13	2.39	0.42
1:B:75:PHE:CE2	1:B:84:SER:HB2	2.55	0.42
1:B:292:LEU:CD1	1:B:314:ILE:HD11	2.50	0.42
1:B:378:ASN:HD21	1:B:385:LEU:HD11	1.83	0.42
1:A:170:ILE:CG2	1:A:298:GLY:HA3	2.50	0.42
1:B:82:ALA:HB3	1:B:109:PHE:HB2	2.01	0.42
1:A:277[A]:CYS:SG	1:A:279:PHE:HE2	2.43	0.42
1:A:82:ALA:HB3	1:A:109:PHE:HB2	2.02	0.42
1:B:97:ALA:HA	1:B:127:CYS:SG	2.60	0.41
1:A:384:GLU:O	1:A:385:LEU:C	2.58	0.41
1:B:267:THR:HA	1:B:273:VAL:O	2.21	0.41
1:B:277[A]:CYS:SG	1:B:279:PHE:CD2	3.14	0.41
1:B:139:ALA:O	1:B:142:ARG:HB3	2.20	0.41
1:A:78:LEU:HD11	1:A:106:LEU:HD12	2.03	0.41
1:B:64:ILE:HG23	1:B:69:LEU:HB2	2.02	0.41
1:B:305:LEU:HD22	1:B:314:ILE:HG21	2.02	0.41
1:B:78:LEU:HD11	1:B:106:LEU:HD12	2.02	0.41
1:B:361:ILE:O	1:B:365:ILE:HD13	2.20	0.41
1:A:139:ALA:O	1:A:142:ARG:HB3	2.21	0.41
1:B:123:TRP:CG	1:B:124:ALA:HA	2.55	0.41
1:B:169:TYR:HE2	1:B:319:LEU:HD13	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:GLN:HE22	1:B:389:PHE:N	2.00	0.40
1:A:97:ALA:HA	1:A:127:CYS:SG	2.60	0.40
1:A:158:ILE:CD1	1:A:217:ILE:HD12	2.51	0.40
1:B:154:LYS:HA	1:B:154:LYS:HD3	1.94	0.40
1:B:373:SER:HA	1:B:376:HIS:HB3	2.03	0.40
1:A:377:PHE:O	1:A:378[A]:ASN:C	2.59	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/438 (88%)	366 (95%)	19 (5%)	1 (0%)	41	41
1	B	385/438 (88%)	367 (95%)	18 (5%)	0	100	100
All	All	771/876 (88%)	733 (95%)	37 (5%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	284	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/376 (91%)	326 (95%)	17 (5%)	24	23
1	B	341/376 (91%)	328 (96%)	13 (4%)	33	34
All	All	684/752 (91%)	654 (96%)	30 (4%)	28	28

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	PHE
1	A	46	GLN
1	A	59	THR
1	A	120	PHE
1	A	160	ARG
1	A	199	GLU
1	A	200	ILE
1	A	260	ASP
1	A	289	THR
1	A	293	VAL
1	A	362	VAL
1	A	373	SER
1	A	375	PHE
1	A	390	VAL
1	A	397	GLU
1	A	402	LEU
1	A	425	LEU
1	B	22	PHE
1	B	46	GLN
1	B	59	THR
1	B	120	PHE
1	B	200	ILE
1	B	260	ASP
1	B	289	THR
1	B	293	VAL
1	B	343	TYR
1	B	385	LEU
1	B	397	GLU
1	B	402	LEU
1	B	420	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	A	71	ASN
1	A	95	GLN
1	A	112	ASN
1	A	115	ASN
1	A	145	GLN
1	A	202	ASN
1	A	230	ASN
1	A	252	GLN
1	A	261	HIS
1	A	265	GLN
1	B	46	GLN
1	B	71	ASN
1	B	95	GLN
1	B	112	ASN
1	B	115	ASN
1	B	145	GLN
1	B	202	ASN
1	B	230	ASN
1	B	252	GLN
1	B	265	GLN
1	B	366	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	390/438 (89%)	0.60	27 (6%) 16 21	28, 54, 107, 136	0
1	B	392/438 (89%)	1.18	76 (19%) 1 1	30, 67, 117, 157	0
All	All	782/876 (89%)	0.89	103 (13%) 3 4	28, 60, 112, 157	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	GLY	8.8
1	B	250	LEU	8.5
1	B	61	ILE	7.2
1	B	243	ILE	6.6
1	B	81	PHE	5.9
1	A	435	LEU	5.6
1	A	380	LYS	5.6
1	A	31	TRP	5.3
1	B	252	GLN	5.2
1	A	40	ILE	5.1
1	B	78	LEU	5.1
1	B	356	ARG	5.1
1	B	288	PHE	5.1
1	A	61	ILE	5.1
1	B	184	TRP	5.1
1	B	254	VAL	5.0
1	A	323	GLY	4.9
1	A	381	LYS	4.9
1	B	249	ARG	4.8
1	B	343	TYR	4.7
1	B	75	PHE	4.5
1	B	433	TYR	4.2
1	B	253	ARG	4.0
1	A	29	LYS	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	245	GLU	4.0
1	B	74	ALA	3.9
1	B	69	LEU	3.7
1	B	52	LEU	3.7
1	B	76	PRO	3.5
1	A	68	LYS	3.5
1	B	59	THR	3.5
1	B	190	PRO	3.5
1	B	31	TRP	3.4
1	B	192	LYS	3.4
1	B	54	SER	3.4
1	B	242	LEU	3.4
1	B	387	SER	3.4
1	A	386	PRO	3.4
1	B	246	ARG	3.4
1	A	385	LEU	3.3
1	B	255	PRO	3.2
1	A	69	LEU	3.2
1	B	55	PRO	3.2
1	B	197	ILE	3.2
1	B	191	VAL	3.1
1	B	56	LYS	3.1
1	B	244	ASP	3.1
1	B	289	THR	3.1
1	B	239	GLU	3.0
1	B	77	THR	3.0
1	B	22	PHE	2.9
1	A	346	GLY	2.9
1	B	381	LYS	2.9
1	A	322	SER	2.9
1	A	289	THR	2.9
1	B	114	PRO	2.8
1	A	64	ILE	2.8
1	B	287	LYS	2.8
1	B	88	ASP	2.7
1	B	47	PHE	2.7
1	B	73	THR	2.7
1	A	141	GLU	2.7
1	B	105	PRO	2.6
1	B	72	ALA	2.6
1	A	387	SER	2.6
1	B	195	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	90	ILE	2.6
1	A	70	SER	2.5
1	B	112	ASN	2.5
1	A	379	THR	2.5
1	B	87	ILE	2.5
1	B	62	ALA	2.5
1	B	109	PHE	2.5
1	A	41	LEU	2.4
1	B	187	TYR	2.4
1	B	63	THR	2.4
1	B	384	GLU	2.4
1	A	357	ASN	2.4
1	A	378[A]	ASN	2.4
1	B	139	ALA	2.4
1	B	100	TYR	2.4
1	B	248	ASN	2.4
1	B	382	ILE	2.3
1	A	87	ILE	2.3
1	B	51	ALA	2.3
1	B	106	LEU	2.3
1	B	53	TYR	2.2
1	B	79	GLU	2.2
1	B	198	TYR	2.2
1	B	60	SER	2.2
1	B	146	THR	2.2
1	B	23	VAL	2.2
1	B	116	LEU	2.1
1	B	58	GLU	2.1
1	B	20	VAL	2.1
1	B	144	VAL	2.1
1	B	386	PRO	2.1
1	B	141	GLU	2.1
1	A	143	GLY	2.1
1	A	389	PHE	2.1
1	A	308	ASP	2.0
1	B	241	GLU	2.0
1	B	397	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.