



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2023 – 10:08 PM EDT

PDB ID : 3BUI
Title : Golgi mannosidase II D204A catalytic nucleophile mutant complex with Tris
Authors : Kuntz, D.A.; Rose, D.R.
Deposited on : 2008-01-02
Resolution : 1.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1060 (1.28-1.24)
Ramachandran outliers	138981	1029 (1.28-1.24)
Sidechain outliers	138945	1028 (1.28-1.24)
RSRZ outliers	127900	1004 (1.28-1.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MPD	A	1048	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10090 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-mannosidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1016	8543	5444	1495	1559	45	0	50	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	expression tag	UNP Q24451
A	2	SER	-	expression tag	UNP Q24451
A	3	SER	-	expression tag	UNP Q24451
A	4	HIS	-	expression tag	UNP Q24451
A	5	HIS	-	expression tag	UNP Q24451
A	6	HIS	-	expression tag	UNP Q24451
A	7	HIS	-	expression tag	UNP Q24451
A	8	HIS	-	expression tag	UNP Q24451
A	9	HIS	-	expression tag	UNP Q24451
A	10	GLY	-	expression tag	UNP Q24451
A	11	GLU	-	expression tag	UNP Q24451
A	12	PHE	-	expression tag	UNP Q24451
A	204	ALA	ASP	engineered mutation	UNP Q24451
A	907	LYS	GLU	SEE REMARK 999	UNP Q24451

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
3	A	1	9	4	1	4	0	1

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	8	6	2	0	0
4	A	1	8	6	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1502	Total	O	0	43
			1505	1505		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-mannosidase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.26Å 108.99Å 137.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.25 9.97 – 1.25	Depositor EDS
% Data completeness (in resolution range)	91.8 (10.00-1.25) 89.8 (9.97-1.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.11 (at 1.25Å)	Xtrriage
Refinement program	SHELXL-97, CNS, SHELX	Depositor
R, R_{free}	0.121 , 0.159 0.115 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	9.1	Xtrriage
Anisotropy	0.027	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.44 , 71.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	10090	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, TRS, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.63	0/8863	1.15	26/12022 (0.2%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	359	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	A	407	TYR	CB-CG-CD2	-5.96	117.42	121.00
1	A	616	TYR	CB-CG-CD2	-5.96	117.43	121.00
1	A	419	TYR	CB-CG-CD2	-5.87	117.48	121.00
1	A	314	ARG	NE-CZ-NH1	-5.74	117.43	120.30
1	A	963	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	A	954[A]	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	A	954[B]	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	A	116	ARG	NE-CZ-NH1	-5.62	117.49	120.30
1	A	616	TYR	CG-CD2-CE2	-5.54	116.87	121.30
1	A	351	ASP	CB-CG-OD2	-5.38	113.46	118.30
1	A	777	ARG	NE-CZ-NH1	-5.36	117.62	120.30
1	A	829	TYR	CB-CG-CD1	-5.35	117.79	121.00
1	A	565	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	A	954[A]	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	954[B]	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	616	TYR	CD1-CG-CD2	5.30	123.73	117.90
1	A	330	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	523	TYR	CG-CD2-CE2	-5.17	117.17	121.30
1	A	447[A]	SER	N-CA-CB	-5.14	102.78	110.50
1	A	447[B]	SER	N-CA-CB	-5.14	102.78	110.50
1	A	267	TYR	CB-CG-CD1	5.14	124.08	121.00
1	A	664	TYR	CG-CD1-CE1	-5.14	117.19	121.30
1	A	570	ASP	CB-CG-OD1	5.08	122.88	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	267	TYR	CB-CG-CD2	-5.08	117.95	121.00
1	A	120	ASP	CB-CG-OD2	-5.00	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8543	0	8399	118	0
2	A	1	0	0	0	0
3	A	9	0	6	0	0
4	A	32	0	56	8	0
5	A	1505	0	0	57	0
All	All	10090	0	8461	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96[A]:ILE:HG22	5:A:2357:HOH:O	1.50	1.10
1:A:96[A]:ILE:HG23	1:A:479:LYS:HE2	1.65	0.79
1:A:57:ILE:HD11	5:A:2218:HOH:O	1.84	0.78
1:A:241[B]:ARG:CZ	5:A:1586:HOH:O	2.30	0.77
1:A:136[B]:ARG:HD2	5:A:1202[B]:HOH:O	1.88	0.72
1:A:541:THR:HG23	5:A:2332:HOH:O	1.89	0.71
1:A:253:ASN:ND2	5:A:2010:HOH:O	2.23	0.70
1:A:491:GLN:HG3	1:A:495:LYS:HE2	1.74	0.69
1:A:125:LYS:HE3	5:A:1562:HOH:O	1.91	0.69
1:A:145:LYS:HE3	5:A:2049:HOH:O	1.92	0.69
1:A:693:LEU:HD13	5:A:1082:HOH:O	1.92	0.69
1:A:663:GLN:HG3	5:A:1393:HOH:O	1.96	0.66
1:A:720:HIS:CE1	5:A:2393:HOH:O	2.49	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96[B]:ILE:HD12	5:A:2427:HOH:O	1.96	0.65
1:A:136[B]:ARG:NH2	1:A:140:ASP:OD2	2.30	0.65
1:A:82[B]:LYS:CE	5:A:1272:HOH:O	2.43	0.64
1:A:491:GLN:OE1	4:A:1049:MPD:HM3	1.98	0.64
4:A:1049:MPD:H53	5:A:2263[B]:HOH:O	1.97	0.64
1:A:551:PRO:HG2	5:A:2144:HOH:O	1.99	0.62
1:A:651:LEU:HD13	1:A:653:ARG:HG2	1.82	0.62
1:A:908:LEU:HB3	5:A:2543:HOH:O	2.00	0.61
1:A:82[A]:LYS:HD2	1:A:375[A]:GLN:HE22	1.66	0.60
1:A:653:ARG:HD3	1:A:654:LYS:O	2.02	0.60
1:A:62:TRP:CD2	1:A:65:GLY:HA3	2.37	0.59
1:A:138[A]:TYR:OH	1:A:150:LYS:HE2	2.02	0.59
1:A:934:PHE:CE2	1:A:936[A]:GLU:HB2	2.37	0.59
1:A:659:LEU:HB3	5:A:2336:HOH:O	2.03	0.59
1:A:904:ARG:HG2	1:A:985[A]:MET:SD	2.43	0.58
1:A:707:PRO:HG2	1:A:797[A]:HIS:CD2	2.38	0.58
1:A:47:GLU:OE2	1:A:51:ARG:HD3	2.03	0.58
1:A:256:ASP:HB2	5:A:2017:HOH:O	2.02	0.58
1:A:494:LEU:HB3	4:A:1049:MPD:HM1	1.84	0.58
1:A:653:ARG:HD2	1:A:656:PRO:HA	1.85	0.57
1:A:483:VAL:HG11	5:A:2463:HOH:O	2.04	0.57
1:A:651:LEU:CD1	1:A:653:ARG:HG2	2.33	0.57
1:A:979[A]:LEU:HD21	1:A:999:VAL:HG11	1.87	0.57
1:A:491:GLN:HG3	1:A:495:LYS:CE	2.35	0.57
1:A:96[A]:ILE:HG21	5:A:2427:HOH:O	2.05	0.57
1:A:527:ASP:O	1:A:931:LYS:HE3	2.06	0.55
1:A:451:MET:HE2	5:A:2433:HOH:O	2.05	0.55
1:A:975:VAL:HG21	1:A:1003:LEU:HD22	1.87	0.55
1:A:936[A]:GLU:HG3	5:A:2183:HOH:O	2.05	0.55
1:A:895:VAL:HG12	1:A:897:GLU:HG3	1.87	0.55
1:A:701:GLN:HG3	5:A:1350:HOH:O	2.07	0.54
1:A:971[A]:LYS:NZ	1:A:971[A]:LYS:HB2	2.21	0.54
1:A:568:LEU:HD12	1:A:770:ARG:HD3	1.89	0.54
1:A:975:VAL:HG21	1:A:1003:LEU:CD2	2.38	0.53
1:A:228[A]:ARG:HD3	1:A:407:TYR:CE2	2.43	0.53
4:A:1049:MPD:HM2	4:A:1049:MPD:H52	1.89	0.53
1:A:654:LYS:HE3	1:A:672:ASP:OD1	2.08	0.53
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.43	0.53
1:A:117[B]:HIS:HE1	1:A:351:ASP:OD1	1.92	0.53
1:A:280:LYS:HE2	1:A:301:VAL:HG21	1.91	0.52
1:A:1009:CYS:SG	1:A:1023:LEU:HD12	2.50	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1049:MPD:H51	5:A:1488:HOH:O	2.10	0.52
1:A:540:ARG:HB2	5:A:2319:HOH:O	2.09	0.52
1:A:695:LYS:HD3	5:A:2326:HOH:O	2.10	0.52
1:A:954[A]:ARG:HH21	1:A:981[A]:ARG:HD2	1.74	0.52
1:A:95:TRP:CE3	1:A:96[A]:ILE:HG12	2.45	0.51
1:A:1011:ARG:HD2	5:A:1300:HOH:O	2.11	0.51
1:A:32:GLN:HG3	5:A:2527:HOH:O	2.11	0.50
1:A:212[B]:MET:HG3	1:A:216:LEU:CD1	2.42	0.49
1:A:451:MET:CE	5:A:2433:HOH:O	2.60	0.49
1:A:957:LEU:HD11	1:A:979[B]:LEU:HG	1.92	0.49
1:A:212[B]:MET:HG2	5:A:1725:HOH:O	2.13	0.49
1:A:280:LYS:HE2	1:A:301:VAL:CG2	2.42	0.49
1:A:907:LYS:HB2	1:A:907:LYS:NZ	2.28	0.49
1:A:63:LYS:HE2	5:A:2261:HOH:O	2.13	0.48
1:A:742[A]:GLN:HG3	5:A:1087:HOH:O	2.13	0.48
1:A:700:THR:HA	5:A:2435:HOH:O	2.14	0.48
1:A:720:HIS:ND1	5:A:2393:HOH:O	2.34	0.48
1:A:82[B]:LYS:HE2	5:A:1272:HOH:O	2.07	0.48
4:A:1050:MPD:H13	5:A:1717:HOH:O	2.12	0.48
1:A:57:ILE:HG12	5:A:1135:HOH:O	2.13	0.48
4:A:1050:MPD:HM3	5:A:1191:HOH:O	2.14	0.47
4:A:1051:MPD:O4	4:A:1051:MPD:H11	2.14	0.47
1:A:51:ARG:HG3	5:A:1744:HOH:O	2.15	0.47
1:A:669:LYS:HD3	5:A:1370:HOH:O	2.14	0.47
1:A:93:PRO:HD2	1:A:470:HIS:CE1	2.49	0.47
1:A:155:ASN:HB3	5:A:1250:HOH:O	2.14	0.46
1:A:52[A]:MET:HE2	1:A:54:PHE:CZ	2.50	0.46
1:A:954[A]:ARG:HH21	1:A:981[A]:ARG:CD	2.29	0.46
1:A:886:LYS:NZ	5:A:1483:HOH:O	2.48	0.46
1:A:48:LEU:HD11	1:A:236:GLU:HG2	1.96	0.46
1:A:346[A]:GLN:NE2	5:A:2388:HOH:O	2.49	0.46
1:A:37:ASP:HB2	5:A:2498:HOH:O	2.16	0.45
1:A:96[A]:ILE:CG2	5:A:2357:HOH:O	2.31	0.45
1:A:954[A]:ARG:HH21	1:A:981[A]:ARG:NE	2.14	0.45
1:A:570:ASP:HA	1:A:618:ILE:O	2.17	0.45
1:A:971[A]:LYS:NZ	5:A:1448:HOH:O	2.49	0.45
1:A:993:HIS:O	1:A:993:HIS:ND1	2.49	0.45
1:A:43:VAL:O	1:A:400:LEU:HA	2.17	0.44
1:A:470:HIS:CD2	1:A:472:ASP:H	2.35	0.44
1:A:971[A]:LYS:HB2	1:A:971[A]:LYS:HZ3	1.82	0.44
1:A:359:ARG:NE	5:A:1634:HOH:O	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228[B]:ARG:HG3	5:A:2551:HOH:O	2.16	0.43
1:A:535:GLY:HA3	1:A:779:LEU:HD21	2.00	0.43
1:A:582:ASP:HB2	5:A:2275:HOH:O	2.18	0.43
1:A:389:ALA:O	1:A:394:GLN:HB2	2.19	0.43
1:A:898:LYS:HA	1:A:898:LYS:HD2	1.85	0.42
1:A:541:THR:HG21	5:A:2172:HOH:O	2.19	0.42
1:A:595:VAL:HG21	1:A:615:LYS:HG3	2.01	0.42
1:A:566:GLU:HA	1:A:622:ALA:O	2.19	0.42
1:A:225:LEU:HD21	1:A:264[A]:MET:SD	2.60	0.42
1:A:992:GLU:OE2	1:A:992:GLU:HA	2.18	0.42
1:A:448:TRP:CG	1:A:454:ILE:HG13	2.55	0.42
1:A:228[A]:ARG:HB2	5:A:2551:HOH:O	2.19	0.41
1:A:537:GLU:HG2	1:A:539:SER:HB3	2.00	0.41
1:A:47:GLU:CD	1:A:51:ARG:HD3	2.41	0.41
1:A:904:ARG:HA	1:A:985[B]:MET:HE1	2.02	0.41
1:A:241[B]:ARG:NE	5:A:1586:HOH:O	2.47	0.41
1:A:995:GLN:N	5:A:1898:HOH:O	2.53	0.41
1:A:981[A]:ARG:NH2	5:A:1332:HOH:O	2.52	0.41
1:A:420:THR:HB	1:A:868:ARG:HD2	2.03	0.41
1:A:75[B]:TYR:HD2	5:A:1574:HOH:O	2.03	0.40
1:A:535:GLY:HA3	1:A:779:LEU:CD2	2.51	0.40
1:A:691:GLN:O	1:A:758:VAL:HG21	2.22	0.40
1:A:770:ARG:HH11	1:A:770:ARG:HD2	1.74	0.40
1:A:979[B]:LEU:HD22	5:A:2465:HOH:O	2.21	0.40
1:A:47:GLU:OE2	1:A:51:ARG:CD	2.68	0.40
1:A:150:LYS:HG2	1:A:193[A]:MET:CE	2.51	0.40
1:A:190:LYS:NZ	1:A:1017:LEU:O	2.49	0.40
1:A:212[B]:MET:HG3	1:A:216:LEU:HD11	2.03	0.40
1:A:204:ALA:H	1:A:205:PRO:HD3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1064/1045 (102%)	1037 (98%)	23 (2%)	4 (0%)	34 10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	TRP
1	A	993	HIS
1	A	991	GLU
1	A	204	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	952/928 (103%)	939 (99%)	13 (1%)	67 30

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	275	CYS
1	A	298	PRO
1	A	651	LEU
1	A	653	ARG
1	A	654	LYS
1	A	691	GLN
1	A	702	ASP
1	A	828	TYR
1	A	898	LYS
1	A	907	LYS
1	A	971[A]	LYS
1	A	971[B]	LYS
1	A	992	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MPD	A	1049	-	7,7,7	0.34	0	9,10,10	0.83	0
4	MPD	A	1050	-	7,7,7	0.34	0	9,10,10	0.75	0
4	MPD	A	1048	-	7,7,7	0.57	0	9,10,10	0.95	0
3	TRS	A	1047[B]	-	7,7,7	1.17	1 (14%)	9,9,9	2.54	4 (44%)
3	TRS	A	1047[A]	-	7,7,7	0.97	0	9,9,9	1.67	3 (33%)
4	MPD	A	1051	-	7,7,7	0.55	0	9,10,10	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	1049	-	-	3/5/5/5	-
4	MPD	A	1050	-	-	4/5/5/5	-
4	MPD	A	1048	-	1/1/2/2	2/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	A	1047[B]	-	-	3/9/9/9	-
3	TRS	A	1047[A]	-	-	0/9/9/9	-
4	MPD	A	1051	-	-	0/5/5/5	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1047[B]	TRS	O1-C1	2.04	1.49	1.42

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1047[B]	TRS	O1-C1-C	-6.06	91.79	111.00
3	A	1047[A]	TRS	C1-C-N	-3.04	98.90	107.98
3	A	1047[B]	TRS	C1-C-N	-3.04	98.90	107.98
3	A	1047[A]	TRS	O3-C3-C	-2.18	104.08	111.00
3	A	1047[B]	TRS	O3-C3-C	-2.18	104.08	111.00
3	A	1047[A]	TRS	C2-C-C1	2.14	117.45	110.81
3	A	1047[B]	TRS	C2-C-C1	2.14	117.45	110.81

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	1048	MPD	C4

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1047[B]	TRS	C2-C-C1-O1
3	A	1047[B]	TRS	C3-C-C1-O1
3	A	1047[B]	TRS	N-C-C1-O1
4	A	1048	MPD	C2-C3-C4-O4
4	A	1049	MPD	C1-C2-C3-C4
4	A	1049	MPD	C2-C3-C4-O4
4	A	1050	MPD	C1-C2-C3-C4
4	A	1050	MPD	O2-C2-C3-C4
4	A	1049	MPD	O2-C2-C3-C4
4	A	1050	MPD	C2-C3-C4-C5
4	A	1050	MPD	CM-C2-C3-C4
4	A	1048	MPD	C2-C3-C4-C5

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1049	MPD	5	0
4	A	1050	MPD	2	0
4	A	1051	MPD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1016/1045 (97%)	-0.58	15 (1%) 73 64	6, 12, 28, 67	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	30	GLN	7.6
1	A	993	HIS	6.5
1	A	992	GLU	6.1
1	A	991	GLU	5.1
1	A	702	ASP	4.9
1	A	701	GLN	4.8
1	A	600	HIS	4.1
1	A	990	PRO	3.7
1	A	538	ASP	3.7
1	A	1045	SER	3.5
1	A	534	SER	3.3
1	A	720	HIS	3.2
1	A	638	ASP	2.4
1	A	78	HIS	2.2
1	A	539	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MPD	A	1049	8/8	0.73	0.14	52,55,58,60	0
4	MPD	A	1051	8/8	0.73	0.18	23,28,43,43	0
4	MPD	A	1050	8/8	0.74	0.23	44,51,57,62	0
3	TRS	A	1047[B]	8/8	0.95	0.10	12,15,16,17	1
3	TRS	A	1047[A]	8/8	0.95	0.10	11,15,16,17	1
4	MPD	A	1048	8/8	0.97	0.07	11,15,19,20	0
2	ZN	A	1046	1/1	1.00	0.02	7,7,7,7	0

6.5 Other polymers [i](#)

There are no such residues in this entry.