Full wwPDB X-ray Structure Validation Report ⓘ

Jan 4, 2024 – 11:20 am GMT

PDB ID	:	5BXL
Title	:	Yeast 20S proteasome beta2-G170A mutant
Authors	:	Huber, E.M.; Groll, M.
Deposited on	:	2015-06-09
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	2% 97% .
1	O	250	2% 96% .
2	B	258	3% 85% 9% • 5%
2	P	258	4% 86% 8% • 5%
3	C	254	4% 86% 7% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	4% 87% 7% 6%
4	D	260	85% 5% 10%
4	R	260	85% 5% 10%
5	E	234	91% 6%
5	S	234	90% 8%
6	F	288	80% 5% 16%
6	T	288	79% 5% 16%
7	G	252	89% 6%
7	U	252	89% 6%
8	H	232	3% 78% 16%
8	V	232	3% 77% 16%
9	I	205	89% 10%
9	W	205	92% 8%
10	J	198	89% 9%
10	X	198	89% 9%
11	K	212	93% 5%
11	Y	212	93% 5%
12	L	222	89% 10%
12	Z	222	90% 9%
13	M	246	87% 5% 7%
13	a	246	92% 6%
14	N	196	94% 5%
14	b	196	97%

2 Entry composition (i)

There are 17 unique types of molecules in this entry. The entry contains 49787 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1685	1062	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1685	1062	293	323	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	170	ALA	GLY	conflict	UNP P25043
V	170	ALA	GLY	conflict	UNP P25043

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	229	Total	C	N	O	S	0	0	0
			1790	1133	306	344	7			
13	a	232	Total	C	N	O	S	0	0	0
			1815	1148	311	349	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	H	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	W	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	A	15	Total O 15 15	0	0
17	B	15	Total O 15 15	0	0
17	C	16	Total O 16 16	0	0
17	D	15	Total O 15 15	0	0
17	E	13	Total O 13 13	0	0
17	F	15	Total O 15 15	0	0
17	G	21	Total O 21 21	0	0
17	H	23	Total O 23 23	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	I	21	Total O 21 21	0	0
17	J	20	Total O 20 20	0	0
17	K	25	Total O 25 25	0	0
17	L	29	Total O 29 29	0	0
17	M	37	Total O 37 37	0	0
17	N	20	Total O 20 20	0	0
17	O	9	Total O 9 9	0	0
17	P	12	Total O 12 12	0	0
17	Q	15	Total O 15 15	0	0
17	R	8	Total O 8 8	0	0
17	S	7	Total O 7 7	0	0
17	T	12	Total O 12 12	0	0
17	U	21	Total O 21 21	0	0
17	V	18	Total O 18 18	0	0
17	W	19	Total O 19 19	0	0
17	X	22	Total O 22 22	0	0
17	Y	21	Total O 21 21	0	0
17	Z	18	Total O 18 18	0	0
17	a	29	Total O 29 29	0	0
17	b	25	Total O 25 25	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Proteasome subunit alpha type-2



• Molecule 1: Proteasome subunit alpha type-2



• Molecule 2: Proteasome subunit alpha type-3



• Molecule 2: Proteasome subunit alpha type-3



• Molecule 3: Proteasome subunit alpha type-4



• Molecule 3: Proteasome subunit alpha type-4

Chain Q:



• Molecule 4: Proteasome subunit alpha type-5

Chain D:



• Molecule 4: Proteasome subunit alpha type-5

Chain R:



• Molecule 5: Proteasome subunit alpha type-6

Chain E:



• Molecule 5: Proteasome subunit alpha type-6

Chain S:



• Molecule 6: Probable proteasome subunit alpha type-7

Chain F:



• Molecule 6: Probable proteasome subunit alpha type-7

Chain T:





• Molecule 7: Proteasome subunit alpha type-1





• Molecule 7: Proteasome subunit alpha type-1





• Molecule 8: Proteasome subunit beta type-2



• Molecule 8: Proteasome subunit beta type-2





• Molecule 9: Proteasome subunit beta type-3





• Molecule 9: Proteasome subunit beta type-3

Chain W:



• Molecule 10: Proteasome subunit beta type-4

Chain J:



• Molecule 10: Proteasome subunit beta type-4

Chain X:



• Molecule 11: Proteasome subunit beta type-5

Chain K:



• Molecule 11: Proteasome subunit beta type-5

Chain Y:



• Molecule 12: Proteasome subunit beta type-6

Chain L:



• Molecule 12: Proteasome subunit beta type-6

Chain Z:



• Molecule 13: Proteasome subunit beta type-7

Chain M:



• Molecule 13: Proteasome subunit beta type-7

Chain a:



• Molecule 14: Proteasome subunit beta type-1

Chain N:





• Molecule 14: Proteasome subunit beta type-1

Chain b:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	134.80Å 300.94Å 144.49Å 90.00° 112.71° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	94.6 (15.00-2.80) 94.6 (15.00-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.68 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.189 , 0.214 0.198 , 0.223	Depositor DCC
R_{free} test set	12204 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	54.5	Xtriage
Anisotropy	0.127	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 45.7	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	49787	wwPDB-VP
Average B, all atoms (Å^2)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.25	0/1952	0.48	0/2642
1	O	0.27	0/1952	0.49	0/2642
2	B	0.27	0/1934	0.51	0/2618
2	P	0.26	0/1934	0.51	0/2618
3	C	0.26	0/1910	0.51	0/2586
3	Q	0.26	0/1910	0.51	0/2586
4	D	0.25	0/1837	0.48	0/2475
4	R	0.25	0/1837	0.48	0/2475
5	E	0.25	0/1800	0.48	0/2433
5	S	0.25	0/1800	0.48	0/2433
6	F	0.26	0/1932	0.45	0/2609
6	T	0.26	0/1932	0.45	0/2609
7	G	0.26	0/1945	0.47	0/2634
7	U	0.28	0/1945	0.47	0/2634
8	H	0.35	0/1716	0.55	0/2328
8	V	0.36	0/1716	0.57	0/2328
9	I	0.30	0/1611	0.52	0/2174
9	W	0.27	0/1611	0.50	0/2174
10	J	0.26	0/1589	0.52	0/2142
10	X	0.26	0/1589	0.52	0/2142
11	K	0.26	0/1681	0.53	1/2274 (0.0%)
11	Y	0.26	0/1681	0.53	1/2274 (0.0%)
12	L	0.29	0/1795	0.54	0/2420
12	Z	0.30	0/1795	0.54	0/2420
13	M	0.27	0/1821	0.53	0/2470
13	a	0.26	0/1846	0.53	0/2503
14	N	0.25	0/1541	0.51	0/2087
14	b	0.25	0/1541	0.50	0/2087
All	All	0.27	0/50153	0.51	2/67817 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
11	K	4	LEU	CA-CB-CG	5.23	127.33	115.30
11	Y	4	LEU	CA-CB-CG	5.23	127.33	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	2	0
1	O	1915	0	1929	10	0
2	B	1904	0	1904	11	0
2	P	1904	0	1904	11	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	5	0
4	D	1813	0	1797	5	0
4	R	1813	0	1797	4	0
5	E	1773	0	1775	5	0
5	S	1773	0	1775	9	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	6	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	4	0
8	H	1685	0	1688	24	0
8	V	1685	0	1690	32	0
9	I	1581	0	1574	14	0
9	W	1581	0	1574	8	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	9	0
11	K	1644	0	1595	7	0
11	Y	1644	0	1595	6	0
12	L	1757	0	1711	13	0
12	Z	1757	0	1711	10	0
13	M	1790	0	1793	6	0
13	a	1815	0	1821	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	N	1512	0	1481	7	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	W	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	15	0	0	0	0
17	B	15	0	0	1	0
17	C	16	0	0	0	0
17	D	15	0	0	0	0
17	E	13	0	0	0	0
17	F	15	0	0	0	0
17	G	21	0	0	0	0
17	H	23	0	0	0	0
17	I	21	0	0	0	0
17	J	20	0	0	0	0
17	K	25	0	0	0	0
17	L	29	0	0	0	0
17	M	37	0	0	0	0
17	N	20	0	0	1	0
17	O	9	0	0	0	0
17	P	12	0	0	0	0
17	Q	15	0	0	0	0
17	R	8	0	0	0	0
17	S	7	0	0	1	0
17	T	12	0	0	0	0
17	U	21	0	0	0	0
17	V	18	0	0	0	0
17	W	19	0	0	0	0
17	X	22	0	0	0	0
17	Y	21	0	0	0	0
17	Z	18	0	0	0	0
17	a	29	0	0	0	0
17	b	25	0	0	0	0
All	All	49787	0	49020	202	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 2.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:9:ASN:OD1	8:V:146:LEU:O	1.62	1.15
1:O:4:ARG:HH11	5:S:122:TYR:HD2	1.09	0.90
12:L:186:ASP:OD2	8:V:203:TYR:OH	1.88	0.90
1:O:4:ARG:NH1	5:S:122:TYR:HD2	1.68	0.89
8:H:9:ASN:H	8:H:9:ASN:ND2	1.71	0.87
1:O:1:MET:HG3	6:T:122:TYR:CE1	2.11	0.85
8:V:196:ARG:HA	8:V:196:ARG:NE	1.90	0.85
1:O:4:ARG:NH1	5:S:122:TYR:CD2	2.44	0.84
1:O:2:THR:OG1	1:O:4:ARG:HG2	1.89	0.73
8:V:195:VAL:HG13	8:V:196:ARG:N	2.06	0.69
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.27	0.68
8:V:196:ARG:HA	8:V:196:ARG:HE	1.59	0.68
7:G:68:ARG:HH12	14:N:36:ARG:HH22	1.44	0.65
2:P:221:ASP:O	2:P:223:GLU:N	2.31	0.64
8:H:194:ASN:O	8:H:195:VAL:HB	1.97	0.63
2:B:221:ASP:O	2:B:223:GLU:N	2.32	0.62
8:V:194:ASN:O	8:V:195:VAL:HG12	2.01	0.61
2:B:93:HIS:HB3	17:B:301:HOH:O	2.02	0.60
1:O:4:ARG:HB3	2:P:2:SER:OG	2.02	0.60
8:V:215:GLU:HG2	9:W:197:ARG:HG2	1.85	0.59
12:L:182:LYS:HG2	8:V:200:GLN:HG3	1.83	0.58
2:P:217:LYS:C	2:P:219:ALA:H	2.08	0.57
8:H:222:ASP:OD1	9:I:74:LYS:NZ	2.38	0.57
8:V:87:LEU:HD12	8:V:113:ILE:CD1	2.35	0.57
2:B:217:LYS:C	2:B:219:ALA:H	2.07	0.57
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.36	0.56
8:H:87:LEU:HD12	8:H:113:ILE:CD1	2.35	0.56
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.42	0.55
8:H:9:ASN:ND2	8:H:9:ASN:N	2.47	0.55
11:K:31:VAL:HA	12:L:132:GLU:OE1	2.06	0.55
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.06	0.54
13:M:2:GLN:HB3	17:N:307:HOH:O	2.08	0.54
8:H:222:ASP:CG	9:I:74:LYS:HZ1	2.10	0.54
14:N:35:THR:HG21	14:N:45:ARG:HE	1.72	0.54
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.91	0.53
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.91	0.53
3:C:201:VAL:O	3:C:202:GLN:CB	2.56	0.53
3:C:51:LYS:O	3:C:52:LEU:HB2	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.74	0.53
2:B:12:PHE:H	3:C:17:GLN:HE22	1.57	0.52
10:J:168:LEU:O	10:J:172:MET:HB2	2.09	0.52
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.75	0.52
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.56	0.52
8:V:195:VAL:CG1	8:V:196:ARG:N	2.73	0.52
8:V:172:ASN:ND2	8:V:193:PRO:HD2	2.25	0.52
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.92	0.51
12:Z:23:LEU:HD13	12:Z:43:VAL:HG13	1.92	0.51
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.75	0.51
11:Y:107:LYS:HG3	11:Y:108:GLU:HG3	1.93	0.51
12:L:23:LEU:HD13	12:L:43:VAL:HG13	1.92	0.51
11:K:145:LYS:HB2	11:K:148:LEU:HD13	1.92	0.51
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.93	0.51
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.93	0.50
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.93	0.50
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.93	0.50
10:X:168:LEU:O	10:X:172:MET:HB2	2.11	0.50
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.75	0.50
12:L:186:ASP:OD1	8:V:200:GLN:HB2	2.11	0.50
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.93	0.50
11:K:107:LYS:HG3	11:K:108:GLU:HG3	1.93	0.49
11:K:128:CYS:HB2	11:K:137:TYR:CZ	2.47	0.49
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	1.92	0.49
8:V:9:ASN:OD1	8:V:9:ASN:N	2.44	0.49
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.42	0.49
7:G:23:PHE:O	7:G:26:THR:HB	2.13	0.49
5:S:147:GLN:HG2	17:S:306:HOH:O	2.12	0.49
4:D:91:HIS:HB3	4:D:99:ILE:HG22	1.95	0.48
4:R:91:HIS:HB3	4:R:99:ILE:HG22	1.95	0.48
7:U:23:PHE:O	7:U:26:THR:HB	2.13	0.48
8:V:173:VAL:HB	8:V:191:LEU:HB2	1.95	0.48
8:H:222:ASP:CG	9:I:74:LYS:NZ	2.67	0.48
11:Y:128:CYS:HB2	11:Y:137:TYR:CZ	2.48	0.48
8:H:215:GLU:HG2	9:I:197:ARG:HG2	1.96	0.48
14:N:35:THR:CG2	14:N:45:ARG:HE	2.27	0.48
12:L:146:ILE:HG22	12:L:150:LEU:HD22	1.96	0.47
8:V:196:ARG:NE	8:V:196:ARG:CA	2.72	0.47
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	1.96	0.47
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.97	0.47
8:V:201:LYS:HB2	8:V:203:TYR:CZ	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:173:VAL:HB	8:H:191:LEU:HB2	1.96	0.47
14:N:35:THR:OG1	14:N:43:CYS:SG	2.71	0.47
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.45	0.47
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.97	0.47
8:V:195:VAL:HG13	8:V:196:ARG:H	1.78	0.46
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.97	0.46
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.45	0.46
10:J:25:ILE:O	10:X:139:TYR:OH	2.34	0.46
8:H:222:ASP:OD2	9:I:74:LYS:NZ	2.48	0.46
13:M:96:LEU:O	13:M:100:MET:HG2	2.16	0.46
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.46
10:X:49:GLU:HB2	10:X:99:GLN:HB3	1.98	0.46
8:V:197:GLU:HG2	8:V:198:GLU:O	2.15	0.46
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.46	0.46
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.51	0.46
10:J:49:GLU:HB2	10:J:99:GLN:HB3	1.98	0.45
8:V:128:GLY:O	8:V:131:SER:HB3	2.16	0.45
4:D:88:ALA:HA	4:D:99:ILE:HG21	1.99	0.45
7:U:73:VAL:HG12	7:U:133:THR:HB	1.97	0.45
6:F:198:LEU:HD12	6:F:243:ILE:HG22	1.98	0.45
8:H:98:LEU:HB2	8:H:113:ILE:HG22	1.97	0.45
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.99	0.45
8:V:137:VAL:HG21	8:V:161:ALA:HB2	1.98	0.45
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.47	0.45
8:V:84:LYS:HG3	8:V:85:GLN:N	2.32	0.45
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.46	0.45
7:G:73:VAL:HG12	7:G:133:THR:HB	1.97	0.45
8:H:25:ILE:HG21	9:I:146:PHE:CD2	2.51	0.45
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	1.99	0.45
3:C:149:GLU:HB2	3:C:150:PRO:HD2	1.99	0.45
8:V:198:GLU:H	8:V:198:GLU:HG3	1.47	0.45
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.99	0.45
11:Y:46:ALA:HB3	11:Y:98:GLY:O	2.17	0.45
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.45
8:H:172:ASN:ND2	8:H:192:THR:HG22	2.32	0.45
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.52	0.45
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.45
2:P:149:THR:HG1	2:P:159:TRP:HE1	1.65	0.44
8:H:128:GLY:O	8:H:131:SER:HB3	2.16	0.44
6:T:198:LEU:HD12	6:T:243:ILE:HG22	1.98	0.44
11:K:46:ALA:HB3	11:K:98:GLY:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:88:ALA:HA	4:R:99:ILE:HG21	1.99	0.44
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.99	0.44
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.99	0.44
2:B:217:LYS:C	2:B:219:ALA:N	2.71	0.44
8:H:137:VAL:HG21	8:H:161:ALA:HB2	1.98	0.44
12:L:100:LYS:HD3	12:L:105:TYR:CE2	2.52	0.44
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.99	0.44
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.52	0.44
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.47	0.44
10:X:126:VAL:HG12	10:X:128:LEU:HG	2.00	0.44
11:Y:31:VAL:HA	12:Z:132:GLU:OE1	2.18	0.44
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.00	0.43
8:V:98:LEU:HB2	8:V:113:ILE:HG22	1.98	0.43
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.17	0.43
5:S:12:PHE:H	6:T:19:GLN:HE22	1.66	0.43
12:Z:100:LYS:HD3	12:Z:105:TYR:CE2	2.53	0.43
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.00	0.43
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.99	0.43
9:I:120:ILE:HD12	9:I:136:ILE:HG12	1.99	0.43
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.53	0.43
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.00	0.43
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.01	0.43
8:H:84:LYS:HG3	8:H:85:GLN:N	2.33	0.43
10:J:126:VAL:HG12	10:J:128:LEU:HG	2.00	0.43
8:H:112:SER:OG	8:H:120:ASP:HB2	2.19	0.43
9:I:129:ILE:HG22	9:I:131:GLU:HG2	2.01	0.43
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.54	0.42
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.54	0.42
8:H:163:ILE:HG23	8:H:170:ALA:HA	2.01	0.42
11:K:20:ALA:HB2	11:K:31:VAL:HG21	2.00	0.42
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.54	0.42
2:B:219:ALA:O	2:B:221:ASP:N	2.53	0.42
9:W:120:ILE:HD12	9:W:136:ILE:HG12	2.01	0.42
9:I:26:LEU:HD21	9:I:185:VAL:HG23	2.01	0.42
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.01	0.42
8:V:104:ASP:OD1	8:V:106:THR:HB	2.20	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.42
8:V:112:SER:OG	8:V:120:ASP:HB2	2.20	0.42
10:X:5:LEU:HD23	10:X:132:ALA:HB2	2.02	0.42
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:68:HIS:HE1	5:E:102:LEU:O	2.03	0.42
8:H:104:ASP:OD1	8:H:106:THR:HB	2.20	0.42
10:J:139:TYR:OH	10:X:25:ILE:O	2.38	0.42
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.49	0.42
2:P:219:ALA:O	2:P:221:ASP:N	2.53	0.42
5:S:68:HIS:HE1	5:S:102:LEU:O	2.02	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.20	0.41
2:P:217:LYS:C	2:P:219:ALA:N	2.72	0.41
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.03	0.41
2:P:50:LYS:O	2:P:51:VAL:C	2.58	0.41
10:X:23:ARG:HD3	10:X:23:ARG:HA	1.92	0.41
12:Z:195:HIS:HD2	12:Z:197:GLN:H	1.67	0.41
2:B:149:THR:HG1	2:B:159:TRP:HE1	1.66	0.41
10:J:5:LEU:HD23	10:J:132:ALA:HB2	2.03	0.41
9:W:141:ALA:HB2	9:W:177:ASP:HB2	2.02	0.41
12:L:195:HIS:HD2	12:L:197:GLN:H	1.67	0.41
1:O:98:LYS:HE3	1:O:104:TYR:CZ	2.55	0.41
2:P:221:ASP:O	2:P:223:GLU:HG2	2.21	0.41
10:J:23:ARG:HD3	10:J:23:ARG:HA	1.91	0.41
1:O:1:MET:O	1:O:1:MET:SD	2.79	0.41
12:Z:149:PHE:CE1	12:Z:153:GLN:HG3	2.55	0.41
2:B:50:LYS:O	2:B:51:VAL:C	2.58	0.41
5:S:9:THR:HG21	5:S:119:THR:HA	2.02	0.41
1:A:98:LYS:HE3	1:A:104:TYR:CZ	2.55	0.41
9:W:26:LEU:HD21	9:W:185:VAL:HG23	2.02	0.41
11:K:4:LEU:HB3	11:K:128:CYS:SG	2.61	0.41
8:V:36:ARG:HG3	8:V:42:TRP:CE2	2.56	0.41
12:Z:160:TYR:CD2	12:Z:166:GLY:HA2	2.56	0.41
12:L:160:TYR:CD2	12:L:166:GLY:HA2	2.56	0.41
8:V:163:ILE:HG23	8:V:170:ALA:HA	2.02	0.41
8:H:102:GLY:HA2	8:H:178:MET:SD	2.61	0.40
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.02	0.40
5:E:9:THR:HG21	5:E:119:THR:HA	2.02	0.40
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.40
8:H:36:ARG:HG3	8:H:42:TRP:CE2	2.56	0.40
12:L:149:PHE:CE1	12:L:153:GLN:HG3	2.56	0.40
13:M:27:LEU:HD21	13:M:34:LEU:HD22	2.04	0.40
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.02	0.40
6:T:202:ASP:OD1	6:T:202:ASP:N	2.55	0.40
6:T:216:SER:HB3	6:T:219:GLU:HB2	2.03	0.40
8:V:196:ARG:HD3	8:V:197:GLU:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	66
1	O	248/250 (99%)	239 (96%)	9 (4%)	0	100	100
2	B	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	29
2	P	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	29
3	C	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	12	36
3	Q	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	12	36
4	D	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
4	R	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	239 (100%)	0	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	220/232 (95%)	215 (98%)	3 (1%)	2 (1%)	17	46
8	V	220/232 (95%)	214 (97%)	3 (1%)	3 (1%)	11	34
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
10	J	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
10	X	193/198 (98%)	187 (97%)	6 (3%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	227/246 (92%)	218 (96%)	9 (4%)	0	100	100
13	a	230/246 (94%)	221 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6271/6614 (95%)	6125 (98%)	126 (2%)	20 (0%)	41	72

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	220	ASN
2	B	222	GLY
3	C	202	GLN
8	H	195	VAL
2	P	51	VAL
2	P	220	ASN
2	P	222	GLY
3	Q	202	GLN
8	V	195	VAL
1	A	2	THR
2	B	218	GLY
3	C	205	ALA
3	Q	205	ALA
8	H	171	SER
2	P	218	GLY
8	V	171	SER
8	V	196	ARG
3	C	183	PRO
3	Q	183	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	57	85
1	O	209/209 (100%)	204 (98%)	5 (2%)	49	81
2	B	203/216 (94%)	195 (96%)	8 (4%)	32	66
2	P	203/216 (94%)	195 (96%)	8 (4%)	32	66
3	C	212/226 (94%)	201 (95%)	11 (5%)	23	55
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23	55
4	D	194/215 (90%)	183 (94%)	11 (6%)	20	50
4	R	194/215 (90%)	183 (94%)	11 (6%)	20	50
5	E	190/193 (98%)	180 (95%)	10 (5%)	22	54
5	S	190/193 (98%)	180 (95%)	10 (5%)	22	54
6	F	201/239 (84%)	191 (95%)	10 (5%)	24	56
6	T	201/239 (84%)	191 (95%)	10 (5%)	24	56
7	G	206/210 (98%)	196 (95%)	10 (5%)	25	57
7	U	206/210 (98%)	196 (95%)	10 (5%)	25	57
8	H	181/190 (95%)	169 (93%)	12 (7%)	16	44
8	V	181/190 (95%)	167 (92%)	14 (8%)	13	35
9	I	172/173 (99%)	167 (97%)	5 (3%)	42	76
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	87
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	70
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	70
11	K	169/169 (100%)	161 (95%)	8 (5%)	26	59
11	Y	169/169 (100%)	161 (95%)	8 (5%)	26	59
12	L	185/185 (100%)	179 (97%)	6 (3%)	39	73
12	Z	185/185 (100%)	179 (97%)	6 (3%)	39	73
13	M	195/208 (94%)	189 (97%)	6 (3%)	40	74
13	a	198/208 (95%)	192 (97%)	6 (3%)	41	75
14	N	162/162 (100%)	157 (97%)	5 (3%)	40	74
14	b	162/162 (100%)	157 (97%)	5 (3%)	40	74
All	All	5307/5540 (96%)	5082 (96%)	225 (4%)	30	63

All (225) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	SER
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	55	LEU
2	B	79	LEU
2	B	113	ARG
2	B	119	GLN
2	B	186	ASP
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	50	LEU
3	C	51	LYS
3	C	60	SER
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	207	VAL
5	E	208	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	207	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	75	ASN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	9	ASN
8	H	20	SER
8	H	30	ASN
8	H	38	SER
8	H	55	VAL
8	H	68	LEU
8	H	113	ILE
8	H	131	SER
8	H	153	LYS
8	H	196	ARG
8	H	197	GLU
8	H	201	LYS
9	I	37	ASN
9	I	131	GLU
9	I	133	LYS
9	I	171	LEU
9	I	192	ASP
10	J	2	ASP
10	J	3	ILE
10	J	35	THR
10	J	90	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	99	GLN
10	J	110	LYS
11	K	4	LEU
11	K	9	GLN
11	K	104	TYR
11	K	107	LYS
11	K	116	ASP
11	K	128	CYS
11	K	140	LEU
11	K	148	LEU
12	L	3	ASN
12	L	23	LEU
12	L	49	ASN
12	L	130	SER
12	L	150	LEU
12	L	161	GLU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	36	ARG
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	1	MET
1	O	62	SER
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	55	LEU
2	P	79	LEU
2	P	113	ARG
2	P	119	GLN
2	P	186	ASP
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	50	LEU
3	Q	51	LYS
3	Q	60	SER
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	40	LEU
4	R	51	LEU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	207	VAL
5	S	208	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	207	ASP
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	75	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	9	ASN
8	V	20	SER
8	V	30	ASN
8	V	38	SER
8	V	55	VAL
8	V	68	LEU
8	V	113	ILE
8	V	131	SER
8	V	153	LYS
8	V	192	THR
8	V	195	VAL
8	V	196	ARG
8	V	198	GLU
8	V	200	GLN
9	W	37	ASN
9	W	171	LEU
9	W	192	ASP
10	X	2	ASP
10	X	3	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
10	X	110	LYS
11	Y	4	LEU
11	Y	9	GLN
11	Y	104	TYR
11	Y	107	LYS
11	Y	116	ASP
11	Y	128	CYS
11	Y	140	LEU
11	Y	148	LEU
12	Z	3	ASN
12	Z	23	LEU
12	Z	49	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	130	SER
12	Z	150	LEU
12	Z	161	GLU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	36	ARG
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (120) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
8	H	30	ASN
8	H	66	HIS
8	H	172	ASN
8	H	189	ASN
9	I	37	ASN
10	J	55	GLN
10	J	146	HIS
10	J	191	GLN
11	K	85	ASN
11	K	176	ASN
11	K	190	ASN
11	K	208	ASN
12	L	3	ASN
12	L	49	ASN
12	L	55	ASN
12	L	70	ASN
12	L	159	GLN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	100	ASN
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
8	V	30	ASN
8	V	91	GLN
8	V	172	ASN
8	V	189	ASN
9	W	37	ASN
10	X	55	GLN
10	X	191	GLN
11	Y	62	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	190	ASN
11	Y	208	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	3	ASN
12	Z	49	ASN
12	Z	55	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 11 ligands modelled in this entry, 11 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	250/250 (100%)	-0.44	5 (2%)	65	56	39, 52, 87, 126	0
1	O	250/250 (100%)	-0.41	4 (1%)	72	66	25, 60, 104, 132	0
2	B	244/258 (94%)	-0.38	7 (2%)	51	41	38, 58, 99, 150	0
2	P	244/258 (94%)	-0.37	11 (4%)	33	23	44, 60, 101, 147	0
3	C	240/254 (94%)	-0.30	11 (4%)	32	22	39, 62, 121, 148	0
3	Q	240/254 (94%)	-0.07	11 (4%)	32	22	48, 74, 154, 182	0
4	D	235/260 (90%)	-0.47	2 (0%)	84	80	42, 62, 93, 134	0
4	R	235/260 (90%)	-0.41	3 (1%)	77	72	47, 67, 106, 141	0
5	E	231/234 (98%)	-0.37	2 (0%)	84	80	47, 66, 103, 146	0
5	S	231/234 (98%)	-0.25	3 (1%)	77	72	51, 75, 113, 154	0
6	F	243/288 (84%)	-0.49	5 (2%)	63	54	43, 60, 110, 137	0
6	T	243/288 (84%)	-0.38	3 (1%)	79	73	45, 70, 122, 155	0
7	G	241/252 (95%)	-0.57	1 (0%)	92	91	34, 54, 88, 137	0
7	U	241/252 (95%)	-0.47	5 (2%)	63	54	30, 58, 87, 133	0
8	H	222/232 (95%)	-0.51	6 (2%)	54	44	32, 50, 83, 150	0
8	V	222/232 (95%)	-0.50	7 (3%)	47	37	24, 53, 81, 139	0
9	I	204/205 (99%)	-0.77	1 (0%)	91	88	37, 49, 73, 96	0
9	W	204/205 (99%)	-0.73	2 (0%)	82	77	37, 48, 78, 102	0
10	J	195/198 (98%)	-0.62	3 (1%)	73	68	36, 51, 76, 130	0
10	X	195/198 (98%)	-0.56	3 (1%)	73	68	39, 53, 77, 137	0
11	K	212/212 (100%)	-0.66	1 (0%)	91	88	32, 48, 70, 90	0
11	Y	212/212 (100%)	-0.65	1 (0%)	91	88	41, 52, 75, 96	0
12	L	222/222 (100%)	-0.62	1 (0%)	91	88	38, 53, 82, 117	0
12	Z	222/222 (100%)	-0.64	1 (0%)	91	88	39, 53, 84, 119	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å^2)	Q<0.9
13	M	229/246 (93%)	-0.68	1 (0%)	92 91	35, 53, 76, 92	0
13	a	232/246 (94%)	-0.66	1 (0%)	92 91	36, 53, 74, 92	0
14	N	196/196 (100%)	-0.69	2 (1%)	82 77	37, 48, 74, 102	0
14	b	196/196 (100%)	-0.67	2 (1%)	82 77	38, 49, 77, 110	0
All	All	6331/6614 (95%)	-0.50	105 (1%)	70 63	24, 56, 100, 182	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	50	LEU	6.5
2	P	220	ASN	6.0
3	Q	49	THR	5.8
5	S	202	ASP	5.8
2	B	219	ALA	5.7
2	P	219	ALA	5.6
2	B	220	ASN	5.3
3	Q	236	GLN	5.2
1	O	1	MET	5.0
8	V	222	ASP	5.0
2	P	51	VAL	5.0
1	A	2	THR	4.7
5	E	202	ASP	4.7
8	H	221	CYS	4.4
8	V	196	ARG	4.2
2	B	221	ASP	4.2
8	H	222	ASP	4.2
2	P	222	GLY	4.2
2	B	51	VAL	4.2
2	B	218	GLY	4.1
3	Q	239	GLN	4.1
8	V	221	CYS	4.1
8	H	197	GLU	4.0
3	C	206	LYS	3.9
10	X	1	MET	3.9
3	Q	237	GLU	3.8
4	D	1	ASP	3.8
3	Q	206	LYS	3.7
14	b	105	LYS	3.6
8	H	196	ARG	3.6
3	Q	240	GLU	3.6
12	L	174	TYR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
14	b	195	GLN	3.4
6	T	244	ASN	3.4
10	J	194	ASP	3.3
9	W	1	SER	3.3
8	V	195	VAL	3.3
7	U	242	GLN	3.3
14	N	195	GLN	3.2
2	P	59	ASP	3.2
2	P	221	ASP	3.2
4	R	1	ASP	3.1
1	A	249	ALA	3.1
10	X	194	ASP	3.1
3	Q	48	SER	3.1
3	Q	202	GLN	3.1
9	I	1	SER	3.1
1	A	1	MET	3.1
8	V	194	ASN	3.0
6	F	205	GLU	3.0
3	C	50	LEU	3.0
5	S	180	LYS	2.9
3	C	238	LYS	2.9
3	C	216	ASP	2.9
5	S	173	ARG	2.9
3	C	239	GLN	2.8
7	U	2	GLY	2.8
2	P	225	TYR	2.7
12	Z	174	TYR	2.7
2	P	223	GLU	2.7
6	F	181	GLU	2.7
13	a	1	THR	2.6
11	K	212	GLY	2.6
8	H	194	ASN	2.6
8	V	198	GLU	2.5
7	U	181	LYS	2.5
10	J	1	MET	2.5
14	N	105	LYS	2.5
11	Y	212	GLY	2.5
2	P	52	THR	2.5
4	R	241	ALA	2.4
6	T	2	THR	2.4
6	F	244	ASN	2.4
3	C	240	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	217	LYS	2.4
1	O	201	GLU	2.4
4	D	242	GLU	2.4
7	G	242	GLN	2.4
8	H	198	GLU	2.4
13	M	47	ASP	2.3
3	Q	204	GLY	2.3
3	Q	238	LYS	2.3
1	O	52	SER	2.3
6	T	181	GLU	2.3
3	C	1	GLY	2.3
10	J	193	ASP	2.3
5	E	173	ARG	2.2
1	A	229	THR	2.2
6	F	2	THR	2.2
3	C	49	THR	2.2
3	C	180	LYS	2.2
3	C	60	SER	2.2
3	C	47	ARG	2.2
1	O	249	ALA	2.2
6	F	206	LYS	2.1
9	W	133	LYS	2.1
2	B	59	ASP	2.1
10	X	193	ASP	2.1
4	R	242	GLU	2.1
8	V	197	GLU	2.1
7	U	206	GLY	2.1
2	P	50	LYS	2.1
7	U	222	ASP	2.1
2	P	218	GLY	2.0
1	A	203	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
15	MG	H	301	1/1	0.91	0.28	30,30,30,30	0
15	MG	Z	301	1/1	0.92	0.24	59,59,59,59	0
15	MG	G	301	1/1	0.94	0.07	51,51,51,51	0
15	MG	W	301	1/1	0.95	0.27	62,62,62,62	0
15	MG	K	301	1/1	0.97	0.05	46,46,46,46	0
15	MG	L	301	1/1	0.98	0.06	61,61,61,61	0
15	MG	N	201	1/1	0.98	0.07	48,48,48,48	0
15	MG	I	302	1/1	0.98	0.05	52,52,52,52	0
15	MG	I	301	1/1	0.98	0.24	50,50,50,50	0
16	CL	U	301	1/1	0.98	0.14	41,41,41,41	0
16	CL	G	302	1/1	1.00	0.12	38,38,38,38	0

6.5 Other polymers (i)

There are no such residues in this entry.