



wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 5, 2023 – 02:03 am GMT

PDB ID : 2C37
Title : RNASE PH CORE OF THE ARCHAEAL EXOSOME IN COMPLEX WITH
U8 RNA
Authors : Lorentzen, E.; Conti, E.
Deposited on : 2005-10-04
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	 7% 80% 14% • 5%
1	C	275	 2% 81% 12% • 5%
1	E	275	 4% 82% 12% • 5%
1	G	275	 6% 80% 13% • 5%
1	I	275	 4% 80% 13% • 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	K	275	 3% 81% 13% • 5%
1	M	275	 2% 79% 14% • 5%
1	O	275	 2% 80% 14% 5%
1	Q	275	 2% 81% 12% • 5%
1	S	275	 2% 79% 15% • 5%
1	U	275	 4% 78% 15% • 5%
1	W	275	 3% 81% 13% • 5%
2	B	248	 4% 77% 18% • •
2	D	248	 3% 79% 18% •
2	F	248	 2% 80% 15% • •
2	H	248	 4% 78% 17% • •
2	J	248	 5% 76% 18% • •
2	L	248	 2% 79% 19% •
2	N	248	 3% 75% 21% • •
2	P	248	 4% 78% 19% •
2	R	248	 2% 78% 18% • •
2	T	248	 80% 18% •
2	V	248	 3% 76% 20% • •
2	X	248	 3% 79% 17% • •

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 46570 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROBABLE EXOSOME COMPLEX EXONUCLEASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	260	Total 1963	C 1249	N 323	O 386	S 5	0	0	0
1	C	260	Total 1972	C 1255	N 325	O 387	S 5	0	0	0
1	E	260	Total 1968	C 1253	N 324	O 386	S 5	0	0	0
1	G	260	Total 1964	C 1251	N 324	O 384	S 5	0	0	0
1	I	260	Total 1961	C 1250	N 323	O 383	S 5	0	0	0
1	K	260	Total 1964	C 1251	N 324	O 384	S 5	0	0	0
1	M	260	Total 1975	C 1256	N 325	O 389	S 5	0	0	0
1	O	260	Total 1968	C 1253	N 325	O 385	S 5	0	0	0
1	Q	260	Total 1968	C 1253	N 325	O 385	S 5	0	0	0
1	S	260	Total 1967	C 1253	N 324	O 385	S 5	0	0	0
1	U	260	Total 1968	C 1253	N 325	O 385	S 5	0	0	0
1	W	260	Total 1975	C 1256	N 324	O 390	S 5	0	0	0

- Molecule 2 is a protein called PROBABLE EXOSOME COMPLEX EXONUCLEASE 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	241	Total 1859	C 1172	N 321	O 356	S 10	0	0	0
2	D	247	Total 1901	C 1199	N 328	O 363	S 11	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	F	241	Total 1851	C 1168	N 321	O 352	S 10	0	0	0
2	H	241	Total 1859	C 1172	N 321	O 356	S 10	0	0	0
2	J	241	Total 1859	C 1172	N 321	O 356	S 10	0	0	0
2	L	247	Total 1905	C 1201	N 328	O 365	S 11	0	0	0
2	N	241	Total 1859	C 1172	N 321	O 356	S 10	0	0	0
2	P	248	Total 1903	C 1201	N 326	O 364	S 12	0	0	0
2	R	245	Total 1885	C 1189	N 326	O 359	S 11	0	0	0
2	T	247	Total 1901	C 1199	N 328	O 363	S 11	0	0	0
2	V	244	Total 1879	C 1186	N 324	O 359	S 10	0	0	0
2	X	241	Total 1859	C 1172	N 321	O 356	S 10	0	0	0

- Molecule 3 is URIDINE-5'-MONOPHOSPHATE (three-letter code: U5P) (formula: C₉H₁₃N₂O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total 21	C 9	N 2	O 9	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	B	1	Total	O	P			0	0
			4	3	1				
3	E	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	E	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	E	1	Total	C	O	P		0	0
			12	5	6	1			
3	F	1	Total	C	O	P		0	0
			12	5	6	1			
3	G	1	Total	C	O	P		0	0
			13	5	7	1			
3	G	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	H	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	I	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	I	1	Total	O	P			0	0
			4	3	1				
3	J	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	M	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	M	1	Total	C	O	P		0	0
			12	5	6	1			
3	N	1	Total	C	O	P		0	0
			12	5	6	1			
3	U	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	U	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	U	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	V	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
3	W	1	Total	C	N	O	P	0	0
			21	9	2	9	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	W	1	Total C N O P 20 9 2 8 1	0	0
3	W	1	Total C O P 12 5 6 1	0	0
3	X	1	Total O P 4 3 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	F	1	Total Cl 1 1	0	0
4	H	1	Total Cl 1 1	0	0
4	J	1	Total Cl 1 1	0	0
4	L	1	Total Cl 1 1	0	0
4	N	1	Total Cl 1 1	0	0
4	P	1	Total Cl 1 1	0	0
4	R	1	Total Cl 1 1	0	0
4	T	1	Total Cl 1 1	0	0
4	V	1	Total Cl 1 1	0	0
4	X	1	Total Cl 1 1	0	0

- Molecule 5 is 5-O-phosphono-beta-D-ribofuranose (three-letter code: RP5) (formula: C₅H₁₁O₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
5	N	1	13	5	7	1	0	0


- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
6	V	1	1	1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




- Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




- Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




- Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2








• Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2





• Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




• Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




• Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2





• Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2









● Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2





● Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




● Molecule 1: PROBABLE EXOSOME COMPLEX EXONUCLEASE 2




● Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




- Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




- Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




- Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




- Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




- Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1








• Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1





• Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




• Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1




• Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1





• Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1





● Molecule 2: PROBABLE EXOSOME COMPLEX EXONUCLEASE 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	207.02Å 212.94Å 433.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	93.25 – 2.80 87.47 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (93.25-2.80) 93.3 (87.47-2.80)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.82Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.266 , 0.282 0.272 , 0.285	Depositor DCC
R_{free} test set	6530 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtrriage
Anisotropy	0.195	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 17.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	0.045 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	46570	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NA, RP5, U5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/1988	0.57	0/2701
1	C	0.50	0/1997	0.59	0/2711
1	E	0.47	0/1993	0.57	0/2706
1	G	0.46	0/1989	0.58	0/2701
1	I	0.45	0/1986	0.58	0/2697
1	K	0.48	0/1989	0.59	0/2701
1	M	0.46	0/2000	0.58	0/2715
1	O	0.50	0/1993	0.59	0/2706
1	Q	0.50	0/1993	0.59	0/2706
1	S	0.50	0/1992	0.59	0/2706
1	U	0.48	0/1993	0.59	0/2706
1	W	0.46	0/2000	0.57	0/2715
2	B	0.46	0/1887	0.61	0/2549
2	D	0.48	0/1929	0.64	0/2606
2	F	0.49	0/1879	0.61	0/2539
2	H	0.47	0/1887	0.62	0/2549
2	J	0.47	0/1887	0.60	0/2549
2	L	0.50	0/1933	0.64	0/2611
2	N	0.49	0/1887	0.62	0/2549
2	P	0.52	0/1931	0.64	0/2609
2	R	0.52	0/1913	0.63	0/2584
2	T	0.51	0/1929	0.64	0/2606
2	V	0.47	0/1907	0.62	0/2577
2	X	0.48	0/1887	0.63	0/2549
All	All	0.48	0/46769	0.60	0/63348

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1963	0	1998	22	0
1	C	1972	0	2017	21	0
1	E	1968	0	2011	19	0
1	G	1964	0	2007	19	0
1	I	1961	0	2003	21	0
1	K	1964	0	2007	20	1
1	M	1975	0	2019	22	0
1	O	1968	0	2013	20	0
1	Q	1968	0	2013	21	0
1	S	1967	0	2011	20	1
1	U	1968	0	2013	25	0
1	W	1975	0	2017	20	0
2	B	1859	0	1884	31	0
2	D	1901	0	1925	31	1
2	F	1851	0	1876	29	0
2	H	1859	0	1884	33	0
2	J	1859	0	1884	36	0
2	L	1905	0	1929	29	0
2	N	1859	0	1884	39	0
2	P	1903	0	1926	33	0
2	R	1885	0	1910	33	1
2	T	1901	0	1925	30	0
2	V	1879	0	1906	35	0
2	X	1859	0	1884	26	0
3	A	41	0	20	1	0
3	B	24	0	10	0	0
3	E	53	0	26	1	0
3	F	12	0	7	0	0
3	G	33	0	17	1	0
3	H	20	0	10	1	0
3	I	25	0	10	0	0
3	J	20	0	10	0	0
3	M	33	0	17	5	0
3	N	12	0	6	2	0
3	U	61	0	30	1	0
3	V	20	0	11	1	0
3	W	53	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	X	4	0	0	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
4	F	1	0	0	0	0
4	H	1	0	0	0	0
4	J	1	0	0	0	0
4	L	1	0	0	0	0
4	N	1	0	0	0	0
4	P	1	0	0	0	0
4	R	1	0	0	0	0
4	T	1	0	0	0	0
4	V	1	0	0	0	0
4	X	1	0	0	0	0
5	N	13	0	0	0	0
6	V	1	0	0	0	0
All	All	46570	0	47146	586	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 586 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:401:U5P:H5'1	3:M:401:U5P:H6	1.37	1.05
2:X:77:LEU:HD12	2:X:112:GLU:HG3	1.55	0.88
2:N:77:LEU:HD12	2:N:112:GLU:HG3	1.59	0.85
2:P:77:LEU:HD12	2:P:112:GLU:HG3	1.60	0.84
2:H:77:LEU:HD12	2:H:112:GLU:HG3	1.60	0.84

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:6:GLN:O	1:K:81:GLN:NE2[8_545]	2.02	0.18
2:R:9:ARG:O	1:S:122:LYS:NZ[5_455]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/275 (92%)	244 (96%)	9 (4%)	1 (0%)	34	66
1	C	254/275 (92%)	244 (96%)	9 (4%)	1 (0%)	34	66
1	E	254/275 (92%)	243 (96%)	9 (4%)	2 (1%)	19	49
1	G	254/275 (92%)	245 (96%)	7 (3%)	2 (1%)	19	49
1	I	254/275 (92%)	244 (96%)	7 (3%)	3 (1%)	13	39
1	K	254/275 (92%)	244 (96%)	9 (4%)	1 (0%)	34	66
1	M	254/275 (92%)	242 (95%)	10 (4%)	2 (1%)	19	49
1	O	254/275 (92%)	244 (96%)	8 (3%)	2 (1%)	19	49
1	Q	254/275 (92%)	245 (96%)	7 (3%)	2 (1%)	19	49
1	S	254/275 (92%)	247 (97%)	6 (2%)	1 (0%)	34	66
1	U	254/275 (92%)	244 (96%)	8 (3%)	2 (1%)	19	49
1	W	254/275 (92%)	245 (96%)	8 (3%)	1 (0%)	34	66
2	B	239/248 (96%)	228 (95%)	10 (4%)	1 (0%)	34	66
2	D	245/248 (99%)	231 (94%)	12 (5%)	2 (1%)	19	49
2	F	239/248 (96%)	227 (95%)	10 (4%)	2 (1%)	19	49
2	H	239/248 (96%)	226 (95%)	12 (5%)	1 (0%)	34	66
2	J	239/248 (96%)	227 (95%)	11 (5%)	1 (0%)	34	66
2	L	245/248 (99%)	230 (94%)	13 (5%)	2 (1%)	19	49
2	N	239/248 (96%)	229 (96%)	9 (4%)	1 (0%)	34	66
2	P	246/248 (99%)	232 (94%)	12 (5%)	2 (1%)	19	49
2	R	243/248 (98%)	228 (94%)	11 (4%)	4 (2%)	9	31
2	T	245/248 (99%)	235 (96%)	9 (4%)	1 (0%)	34	66
2	V	242/248 (98%)	228 (94%)	13 (5%)	1 (0%)	34	66
2	X	239/248 (96%)	227 (95%)	11 (5%)	1 (0%)	34	66
All	All	5948/6276 (95%)	5679 (96%)	230 (4%)	39 (1%)	22	53

5 of 39 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	7	VAL
1	O	8	GLN
1	U	76	GLU
1	A	105	GLU
1	C	105	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/242 (90%)	204 (94%)	13 (6%)	19	48
1	C	219/242 (90%)	207 (94%)	12 (6%)	21	52
1	E	218/242 (90%)	208 (95%)	10 (5%)	27	60
1	G	217/242 (90%)	205 (94%)	12 (6%)	21	52
1	I	216/242 (89%)	205 (95%)	11 (5%)	24	55
1	K	217/242 (90%)	207 (95%)	10 (5%)	27	60
1	M	220/242 (91%)	206 (94%)	14 (6%)	17	45
1	O	218/242 (90%)	208 (95%)	10 (5%)	27	60
1	Q	218/242 (90%)	206 (94%)	12 (6%)	21	52
1	S	218/242 (90%)	206 (94%)	12 (6%)	21	52
1	U	218/242 (90%)	204 (94%)	14 (6%)	17	45
1	W	220/242 (91%)	207 (94%)	13 (6%)	19	49
2	B	198/208 (95%)	190 (96%)	8 (4%)	31	65
2	D	202/208 (97%)	197 (98%)	5 (2%)	47	80
2	F	196/208 (94%)	190 (97%)	6 (3%)	40	74
2	H	198/208 (95%)	190 (96%)	8 (4%)	31	65
2	J	198/208 (95%)	190 (96%)	8 (4%)	31	65
2	L	203/208 (98%)	193 (95%)	10 (5%)	25	57
2	N	198/208 (95%)	189 (96%)	9 (4%)	27	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	P	202/208 (97%)	192 (95%)	10 (5%)	24	56
2	R	200/208 (96%)	194 (97%)	6 (3%)	41	75
2	T	202/208 (97%)	194 (96%)	8 (4%)	31	65
2	V	200/208 (96%)	191 (96%)	9 (4%)	27	60
2	X	198/208 (95%)	191 (96%)	7 (4%)	36	70
All	All	5011/5400 (93%)	4774 (95%)	237 (5%)	26	59

5 of 237 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	13	ILE
1	W	188	VAL
1	O	236	VAL
1	W	18	SER
2	X	248	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	Q	9	ASN
2	T	178	ASN
2	X	178	ASN
2	V	178	ASN
2	J	178	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 13 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	U5P	E	401	3	22,22,22	0.80	0	33,33,33	1.12	3 (9%)
3	U5P	W	403	3	9,12,22	0.89	0	10,16,33	1.37	2 (20%)
3	U5P	U	402	3	18,21,22	0.79	1 (5%)	26,30,33	1.03	1 (3%)
3	U5P	G	402	3	18,21,22	0.72	0	26,30,33	1.02	3 (11%)
3	U5P	I	402	3	0,3,22	-	-	0,3,33	-	-
3	U5P	W	402	3	18,21,22	0.58	0	26,30,33	1.26	4 (15%)
3	U5P	J	302	3	18,21,22	0.76	1 (5%)	26,30,33	0.97	1 (3%)
3	U5P	H	302	3	18,21,22	0.74	1 (5%)	26,30,33	1.03	0
3	U5P	A	402	3	18,21,22	0.74	1 (5%)	26,30,33	1.46	5 (19%)
3	U5P	X	302	3	0,3,22	-	-	0,3,33	-	-
3	U5P	B	303	3	0,3,22	-	-	0,3,33	-	-
3	U5P	E	402	3	18,21,22	0.71	1 (5%)	26,30,33	0.93	0
5	RP5	N	303	-	13,13,14	1.32	1 (7%)	17,19,21	1.13	1 (5%)
3	U5P	G	401	3	13,13,22	0.97	0	17,19,33	1.31	2 (11%)
3	U5P	U	403	3,6	18,21,22	0.80	1 (5%)	26,30,33	0.82	1 (3%)
3	U5P	I	401	3	22,22,22	0.75	0	33,33,33	0.98	1 (3%)
3	U5P	F	302	3	9,12,22	0.64	0	10,16,33	1.07	1 (10%)
3	U5P	W	401	3	22,22,22	0.87	1 (4%)	33,33,33	1.13	3 (9%)
3	U5P	U	401	3	22,22,22	0.67	0	33,33,33	0.89	1 (3%)
3	U5P	E	403	3	9,12,22	0.91	0	10,16,33	1.18	1 (10%)
3	U5P	B	302	3	18,21,22	0.88	1 (5%)	26,30,33	1.71	5 (19%)
3	U5P	M	402	3	9,12,22	0.67	0	10,16,33	1.09	0
3	U5P	N	302	3	9,12,22	0.39	0	10,16,33	1.57	2 (20%)
3	U5P	V	302	3,6	18,21,22	0.75	1 (5%)	26,30,33	0.95	2 (7%)
3	U5P	M	401	3	22,22,22	0.91	1 (4%)	33,33,33	1.05	1 (3%)
3	U5P	A	401	3	22,22,22	0.73	0	33,33,33	1.19	5 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	U5P	E	401	3	-	2/10/26/26	0/2/2/2
3	U5P	W	403	3	-	3/3/18/26	0/1/1/2
3	U5P	U	402	3	-	0/7/25/26	0/2/2/2
3	U5P	G	402	3	-	3/7/25/26	0/2/2/2
3	U5P	W	402	3	-	4/7/25/26	0/2/2/2
3	U5P	J	302	3	-	2/7/25/26	0/2/2/2
3	U5P	H	302	3	-	0/7/25/26	0/2/2/2
3	U5P	A	402	3	-	2/7/25/26	0/2/2/2
3	U5P	E	402	3	-	2/7/25/26	0/2/2/2
5	RP5	N	303	-	-	1/6/19/22	0/1/1/1
3	U5P	G	401	3	-	3/6/19/26	0/1/1/2
3	U5P	U	403	3,6	-	0/7/25/26	0/2/2/2
3	U5P	I	401	3	-	6/10/26/26	0/2/2/2
3	U5P	F	302	3	-	1/3/18/26	0/1/1/2
3	U5P	W	401	3	-	5/10/26/26	0/2/2/2
3	U5P	U	401	3	-	0/10/26/26	0/2/2/2
3	U5P	E	403	3	-	0/3/18/26	0/1/1/2
3	U5P	B	302	3	-	4/7/25/26	0/2/2/2
3	U5P	M	402	3	-	3/3/18/26	0/1/1/2
3	U5P	N	302	3	-	0/3/18/26	0/1/1/2
3	U5P	V	302	3,6	-	0/7/25/26	0/2/2/2
3	U5P	M	401	3	-	4/10/26/26	0/2/2/2
3	U5P	A	401	3	-	4/10/26/26	0/2/2/2

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	303	RP5	P'-O1X	3.57	1.62	1.50
3	M	401	U5P	C1'-N1	2.56	1.55	1.47
3	W	401	U5P	C1'-N1	2.52	1.54	1.47
3	E	402	U5P	C1'-N1	2.48	1.54	1.47
3	B	302	U5P	C1'-N1	2.47	1.54	1.47

The worst 5 of 45 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	U5P	C1'-N1-C2	3.75	124.35	117.57
3	A	402	U5P	C1'-N1-C2	3.68	124.23	117.57
3	B	302	U5P	O4'-C1'-N1	3.67	116.75	108.36
3	N	302	U5P	O4'-C4'-C3'	-3.64	101.49	104.70
3	B	302	U5P	O4'-C4'-C3'	-3.58	98.04	105.11

There are no chirality outliers.

5 of 49 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	401	U5P	O4'-C1'-N1-C2
3	A	401	U5P	O4'-C1'-N1-C6
3	A	401	U5P	C5'-O5'-P-O3P
3	B	302	U5P	O4'-C1'-N1-C2
3	B	302	U5P	O4'-C1'-N1-C6



There are no ring outliers.



9 monomers are involved in 10 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	U	402	U5P	1	0
3	H	302	U5P	1	0
3	A	402	U5P	1	0
3	E	402	U5P	1	0
3	G	401	U5P	1	0
3	M	402	U5P	3	0
3	N	302	U5P	2	0
3	V	302	U5P	1	0
3	M	401	U5P	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/275 (94%)	0.59	19 (7%) 15 8	42, 50, 64, 71	0
1	C	260/275 (94%)	0.43	6 (2%) 60 51	42, 50, 64, 71	0
1	E	260/275 (94%)	0.41	10 (3%) 40 30	42, 50, 64, 71	0
1	G	260/275 (94%)	0.64	17 (6%) 18 11	42, 50, 64, 72	0
1	I	260/275 (94%)	0.45	11 (4%) 36 26	42, 50, 64, 71	0
1	K	260/275 (94%)	0.42	8 (3%) 49 39	42, 50, 64, 71	0
1	M	260/275 (94%)	0.49	6 (2%) 60 51	42, 50, 64, 72	0
1	O	260/275 (94%)	0.45	6 (2%) 60 51	42, 50, 64, 71	0
1	Q	260/275 (94%)	0.51	5 (1%) 66 59	42, 50, 64, 71	0
1	S	260/275 (94%)	0.43	5 (1%) 66 59	42, 50, 64, 71	0
1	U	260/275 (94%)	0.50	10 (3%) 40 30	42, 50, 64, 72	0
1	W	260/275 (94%)	0.42	7 (2%) 54 44	42, 50, 64, 71	0
2	B	241/248 (97%)	0.56	10 (4%) 37 27	42, 49, 65, 78	0
2	D	247/248 (99%)	0.45	7 (2%) 53 43	42, 49, 65, 78	0
2	F	241/248 (97%)	0.47	4 (1%) 70 63	42, 49, 65, 78	0
2	H	241/248 (97%)	0.57	11 (4%) 32 22	42, 49, 65, 78	0
2	J	241/248 (97%)	0.55	12 (4%) 28 19	42, 49, 65, 78	0
2	L	247/248 (99%)	0.53	6 (2%) 59 49	42, 49, 65, 78	0
2	N	241/248 (97%)	0.51	7 (2%) 51 41	42, 49, 65, 78	0
2	P	248/248 (100%)	0.51	9 (3%) 42 32	42, 49, 65, 78	0
2	R	245/248 (98%)	0.49	4 (1%) 72 66	42, 49, 65, 78	0
2	T	247/248 (99%)	0.42	1 (0%) 92 91	42, 49, 65, 78	0
2	V	244/248 (98%)	0.58	7 (2%) 51 41	42, 49, 65, 78	0
2	X	241/248 (97%)	0.48	7 (2%) 51 41	42, 49, 65, 78	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	6044/6276 (96%)	0.49	195 (3%) 47 37	42, 49, 65, 78	0

The worst 5 of 195 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	248	VAL	6.2
1	G	275	ILE	6.0
2	D	248	VAL	5.8
2	T	248	VAL	5.6
2	R	248	VAL	5.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	U5P	J	302	20/21	0.73	0.25	107,108,112,113	0
3	U5P	A	402	20/21	0.78	0.25	100,105,107,107	0
3	U5P	I	401	21/21	0.78	0.22	114,115,117,117	0
3	U5P	A	401	21/21	0.78	0.24	94,94,94,96	0
3	U5P	W	403	12/21	0.78	0.21	97,97,98,98	0
3	U5P	X	302	4/21	0.78	0.22	97,97,98,98	0
3	U5P	B	302	20/21	0.79	0.19	95,98,99,100	0
3	U5P	H	302	20/21	0.79	0.21	98,100,101,101	0
4	CL	R	301	1/1	0.79	0.14	63,63,63,63	0
3	U5P	G	402	20/21	0.80	0.20	101,106,107,107	0
3	U5P	E	401	21/21	0.80	0.21	107,108,110,110	0
3	U5P	M	401	21/21	0.80	0.20	90,93,94,95	0
3	U5P	G	401	13/21	0.81	0.20	100,102,105,105	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	U5P	E	402	20/21	0.81	0.23	105,106,107,108	0
4	CL	H	301	1/1	0.81	0.21	66,66,66,66	0
3	U5P	F	302	12/21	0.81	0.26	109,110,111,111	0
3	U5P	E	403	12/21	0.82	0.20	107,108,109,110	0
3	U5P	M	402	12/21	0.83	0.22	84,85,88,89	0
3	U5P	V	302	20/21	0.84	0.27	85,88,89,89	0
3	U5P	U	401	21/21	0.85	0.24	78,81,82,83	0
3	U5P	U	403	20/21	0.86	0.17	74,83,84,85	0
3	U5P	B	303	4/21	0.87	0.22	101,101,102,102	0
4	CL	T	301	1/1	0.87	0.13	57,57,57,57	0
3	U5P	W	402	20/21	0.88	0.19	95,98,99,99	0
4	CL	P	301	1/1	0.88	0.18	80,80,80,80	0
3	U5P	N	302	12/21	0.88	0.16	82,86,89,89	0
3	U5P	W	401	21/21	0.88	0.18	90,92,95,95	0
3	U5P	I	402	4/21	0.89	0.16	106,106,106,107	0
3	U5P	U	402	20/21	0.89	0.20	73,74,75,76	0
5	RP5	N	303	13/14	0.90	0.24	66,67,69,69	0
4	CL	X	301	1/1	0.91	0.20	52,52,52,52	0
4	CL	N	301	1/1	0.92	0.23	59,59,59,59	0
4	CL	V	301	1/1	0.93	0.23	45,45,45,45	0
4	CL	D	301	1/1	0.93	0.12	76,76,76,76	0
4	CL	J	301	1/1	0.93	0.21	50,50,50,50	0
4	CL	B	301	1/1	0.94	0.11	55,55,55,55	0
4	CL	L	301	1/1	0.95	0.36	76,76,76,76	0
6	NA	V	303	1/1	0.97	0.12	40,40,40,40	0
4	CL	F	301	1/1	0.98	0.12	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U5P J 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U5P I 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P W 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U5P B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P G 402:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U5P E 401:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around U5P E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P E 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U5P M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P V 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P U 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around U5P U 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U5P W 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U5P N 302:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U5P W 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.