

# Full wwPDB X-ray Structure Validation Report (i)

#### Dec 6, 2023 - 04:58 am GMT

ykynurenine transaminase
B.; Arca, B.; Li, J.; Rizzi, M.

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as $541$ be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	А	396	76%	19%	•••
1	В	396	75%	19%	•••
1	С	396	76%	18%	•••
1	D	396	77%	18%	•••



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 12607 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	200	Total	С	Ν	0	S	0	0	0
1	A	300	3046	1949	524	551	22	0	0	0
1	1 B	388	Total	С	Ν	0	S	0	0	0
1			3046	1949	524	551	22	0	0	0
1	C	200	Total	С	Ν	0	S	4	0	0
	U	300	3046	1949	524	551	22	4		
1 D	200	Total	С	Ν	0	S	6	0	0	
	388	3037	1943	523	549	22			U	

• Molecule 1 is a protein called 3-HYDROXYKYNURENINE TRANSAMINASE.

• Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C<sub>8</sub>H<sub>10</sub>NO<sub>6</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
0	Δ	1	Total	С	Ν	Ο	Р	0	0
	1	15	8	1	5	1	0	0	
0	В	1	Total	С	Ν	Ο	Р	0	0
	В		15	8	1	5	1	0	U



$\alpha$ $\cdot \cdot$ 1	C		
Continued	from	previous	page
	9	1	1 0

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
0	С	1	Total	С	Ν	Ο	Р	0	0
	1	15	8	1	5	1	0	0	
9	Л	1	Total	С	Ν	0	Р	0	0
Z			15	8	1	5	1		U

• Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	111	Total O 111 111	0	0
4	В	104	Total O 104 104	0	0
4	С	75	Total O 75 75	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	58	$\begin{array}{cc} \text{Total} & \text{O} \\ 58 & 58 \end{array}$	0	0



#### Residue-property plots (i) 3

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Chain A: 76% 19% • Molecule 1: 3-HYDROXYKYNURENINE TRANSAMINASE Chain B: 75% 19% SER SER SER ASN GLY HIE • Molecule 1: 3-HYDROXYKYNURENINE TRANSAMINASE Chain C: 76% 18%

Note EDS was not executed.



• Molecule 1: 3-HYDROXYKYNURENINE TRANSAMINASE



#### 

• Molecule 1: 3-HYDROXYKYNURENINE TRANSAMINASE





# 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	87.43Å 84.17Å 118.79Å	Dopositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $99.86^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	50.00 - 2.40	Depositor
% Data completeness	100.0 (50.00-2.40)	Depositor
(in resolution range)	100.0 (00.00 2.10)	Depositor
$R_{merge}$	0.06	Depositor
R <sub>sym</sub>	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
$R, R_{free}$	0.213 , $0.246$	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	12607	wwPDB-VP
Average B, all atoms $(Å^2)$	40.0	wwPDB-VP



# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.68	0/3120	0.71	1/4229~(0.0%)	
1	В	0.71	1/3120~(0.0%)	0.73	2/4229~(0.0%)	
1	С	0.71	1/3120~(0.0%)	0.75	2/4229~(0.0%)	
1	D	0.84	2/3111~(0.1%)	0.73	2/4218~(0.0%)	
All	All	0.74	4/12471~(0.0%)	0.73	7/16905~(0.0%)	

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	384	HIS	CA-CB	22.64	2.03	1.53
1	D	379	SER	CB-OG	8.83	1.53	1.42
1	С	195	GLU	CG-CD	5.80	1.60	1.51
1	В	332	SER	CB-OG	-5.07	1.35	1.42

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	388	ILE	CA-CB-CG2	11.64	134.17	110.90
1	В	61	ARG	NE-CZ-NH2	-6.63	116.98	120.30
1	D	61	ARG	NE-CZ-NH2	-6.33	117.14	120.30
1	С	388	ILE	N-CA-CB	6.16	124.97	110.80
1	D	384	HIS	N-CA-CB	6.00	121.41	110.60
1	В	332	SER	CB-CA-C	5.94	121.39	110.10
1	А	294	LEU	CB-CG-CD2	5.72	120.73	111.00

There are no chirality outliers.

There are no planarity outliers.



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3046	0	3050	75	0
1	В	3046	0	3050	79	0
1	С	3046	0	3050	64	0
1	D	3037	0	3034	54	0
2	А	15	0	6	3	0
2	В	15	0	6	2	0
2	С	15	0	6	1	0
2	D	15	0	6	4	0
3	А	6	0	8	2	0
3	В	6	0	8	0	0
3	С	6	0	8	0	0
3	D	6	0	8	3	0
4	А	111	0	0	3	0
4	В	104	0	0	4	0
4	C	75	0	0	5	0
4	D	58	0	0	3	0
All	All	12607	0	12240	251	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (251) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:A:253:PRO:CB	1:B:2:LYS:O	1.84	1.24	
1:C:383:THR:HG23	1:C:384:HIS:CD2	1.76	1.19	
1:A:383:THR:HG23	1:A:384:HIS:CD2	1.79	1.15	
1:A:254:LYS:O	1:B:2:LYS:HG2	1.47	1.14	
1:B:383:THR:HG23	1:B:384:HIS:CD2	1.82	1.13	
1:A:383:THR:HG23	1:A:384:HIS:HD2	1.12	1.12	
1:C:383:THR:CG2	1:C:384:HIS:HD2	1.62	1.11	
1:A:253:PRO:HB2	1:B:2:LYS:O	1.51	1.10	
1:B:383:THR:CG2	1:B:384:HIS:HD2	1.66	1.06	
1:A:383:THR:CG2	1:A:384:HIS:HD2	1.73	0.99	
1:B:383:THR:HG23	1:B:384:HIS:HD2	1.20	0.94	



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:230:ARG:HH21	1:C:311:ARG:HH22	1.12	0.94		
1:A:253:PRO:HB3	1:B:2:LYS:O	1.65	0.93		
1:B:322:ILE:HD12	1:B:328:TRP:HB3	1.56	0.87		
1:D:322:ILE:HD12	1:D:328:TRP:HB3	1.59	0.84		
1:B:204:GLN:H	1:B:204:GLN:HE21	1.22	0.83		
1:A:21:MET:H	1:A:28:ASN:HD21	1.26	0.83		
1:A:204:GLN:HE21	1:A:204:GLN:H	1.23	0.83		
1:C:204:GLN:H	1:C:204:GLN:HE21	1.25	0.82		
1:B:327:ASP:H	1:B:384:HIS:CE1	1.97	0.82		
1:D:204:GLN:H	1:D:204:GLN:HE21	1.25	0.81		
1:D:21:MET:H	1:D:28:ASN:HD21	1.29	0.80		
1:B:11:ARG:NH1	1:D:327:ASP:HA	1.97	0.80		
1:C:322:ILE:HD12	1:C:328:TRP:HB3	1.63	0.79		
1:A:120:ARG:HH11	1:A:142:HIS:HD2	1.32	0.77		
1:C:21:MET:H	1:C:28:ASN:HD21	1.31	0.77		
1:A:322:ILE:HD12	1:A:328:TRP:HB3	1.68	0.76		
1:A:35:THR:O	1:A:38:THR:HB	1.86	0.76		
1:B:327:ASP:H	1:B:384:HIS:HE1	1.33	0.75		
1:B:204:GLN:H	1:B:204:GLN:NE2	1.86	0.74		
1:C:283:GLN:NE2	1:C:287:ARG:HH12	1.86	0.74		
1:C:383:THR:CG2	1:C:384:HIS:CD2	2.48	0.73		
1:A:21:MET:H	1:A:28:ASN:ND2	1.87	0.72		
1:D:204:GLN:H	1:D:204:GLN:NE2	1.88	0.71		
1:B:120:ARG:HH11	1:B:142:HIS:HD2	1.37	0.71		
1:C:21:MET:H	1:C:28:ASN:ND2	1.89	0.71		
1:A:275:ILE:HD11	1:A:280:LEU:HD23	1.73	0.71		
1:B:21:MET:H	1:B:28:ASN:HD21	1.39	0.71		
1:A:388:ILE:HG13	1:A:388:ILE:O	1.90	0.70		
1:C:120:ARG:HH11	1:C:142:HIS:HD2	1.39	0.70		
1:A:230:ARG:HH21	1:C:311:ARG:NH2	1.86	0.70		
1:B:275:ILE:HD11	1:B:280:LEU:HD23	1.71	0.70		
1:A:170:HIS:HD2	1:A:195:GLU:OE1	1.75	0.69		
1:A:283:GLN:NE2	1:A:287:ARG:HH12	1.89	0.69		
1:B:383:THR:CG2	1:B:384:HIS:CD2	2.52	0.69		
1:A:283:GLN:HE21	1:A:287:ARG:HH12	1.41	0.69		
1:B:35:THR:O	1:B:38:THR:HB	1.92	0.69		
1:D:120:ARG:HH11	1:D:142:HIS:HD2	1.41	0.69		
1:C:327:ASP:H	1:C:384:HIS:CE1	2.10	0.69		
1:A:41:VAL:HG22	1:A:263:ASN:HD21	1.57	0.69		
1:B:283:GLN:NE2	1:B:287:ARG:HH12	1.91	0.69		
1:D:283:GLN:NE2	1:D:287:ARG:HH12	1.91	0.68		



	i i i i i i i i i i i i i i i i i i i	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:204:GLN:H	1:A:204:GLN:NE2	1.92	0.68		
1:B:226:ILE:O	1:B:229:ARG:HG2	1.94	0.67		
1:D:21:MET:H	1:D:28:ASN:ND2	1.91	0.67		
1:D:277:GLU:OE1	4:D:2051:HOH:O	2.12	0.67		
1:C:283:GLN:HE21	1:C:287:ARG:HH12	1.42	0.66		
1:C:204:GLN:H	1:C:204:GLN:NE2	1.91	0.66		
1:A:253:PRO:HB2	1:B:2:LYS:HG3	1.75	0.66		
1:D:275:ILE:HD11	1:D:280:LEU:HD23	1.78	0.66		
1:B:204:GLN:HE21	1:B:204:GLN:N	1.94	0.65		
1:B:283:GLN:HE21	1:B:287:ARG:HH12	1.44	0.65		
1:B:285:LYS:O	1:B:289:GLU:HG3	1.97	0.65		
1:A:248:GLY:HA2	4:A:2076:HOH:O	1.98	0.64		
1:C:41:VAL:HG22	1:C:263:ASN:HD21	1.63	0.64		
1:B:383:THR:HG22	1:B:384:HIS:HD2	1.56	0.64		
1:D:283:GLN:HE21	1:D:287:ARG:HH12	1.44	0.64		
1:D:316:THR:O	1:D:358:GLY:HA2	1.97	0.64		
1:D:379:SER:O	1:D:383:THR:HB	1.98	0.63		
1:C:35:THR:O	1:C:38:THR:HB	2.00	0.62		
1:A:285:LYS:O	1:A:289:GLU:HG3	2.01	0.61		
1:C:204:GLN:HE21	1:C:204:GLN:N	1.97	0.61		
1:A:180:ALA:O	1:A:201:THR:HG23	2.01	0.61		
1:B:180:ALA:O	1:B:201:THR:HG23	2.01	0.61		
1:D:35:THR:O	1:D:38:THR:HB	2.00	0.60		
1:B:379:SER:O	1:B:383:THR:HB	2.01	0.60		
1:D:204:GLN:HE21	1:D:204:GLN:N	1.97	0.60		
1:A:253:PRO:HB2	1:B:2:LYS:C	2.20	0.60		
1:C:383:THR:HG22	1:C:384:HIS:HD2	1.57	0.60		
1:C:285:LYS:O	1:C:289:GLU:HG3	2.01	0.60		
1:C:226:ILE:O	1:C:229:ARG:HG2	2.02	0.59		
1:D:285:LYS:O	1:D:289:GLU:HG3	2.03	0.59		
1:A:204:GLN:HE21	1:A:204:GLN:N	1.99	0.59		
1:A:226:ILE:O	1:A:229:ARG:HG2	2.03	0.59		
2:A:1390:PLP:C4A	3:A:1391:GOL:H11	2.33	0.58		
1:B:170:HIS:HE1	1:B:197:ASP:OD2	1.87	0.58		
1:B:329:TRP:CH2	1:B:333:GLN:HG3	2.39	0.58		
1:C:322:ILE:HG12	1:C:353:LYS:O	2.04	0.58		
1:C:316:THR:O	1:C:358:GLY:HA2	2.03	0.58		
1:C:25:GLY:N	1:C:360:MET:HE1	2.18	0.57		
1:B:78:ALA:HB3	2:B:1390:PLP:O4P	2.05	0.57		
4:B:2021:HOH:O	1:C:4:THR:HG21	2.05	0.56		
1:A:170:HIS:HE1	1:A:197:ASP:OD2	1.87	0.56		



	A L O	Interatomic	Clash		
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)		
1:A:322:ILE:HG12	1:A:353:LYS:O	2.06	0.56		
1:B:61:ARG:NH2	4:B:2017:HOH:O	2.38	0.56		
1:B:322:ILE:HD12	1:B:328:TRP:CB	2.31	0.56		
1:C:379:SER:O	1:C:383:THR:HB	2.06	0.56		
1:D:322:ILE:HD12	1:D:328:TRP:CB	2.34	0.56		
1:B:21:MET:H	1:B:28:ASN:ND2	2.02	0.56		
1:A:379:SER:O	1:A:383:THR:HB	2.06	0.56		
1:B:41:VAL:HG22	1:B:263:ASN:HD21	1.69	0.56		
2:D:1390:PLP:C4A	3:D:1391:GOL:H11	2.36	0.56		
1:A:327:ASP:H	1:A:384:HIS:CE1	2.24	0.56		
1:A:383:THR:CG2	1:A:384:HIS:CD2	2.59	0.56		
1:A:254:LYS:O	1:B:2:LYS:CG	2.39	0.55		
2:D:1390:PLP:C4A	3:D:1391:GOL:C1	2.85	0.55		
1:C:275:ILE:HD11	1:C:280:LEU:HD23	1.87	0.55		
1:A:331:VAL:HG22	1:A:383:THR:HG21	1.88	0.55		
1:C:322:ILE:HD12	1:C:328:TRP:CB	2.36	0.54		
1:B:3:PHE:CE2	1:C:190:TYR:CE2	2.95	0.54		
1:A:43:SER:H	1:A:46:HIS:CD2	2.26	0.53		
1:A:107:ARG:NH1	1:D:257:HIS:O	2.42	0.53		
1:C:2:LYS:N	4:C:2001:HOH:O	2.42	0.53		
1:B:74:VAL:HG23	1:B:216:ILE:HD13	1.92	0.52		
1:B:3:PHE:HE2	4:C:2041:HOH:O	1.92	0.52		
1:A:253:PRO:CG	1:B:2:LYS:O	2.56	0.52		
1:C:331:VAL:HG22	1:C:383:THR:HG21	1.92	0.52		
1:D:41:VAL:HG22	1:D:263:ASN:HD21	1.75	0.52		
1:D:85:MET:HG3	1:D:177:ILE:HD13	1.90	0.52		
1:D:363:CYS:HA	1:D:368:LYS:HG3	1.92	0.52		
1:D:226:ILE:O	1:D:229:ARG:HG2	2.10	0.52		
1:B:282:ASN:ND2	4:B:2078:HOH:O	2.44	0.51		
1:A:177:ILE:HB	1:A:198:ALA:HB3	1.93	0.51		
1:B:46:HIS:HE1	1:C:342:GLU:OE2	1.94	0.51		
1:C:320:ILE:HD11	1:C:357:VAL:CG2	2.41	0.51		
1:A:230:ARG:NH2	1:C:311:ARG:HH12	2.08	0.51		
1:C:344:GLN:HE21	1:C:345:GLY:H	1.57	0.51		
1:A:316:THR:O	1:A:358:GLY:HA2	2.11	0.51		
1:A:74:VAL:HG23	1:A:216:ILE:HD13	1.92	0.51		
2:A:1390:PLP:C4A	3:A:1391:GOL:C1	2.89	0.51		
1:B:8:ALA:HA	1:B:11:ARG:HE	1.75	0.51		
1:C:81:GLY:HA2	1:C:216:ILE:HD11	1.92	0.50		
1:C:200:TYR:HB3	1:C:216:ILE:HG13	1.94	0.50		
1:B:7:PRO:CB	1:C:58:ASP:HB3	2.41	0.50		



	i a i i i i i i i i i i i i i i i i i i	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:342:GLU:OE2	1:D:46:HIS:HE1	1.94	0.50		
1:A:344:GLN:HE21	1:A:345:GLY:H	1.59	0.50		
1:B:316:THR:O	1:B:358:GLY:HA2	2.11	0.50		
1:D:360:MET:HE2	4:D:2003:HOH:O	2.11	0.50		
1:C:170:HIS:HE1	1:C:197:ASP:OD2	1.94	0.50		
1:A:322:ILE:HD12	1:A:328:TRP:CB	2.39	0.50		
1:C:78:ALA:HB3	2:C:1390:PLP:O4P	2.12	0.49		
1:B:257:HIS:O	1:C:107:ARG:NH1	2.42	0.49		
1:A:329:TRP:CH2	1:A:333:GLN:HG3	2.47	0.49		
1:B:277:GLU:HG3	4:C:2005:HOH:O	2.13	0.49		
1:A:85:MET:HG3	1:A:177:ILE:HD13	1.93	0.49		
1:B:74:VAL:CG2	1:B:216:ILE:HD13	2.43	0.49		
1:D:170:HIS:HE1	1:D:197:ASP:OD2	1.95	0.49		
1:D:8:ALA:HA	1:D:11:ARG:HE	1.77	0.49		
1:D:334:TYR:HD2	1:D:379:SER:OG	1.94	0.49		
1:C:327:ASP:H	1:C:384:HIS:HE1	1.58	0.48		
1:A:78:ALA:HB3	2:A:1390:PLP:O4P	2.13	0.48		
1:A:366:VAL:O	1:A:370:GLN:HG2	2.13	0.48		
1:D:81:GLY:HA2	1:D:216:ILE:HD11	1.95	0.48		
1:B:125:PRO:HG2	1:B:128:ARG:HB2	1.95	0.48		
1:D:25:GLY:N	1:D:360:MET:HE1	2.28	0.48		
1:B:170:HIS:HD2	1:B:195:GLU:OE1	1.97	0.48		
1:B:275:ILE:O	1:B:275:ILE:HG13	2.14	0.48		
1:D:74:VAL:HG23	1:D:216:ILE:HD13	1.96	0.48		
1:D:136:ALA:HB2	1:D:168:ILE:HD13	1.95	0.48		
1:A:320:ILE:HD11	1:A:357:VAL:CG2	2.44	0.47		
1:B:122:ILE:HD11	1:B:134:THR:HG22	1.95	0.47		
1:C:177:ILE:HB	1:C:198:ALA:HB3	1.95	0.47		
1:D:322:ILE:HG12	1:D:353:LYS:O	2.14	0.47		
1:D:125:PRO:HG2	1:D:128:ARG:HB2	1.97	0.47		
1:D:180:ALA:O	1:D:201:THR:HG23	2.15	0.47		
1:D:344:GLN:HA	1:D:344:GLN:HE21	1.77	0.47		
1:D:344:GLN:HE21	1:D:345:GLY:H	1.61	0.47		
1:C:103:ILE:HG21	1:C:347:LEU:HD13	1.96	0.47		
1:D:78:ALA:HB3	2:D:1390:PLP:O4P	2.13	0.47		
1:A:74:VAL:CG2	1:A:216:ILE:HD13	2.44	0.47		
1:B:85:MET:HG3	1:B:177:ILE:HD13	1.97	0.47		
1:D:200:TYR:HB3	1:D:216:ILE:HG13	1.96	0.47		
1:A:360:MET:HB2	1:A:360:MET:HE3	1.59	0.47		
1:B:360:MET:HB2	1:B:360:MET:HE3	1.57	0.47		
1:C:8:ALA:HA	1:C:11:ARG:HE	1.79	0.47		



	i i i i i i i i i i i i i i i i i i i	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:363:CYS:HA	1:A:368:LYS:HG3	1.98	0.46		
1:C:74:VAL:HG23	1:C:216:ILE:HD13	1.97	0.46		
1:B:320:ILE:HD11	1:B:357:VAL:CG2	2.44	0.46		
1:C:60:LEU:HD13	1:C:272:LEU:HD11	1.98	0.46		
1:C:85:MET:HG3	1:C:177:ILE:HD13	1.97	0.46		
1:D:97:LEU:HD11	1:D:122:ILE:HG22	1.98	0.46		
1:A:255:ARG:HD2	4:A:2079:HOH:O	2.15	0.46		
1:B:87:SER:HB3	1:B:115:TYR:CZ	2.51	0.46		
1:A:125:PRO:HG2	1:A:128:ARG:HB2	1.98	0.45		
1:A:120:ARG:HH11	1:A:142:HIS:CD2	2.22	0.45		
1:B:8:ALA:O	1:B:11:ARG:HB2	2.16	0.45		
1:B:326:VAL:HA	1:B:384:HIS:CE1	2.52	0.45		
1:D:201:THR:O	1:D:214:THR:HG23	2.16	0.45		
1:A:87:SER:HB3	1:A:115:TYR:CZ	2.51	0.45		
1:C:24:PRO:C	1:C:360:MET:HE1	2.37	0.45		
1:A:8:ALA:HA	1:A:11:ARG:HE	1.82	0.45		
1:B:322:ILE:HG12	1:B:353:LYS:O	2.16	0.45		
1:C:363:CYS:HA	1:C:368:LYS:HG3	1.99	0.45		
1:D:177:ILE:HB	1:D:198:ALA:HB3	1.98	0.45		
1:B:200:TYR:HB3	1:B:216:ILE:HG13	1.98	0.44		
1:A:14:LEU:HD21	1:D:266:PHE:HB3	1.98	0.44		
1:B:79:HIS:NE2	1:B:107:ARG:NH1	2.65	0.44		
1:B:271:ALA:O	1:B:275:ILE:HG22	2.16	0.44		
1:B:81:GLY:HA2	1:B:216:ILE:HD11	1.99	0.44		
1:D:320:ILE:HD11	1:D:357:VAL:CG2	2.48	0.44		
1:B:103:ILE:HG21	1:B:347:LEU:HD13	2.00	0.44		
1:A:230:ARG:NH2	1:C:311:ARG:HH22	1.96	0.44		
1:B:60:LEU:HD13	1:B:272:LEU:HD11	1.99	0.44		
1:C:74:VAL:CG2	1:C:216:ILE:HD13	2.47	0.43		
1:A:329:TRP:NE1	1:A:333:GLN:NE2	2.64	0.43		
1:D:79:HIS:NE2	1:D:107:ARG:NH1	2.63	0.43		
1:B:344:GLN:HE21	1:B:345:GLY:H	1.67	0.43		
1:C:141:LEU:HD13	1:C:142:HIS:CE1	2.53	0.43		
1:A:259:THR:OG1	2:D:1390:PLP:O1P	2.22	0.43		
1:B:327:ASP:OD2	1:B:330:LYS:HG3	2.19	0.43		
1:C:136:ALA:HB2	1:C:168:ILE:HD13	2.01	0.43		
1:D:170:HIS:HD2	4:D:2024:HOH:O	2.02	0.43		
1:A:275:ILE:O	1:A:275:ILE:HG13	2.19	0.42		
1:B:266:PHE:HB3	1:C:14:LEU:HD21	2.01	0.42		
1:D:43:SER:H	1:D:46:HIS:CD2	2.37	0.42		
1:A:81:GLY:HA2	1:A:216:ILE:HD11	2.01	0.42		



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:85:MET:CE	1:A:216:ILE:HG12	2.48	0.42	
1:D:331:VAL:HG22	1:D:383:THR:HG21	2.01	0.42	
1:C:7:PRO:HG2	1:C:10:LEU:HD12	2.00	0.42	
1:D:74:VAL:CG2	1:D:216:ILE:HD13	2.49	0.42	
1:D:103:ILE:HG21	1:D:347:LEU:HD13	2.01	0.42	
1:C:180:ALA:O	1:C:201:THR:HG23	2.19	0.42	
1:D:322:ILE:HG12	1:D:322:ILE:H	1.58	0.42	
1:A:83:GLU:HB3	1:A:238:TRP:CZ2	2.54	0.42	
1:B:177:ILE:HB	1:B:198:ALA:HB3	2.02	0.42	
1:B:363:CYS:HA	1:B:368:LYS:HG3	2.00	0.42	
1:B:3:PHE:CE2	1:C:190:TYR:HE2	2.38	0.42	
1:A:136:ALA:HB2	1:A:168:ILE:HD13	2.02	0.42	
1:B:41:VAL:HG11	1:C:211:PRO:HD3	2.02	0.42	
1:B:184:LEU:HB3	1:B:201:THR:HG21	2.01	0.41	
1:D:275:ILE:O	1:D:275:ILE:HG13	2.20	0.41	
1:D:366:VAL:O	1:D:370:GLN:HG2	2.20	0.41	
1:C:132:LEU:HD22	1:C:168:ILE:CD1	2.51	0.41	
1:B:3:PHE:CE2	4:C:2041:HOH:O	2.56	0.41	
1:B:179:ASP:OD1	2:B:1390:PLP:H2A2	2.20	0.41	
1:C:206:VAL:N	4:C:2043:HOH:O	2.52	0.41	
1:D:344:GLN:HA	1:D:344:GLN:NE2	2.36	0.41	
1:B:7:PRO:HB3	1:C:58:ASP:HB3	2.02	0.41	
1:B:61:ARG:HD2	4:B:2016:HOH:O	2.20	0.41	
1:C:133:GLU:HB3	1:C:137:ARG:NH2	2.36	0.41	
3:D:1391:GOL:O3	3:D:1391:GOL:O1	2.32	0.41	
1:A:151:HIS:HE1	4:A:2050:HOH:O	2.03	0.41	
1:D:133:GLU:HB3	1:D:137:ARG:NH2	2.36	0.41	
1:A:74:VAL:HG23	1:A:216:ILE:CD1	2.51	0.40	
1:B:141:LEU:HD13	1:B:142:HIS:CE1	2.56	0.40	
1:A:253:PRO:CD	1:C:190:TYR:CZ	3.04	0.40	
1:A:122:ILE:HD11	1:A:134:THR:HG22	2.03	0.40	
1:A:253:PRO:HG2	1:B:2:LYS:N	2.36	0.40	
1:A:329:TRP:CZ2	1:A:333:GLN:CG	3.05	0.40	
1:A:329:TRP:CE2	1:A:333:GLN:NE2	2.89	0.40	
1:C:87:SER:HB3	1:C:115:TYR:CZ	2.57	0.40	

There are no symmetry-related clashes.



# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	386/396~(98%)	376~(97%)	10 (3%)	0	100	100
1	В	386/396~(98%)	375~(97%)	10 (3%)	1 (0%)	41	55
1	С	386/396~(98%)	375~(97%)	10 (3%)	1 (0%)	41	55
1	D	386/396~(98%)	375~(97%)	11 (3%)	0	100	100
All	All	1544/1584~(98%)	1501 (97%)	41 (3%)	2(0%)	51	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	205	LYS
1	В	205	LYS

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	328/335~(98%)	303~(92%)	25~(8%)	13	20	
1	В	328/335~(98%)	302~(92%)	26~(8%)	12	19	
1	С	328/335~(98%)	301~(92%)	27~(8%)	11	17	
1	D	326/335~(97%)	299~(92%)	27~(8%)	11	17	
All	All	1310/1340~(98%)	1205~(92%)	105 (8%)	12	18	

All (105) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	2	LYS
1	А	4	THR
1	А	31	LYS
1	А	38	THR
1	А	60	LEU
1	А	122	ILE
1	А	123	GLU
1	А	141	LEU
1	А	173	ASP
1	А	177	ILE
1	А	201	THR
1	А	204	GLN
1	А	207	LEU
1	А	216	ILE
1	A	230	ARG
1	А	240	LEU
1	A	275	ILE
1	А	294	LEU
1	А	308	LYS
1	А	344	GLN
1	А	347	LEU
1	А	370	GLN
1	А	380	LEU
1	А	383	THR
1	А	388	ILE
1	В	2	LYS
1	В	4	THR
1	В	31	LYS
1	В	38	THR
1	В	60	LEU
1	В	122	ILE
1	В	123	GLU
1	В	141	LEU
1	В	173	ASP
1	В	177	ILE
1	В	201	THR
1	В	204	GLN
1	В	207	LEU
1	В	216	ILE
1	В	230	ARG
1	В	240	LEU
1	В	262	SER
1	В	275	ILE



Mol	Chain	Res	Type
1	В	308	LYS
1	В	322	ILE
1	В	332	SER
1	В	344	GLN
1	В	347	LEU
1	В	370	GLN
1	В	380	LEU
1	В	383	THR
1	С	2	LYS
1	С	4	THR
1	С	31	LYS
1	С	38	THR
1	С	60	LEU
1	С	122	ILE
1	С	123	GLU
1	С	141	LEU
1	С	173	ASP
1	С	177	ILE
1	С	195	GLU
1	С	201	THR
1	С	204	GLN
1	С	207	LEU
1	С	216	ILE
1	С	230	ARG
1	С	240	LEU
1	С	275	ILE
1	С	283	GLN
1	С	308	LYS
1	С	322	ILE
1	С	344	GLN
1	С	347	LEU
1	С	370	GLN
1	С	380	LEU
1	С	383	THR
1	C	388	ILE
1	D	2	LYS
1	D	4	THR
1	D	31	LYS
1	D	38	THR
1	D	60	LEU
1	D	122	ILE
1	D	123	GLU



Mol	Chain	Res	Type
1	D	141	LEU
1	D	173	ASP
1	D	177	ILE
1	D	201	THR
1	D	204	GLN
1	D	207	LEU
1	D	216	ILE
1	D	230	ARG
1	D	240	LEU
1	D	262	SER
1	D	275	ILE
1	D	283	GLN
1	D	308	LYS
1	D	322	ILE
1	D	344	GLN
1	D	347	LEU
1	D	370	GLN
1	D	379	SER
1	D	380	LEU
1	D	383	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (52) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	28	ASN
1	А	46	HIS
1	А	68	ASN
1	А	142	HIS
1	А	143	GLN
1	А	151	HIS
1	А	170	HIS
1	А	172	HIS
1	А	204	GLN
1	А	263	ASN
1	А	283	GLN
1	А	344	GLN
1	А	370	GLN
1	А	384	HIS
1	В	28	ASN
1	В	46	HIS
1	В	68	ASN
1	В	142	HIS



Mol	Chain	Res	Type
1	В	143	GLN
1	В	151	HIS
1	В	170	HIS
1	В	172	HIS
1	В	204	GLN
1	В	263	ASN
1	В	282	ASN
1	В	283	GLN
1	В	344	GLN
1	В	370	GLN
1	В	384	HIS
1	С	28	ASN
1	С	46	HIS
1	С	68	ASN
1	С	142	HIS
1	С	151	HIS
1	С	170	HIS
1	С	204	GLN
1	С	263	ASN
1	С	283	GLN
1	С	344	GLN
1	С	370	GLN
1	С	384	HIS
1	D	28	ASN
1	D	46	HIS
1	D	68	ASN
1	D	142	HIS
1	D	151	HIS
1	D	170	HIS
1	D	204	GLN
1	D	263	ASN
1	D	283	GLN
1	D	344	GLN
1	D	370	GLN

Continued from previous page...

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

# 5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm sths}$	B	ond ang	les
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PLP	В	1390	1	$15,\!15,\!16$	1.96	3 (20%)	20,22,23	1.73	3 (15%)
3	GOL	С	1391	-	$5,\!5,\!5$	0.37	0	$5,\!5,\!5$	0.45	0
2	PLP	С	1390	1	15,15,16	2.02	3 (20%)	20,22,23	1.83	4 (20%)
3	GOL	А	1391	-	$5,\!5,\!5$	0.38	0	$5,\!5,\!5$	0.54	0
2	PLP	А	1390	1	15,15,16	1.78	3 (20%)	20,22,23	1.83	4 (20%)
3	GOL	В	1391	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	0.45	0
3	GOL	D	1391	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	0.76	0
2	PLP	D	1390	1	15,15,16	2.04	3 (20%)	20,22,23	1.86	5 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	В	1390	1	-	4/6/6/8	0/1/1/1
3	GOL	С	1391	-	-	2/4/4/4	-
2	PLP	С	1390	1	-	4/6/6/8	0/1/1/1
3	GOL	А	1391	-	-	4/4/4/4	-
2	PLP	А	1390	1	-	4/6/6/8	0/1/1/1
3	GOL	В	1391	-	-	4/4/4/4	-
3	GOL	D	1391	-	-	4/4/4/4	-
2	PLP	D	1390	1	-	3/6/6/8	0/1/1/1



2CH1
------

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1390	PLP	O3-C3	-5.91	1.23	1.37
2	С	1390	PLP	O3-C3	-5.50	1.24	1.37
2	В	1390	PLP	O3-C3	-5.33	1.24	1.37
2	А	1390	PLP	O3-C3	-5.13	1.25	1.37
2	В	1390	PLP	C2-N1	3.51	1.40	1.33
2	С	1390	PLP	C2-N1	3.38	1.40	1.33
2	D	1390	PLP	C2-N1	3.35	1.40	1.33
2	D	1390	PLP	C6-N1	2.92	1.40	1.34
2	А	1390	PLP	C2-N1	2.88	1.39	1.33
2	С	1390	PLP	C6-N1	2.87	1.40	1.34
2	В	1390	PLP	C6-N1	2.67	1.40	1.34
2	А	1390	PLP	C6-N1	2.09	1.38	1.34

All (12) bond length outliers are listed below:

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	1390	PLP	O4P-C5A-C5	5.07	119.01	109.35
2	В	1390	PLP	O4P-C5A-C5	5.05	118.97	109.35
2	А	1390	PLP	O4P-C5A-C5	4.76	118.43	109.35
2	D	1390	PLP	O2P-P-O4P	-4.40	95.01	106.73
2	А	1390	PLP	C6-C5-C4	3.84	121.18	118.16
2	D	1390	PLP	O4P-C5A-C5	3.68	116.37	109.35
2	D	1390	PLP	C6-C5-C4	3.60	120.99	118.16
2	С	1390	PLP	C6-C5-C4	3.45	120.88	118.16
2	А	1390	PLP	C5-C6-N1	-3.05	118.74	123.82
2	В	1390	PLP	C6-C5-C4	3.02	120.54	118.16
2	С	1390	PLP	O2P-P-O4P	-2.97	98.83	106.73
2	В	1390	PLP	C5-C6-N1	-2.54	119.59	123.82
2	D	1390	PLP	C5-C6-N1	-2.52	119.61	123.82
2	D	1390	PLP	O3P-P-O2P	2.39	116.77	107.64
2	С	1390	PLP	C5-C6-N1	-2.31	119.97	123.82
2	А	1390	PLP	O3-C3-C2	2.10	122.07	117.49

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	Atoms
2	А	1390	PLP	C5A-O4P-P-O2P
2	А	1390	PLP	C5A-O4P-P-O3P
2	В	1390	PLP	C5A-O4P-P-O2P
2	С	1390	PLP	C5A-O4P-P-O2P



Mol	Chain	Res	Type	Atoms
2	С	1390	PLP	C5A-O4P-P-O3P
2	D	1390	PLP	C5A-O4P-P-O2P
3	В	1391	GOL	O1-C1-C2-C3
3	В	1391	GOL	C1-C2-C3-O3
3	С	1391	GOL	O1-C1-C2-O2
3	С	1391	GOL	O1-C1-C2-C3
3	D	1391	GOL	O1-C1-C2-C3
3	А	1391	GOL	O1-C1-C2-C3
3	А	1391	GOL	C1-C2-C3-O3
3	D	1391	GOL	C1-C2-C3-O3
3	В	1391	GOL	O1-C1-C2-O2
3	D	1391	GOL	O1-C1-C2-O2
3	D	1391	GOL	O2-C2-C3-O3
3	А	1391	GOL	O1-C1-C2-O2
3	В	1391	GOL	O2-C2-C3-O3
2	А	1390	PLP	C4-C5-C5A-O4P
2	В	1390	PLP	C4-C5-C5A-O4P
2	С	1390	PLP	C4-C5-C5A-O4P
2	D	1390	PLP	C4-C5-C5A-O4P
3	А	1391	GOL	O2-C2-C3-O3
2	А	1390	PLP	C6-C5-C5A-O4P
2	В	1390	PLP	C6-C5-C5A-O4P
2	С	1390	PLP	C6-C5-C5A-O4P
2	D	1390	PLP	C6-C5-C5A-O4P
2	В	1390	PLP	C5A-O4P-P-O3P

Continued from previous page...

There are no ring outliers.

6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	1390	PLP	2	0
2	С	1390	PLP	1	0
3	А	1391	GOL	2	0
2	А	1390	PLP	3	0
3	D	1391	GOL	3	0
2	D	1390	PLP	4	0

# 5.7 Other polymers (i)

There are no such residues in this entry.



# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

#### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

