

Full wwPDB X-ray Structure Validation Report (i)

Feb 29, 2024 – 06:15 pm GMT

PDB ID	:	8CMZ
Title	:	Crystal structure of CREBBP-R1446C histone acetyltransferase domain in
		complex with Coenzyme A
Authors	:	Mechaly, A.E.; Zhang, W.; Haouz, A.; Green, M.; Rodrigues-Lima, F.
Deposited on	:	2023-02-21
Resolution	:	2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	1377 (2.26-2.26)		
Clashscore	141614	1487 (2.26-2.26)		
Ramachandran outliers	138981	1449 (2.26-2.26)		
Sidechain outliers	138945	1450 (2.26-2.26)		
RSRZ outliers	127900	1356 (2.26-2.26)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quali	ty of chain	
			8%		
1	А	640	50%	32%	• 17%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4481 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called histone acetyltransferase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	532	Total 4415	C 2827	N 757	O 795	S 36	0	1	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	1054	HIS	-	expression tag	UNP F8VPR5
А	1055	HIS	-	expression tag	UNP F8VPR5
А	1056	HIS	-	expression tag	UNP F8VPR5
А	1057	HIS	-	expression tag	UNP F8VPR5
А	1058	HIS	-	expression tag	UNP F8VPR5
А	1059	HIS	-	expression tag	UNP F8VPR5
А	1060	ASP	-	expression tag	UNP F8VPR5
А	1061	TYR	-	expression tag	UNP F8VPR5
А	1062	ASP	-	expression tag	UNP F8VPR5
А	1063	ILE	-	expression tag	UNP F8VPR5
А	1064	PRO	-	expression tag	UNP F8VPR5
А	1065	THR	-	expression tag	UNP F8VPR5
А	1066	THR	-	expression tag	UNP F8VPR5
А	1067	GLU	-	expression tag	UNP F8VPR5
А	1068	ASN	-	expression tag	UNP F8VPR5
А	1069	LEU	-	expression tag	UNP F8VPR5
А	1070	TYR	-	expression tag	UNP F8VPR5
А	1071	PHE	-	expression tag	UNP F8VPR5
A	1072	GLN	-	expression tag	UNP F8VPR5
А	1073	GLY	-	expression tag	UNP F8VPR5
А	1074	ALA	-	expression tag	UNP F8VPR5
A	1075	MET	-	expression tag	UNP F8VPR5
A	1076	GLY	-	expression tag	UNP F8VPR5
A	1077	SER	-	expression tag	UNP F8VPR5
А	1446	CYS	ARG	engineered mutation	UNP F8VPR5
A	1503	PHE	TYR	conflict	UNP F8VPR5
A	1613	SER	-	linker	UNP F8VPR5

There are 31 discrepancies between the modelled and reference sequences:



Continued	from	previous	page
• • • • • • • • • • • •	$J \cdot \cdot \cdot \cdot \cdot$	P · · · · · · · · · · · · · · · · · · ·	<i>P</i> • <i>J</i> • • • •

Chain	Residue	Modelled	Actual	Comment	Reference
А	1614	GLY	-	linker	UNP F8VPR5
А	1615	GLY	-	linker	UNP F8VPR5
А	1616	SER	-	linker	UNP F8VPR5
А	1617	GLY	-	linker	UNP F8VPR5

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	4	Total Zn 4 4	0	0

• Molecule 3 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
3	А	1	Total 48	C 21	N 7	O 16	Р 3	S 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	14	TotalO1414	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: histone acetyltransferase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants	87.18Å 145.09Å 154.78Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\texttt{A}}{A} \right)$	53.76 - 2.25	Depositor
Resolution (A)	105.86 - 2.25	EDS
% Data completeness	49.5 (53.76-2.25)	Depositor
(in resolution range)	49.5(105.86-2.25)	EDS
R_{merge}	0.12	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.01 (at 2.25 \text{\AA})$	Xtriage
Refinement program	autoBUSTER	Depositor
B B.	0.239 , 0.297	Depositor
II, II, <i>free</i>	0.251 , 0.306	DCC
R_{free} test set	1183 reflections (5.11%)	wwPDB-VP
Wilson B-factor $(Å^2)$	58.3	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 44.6	EDS
L-test for twinning ²	$ < L >=0.48, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4481	wwPDB-VP
Average B, all atoms $(Å^2)$	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.55	0/4541	0.77	7/6137~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	1378	ARG	NE-CZ-NH1	12.06	126.33	120.30
1	А	1378	ARG	NE-CZ-NH2	-10.38	115.11	120.30
1	А	1316	GLY	C-N-CA	8.16	142.09	121.70
1	А	1120	LEU	CB-CG-CD1	-6.38	100.16	111.00
1	А	1668	LEU	CA-CB-CG	-6.24	100.95	115.30
1	А	1317	ARG	NE-CZ-NH1	-5.42	117.59	120.30
1	А	1530	ARG	NE-CZ-NH1	-5.32	117.64	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	1078	SER	Peptide
1	А	1477	SER	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4415	0	4281	184	0
2	А	4	0	0	0	0
3	А	48	0	32	6	0
4	А	14	0	0	2	0
All	All	4481	0	4313	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1728:LEU:CD1	1:A:1738:HIS:HB2	1.86	1.06
1:A:1531:LEU:O	1:A:1622:TYR:OH	1.88	0.91
1:A:1728:LEU:HD11	1:A:1738:HIS:HB2	1.51	0.90
1:A:1719:HIS:HA	1:A:1727:ASP:OD1	1.71	0.89
1:A:1718:TRP:HE1	1:A:1730:ILE:HG12	1.41	0.86
1:A:1475:PRO:HG2	1:A:1496:PRO:HA	1.56	0.85
1:A:1523:PHE:CE2	1:A:1626:GLU:HA	2.12	0.84
1:A:1516:ILE:HD12	1:A:1635:ILE:HG23	1.59	0.84
1:A:1523:PHE:CE2	1:A:1629:LYS:HB2	2.13	0.83
1:A:1726:TYR:CE1	1:A:1728:LEU:HG	2.14	0.81
1:A:1320:LYS:HD2	1:A:1321:GLU:H	1.48	0.78
1:A:1726:TYR:HE1	1:A:1728:LEU:HG	1.48	0.75
1:A:1728:LEU:HD12	1:A:1738:HIS:HB2	1.67	0.74
1:A:1467:VAL:HG13	1:A:1468:THR:HG23	1.67	0.74
1:A:1520:LYS:HG2	1:A:1524:LYS:HD2	1.68	0.74
1:A:1720:CYS:SG	1:A:1726:TYR:HB3	2.27	0.74
1:A:1106:PRO:HA	1:A:1109:LEU:HD13	1.71	0.73
1:A:1675:HIS:ND1	4:A:1901:HOH:O	2.21	0.72
1:A:1436:SER:HB3	3:A:1805:COA:O9P	1.89	0.72
1:A:1722:VAL:HG13	1:A:1723:CYS:H	1.53	0.72
1:A:1426:THR:HG22	1:A:1427:ARG:HG3	1.72	0.72
1:A:1720:CYS:HB2	1:A:1722:VAL:HG12	1.71	0.71
1:A:1344:LYS:HA	1:A:1347:ARG:HB2	1.74	0.69



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1462:LYS:HG3	1:A:1637:LEU:HB3	1.75	0.67
1:A:1139:LYS:NZ	1:A:1143:ASP:OD2	2.28	0.66
1:A:1346:LEU:HD23	1:A:1445:LEU:HD13	1.77	0.66
1:A:1516:ILE:CD1	1:A:1635:ILE:HG23	2.24	0.66
1:A:1112:ARG:HB2	1:A:1113:GLN:NE2	2.11	0.65
1:A:1545:TRP:HA	1:A:1548:VAL:HG12	1.77	0.65
1:A:1344:LYS:HB3	1:A:1347:ARG:CZ	2.28	0.64
1:A:1374:GLY:HA3	1:A:1553:ILE:HD13	1.79	0.64
1:A:1722:VAL:HG13	1:A:1723:CYS:N	2.13	0.63
1:A:1718:TRP:NE1	1:A:1730:ILE:HG12	2.14	0.62
1:A:1112:ARG:HB2	1:A:1113:GLN:HE21	1.65	0.61
1:A:1343:ASN:HA	1:A:1346:LEU:HD12	1.83	0.61
1:A:1728:LEU:HD12	1:A:1738:HIS:CB	2.30	0.61
1:A:1341:ARG:HH12	1:A:1455:ILE:HG13	1.64	0.61
1:A:1149:GLU:HG2	1:A:1150:PRO:HD2	1.84	0.60
1:A:1552:SER:OG	1:A:1552:SER:O	2.17	0.60
1:A:1676:TRP:HB3	1:A:1687:SER:HB3	1.84	0.60
1:A:1438:HIS:CD2	1:A:1491:GLN:HB2	2.37	0.59
1:A:1494:PRO:HA	3:A:1805:COA:H62A	1.67	0.59
1:A:1169:ARG:HH11	1:A:1170:LYS:NZ	2.00	0.59
1:A:1475:PRO:HG2	1:A:1496:PRO:CA	2.30	0.59
1:A:1369:VAL:HB	1:A:1541:GLU:HG2	1.84	0.59
1:A:1531:LEU:HB3	1:A:1536:GLU:OE1	2.03	0.58
1:A:1728:LEU:CD1	1:A:1738:HIS:CB	2.72	0.58
1:A:1079:GLN:NE2	1:A:1082:LYS:HE3	2.19	0.58
1:A:1726:TYR:OH	1:A:1728:LEU:HD11	2.03	0.58
1:A:1462:LYS:HG3	1:A:1637:LEU:HD23	1.85	0.58
1:A:1719:HIS:HD1	1:A:1727:ASP:CG	2.06	0.58
1:A:1083:LYS:HG2	1:A:1288:ARG:HH21	1.71	0.56
1:A:1367:LYS:HE2	1:A:1393:THR:HG21	1.88	0.56
1:A:1533:SER:H	1:A:1536:GLU:CD	2.09	0.55
1:A:1516:ILE:HD11	1:A:1519:TYR:HB3	1.88	0.55
1:A:1500:GLN:O	1:A:1504:LYS:HG3	2.07	0.55
1:A:1472:TRP:NE1	1:A:1474:CYS:HB2	2.21	0.54
1:A:1286:CYS:CB	1:A:1288:ARG:HG2	2.38	0.54
1:A:1283:CYS:HB3	1:A:1286:CYS:HB2	1.90	0.54
1:A:1710:CYS:SG	1:A:1712:HIS:ND1	2.79	0.54
1:A:1555:GLU:OE1	1:A:1620:LYS:HG2	2.08	0.54
1:A:1739:THR:HB	1:A:1740:HIS:CD2	2.44	0.53
1:A:1341:ARG:HH22	1:A:1455:ILE:HG13	1.73	0.53
1:A:1726:TYR:HH	1:A:1738:HIS:CE1	2.26	0.52



	A contraction of the contraction	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1476:PRO:HG3	3:A:1805:COA:H61	1.91	0.52
1:A:1523:PHE:HE2	1:A:1626:GLU:HA	1.71	0.52
1:A:1320:LYS:CD	1:A:1321:GLU:H	2.21	0.52
1:A:1311:CYS:HA	1:A:1314:LYS:HB2	1.91	0.52
1:A:1622:TYR:O	1:A:1626:GLU:HG2	2.09	0.51
1:A:1385:MET:CE	1:A:1535:LYS:HA	2.40	0.51
1:A:1368:THR:HG22	1:A:1390:PRO:HA	1.91	0.51
1:A:1391:TYR:OH	1:A:1541:GLU:HG3	2.10	0.51
1:A:1138:ILE:HD13	1:A:1157:VAL:HG12	1.93	0.51
1:A:1720:CYS:HB2	1:A:1722:VAL:CG1	2.41	0.51
1:A:1454:LEU:O	1:A:1458:LEU:HD12	2.10	0.51
1:A:1169:ARG:HH11	1:A:1170:LYS:HZ3	1.59	0.50
1:A:1344:LYS:HB3	1:A:1347:ARG:NE	2.26	0.50
1:A:1702:ARG:NE	1:A:1702:ARG:HA	2.27	0.50
1:A:1719:HIS:CA	1:A:1727:ASP:OD1	2.54	0.50
1:A:1443:ARG:O	1:A:1446:CYS:HB3	2.12	0.50
1:A:1521:ASP:HB2	1:A:1629:LYS:HG2	1.93	0.50
1:A:1545:TRP:HA	1:A:1548:VAL:CG1	2.41	0.50
1:A:1451:HIS:O	1:A:1455:ILE:HG12	2.12	0.49
1:A:1485:HIS:CE1	1:A:1672:ARG:HD3	2.47	0.49
1:A:1475:PRO:HD2	1:A:1496:PRO:HG3	1.93	0.49
1:A:1513:GLU:CG	1:A:1515:ILE:HG12	2.43	0.49
1:A:1719:HIS:N	1:A:1743:VAL:O	2.44	0.49
1:A:1622:TYR:O	1:A:1625:MET:HB2	2.13	0.49
1:A:1079:GLN:HA	1:A:1080:PRO:HD3	1.61	0.49
1:A:1523:PHE:CD2	1:A:1629:LYS:HB2	2.47	0.49
1:A:1529:ASP:HB2	1:A:1531:LEU:CD2	2.43	0.48
1:A:1462:LYS:HG2	1:A:1638:HIS:NE2	2.27	0.48
1:A:1095:MET:CE	1:A:1139:LYS:HG3	2.43	0.48
1:A:1476:PRO:CG	3:A:1805:COA:H61	2.44	0.48
1:A:1550:GLU:O	1:A:1553:ILE:HG12	2.14	0.48
1:A:1717:ARG:HD2	1:A:1727:ASP:OD2	2.13	0.48
1:A:1729:CYS:SG	1:A:1732:CYS:N	2.87	0.48
1:A:1476:PRO:HD2	1:A:1493:ILE:HG23	1.96	0.47
1:A:1717:ARG:HD2	1:A:1727:ASP:CG	2.35	0.47
1:A:1154:VAL:O	1:A:1158:TRP:HD1	1.97	0.47
1:A:1348:ARG:NH1	1:A:1348:ARG:HB3	2.28	0.47
1:A:1446:CYS:O	1:A:1449:VAL:HG22	2.14	0.47
1:A:1462:LYS:CG	1:A:1637:LEU:HD23	2.44	0.47
1:A:1507:LEU:HD21	1:A:1635:ILE:HD13	1.96	0.47
1:A:1374:GLY:N	1:A:1550:GLU:OE1	2.38	0.47



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:1472:TRP:CD1	1:A:1631:VAL:HG22	2.50	0.47
1:A:1523:PHE:CE1	1:A:1625:MET:HB3	2.49	0.47
1:A:1198:TYR:CE1	1:A:1288:ARG:HB2	2.50	0.47
1:A:1284:LYS:HB2	1:A:1307:VAL:HG12	1.96	0.46
1:A:1728:LEU:HD11	1:A:1738:HIS:CB	2.34	0.46
1:A:1522:ILE:HD13	1:A:1632:PHE:HB2	1.97	0.46
1:A:1525:GLN:HG2	1:A:1634:VAL:HG11	1.98	0.46
1:A:1107:GLU:HA	1:A:1177:PHE:CD2	2.51	0.46
1:A:1434:LEU:HD11	1:A:1454:LEU:HD21	1.96	0.46
1:A:1475:PRO:CG	1:A:1496:PRO:HA	2.39	0.46
1:A:1723:CYS:HB2	1:A:1726:TYR:HB2	1.98	0.46
1:A:1157:VAL:HG21	1:A:1185:PHE:CZ	2.51	0.46
1:A:1314:LYS:HE2	1:A:1314:LYS:HB3	1.74	0.45
1:A:1523:PHE:CZ	1:A:1625:MET:C	2.90	0.45
1:A:1705:TYR:CD1	1:A:1705:TYR:N	2.84	0.45
1:A:1149:GLU:HG2	1:A:1150:PRO:CD	2.46	0.45
1:A:1087:PRO:O	1:A:1091:ARG:HG3	2.16	0.45
1:A:1513:GLU:HG3	1:A:1513:GLU:O	2.17	0.45
1:A:1164:ALA:O	1:A:1168:ASN:ND2	2.38	0.45
1:A:1341:ARG:NH1	1:A:1455:ILE:HG13	2.30	0.45
1:A:1385:MET:HE1	1:A:1535:LYS:HA	1.99	0.45
1:A:1483:ILE:O	1:A:1668:LEU:HD21	2.17	0.45
1:A:1364:SER:HB3	1:A:1656:LEU:H	1.82	0.45
1:A:1098:LEU:HD12	1:A:1098:LEU:HA	1.82	0.44
1:A:1342:VAL:HG21	1:A:1449:VAL:HB	1.99	0.44
1:A:1380:VAL:HG11	1:A:1387:GLU:HG3	2.00	0.44
1:A:1523:PHE:CZ	1:A:1625:MET:HB3	2.52	0.44
1:A:1668:LEU:HD23	1:A:1668:LEU:HA	1.46	0.44
1:A:1513:GLU:HG3	1:A:1515:ILE:HG12	1.98	0.44
1:A:1691:MET:O	1:A:1695:LEU:HG	2.18	0.44
1:A:1149:GLU:OE1	1:A:1151:TRP:HB2	2.17	0.44
1:A:1371:VAL:HG23	1:A:1387:GLU:O	2.18	0.44
1:A:1447:THR:OG1	3:A:1805:COA:O4A	2.25	0.44
1:A:1085:PHE:HA	1:A:1089:GLU:OE1	2.18	0.43
1:A:1374:GLY:CA	1:A:1553:ILE:HD13	2.47	0.43
1:A:1740:HIS:O	1:A:1742:MET:HG3	2.17	0.43
1:A:1660:LEU:HD11	1:A:1667:PHE:HA	2.00	0.43
1:A:1079:GLN:HG2	1:A:1082:LYS:HG2	1.99	0.43
1:A:1428:ARG:HH11	1:A:1538:PRO:HG3	1.84	0.43
1:A:1711:LYS:HG2	1:A:1711:LYS:O	2.19	0.43
1:A:1320:LYS:HD3	1:A:1320:LYS:HA	1.75	0.43



	AL O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1090:LEU:HA	1:A:1090:LEU:HD23	1.71	0.43
1:A:1518:ASP:OD1	1:A:1519:TYR:N	2.51	0.43
1:A:1521:ASP:CG	1:A:1629:LYS:HE3	2.39	0.43
1:A:1688:THR:HA	1:A:1691:MET:HE3	2.01	0.43
1:A:1421:CYS:HA	1:A:1422:PRO:HD3	1.90	0.42
1:A:1141:LYS:HD3	1:A:1147:TYR:CE1	2.54	0.42
1:A:1284:LYS:NZ	1:A:1304:SER:O	2.34	0.42
1:A:1385:MET:HE3	1:A:1535:LYS:HA	2.02	0.42
1:A:1478:GLU:C	1:A:1480:ASP:N	2.72	0.42
1:A:1545:TRP:CE3	1:A:1548:VAL:HG11	2.55	0.42
1:A:1279:PRO:HG2	1:A:1292:GLN:HB3	2.01	0.42
1:A:1438:HIS:N	1:A:1491:GLN:OE1	2.52	0.42
1:A:1151:TRP:NE1	1:A:1198:TYR:CD1	2.87	0.42
1:A:1668:LEU:O	1:A:1672:ARG:HG2	2.19	0.42
1:A:1307:VAL:HG23	1:A:1312:LEU:HG	2.02	0.41
1:A:1472:TRP:HD1	1:A:1631:VAL:HG22	1.86	0.41
1:A:1545:TRP:HH2	1:A:1625:MET:HA	1.85	0.41
1:A:1291:HIS:HB2	1:A:1294:CYS:HB2	2.02	0.41
1:A:1492:LYS:HZ3	3:A:1805:COA:C6A	2.34	0.41
1:A:1628:HIS:O	1:A:1631:VAL:HG12	2.20	0.41
1:A:1286:CYS:HB2	1:A:1288:ARG:HG2	2.02	0.41
1:A:1150:PRO:O	1:A:1153:TYR:HB3	2.21	0.41
1:A:1342:VAL:O	1:A:1345:PHE:HB3	2.21	0.41
1:A:1362:VAL:CG2	1:A:1661:MET:HG3	2.50	0.41
1:A:1523:PHE:HZ	1:A:1625:MET:O	2.04	0.41
1:A:1706:THR:N	4:A:1903:HOH:O	2.54	0.41
1:A:1738:HIS:NE2	1:A:1740:HIS:ND1	2.69	0.41
1:A:1437:ILE:HD12	1:A:1437:ILE:HG23	1.81	0.40
1:A:1516:ILE:CD1	1:A:1519:TYR:HB3	2.51	0.40
1:A:1707:CYS:HB2	1:A:1714:VAL:HG11	2.02	0.40
1:A:1333:ARG:HD3	1:A:1652:PRO:HB2	2.01	0.40
1:A:1333:ARG:HH11	1:A:1333:ARG:HD2	1.77	0.40
1:A:1718:TRP:HB3	1:A:1742:MET:HE3	2.02	0.40
1:A:1086:LYS:N	1:A:1089:GLU:OE1	2.46	0.40
1:A:1180:LYS:HA	1:A:1183:GLU:HG2	2.03	0.40
1:A:1283:CYS:SG	1:A:1286:CYS:N	2.85	0.40
1:A:1540:PHE:HB2	1:A:1543:ASP:HB2	2.02	0.40
1:A:1708:ASN:OD1	1:A:1727:ASP:N	2.50	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	523/640~(82%)	487 (93%)	36~(7%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	492/586~(84%)	469~(95%)	23~(5%)	26 29

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1081	ARG
1	А	1095	MET
1	А	1113	GLN
1	А	1203	LYS
1	А	1207	SER
1	А	1298	TYR
1	А	1308	CYS
1	А	1309	ASP
1	А	1350	ASN
1	А	1376	LYS
1	A	1382	SER
1	А	1385	MET
1	А	1420	ASP



Mol	Chain	Res	Type
1	А	1432	SER
1	А	1438	HIS
1	А	1446	CYS
1	А	1463	LYS
1	А	1495	LYS
1	А	1511	PHE
1	А	1521	ASP
1	А	1551	GLU
1	А	1664	ARG
1	А	1745	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	1079	GLN
1	А	1113	GLN
1	А	1310	ASN
1	А	1438	HIS
1	А	1517	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The



Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link	Bo	ond leng	\mathbf{ths}	В	ond ang	les
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	COA	А	1805	-	41,50,50	0.60	1 (2%)	52,75,75	0.68	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	А	1805	-	-	13/44/64/64	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
3	А	1805	COA	C8A-N7A	-2.03	1.31	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
3	А	1805	COA	O3B-C3B-C4B	-2.21	102.10	110.08
3	А	1805	COA	C5A-C6A-N6A	2.19	123.69	120.35

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	1805	COA	C5B-O5B-P1A-O2A
3	А	1805	COA	C5B-O5B-P1A-O3A
3	А	1805	COA	CAP-CBP-CCP-O6A
3	А	1805	COA	C5P-C6P-C7P-N8P
3	А	1805	COA	C3B-C4B-C5B-O5B
3	А	1805	COA	O4B-C4B-C5B-O5B
3	А	1805	COA	CEP-CBP-CCP-O6A
3	А	1805	COA	CDP-CBP-CCP-O6A
3	А	1805	COA	P1A-O3A-P2A-O6A
3	А	1805	COA	C5B-O5B-P1A-O1A
3	А	1805	COA	C2P-C3P-N4P-C5P



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	Atoms
3	А	1805	COA	C3B-O3B-P3B-O8A
3	А	1805	COA	P2A-O3A-P1A-O1A

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	1805	COA	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	532/640~(83%)	0.61	49 (9%) 9 9	29, 68, 140, 202	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	1714	VAL	8.1
1	А	1621	LEU	6.2
1	А	1743	VAL	6.1
1	А	1553	ILE	5.6
1	А	1319	ARG	5.3
1	А	1477	SER	5.1
1	А	1745	TRP	4.8
1	А	1515	ILE	4.5
1	А	1453	ILE	4.4
1	А	1317	ARG	4.4
1	А	1554	LYS	4.0
1	А	1717	ARG	4.0
1	А	1713	HIS	3.8
1	А	1705	TYR	3.6
1	А	1502	TRP	3.4
1	А	1381	ASP	3.3
1	А	1410	PHE	3.3
1	А	1700	GLN	3.3
1	А	1719	HIS	3.3
1	А	1730	ILE	3.2
1	А	1380	VAL	3.2
1	А	1744	LYS	3.1
1	А	1741	LYS	3.0
1	А	1511	PHE	3.0
1	А	1473	ALA	2.9
1	А	1537	LEU	2.9
1	А	1728	LEU	2.8



Mol	Chain	Res	Type	RSRZ	
1	А	1631	VAL	2.7	
1	А	1633	PHE	2.6	
1	А	1312	LEU	2.6	
1	А	1455	ILE	2.6	
1	А	1458	LEU	2.5	
1	А	1499	LEU	2.5	
1	А	1376	LYS	2.5	
1	А	1551	GLU	2.5	
1	А	1531	LEU	2.5	
1	А	1516	ILE	2.5	
1	А	1471	ILE	2.5	
1	А	1510	ALA	2.5	
1	А	1464	LEU	2.4	
1	А	1722	VAL	2.3	
1	А	1475	PRO	2.3	
1	А	1379	PHE	2.2	
1	А	1321	GLU	2.2	
1	А	1324	PHE	2.2	
1	А	1318	PRO	2.2	
1	А	1507	LEU	2.2	
1	А	1635	ILE	2.1	
1	А	1454	LEU	2.1	

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	ZN	А	1804	1/1	0.89	0.14	211,211,211,211	0



Contraction from the								
Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	COA	А	1805	48/48	0.89	0.23	101,118,136,141	0
2	ZN	А	1803	1/1	0.91	0.12	162,162,162,162	0
2	ZN	А	1802	1/1	0.97	0.21	78,78,78,78	0
2	ZN	А	1801	1/1	0.97	0.23	56, 56, 56, 56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers (i)

There are no such residues in this entry.

