



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 4, 2024 – 06:58 pm GMT

PDB ID : 5D59  
Title : In meso X-ray crystallography structure of the PepTSt-Ala-Phe complex at 100 K  
Authors : Huang, C.-Y.; Olieric, V.; Wang, M.; Caffrey, M.  
Deposited on : 2015-08-10  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	483	 7% 80% 12% 7%

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 4053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Di-or tripeptide:H<sup>+</sup> symporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	448	3475	2342	537	579	17	0	0	0

- Molecule 2 is ALANINE (three-letter code: ALA) (formula: C<sub>3</sub>H<sub>7</sub>NO<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	5	3	1	1	0	0

- Molecule 3 is PHENYLALANINE (three-letter code: PHE) (formula: C<sub>9</sub>H<sub>11</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			12	9	1	2		

- Molecule 4 is (2S)-2,3-DIHYDROXYPROPYL(7Z)-PENTADEC-7-ENOATE (three-letter code: 78M) (formula: C<sub>18</sub>H<sub>34</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			22	18	4		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is 3,6,9,12,15,18,21,24-OCTAOXAHEXACOSAN-1-OL (three-letter code: PE5) (formula:  $C_{18}H_{38}O_9$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	5	3		
6	A	1	Total	C	O	0	0
			11	7	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	75	Total	O	0	0
			75	75		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Di- or tripeptide:H<sup>+</sup> symporter





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.57Å 110.25Å 110.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.13 – 2.40 46.13 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.13-2.40) 95.4 (46.13-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.80 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.207 , 0.233 0.209 , 0.234	Depositor DCC
$R_{free}$ test set	1243 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.3	Xtrriage
Anisotropy	0.152	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 62.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4053	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, 78M, PE5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/3580	0.49	2/4881 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	280	LEU	CA-CB-CG	5.83	128.71	115.30
1	A	268	MET	CG-SD-CE	-5.30	91.71	100.20

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3475	0	3556	39	0
2	A	5	0	4	0	0
3	A	12	0	9	0	0
4	A	462	0	714	33	0
5	A	5	0	0	0	0
6	A	19	0	20	6	0
7	A	75	0	0	0	0
All	All	4053	0	4303	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:VAL:HG11	4:A:505:78M:H172	1.72	0.72
4:A:510:78M:H8	4:A:519:78M:H141	1.72	0.70
1:A:440:GLN:HB3	4:A:517:78M:H172	1.77	0.67
1:A:472:SER:HB3	1:A:473:LYS:HD2	1.81	0.61
1:A:316:SER:OG	1:A:316:SER:O	2.18	0.61
4:A:508:78M:H122	4:A:512:78M:H131	1.83	0.60
4:A:506:78M:H153	4:A:523:78M:H152	1.83	0.59
1:A:254:THR:HG21	1:A:440:GLN:OE1	2.05	0.57
1:A:42:PHE:HB2	6:A:526:PE5:H51	1.87	0.56
1:A:255:ILE:HG12	4:A:520:78M:H22C	1.87	0.56
4:A:512:78M:H122	4:A:518:78M:H8	1.87	0.55
1:A:175:TYR:OH	6:A:526:PE5:H52A	2.07	0.55
1:A:73:ILE:HD12	4:A:523:78M:H7	1.89	0.55
1:A:174:GLY:HA3	6:A:525:PE5:H101	1.88	0.55
4:A:509:78M:O2	4:A:509:78M:O21	2.15	0.54
1:A:472:SER:O	1:A:475:ILE:HB	2.08	0.53
1:A:470:PHE:CE1	4:A:510:78M:H22C	2.44	0.52
1:A:59:ILE:HD11	1:A:246:LEU:HD21	1.90	0.52
1:A:403:ILE:HG22	1:A:427:TRP:HH2	1.75	0.52
1:A:393:TRP:O	1:A:397:ILE:HG12	2.10	0.51
1:A:464:LEU:HA	1:A:467:VAL:HB	1.91	0.51
1:A:139:GLU:CD	1:A:139:GLU:H	2.15	0.50
1:A:344:THR:OG1	1:A:345:ALA:N	2.44	0.50
1:A:366:LEU:HD13	4:A:505:78M:H153	1.92	0.50
1:A:261:PRO:HG3	1:A:433:VAL:HG21	1.95	0.48
1:A:97:LEU:O	1:A:101:VAL:HG23	2.14	0.47
1:A:224:VAL:HG21	4:A:506:78M:H8	1.95	0.47
1:A:358:ALA:O	1:A:362:MET:HG3	2.15	0.47
4:A:503:78M:H111	4:A:503:78M:H141	1.71	0.46
1:A:332:ILE:O	1:A:336:THR:HG23	2.15	0.46
1:A:264:TYR:HD2	1:A:265:PHE:CD1	2.33	0.46
4:A:511:78M:H42C	4:A:511:78M:H7	1.62	0.46
4:A:513:78M:H42C	4:A:513:78M:H7	1.66	0.46
6:A:525:PE5:H102	6:A:525:PE5:H122	1.54	0.45
1:A:78:ALA:HB1	1:A:84:ALA:HA	1.98	0.45
1:A:311:ALA:HA	1:A:321:VAL:HG21	1.97	0.45
1:A:391:GLY:HA3	4:A:508:78M:H62C	1.99	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:521:78M:H121	4:A:521:78M:H91C	1.69	0.44
4:A:510:78M:H32C	4:A:510:78M:H62C	1.82	0.44
1:A:174:GLY:CA	6:A:525:PE5:H101	2.48	0.44
4:A:509:78M:H61C	4:A:509:78M:H32C	1.80	0.44
4:A:508:78M:H42C	4:A:508:78M:H7	1.62	0.44
1:A:263:PHE:HE1	4:A:520:78M:H8	1.83	0.43
1:A:468:LEU:O	1:A:472:SER:HB2	2.17	0.43
1:A:437:LEU:HD13	4:A:517:78M:H61C	2.00	0.43
4:A:520:78M:H142	4:A:520:78M:H111	1.45	0.43
4:A:512:78M:H111	4:A:518:78M:H7	2.00	0.43
1:A:340:ALA:O	1:A:344:THR:HG23	2.19	0.43
4:A:521:78M:H122	4:A:521:78M:H152	1.74	0.43
1:A:194:TYR:CE2	4:A:522:78M:H202	2.55	0.42
1:A:267:TRP:CH2	4:A:520:78M:H141	2.54	0.42
4:A:503:78M:H52C	4:A:503:78M:H21C	1.70	0.42
1:A:162:ALA:HB3	1:A:163:PRO:HD3	2.02	0.42
1:A:266:ALA:O	1:A:269:ILE:HG13	2.19	0.42
1:A:346:TRP:NE1	1:A:348:LYS:O	2.52	0.42
4:A:521:78M:H91C	4:A:521:78M:H61C	1.90	0.42
1:A:258:ILE:HG12	1:A:433:VAL:HG13	2.02	0.41
4:A:522:78M:H42C	4:A:522:78M:H7	1.87	0.41
4:A:507:78M:H202	6:A:525:PE5:H121	2.03	0.40
4:A:523:78M:H101	4:A:523:78M:H131	1.65	0.40
4:A:505:78M:O1	4:A:519:78M:H172	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	442/483 (92%)	436 (99%)	6 (1%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	361/391 (92%)	355 (98%)	6 (2%)	60 78

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	280	LEU
1	A	282	VAL
1	A	318	TRP
1	A	352	SER
1	A	393	TRP
1	A	423	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	78M	A	511	-	21,21,21	0.72	1 (4%)	22,22,22	0.92	1 (4%)
4	78M	A	515	-	21,21,21	0.76	1 (4%)	22,22,22	1.01	1 (4%)
4	78M	A	512	-	21,21,21	0.72	1 (4%)	22,22,22	0.99	1 (4%)
2	ALA	A	501	-	3,4,5	0.57	0	2,4,6	0.82	0
3	PHE	A	502	-	11,12,12	0.68	1 (9%)	14,15,15	1.00	2 (14%)
4	78M	A	504	-	21,21,21	0.72	1 (4%)	22,22,22	1.07	1 (4%)
4	78M	A	514	-	21,21,21	0.74	1 (4%)	22,22,22	0.98	1 (4%)
4	78M	A	503	-	21,21,21	0.72	1 (4%)	22,22,22	0.98	1 (4%)
4	78M	A	523	-	21,21,21	0.73	1 (4%)	22,22,22	0.95	1 (4%)
4	78M	A	513	-	21,21,21	0.75	1 (4%)	22,22,22	0.90	1 (4%)
4	78M	A	508	-	21,21,21	0.71	1 (4%)	22,22,22	1.07	1 (4%)
4	78M	A	506	-	21,21,21	0.74	1 (4%)	22,22,22	0.97	1 (4%)
5	PO4	A	516	-	4,4,4	0.89	0	6,6,6	0.40	0
4	78M	A	505	-	21,21,21	0.74	1 (4%)	22,22,22	1.32	2 (9%)
4	78M	A	519	-	21,21,21	0.77	1 (4%)	22,22,22	0.93	1 (4%)
6	PE5	A	525	-	7,7,26	0.75	0	6,6,25	0.26	0
4	78M	A	518	-	21,21,21	0.72	1 (4%)	22,22,22	0.99	1 (4%)
6	PE5	A	526	-	10,10,26	0.80	0	9,9,25	0.18	0
4	78M	A	522	-	21,21,21	0.74	1 (4%)	22,22,22	0.98	1 (4%)
4	78M	A	517	-	21,21,21	0.76	1 (4%)	22,22,22	0.90	1 (4%)
4	78M	A	521	-	21,21,21	0.75	1 (4%)	22,22,22	0.98	1 (4%)
4	78M	A	507	-	21,21,21	0.68	1 (4%)	22,22,22	1.04	1 (4%)
4	78M	A	520	-	21,21,21	0.74	1 (4%)	22,22,22	1.01	1 (4%)
4	78M	A	509	-	21,21,21	0.74	1 (4%)	22,22,22	0.93	1 (4%)
4	78M	A	524	-	21,21,21	0.75	1 (4%)	22,22,22	0.98	1 (4%)
4	78M	A	510	-	21,21,21	0.75	1 (4%)	22,22,22	0.90	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	78M	A	511	-	-	9/21/21/21	-
4	78M	A	515	-	-	12/21/21/21	-
4	78M	A	512	-	-	10/21/21/21	-
2	ALA	A	501	-	-	0/0/2/4	-
3	PHE	A	502	-	-	0/8/8/8	0/1/1/1
4	78M	A	504	-	-	10/21/21/21	-
4	78M	A	514	-	-	11/21/21/21	-
4	78M	A	503	-	-	9/21/21/21	-
4	78M	A	523	-	-	8/21/21/21	-
4	78M	A	513	-	-	7/21/21/21	-
4	78M	A	508	-	-	11/21/21/21	-
4	78M	A	506	-	-	9/21/21/21	-
4	78M	A	505	-	-	6/21/21/21	-
4	78M	A	519	-	-	9/21/21/21	-
6	PE5	A	525	-	-	3/5/5/24	-
4	78M	A	518	-	-	12/21/21/21	-
6	PE5	A	526	-	-	5/8/8/24	-
4	78M	A	522	-	-	8/21/21/21	-
4	78M	A	517	-	-	9/21/21/21	-
4	78M	A	521	-	-	13/21/21/21	-
4	78M	A	507	-	-	11/21/21/21	-
4	78M	A	520	-	-	12/21/21/21	-
4	78M	A	509	-	-	9/21/21/21	-
4	78M	A	524	-	-	9/21/21/21	-
4	78M	A	510	-	-	8/21/21/21	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	517	78M	O2-C1	2.87	1.41	1.33
4	A	519	78M	O2-C1	2.83	1.41	1.33
4	A	521	78M	O2-C1	2.81	1.41	1.33
4	A	522	78M	O2-C1	2.81	1.41	1.33
4	A	524	78M	O2-C1	2.78	1.41	1.33
4	A	513	78M	O2-C1	2.76	1.41	1.33
4	A	506	78M	O2-C1	2.74	1.41	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	515	78M	O2-C1	2.74	1.41	1.33
4	A	510	78M	O2-C1	2.74	1.41	1.33
4	A	518	78M	O2-C1	2.74	1.41	1.33
4	A	509	78M	O2-C1	2.73	1.41	1.33
4	A	504	78M	O2-C1	2.72	1.41	1.33
4	A	523	78M	O2-C1	2.69	1.41	1.33
4	A	514	78M	O2-C1	2.65	1.41	1.33
4	A	511	78M	O2-C1	2.64	1.41	1.33
4	A	520	78M	O2-C1	2.61	1.41	1.33
4	A	505	78M	O2-C1	2.60	1.40	1.33
4	A	512	78M	O2-C1	2.58	1.40	1.33
4	A	503	78M	O2-C1	2.57	1.40	1.33
4	A	507	78M	O2-C1	2.45	1.40	1.33
4	A	508	78M	O2-C1	2.35	1.40	1.33
3	A	502	PHE	OXT-C	-2.04	1.23	1.30

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	505	78M	O2-C1-C2	3.75	123.67	111.91
4	A	522	78M	O2-C1-C2	3.08	121.57	111.91
4	A	514	78M	O2-C1-C2	2.97	121.22	111.91
4	A	515	78M	O2-C1-C2	2.87	120.91	111.91
4	A	509	78M	O2-C1-C2	2.85	120.84	111.91
4	A	524	78M	O2-C1-C2	2.83	120.80	111.91
3	A	502	PHE	OXT-C-O	-2.82	117.68	124.09
4	A	512	78M	O2-C1-C2	2.80	120.69	111.91
4	A	517	78M	O2-C1-C2	2.74	120.51	111.91
4	A	504	78M	O2-C1-C2	2.74	120.51	111.91
4	A	503	78M	O2-C1-C2	2.71	120.42	111.91
4	A	511	78M	O2-C1-C2	2.71	120.42	111.91
4	A	523	78M	O2-C1-C2	2.68	120.31	111.91
4	A	518	78M	O2-C1-C2	2.68	120.31	111.91
4	A	508	78M	O2-C1-C2	2.65	120.23	111.91
4	A	519	78M	O2-C1-C2	2.63	120.17	111.91
4	A	513	78M	O2-C1-C2	2.63	120.16	111.91
4	A	521	78M	O2-C1-C2	2.60	120.07	111.91
4	A	506	78M	O2-C1-C2	2.57	119.98	111.91
4	A	520	78M	O2-C1-C2	2.55	119.92	111.91
4	A	507	78M	O2-C1-C2	2.41	119.47	111.91
3	A	502	PHE	OXT-C-CA	2.33	121.33	113.38
4	A	505	78M	C3-C2-C1	-2.17	105.73	113.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	510	78M	O2-C1-C2	2.13	118.59	111.91

There are no chirality outliers.

All (210) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	503	78M	O2-C17-C18-C20
4	A	503	78M	O2-C17-C18-O19
4	A	505	78M	O19-C18-C20-O21
4	A	506	78M	O2-C17-C18-O19
4	A	507	78M	O2-C17-C18-C20
4	A	508	78M	O2-C17-C18-C20
4	A	510	78M	C17-C18-C20-O21
4	A	513	78M	C17-C18-C20-O21
4	A	514	78M	O2-C17-C18-O19
4	A	515	78M	C17-C18-C20-O21
4	A	518	78M	O2-C17-C18-C20
4	A	519	78M	C17-C18-C20-O21
4	A	520	78M	O2-C17-C18-C20
4	A	520	78M	O2-C17-C18-O19
4	A	521	78M	C17-C18-C20-O21
4	A	521	78M	O2-C17-C18-C20
4	A	523	78M	C17-C18-C20-O21
4	A	509	78M	O1-C1-O2-C17
4	A	509	78M	C2-C1-O2-C17
4	A	515	78M	O1-C1-O2-C17
4	A	518	78M	O1-C1-O2-C17
4	A	515	78M	C2-C1-O2-C17
4	A	519	78M	C2-C1-O2-C17
4	A	505	78M	O1-C1-O2-C17
4	A	505	78M	C2-C1-O2-C17
4	A	508	78M	C2-C1-O2-C17
4	A	518	78M	C2-C1-O2-C17
6	A	525	PE5	C12-C11-O6-C10
4	A	517	78M	O1-C1-O2-C17
4	A	519	78M	O1-C1-O2-C17
4	A	508	78M	O1-C1-O2-C17
4	A	507	78M	O2-C17-C18-O19
4	A	510	78M	O2-C17-C18-O19
4	A	518	78M	O2-C17-C18-O19
4	A	521	78M	O2-C17-C18-O19
4	A	517	78M	C2-C1-O2-C17

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
4	A	524	78M	C2-C1-O2-C17
4	A	520	78M	C2-C1-O2-C17
4	A	521	78M	C2-C1-O2-C17
6	A	525	PE5	O6-C11-C12-O7
4	A	519	78M	C1-C2-C3-C4
4	A	510	78M	O2-C17-C18-C20
4	A	520	78M	O1-C1-O2-C17
6	A	526	PE5	O2-C3-C4-O3
4	A	521	78M	O1-C1-O2-C17
4	A	510	78M	C2-C1-O2-C17
4	A	507	78M	O19-C18-C20-O21
4	A	521	78M	O19-C18-C20-O21
4	A	507	78M	C1-C2-C3-C4
4	A	512	78M	C1-C2-C3-C4
4	A	515	78M	C1-C2-C3-C4
4	A	518	78M	C1-C2-C3-C4
4	A	520	78M	C1-C2-C3-C4
4	A	522	78M	C1-C2-C3-C4
4	A	514	78M	C2-C1-O2-C17
4	A	524	78M	O1-C1-O2-C17
4	A	511	78M	C4-C5-C6-C7
4	A	508	78M	O2-C17-C18-O19
4	A	503	78M	C2-C1-O2-C17
4	A	518	78M	C11-C12-C13-C14
4	A	524	78M	C11-C12-C13-C14
4	A	521	78M	C10-C11-C12-C13
4	A	510	78M	O1-C1-O2-C17
4	A	506	78M	O2-C17-C18-C20
4	A	515	78M	C2-C3-C4-C5
4	A	514	78M	O1-C1-O2-C17
4	A	504	78M	C11-C12-C13-C14
4	A	515	78M	C10-C11-C12-C13
4	A	518	78M	C3-C4-C5-C6
4	A	504	78M	C9-C10-C11-C12
4	A	518	78M	C2-C3-C4-C5
4	A	505	78M	C17-C18-C20-O21
4	A	507	78M	C17-C18-C20-O21
4	A	508	78M	C17-C18-C20-O21
4	A	524	78M	C17-C18-C20-O21
4	A	509	78M	C11-C10-C9-C8
4	A	521	78M	C4-C5-C6-C7
4	A	511	78M	C11-C12-C13-C14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	519	78M	C10-C11-C12-C13
4	A	514	78M	C9-C10-C11-C12
4	A	515	78M	C9-C10-C11-C12
4	A	512	78M	C2-C3-C4-C5
4	A	508	78M	C3-C4-C5-C6
4	A	509	78M	C3-C4-C5-C6
4	A	510	78M	O19-C18-C20-O21
4	A	515	78M	O19-C18-C20-O21
4	A	523	78M	O19-C18-C20-O21
4	A	512	78M	C4-C5-C6-C7
4	A	518	78M	C4-C5-C6-C7
4	A	517	78M	C9-C10-C11-C12
4	A	522	78M	C11-C12-C13-C14
4	A	503	78M	O1-C1-O2-C17
4	A	517	78M	C11-C12-C13-C14
4	A	521	78M	C11-C12-C13-C14
4	A	523	78M	C4-C5-C6-C7
4	A	520	78M	C2-C3-C4-C5
4	A	520	78M	C3-C4-C5-C6
4	A	521	78M	C1-C2-C3-C4
4	A	504	78M	O2-C17-C18-C20
4	A	514	78M	O2-C17-C18-C20
4	A	523	78M	C2-C3-C4-C5
4	A	509	78M	C2-C3-C4-C5
4	A	520	78M	C11-C10-C9-C8
4	A	507	78M	C10-C11-C12-C13
4	A	520	78M	C10-C11-C12-C13
4	A	521	78M	C3-C4-C5-C6
4	A	511	78M	C10-C11-C12-C13
4	A	506	78M	C9-C10-C11-C12
4	A	512	78M	C3-C4-C5-C6
4	A	512	78M	C12-C13-C14-C15
4	A	505	78M	C12-C13-C14-C15
4	A	513	78M	O19-C18-C20-O21
4	A	519	78M	O19-C18-C20-O21
4	A	514	78M	C4-C5-C6-C7
4	A	517	78M	C4-C5-C6-C7
4	A	518	78M	C11-C10-C9-C8
4	A	520	78M	C4-C5-C6-C7
4	A	504	78M	O2-C17-C18-O19
4	A	504	78M	C2-C1-O2-C17
4	A	507	78M	C9-C10-C11-C12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	511	78M	C12-C13-C14-C15
4	A	522	78M	C12-C13-C14-C15
4	A	517	78M	C10-C11-C12-C13
4	A	514	78M	C3-C4-C5-C6
4	A	513	78M	C3-C4-C5-C6
4	A	519	78M	C2-C3-C4-C5
4	A	511	78M	C9-C10-C11-C12
4	A	523	78M	C1-C2-C3-C4
4	A	508	78M	O19-C18-C20-O21
4	A	515	78M	C4-C5-C6-C7
4	A	504	78M	O1-C1-O2-C17
4	A	515	78M	C3-C4-C5-C6
4	A	522	78M	C2-C1-O2-C17
4	A	504	78M	C11-C10-C9-C8
4	A	522	78M	C4-C5-C6-C7
4	A	514	78M	C17-C18-C20-O21
6	A	526	PE5	C4-C3-O2-C2
4	A	517	78M	O2-C17-C18-C20
6	A	526	PE5	C8-C7-O4-C6
4	A	521	78M	C2-C3-C4-C5
4	A	513	78M	C9-C10-C11-C12
4	A	522	78M	O1-C1-O2-C17
4	A	513	78M	C10-C11-C12-C13
6	A	526	PE5	C3-C4-O3-C5
4	A	514	78M	O19-C18-C20-O21
4	A	514	78M	C2-C3-C4-C5
4	A	509	78M	C9-C10-C11-C12
4	A	523	78M	C10-C11-C12-C13
4	A	507	78M	C11-C12-C13-C14
4	A	520	78M	C11-C12-C13-C14
4	A	506	78M	C10-C11-C12-C13
6	A	526	PE5	C6-C5-O3-C4
4	A	506	78M	C2-C3-C4-C5
6	A	525	PE5	C11-C12-O7-C13
4	A	519	78M	C5-C6-C7-C8
4	A	517	78M	C2-C3-C4-C5
4	A	519	78M	C3-C4-C5-C6
4	A	524	78M	C12-C13-C14-C15
4	A	508	78M	C7-C8-C9-C10
4	A	515	78M	C11-C12-C13-C14
4	A	506	78M	C11-C12-C13-C14
4	A	504	78M	C3-C4-C5-C6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
4	A	509	78M	C5-C6-C7-C8
4	A	511	78M	C5-C6-C7-C8
4	A	512	78M	C2-C1-O2-C17
4	A	511	78M	O2-C17-C18-C20
4	A	509	78M	C11-C12-C13-C14
4	A	523	78M	C5-C6-C7-C8
4	A	524	78M	C3-C4-C5-C6
4	A	524	78M	C2-C3-C4-C5
4	A	503	78M	C10-C11-C12-C13
4	A	512	78M	O1-C1-O2-C17
4	A	503	78M	C2-C3-C4-C5
4	A	505	78M	C5-C6-C7-C8
4	A	524	78M	C9-C10-C11-C12
4	A	513	78M	C11-C12-C13-C14
4	A	509	78M	C7-C8-C9-C10
4	A	506	78M	C1-C2-C3-C4
4	A	504	78M	C12-C13-C14-C15
4	A	524	78M	O19-C18-C20-O21
4	A	504	78M	C7-C8-C9-C10
4	A	513	78M	C7-C8-C9-C10
4	A	515	78M	C7-C8-C9-C10
4	A	517	78M	C5-C6-C7-C8
4	A	512	78M	C11-C10-C9-C8
4	A	522	78M	C5-C6-C7-C8
4	A	510	78M	C3-C4-C5-C6
4	A	506	78M	C11-C10-C9-C8
4	A	507	78M	C7-C8-C9-C10
4	A	520	78M	C5-C6-C7-C8
4	A	521	78M	C5-C6-C7-C8
4	A	507	78M	C5-C6-C7-C8
4	A	518	78M	C5-C6-C7-C8
4	A	511	78M	O2-C1-C2-C3
4	A	512	78M	C5-C6-C7-C8
4	A	514	78M	C5-C6-C7-C8
4	A	522	78M	C7-C8-C9-C10
4	A	503	78M	C12-C13-C14-C15
4	A	503	78M	O2-C1-C2-C3
4	A	510	78M	C9-C10-C11-C12
4	A	523	78M	C11-C10-C9-C8
4	A	507	78M	C2-C3-C4-C5
4	A	512	78M	C7-C8-C9-C10
4	A	508	78M	C11-C12-C13-C14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	508	78M	C2-C3-C4-C5
4	A	518	78M	C12-C13-C14-C15
4	A	503	78M	O1-C1-C2-C3
4	A	508	78M	O2-C1-C2-C3
4	A	511	78M	O1-C1-C2-C3
4	A	506	78M	C2-C1-O2-C17


There are no ring outliers.


19 monomers are involved in 38 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	511	78M	1	0
4	A	512	78M	3	0
4	A	503	78M	2	0
4	A	523	78M	3	0
4	A	513	78M	1	0
4	A	508	78M	3	0
4	A	506	78M	2	0
4	A	505	78M	3	0
4	A	519	78M	2	0
6	A	525	PE5	4	0
4	A	518	78M	2	0
6	A	526	PE5	2	0
4	A	522	78M	2	0
4	A	517	78M	2	0
4	A	521	78M	3	0
4	A	507	78M	1	0
4	A	520	78M	4	0
4	A	509	78M	2	0
4	A	510	78M	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient






equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	448/483 (92%)	0.18	34 (7%) <b>13</b> <b>12</b>	32, 45, 88, 120	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	276	SER	7.5
1	A	280	LEU	7.3
1	A	140	HIS	5.7
1	A	275	THR	5.6
1	A	268	MET	5.6
1	A	277	THR	5.5
1	A	285	TYR	5.0
1	A	265	PHE	4.9
1	A	266	ALA	4.7
1	A	347	LYS	4.5
1	A	267	TRP	4.4
1	A	279	HIS	4.4
1	A	284	SER	4.4
1	A	344	THR	4.4
1	A	269	ILE	4.3
1	A	349	ASN	4.0
1	A	139	GLU	3.9
1	A	281	ARG	3.9
1	A	142	ARG	3.6
1	A	345	ALA	3.4
1	A	338	PHE	3.3
1	A	341	TRP	3.2
1	A	350	GLN	3.1
1	A	278	GLU	3.0
1	A	264	TYR	2.9
1	A	50	HIS	2.9
1	A	282	VAL	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	348	LYS	2.7
1	A	141	ASP	2.5
1	A	138	ASP	2.4
1	A	200	THR	2.4
1	A	470	PHE	2.3
1	A	337	PRO	2.2
1	A	157	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	78M	A	511	22/22	0.65	0.23	41,74,80,83	0
6	PE5	A	525	8/27	0.66	0.22	61,70,76,85	0
6	PE5	A	526	11/27	0.67	0.25	57,71,75,77	0
4	78M	A	517	22/22	0.69	0.32	62,75,82,89	0
4	78M	A	522	22/22	0.69	0.38	46,58,71,71	22
4	78M	A	515	22/22	0.71	0.34	51,71,86,89	22
4	78M	A	520	22/22	0.73	0.35	62,71,79,82	22
4	78M	A	519	22/22	0.73	0.36	59,71,80,84	0
4	78M	A	521	22/22	0.77	0.26	59,70,79,80	22
4	78M	A	506	22/22	0.78	0.28	56,65,76,82	0
4	78M	A	523	22/22	0.79	0.34	54,72,81,94	0
4	78M	A	509	22/22	0.79	0.26	59,69,77,84	0
4	78M	A	514	22/22	0.79	0.31	47,61,70,77	22
4	78M	A	524	22/22	0.80	0.31	55,75,83,89	0
4	78M	A	510	22/22	0.81	0.25	64,72,81,89	0
4	78M	A	512	22/22	0.82	0.28	51,67,77,81	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	78M	A	518	22/22	0.82	0.26	61,68,75,85	0
4	78M	A	505	22/22	0.83	0.19	44,58,69,76	0
4	78M	A	504	22/22	0.84	0.22	50,62,74,78	0
4	78M	A	508	22/22	0.85	0.21	45,61,71,82	0
4	78M	A	503	22/22	0.86	0.32	52,63,74,77	0
4	78M	A	507	22/22	0.87	0.23	46,57,73,76	0
4	78M	A	513	22/22	0.88	0.24	42,56,69,71	0
3	PHE	A	502	12/12	0.92	0.27	44,53,63,67	12
5	PO4	A	516	5/5	0.93	0.23	63,71,86,90	0
2	ALA	A	501	5/6	0.95	0.22	38,40,45,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around PE5 A 525:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around PE5 A 526:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 78M A 517:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 522:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 515:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 520:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 519:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 521:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 523:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 78M A 514:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 78M A 524:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 512:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 518:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 78M A 504:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 78M A 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 78M A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 78M A 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 78M A 513:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.