



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 05:03 am BST

PDB ID : 5DA0
Title : Structure of the the SLC26 transporter SLC26Dg in complex with a nanobody
Authors : Dutzler, R.; Geertsma, E.R.; Chang, Y.; Shaik, F.R.
Deposited on : 2015-08-19
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	
2	B	124	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4412 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sulphate transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	467	3512	2302	580	610	20	0	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	500	SER	-	expression tag	UNP Q1J2S8
A	501	LEU	-	expression tag	UNP Q1J2S8
A	502	GLY	-	expression tag	UNP Q1J2S8
A	503	VAL	-	expression tag	UNP Q1J2S8
A	504	LEU	-	expression tag	UNP Q1J2S8
A	505	PRO	-	expression tag	UNP Q1J2S8

- Molecule 2 is a protein called Nanobody.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	112	834	515	147	168	4	0	0	0

- Molecule 3 is DECYL-BETA-D-MALTOPYRANOSIDE (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			33	22	11		
3	A	1	Total	C	O	0	0
			33	22	11		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sulphate transporter



- Molecule 2: Nanobody



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	127.65Å 117.28Å 84.36Å 90.00° 100.09° 90.00°	Depositor
Resolution (Å)	19.95 – 3.20 47.90 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.5 (19.95-3.20) 99.7 (47.90-3.20)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.258 , 0.308 0.286 , 0.322	Depositor DCC
R_{free} test set	982 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	114.0	Xtriage
Anisotropy	0.701	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 95.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.000 for $-1/2^*h+1/2^*k+1, 1/2^*h-1/2^*k+1, 1/2^*h+1/2^*k$ 0.001 for $-1/2^*h-1/2^*k+1, -1/2^*h-1/2^*k-1, 1/2^*h-1/2^*k$	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	4412	wwPDB-VP
Average B, all atoms (Å ²)	143.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/3582	0.43	1/4879 (0.0%)
2	B	0.25	0/849	0.46	0/1146
All	All	0.23	0/4431	0.44	1/6025 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	LEU	CB-CG-CD2	6.26	121.64	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3512	0	3670	56	1
2	B	834	0	788	23	0
3	A	66	0	84	5	0
All	All	4412	0	4542	74	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:ARG:HH12	3:A:602:DMU:H41	1.47	0.80
1:A:455:ASP:OD1	2:B:108:SER:OG	2.03	0.75
2:B:9:GLU:HA	2:B:25:CYS:HA	1.71	0.73
1:A:99:ALA:HB2	1:A:218:PRO:HG3	1.76	0.66
1:A:473:LEU:HD11	2:B:109:TRP:HH2	1.61	0.66
1:A:101:THR:HG22	1:A:280:ALA:HB2	1.78	0.66
2:B:102:GLY:HA3	2:B:112:TYR:HB3	1.79	0.64
1:A:243:LEU:HD12	1:A:259:LYS:HG2	1.83	0.60
1:A:339:THR:HA	3:A:601:DMU:H32	1.84	0.59
1:A:473:LEU:HD11	2:B:109:TRP:CH2	2.37	0.59
1:A:473:LEU:HD21	2:B:109:TRP:CZ2	2.38	0.58
1:A:316:LEU:O	1:A:320:LEU:N	2.34	0.58
1:A:218:PRO:HB2	1:A:223:THR:HG21	1.88	0.55
2:B:35:ASP:H	2:B:103:ASP:HB2	1.72	0.54
2:B:94:THR:HG23	2:B:122:THR:HA	1.88	0.54
1:A:56:ALA:HB2	1:A:279:MET:H	1.73	0.53
1:A:70:ARG:NH2	1:A:253:THR:OG1	2.41	0.53
1:A:378:ILE:HA	1:A:381:VAL:HG22	1.89	0.53
1:A:100:ALA:O	1:A:104:THR:OG1	2.18	0.53
1:A:59:ILE:HD11	1:A:272:VAL:HG22	1.91	0.52
2:B:42:GLN:NE2	2:B:46:LYS:O	2.42	0.52
2:B:25:CYS:HB2	2:B:39:TRP:CZ2	2.45	0.52
2:B:70:ARG:NH2	2:B:93:ASP:OD2	2.44	0.51
1:A:244:LEU:HD12	3:A:601:DMU:H7	1.92	0.51
1:A:365:VAL:HG21	1:A:378:ILE:HD13	1.93	0.51
2:B:36:VAL:HB	2:B:55:THR:HG22	1.93	0.50
1:A:68:GLY:O	1:A:299:ARG:NH2	2.43	0.50
2:B:101:ALA:HB3	2:B:114:TYR:HB2	1.94	0.50
1:A:46:ALA:O	1:A:89:VAL:HG21	2.12	0.50
1:A:25:VAL:HG22	1:A:304:VAL:HG21	1.94	0.49
1:A:41:ALA:O	1:A:45:ILE:HG12	2.13	0.49
1:A:39:ALA:HB3	1:A:54:LEU:HD23	1.93	0.49
1:A:393:GLN:HG3	1:A:394:LEU:H	1.78	0.49
2:B:106:ILE:HD11	2:B:112:TYR:HB2	1.96	0.48
1:A:150:ALA:HB1	1:A:155:TYR:HE1	1.80	0.47
2:B:106:ILE:CG1	2:B:112:TYR:HB2	2.44	0.47
1:A:369:THR:HG21	1:A:374:LEU:HD12	1.97	0.46
2:B:46:LYS:HD3	2:B:47:GLU:N	2.31	0.46
1:A:214:PHE:O	1:A:216:GLN:N	2.48	0.46
1:A:59:ILE:HD13	1:A:273:THR:HA	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:PRO:HD2	1:A:203:GLY:HA3	1.97	0.45
1:A:109:VAL:HG13	1:A:267:GLY:HA3	1.99	0.45
1:A:326:ALA:O	1:A:329:VAL:HG12	2.15	0.45
1:A:31:VAL:O	1:A:35:LEU:HB2	2.17	0.45
1:A:462:MET:O	2:B:57:SER:OG	2.32	0.45
1:A:378:ILE:HG13	1:A:379:GLY:N	2.31	0.44
1:A:424:LEU:HD23	1:A:457:VAL:HG22	1.98	0.44
1:A:105:GLY:HA3	1:A:271:ILE:HG13	1.98	0.44
1:A:245:THR:O	1:A:249:ILE:HG12	2.18	0.44
2:B:106:ILE:HB	2:B:109:TRP:O	2.17	0.44
2:B:25:CYS:O	2:B:81:THR:HA	2.18	0.44
2:B:39:TRP:HE1	2:B:82:VAL:HG12	1.83	0.44
1:A:35:LEU:HB3	1:A:309:LEU:HD13	2.00	0.44
1:A:456:LYS:HB2	1:A:456:LYS:HE3	1.85	0.43
2:B:102:GLY:CA	2:B:112:TYR:HB3	2.45	0.43
1:A:250:ASP:OD2	1:A:259:LYS:NZ	2.48	0.43
1:A:416:PHE:HB3	1:A:446:TRP:HB2	2.00	0.43
1:A:60:ILE:HD13	1:A:269:ALA:HB1	2.00	0.43
1:A:201:ASP:N	1:A:201:ASP:OD1	2.51	0.43
1:A:175:MET:HA	1:A:176:PRO:HD3	1.88	0.43
1:A:168:LEU:N	1:A:169:PRO:HD2	2.34	0.43
1:A:131:PHE:CG	3:A:601:DMU:H16	2.54	0.43
1:A:397:VAL:HG12	1:A:411:VAL:HG22	2.00	0.42
1:A:97:LEU:HD21	1:A:279:MET:HA	2.01	0.42
1:A:329:VAL:O	1:A:333:MET:HB2	2.20	0.42
1:A:306:GLY:O	1:A:309:LEU:HB3	2.19	0.42
2:B:16:GLN:HB3	2:B:17:ALA:H	1.76	0.41
2:B:105:ALA:C	2:B:106:ILE:HG13	2.41	0.41
1:A:339:THR:HG23	3:A:601:DMU:H36	2.01	0.41
1:A:14:GLN:N	1:A:14:GLN:OE1	2.54	0.41
1:A:223:THR:O	1:A:226:ILE:HG22	2.21	0.41
1:A:97:LEU:O	1:A:101:THR:HG23	2.22	0.40
1:A:226:ILE:HA	1:A:226:ILE:HD12	1.94	0.40
1:A:55:TYR:CD1	1:A:210:PRO:HG3	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:LEU:CG	1:A:219:LEU:CD2[2_657]	1.54	0.66

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/505 (92%)	433 (94%)	29 (6%)	1 (0%)	47	79
2	B	108/124 (87%)	93 (86%)	15 (14%)	0	100	100
All	All	571/629 (91%)	526 (92%)	44 (8%)	1 (0%)	47	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	215	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/405 (92%)	368 (99%)	4 (1%)	73	88
2	B	85/96 (88%)	85 (100%)	0	100	100
All	All	457/501 (91%)	453 (99%)	4 (1%)	78	91

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	GLN
1	A	125	ARG
1	A	221	PHE
1	A	346	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DMU	A	602	-	34,34,34	1.96	10 (29%)	45,45,45	1.08	3 (6%)
3	DMU	A	601	-	34,34,34	1.96	10 (29%)	45,45,45	0.92	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DMU	A	602	-	-	12/19/59/59	0/2/2/2
3	DMU	A	601	-	-	11/19/59/59	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	DMU	O1-C9	4.03	1.54	1.44
3	A	601	DMU	O1-C9	3.95	1.53	1.44
3	A	602	DMU	O7-C3	3.91	1.54	1.43
3	A	601	DMU	O7-C3	3.87	1.53	1.43
3	A	601	DMU	O16-C6	-3.86	1.33	1.40
3	A	601	DMU	O5-C6	3.82	1.51	1.41
3	A	602	DMU	O5-C6	3.75	1.51	1.41
3	A	602	DMU	O16-C6	-3.73	1.33	1.40
3	A	602	DMU	C11-C9	-3.66	1.39	1.51
3	A	601	DMU	C11-C9	-3.59	1.39	1.51
3	A	601	DMU	O4-C7	3.37	1.50	1.43
3	A	602	DMU	O4-C7	3.32	1.50	1.43
3	A	602	DMU	C7-C5	-2.79	1.45	1.52
3	A	601	DMU	C7-C5	-2.70	1.45	1.52
3	A	601	DMU	C2-C3	-2.68	1.45	1.52
3	A	602	DMU	C2-C3	-2.57	1.45	1.52
3	A	601	DMU	O3-C5	2.18	1.48	1.43
3	A	602	DMU	C8-C7	-2.16	1.46	1.52
3	A	602	DMU	O3-C5	2.15	1.48	1.43
3	A	601	DMU	O5-C4	2.07	1.49	1.44

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	DMU	C10-O7-C3	-2.55	111.66	117.96
3	A	602	DMU	C1-C2-C3	2.48	115.34	109.68
3	A	601	DMU	C10-O7-C3	-2.47	111.86	117.96
3	A	602	DMU	C11-C9-C8	-2.01	108.30	113.00

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	DMU	C1-C6-O16-C18
3	A	602	DMU	O5-C6-O16-C18
3	A	602	DMU	O5-C4-C57-O61
3	A	601	DMU	O6-C11-C9-O1
3	A	602	DMU	C3-C4-C57-O61
3	A	602	DMU	C2-C3-O7-C10
3	A	601	DMU	O6-C11-C9-C8
3	A	602	DMU	O6-C11-C9-O1
3	A	602	DMU	O6-C11-C9-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	601	DMU	O5-C4-C57-O61
3	A	601	DMU	C19-C18-O16-C6
3	A	601	DMU	C18-C19-C22-C25
3	A	602	DMU	C19-C22-C25-C28
3	A	602	DMU	C22-C25-C28-C31
3	A	602	DMU	C4-C3-O7-C10
3	A	602	DMU	O16-C18-C19-C22
3	A	601	DMU	C28-C31-C34-C37
3	A	601	DMU	C19-C22-C25-C28
3	A	601	DMU	C5-C10-O7-C3
3	A	601	DMU	O1-C10-O7-C3
3	A	601	DMU	C25-C28-C31-C34
3	A	601	DMU	C3-C4-C57-O61
3	A	602	DMU	C18-C19-C22-C25


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	DMU	1	0
3	A	601	DMU	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	467/505 (92%)	0.47	42 (8%) 9 5	97, 128, 170, 211	0
2	B	112/124 (90%)	1.06	27 (24%) 0 0	126, 181, 244, 266	0
All	All	579/629 (92%)	0.59	69 (11%) 4 2	97, 134, 211, 266	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	109	TRP	6.2
2	B	107	THR	5.5
2	B	14	LEU	5.5
2	B	119	THR	5.4
2	B	97	TYR	5.3
2	B	98	TYR	5.2
1	A	472	GLY	5.2
2	B	118	GLY	5.2
2	B	120	GLN	5.2
2	B	39	TRP	5.1
1	A	176	PRO	5.0
1	A	175	MET	5.0
2	B	110	TYR	4.9
2	B	12	GLY	4.6
1	A	469	GLU	4.3
2	B	108	SER	4.3
1	A	353	LYS	4.2
2	B	13	GLY	4.1
2	B	96	VAL	3.9
1	A	326	ALA	3.8
2	B	21	LEU	3.7
2	B	115	TRP	3.6
2	B	62	TYR	3.6
2	B	11	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	333	MET	3.4
1	A	462	MET	3.4
2	B	104	THR	3.3
1	A	49	ASP	3.2
1	A	399	PRO	3.2
1	A	178	ALA	3.0
1	A	18	PHE	3.0
1	A	400	VAL	2.9
1	A	162	LEU	2.8
2	B	116	GLY	2.8
1	A	459	LEU	2.8
2	B	121	VAL	2.8
1	A	346	ARG	2.8
1	A	33	LEU	2.8
1	A	47	GLY	2.8
1	A	303	PHE	2.6
1	A	174	ALA	2.6
1	A	179	LEU	2.6
1	A	90	LYS	2.6
2	B	61	SER	2.5
2	B	106	ILE	2.5
1	A	113	TRP	2.5
1	A	147	PHE	2.5
1	A	381	VAL	2.5
2	B	23	LEU	2.4
1	A	468	VAL	2.4
1	A	22	ARG	2.3
1	A	91	ASP	2.3
1	A	218	PRO	2.3
1	A	455	ASP	2.3
2	B	40	PHE	2.3
1	A	351	PHE	2.3
1	A	458	MET	2.2
1	A	158	VAL	2.2
2	B	77	ASN	2.2
1	A	160	ALA	2.2
1	A	182	ILE	2.1
1	A	308	PHE	2.1
1	A	177	SER	2.1
2	B	117	GLN	2.1
1	A	140	PHE	2.0
1	A	48	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	163	ALA	2.0
1	A	319	LEU	2.0
1	A	438	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DMU	A	602	33/33	0.78	0.35	108,142,161,164	0
3	DMU	A	601	33/33	0.84	0.39	107,125,143,151	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DMU A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.