



Full wwPDB EM Validation Report ⓘ

Nov 29, 2022 – 03:55 PM EST

PDB ID : 8DCP
EMDB ID : EMD-27327
Title : PI 3-kinase alpha with nanobody 3-126
Authors : Hart, J.R.; Liu, X.; Pan, C.; Liang, A.; Ueno, L.; Xu, Y.; Quezada, A.; Zou, X.; Yang, S.; Zhou, Q.; Schoonoghe, S.; Hassanzadeh-Ghassabeh, G.; Xia, T.; Shui, W.; Yang, D.; Vogt, P.K.; Wang, M.-W.
Deposited on : 2022-06-17
Resolution : 2.41 Å (reported)
Based on initial model : 7MYN

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1096	 73% 18% 8%
2	B	723	 27% 10% 62%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1005	8233	5260	1415	1491	67	1	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-27	MET	-	expression tag	UNP P42336
A	-26	SER	-	expression tag	UNP P42336
A	-25	TYR	-	expression tag	UNP P42336
A	-24	TYR	-	expression tag	UNP P42336
A	-23	HIS	-	expression tag	UNP P42336
A	-22	HIS	-	expression tag	UNP P42336
A	-21	HIS	-	expression tag	UNP P42336
A	-20	HIS	-	expression tag	UNP P42336
A	-19	HIS	-	expression tag	UNP P42336
A	-18	HIS	-	expression tag	UNP P42336
A	-17	ASP	-	expression tag	UNP P42336
A	-16	TYR	-	expression tag	UNP P42336
A	-15	ASP	-	expression tag	UNP P42336
A	-14	ILE	-	expression tag	UNP P42336
A	-13	PRO	-	expression tag	UNP P42336
A	-12	THR	-	expression tag	UNP P42336
A	-11	THR	-	expression tag	UNP P42336
A	-10	GLU	-	expression tag	UNP P42336
A	-9	ASN	-	expression tag	UNP P42336
A	-8	LEU	-	expression tag	UNP P42336
A	-7	TYR	-	expression tag	UNP P42336
A	-6	PHE	-	expression tag	UNP P42336
A	-5	GLN	-	expression tag	UNP P42336
A	-4	GLY	-	expression tag	UNP P42336
A	-3	ALA	-	expression tag	UNP P42336
A	-2	MET	-	expression tag	UNP P42336
A	-1	GLY	-	expression tag	UNP P42336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP P42336

- Molecule 2 is a protein called Phosphatidylinositol 3-kinase regulatory subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	276	2341	1464	420	449	8	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	2	MET	-	initiating methionine	UNP P27986

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		AltConf
			Total	O	
3	A	20	20	20	0
3	B	1	1	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform

Chain A:



- Molecule 2: Phosphatidylinositol 3-kinase regulatory subunit alpha

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	506412	Depositor
Resolution determination method	DIFFRACTION PATTERN/LAYERLINES	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	18.853	Depositor
Minimum map value	-9.282	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	1.0	Depositor
Map size (\AA)	107.00001, 133.75, 117.700005	wwPDB
Map dimensions	220, 250, 200	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.535, 0.535, 0.535	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/8412	0.51	0/11358
2	B	0.26	0/2380	0.53	1/3187 (0.0%)
All	All	0.26	0/10792	0.51	1/14545 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	322	MET	CA-CB-CG	5.22	122.17	113.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8233	0	8257	112	0
2	B	2341	0	2312	47	0
3	A	20	0	0	0	0
3	B	1	0	0	0	0
All	All	10595	0	10569	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:319:ASN:HD22	2:B:319:ASN:N	1.54	1.04
2:B:473:THR:HG23	2:B:552:GLN:HE21	1.46	0.81
1:A:26:LEU:HB2	1:A:30:MET:HB3	1.68	0.76
2:B:319:ASN:N	2:B:319:ASN:ND2	2.29	0.74
1:A:542:GLU:HG3	2:B:340:ARG:HH11	1.53	0.73
2:B:458:GLU:HA	2:B:461:ARG:HE	1.59	0.66
2:B:321:GLY:O	2:B:323:ASN:ND2	2.26	0.66
2:B:362:THR:OG1	2:B:364:MET:SD	2.51	0.66
2:B:491:ILE:HD13	2:B:539:ILE:HG12	1.77	0.66
2:B:374:LYS:HE2	2:B:420:LEU:HD23	1.82	0.62
1:A:433:THR:O	1:A:485:LYS:NZ	2.33	0.61
1:A:723:LYS:O	1:A:731:GLN:NE2	2.34	0.61
1:A:427:ILE:HD11	1:A:443:LEU:HD22	1.82	0.61
1:A:883:ASP:O	1:A:886:LYS:NZ	2.35	0.60
1:A:398:ARG:NH2	1:A:434:ASP:OD1	2.30	0.60
1:A:177:LEU:HD22	1:A:181:ILE:HD11	1.84	0.59
1:A:596:GLU:HG3	1:A:997:LEU:HD13	1.84	0.59
1:A:703:ASN:O	1:A:707:GLU:HG3	2.03	0.59
1:A:592:PRO:HB2	1:A:622:TYR:HE2	1.67	0.58
1:A:884:LYS:NZ	1:A:925:ASP:OD2	2.25	0.58
1:A:172:GLU:HG3	1:A:271:LYS:HZ2	1.67	0.58
1:A:132:LYS:HA	1:A:132:LYS:HE2	1.84	0.58
2:B:469:GLU:OE1	2:B:472:ARG:NH1	2.37	0.58
2:B:330:ASP:N	2:B:330:ASP:OD1	2.37	0.57
1:A:42:LEU:HD23	1:A:70:PHE:HD2	1.70	0.57
2:B:510:GLU:HA	2:B:513:LYS:HD2	1.87	0.57
1:A:162:ARG:NH1	1:A:298:PRO:O	2.38	0.57
1:A:728:GLN:NE2	1:A:771:ILE:O	2.38	0.56
1:A:788:ILE:HG23	1:A:789:MET:HG3	1.87	0.56
1:A:31:ILE:O	2:B:527:ASN:ND2	2.35	0.56
2:B:328:LEU:HD21	2:B:401:VAL:HG22	1.88	0.56
1:A:421:PRO:HD3	1:A:455:LEU:HD23	1.87	0.56
1:A:216:VAL:HG11	1:A:264:LYS:HG3	1.87	0.56
1:A:782:ASN:ND2	1:A:796:ASN:OD1	2.30	0.55
1:A:958:GLN:O	1:A:962:ILE:HG13	2.06	0.55
1:A:344:VAL:HG23	1:A:346:VAL:HG22	1.89	0.55
1:A:980:PHE:HA	1:A:983:MET:HE2	1.89	0.55
1:A:780:TRP:NE1	1:A:798:GLU:OE1	2.38	0.55
1:A:194:ILE:HD12	1:A:285:LEU:HB2	1.89	0.54
1:A:121:ILE:CD1	1:A:688:LEU:HB3	2.38	0.54
1:A:305:PRO:HG3	1:A:693:ARG:HD3	1.90	0.54
1:A:337:LYS:HB3	1:A:476:GLU:HB3	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:ASN:O	2:B:564:ASN:ND2	2.32	0.53
2:B:472:ARG:O	2:B:476:GLU:HG3	2.08	0.53
1:A:866:LEU:HD23	1:A:870:LEU:HD13	1.91	0.52
2:B:551:LYS:O	2:B:555:GLU:HG3	2.10	0.52
2:B:466:LEU:HD11	2:B:562:ARG:HH12	1.74	0.52
1:A:435:THR:OG1	1:A:485:LYS:NZ	2.37	0.52
1:A:258:ASP:OD2	1:A:760:GLN:NE2	2.33	0.52
1:A:48:GLU:HA	1:A:51:LYS:HB2	1.92	0.51
1:A:921:ILE:HD11	1:A:929:LEU:HD11	1.92	0.51
1:A:190:ILE:HD12	1:A:213:HIS:HA	1.91	0.51
1:A:532:LYS:O	1:A:536:THR:HG23	2.11	0.51
1:A:548:LYS:HD2	1:A:571:SER:HA	1.93	0.51
1:A:45:ILE:O	1:A:49:LEU:HB2	2.11	0.50
1:A:767:GLU:HG2	1:A:768:GLU:HG2	1.93	0.50
1:A:55:LYS:O	2:B:523:ARG:NH2	2.44	0.50
1:A:79:ARG:HE	2:B:493:ILE:HD11	1.78	0.49
1:A:57:PRO:HG3	2:B:523:ARG:HE	1.77	0.49
1:A:1018:ASP:OD2	1:A:1018:ASP:N	2.45	0.49
1:A:1036:LEU:O	1:A:1040:MET:HG3	2.12	0.49
1:A:866:LEU:HD13	1:A:872:PHE:HA	1.95	0.48
1:A:542:GLU:HG3	2:B:340:ARG:NH1	2.24	0.48
2:B:528:TYR:OH	2:B:532:LYS:NZ	2.45	0.48
2:B:372:LEU:HD12	2:B:373:ARG:N	2.28	0.48
1:A:29:GLY:HA3	2:B:501:GLN:HG2	1.95	0.48
1:A:57:PRO:HB3	2:B:524:ILE:HG12	1.93	0.48
1:A:181:ILE:HG21	1:A:278:MET:SD	2.54	0.48
2:B:480:LYS:HG2	2:B:545:LEU:HD21	1.96	0.47
1:A:328:TRP:HA	1:A:394:PRO:HB3	1.95	0.47
1:A:200:PRO:HD2	1:A:203:ASP:HB2	1.96	0.47
1:A:148:LYS:HE2	1:A:304:MET:HE3	1.97	0.47
1:A:735:LEU:HD22	1:A:771:ILE:HG13	1.97	0.47
1:A:791:GLU:HG2	1:A:792:LEU:HD22	1.97	0.47
1:A:950:GLU:HB3	1:A:1024:LYS:NZ	2.29	0.47
1:A:61:LEU:HD22	2:B:508:TYR:HE2	1.80	0.47
1:A:145:ASN:O	1:A:149:GLU:HG2	2.15	0.47
1:A:1000:ASN:O	1:A:1004:MET:HG3	2.15	0.47
2:B:343:VAL:HG22	2:B:356:LEU:HD11	1.98	0.46
1:A:375:ARG:HD3	1:A:409:VAL:HG11	1.97	0.46
1:A:273:ILE:O	1:A:277:ILE:HG12	2.16	0.46
1:A:185:LEU:HD21	1:A:277:ILE:HD12	1.96	0.46
1:A:871:GLN:HG2	1:A:873:ASN:H	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:816:ILE:HG21	1:A:911:LEU:HD21	1.98	0.45
2:B:382:LYS:HD3	2:B:384:PHE:CE1	2.51	0.45
1:A:733:LYS:HB2	1:A:733:LYS:HE2	1.73	0.45
2:B:517:ASN:HB3	2:B:520:GLU:HG2	1.98	0.45
1:A:72:SER:OG	1:A:73:VAL:N	2.50	0.45
1:A:734:PHE:O	1:A:738:GLN:HG2	2.17	0.45
1:A:765:ARG:HD2	1:A:784:GLU:HG3	1.99	0.45
2:B:425:LEU:HB3	2:B:426:TYR:CD1	2.52	0.45
1:A:956:LEU:HD12	1:A:1047:HIS:HE1	1.82	0.45
1:A:468:LYS:HA	1:A:468:LYS:HD3	1.74	0.45
1:A:227:LYS:HG2	1:A:230:ARG:HH22	1.82	0.44
1:A:559:VAL:HG12	1:A:591:PRO:HD3	1.99	0.44
2:B:371:THR:HG23	2:B:380:LEU:HD12	1.97	0.44
2:B:532:LYS:HA	2:B:532:LYS:HD2	1.72	0.44
1:A:532:LYS:HB3	1:A:532:LYS:HE3	1.71	0.44
1:A:948:LYS:HD3	1:A:948:LYS:HA	1.85	0.44
1:A:779:LEU:HD23	1:A:779:LEU:HA	1.82	0.44
1:A:48:GLU:OE2	1:A:51:LYS:NZ	2.43	0.44
1:A:190:ILE:HG22	1:A:192:VAL:HG13	2.00	0.43
1:A:233:LEU:HD23	1:A:233:LEU:HA	1.89	0.43
1:A:286:MET:HB3	1:A:286:MET:HE2	1.92	0.43
1:A:627:LYS:HD3	1:A:627:LYS:HA	1.63	0.43
1:A:881:LEU:HD23	1:A:881:LEU:HA	1.82	0.43
1:A:975:ARG:H	1:A:975:ARG:HG2	1.59	0.43
2:B:413:LEU:HD23	2:B:413:LEU:HA	1.84	0.43
1:A:542:GLU:HG2	2:B:380:LEU:HD23	2.01	0.43
2:B:323:ASN:HD21	2:B:325:ASN:HB2	1.83	0.43
1:A:46:LYS:HB2	1:A:46:LYS:HE3	1.66	0.43
2:B:323:ASN:ND2	2:B:325:ASN:HB2	2.34	0.43
2:B:335:TRP:CZ3	2:B:346:LYS:HE2	2.54	0.43
1:A:68:TYR:HB3	1:A:101:VAL:HG13	2.00	0.42
1:A:910:ILE:O	1:A:1025:THR:HG21	2.18	0.42
1:A:502:ARG:NH1	1:A:503:GLU:OE2	2.52	0.42
1:A:121:ILE:HD12	1:A:688:LEU:HB3	2.02	0.42
2:B:487:PHE:O	2:B:491:ILE:HG13	2.20	0.42
1:A:164:MET:SD	1:A:263:GLU:HG2	2.60	0.42
1:A:942:LYS:H	1:A:942:LYS:HG2	1.54	0.42
1:A:115:ARG:HE	1:A:115:ARG:HB3	1.64	0.42
2:B:459:LYS:NZ	2:B:569:ASP:OD1	2.39	0.42
1:A:870:LEU:HD23	1:A:870:LEU:HA	1.92	0.41
1:A:941:LYS:HG3	1:A:942:LYS:HE2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:LEU:HA	1:A:298:PRO:HD3	1.89	0.41
1:A:956:LEU:H	1:A:1047:HIS:CE1	2.38	0.41
1:A:350:ASP:OD2	2:B:565:SER:OG	2.30	0.41
1:A:807:LEU:HD12	1:A:846:GLY:HA3	2.02	0.41
1:A:62:LEU:HD12	1:A:62:LEU:HA	1.87	0.41
1:A:93:ARG:NH2	1:A:119:PHE:HD1	2.17	0.41
2:B:335:TRP:CH2	2:B:346:LYS:HE2	2.56	0.41
1:A:207:TYR:OH	1:A:232:MET:SD	2.79	0.41
1:A:941:LYS:H	1:A:941:LYS:HG2	1.52	0.41
1:A:360:ILE:HG22	1:A:367:LEU:HD12	2.03	0.41
1:A:291:GLU:H	1:A:291:GLU:HG3	1.67	0.41
1:A:764:LEU:HD23	1:A:764:LEU:HA	1.96	0.41
2:B:577:ARG:NH1	2:B:578:ASP:OD1	2.54	0.41
2:B:487:PHE:HB3	2:B:542:ARG:HG3	2.02	0.41
1:A:136:VAL:HG13	1:A:686:LEU:HD11	2.04	0.40
1:A:251:ILE:HG23	1:A:290:LYS:HG3	2.02	0.40
1:A:107:ASN:O	1:A:111:LYS:HG3	2.22	0.40
2:B:451:GLU:O	2:B:455:GLN:HG2	2.22	0.40
2:B:453:ASN:O	2:B:457:GLN:HG2	2.21	0.40
1:A:941:LYS:HE2	1:A:941:LYS:HB3	1.63	0.40
1:A:1005:MET:HB2	1:A:1013:LEU:HD23	2.03	0.40
1:A:724:LYS:HE2	1:A:724:LYS:HB2	1.83	0.40
1:A:941:LYS:HB2	1:A:942:LYS:HZ1	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	996/1096 (91%)	952 (96%)	44 (4%)	0	100	100
2	B	272/723 (38%)	262 (96%)	10 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1268/1819 (70%)	1214 (96%)	54 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	921/999 (92%)	866 (94%)	55 (6%)	19	30
2	B	256/653 (39%)	232 (91%)	24 (9%)	8	12
All	All	1177/1652 (71%)	1098 (93%)	79 (7%)	20	25

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LEU
1	A	33	THR
1	A	38	ARG
1	A	54	ARG
1	A	59	HIS
1	A	79	ARG
1	A	109	GLU
1	A	115	ARG
1	A	123	MET
1	A	125	VAL
1	A	138	ASP
1	A	162	ARG
1	A	204	LYS
1	A	228	LYS
1	A	244	LEU
1	A	250	TYR
1	A	278	MET
1	A	309	ARG
1	A	420	CYS
1	A	490	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	527	ASP
1	A	538	ASP
1	A	553	SER
1	A	559	VAL
1	A	572	VAL
1	A	573	LYS
1	A	578	ASP
1	A	596	GLU
1	A	621	LYS
1	A	629	SER
1	A	650	VAL
1	A	681	SER
1	A	697	MET
1	A	720	LYS
1	A	732	MET
1	A	733	LYS
1	A	741	ARG
1	A	770	ARG
1	A	777	ARG
1	A	782	ASN
1	A	789	MET
1	A	827	GLN
1	A	884	LYS
1	A	937	PHE
1	A	941	LYS
1	A	942	LYS
1	A	947	TYR
1	A	959	ASP
1	A	970	GLU
1	A	972	THR
1	A	973	LYS
1	A	1017	ASP
1	A	1018	ASP
1	A	1024	LYS
1	A	1053	THR
2	B	319	ASN
2	B	322	MET
2	B	330	ASP
2	B	348	ARG
2	B	352	ASP
2	B	393	SER
2	B	404	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	416	TYR
2	B	425	LEU
2	B	430	LYS
2	B	432	GLN
2	B	449	LEU
2	B	459	LYS
2	B	460	SER
2	B	461	ARG
2	B	466	LEU
2	B	474	SER
2	B	503	ARG
2	B	523	ARG
2	B	524	ILE
2	B	529	ASP
2	B	533	SER
2	B	567	LYS
2	B	578	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1047	HIS
2	B	552	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27327. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100




Y Index: 125




Z Index: 110


6.2.2 Raw map



X Index: 110



Y Index: 125




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 102




Y Index: 101




Z Index: 86


6.3.2 Raw map



X Index: 86



Y Index: 101




Z Index: 102

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.5.1 emd_27327_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 62 nm³; this corresponds to an approximate mass of 56 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.415 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	-	-	-
Author-provided FSC curve	2.38	2.74	2.42
Unmasked-calculated*	1.95	2.40	2.00

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-27327 and PDB model 8DCP. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.0).


9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (1.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8653	 0.5840
A	 0.8875	 0.6080
B	 0.7923	 0.5020

