



# Full wwPDB X-ray Structure Validation Report i

Aug 22, 2023 – 05:30 PM EDT

PDB ID : 3DH3  
Title : Crystal Structure of RluF in complex with a 22 nucleotide RNA substrate  
Authors : Alian, A.; DeGiovanni, A.; Stroud, R.M.; Finer-Moore, J.S.  
Deposited on : 2008-06-16  
Resolution : 3.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)
RNA backbone	3102	1173 (3.30-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



## 2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 9550 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal large subunit pseudouridine synthase F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	0	0
		1902	1194	340	362	6				
1	B	241	Total	C	N	O	S	0	0	0
		1909	1199	341	363	6				
1	C	239	Total	C	N	O	S	0	0	0
		1895	1189	339	361	6				
1	D	239	Total	C	N	O	S	0	0	0
		1895	1189	339	361	6				

- Molecule 2 is a RNA chain called stem loop fragment of E. Coli 23S RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	22	Total	C	F	N	O	P	0	0
		475	212	1	90	151	21			
2	F	22	Total	C	F	N	O	P	0	0
		475	212	1	90	151	21			
2	G	22	Total	C	F	N	O	P	0	0
		475	212	1	90	151	21			
2	H	22	Total	C	F	N	O	P	0	0
		475	212	1	90	151	21			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	12	Total	O	0	0
		12	12			
3	E	5	Total	O	0	0
		5	5			
3	B	9	Total	O	0	0
		9	9			
3	F	1	Total	O	0	0
		1	1			

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	15	Total O 15 15	0	0
3	G	3	Total O 3 3	0	0
3	D	3	Total O 3 3	0	0
3	H	1	Total O 1 1	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribosomal large subunit pseudouridine synthase F







- Molecule 1: Ribosomal large subunit pseudouridine synthase F



- Molecule 1: Ribosomal large subunit pseudouridine synthase F





- Molecule 2: stem loop fragment of E. Coli 23S RNA



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.55Å 84.13Å 91.35Å 90.00° 94.87° 90.00°	Depositor
Resolution (Å)	49.51 – 3.00 49.48 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.7 (49.51-3.00) 98.7 (49.48-3.00)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.98 (at 3.01Å)	Xtriage
Refinement program	REFMAC, ELVES	Depositor
$R$ , $R_{free}$	0.231 , 0.279 0.237 , 0.286	Depositor DCC
$R_{free}$ test set	1355 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.3	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	9550	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FHU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.65	0/1928	0.76	1/2596 (0.0%)
1	B	0.66	0/1936	0.76	0/2607
1	C	0.66	0/1921	0.73	0/2586
1	D	0.63	0/1921	0.76	1/2586 (0.0%)
2	E	1.33	0/508	2.43	34/792 (4.3%)
2	F	1.38	0/508	2.41	34/792 (4.3%)
2	G	1.58	3/508 (0.6%)	2.64	45/792 (5.7%)
2	H	1.28	0/508	2.37	37/792 (4.7%)
All	All	0.86	3/9738 (0.0%)	1.36	152/13543 (1.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	2597	G	N9-C4	-10.44	1.29	1.38
2	G	2597	G	N3-C4	-7.42	1.30	1.35
2	G	2597	G	C5-C4	-5.26	1.34	1.38

All (152) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	2597	G	C4'-C3'-C2'	-17.21	85.39	102.60
2	G	2597	G	N3-C4-N9	-16.07	116.36	126.00
2	F	2597	G	C4'-C3'-C2'	-14.02	88.58	102.60
2	G	2597	G	N3-C4-C5	13.58	135.39	128.60
2	H	2597	G	N3-C4-N9	-13.21	118.07	126.00
2	G	2597	G	C1'-O4'-C4'	-13.05	99.46	109.90
2	E	2597	G	C4'-C3'-C2'	-12.77	89.83	102.60
2	G	2604	FHU	P-O3'-C3'	10.98	132.88	119.70
2	G	2597	G	C2-N3-C4	-10.31	106.74	111.90
2	G	2597	G	C8-N9-C1'	10.28	140.36	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	2597	G	N3-C4-C5	10.18	133.69	128.60
2	H	2604	FHU	OP2-P-O3'	-10.16	82.86	105.20
2	F	2587	A	N9-C1'-C2'	10.01	127.01	114.00
2	H	2604	FHU	OP1-P-O3'	9.93	127.05	105.20
2	F	2588	G	O4'-C1'-N9	9.76	116.01	108.20
2	E	2597	G	N3-C4-N9	-9.64	120.22	126.00
2	F	2597	G	N3-C4-N9	-9.57	120.26	126.00
2	G	2597	G	C4-N9-C1'	-9.47	114.19	126.50
2	F	2587	A	O4'-C1'-N9	-9.41	100.67	108.20
2	G	2588	G	C4'-C3'-C2'	-9.41	93.19	102.60
2	E	2587	A	P-O3'-C3'	9.28	130.84	119.70
2	G	2588	G	O4'-C1'-N9	8.99	115.39	108.20
2	G	2597	G	P-O3'-C3'	8.82	130.28	119.70
2	H	2597	G	C8-N9-C1'	8.80	138.44	127.00
2	F	2597	G	C8-N9-C1'	8.78	138.42	127.00
2	G	2604	FHU	OP2-P-O3'	-8.64	86.19	105.20
2	E	2601	C	O4'-C1'-N1	-8.59	101.33	108.20
2	G	2607	G	O4'-C1'-N9	8.48	114.98	108.20
2	F	2607	G	O4'-C4'-C3'	-8.45	95.55	104.00
2	F	2608	G	C8-N9-C4	-8.44	103.03	106.40
2	F	2589	A	N1-C6-N6	8.36	123.61	118.60
2	H	2597	G	N3-C2-N2	-8.21	114.15	119.90
2	E	2597	G	C8-N9-C1'	8.14	137.58	127.00
2	E	2601	C	N1-C2-O2	-8.04	114.08	118.90
2	E	2605	U	C1'-O4'-C4'	-7.88	103.59	109.90
2	E	2601	C	C3'-C2'-C1'	-7.86	95.22	101.50
2	E	2597	G	C4-N9-C1'	-7.85	116.29	126.50
2	F	2597	G	C4-N9-C1'	-7.70	116.49	126.50
2	H	2597	G	C4-N9-C1'	-7.67	116.53	126.50
2	E	2597	G	N3-C4-C5	7.53	132.37	128.60
2	G	2587	A	C4-C5-C6	-7.38	113.31	117.00
2	G	2605	U	C1'-O4'-C4'	-7.36	104.01	109.90
2	G	2604	FHU	OP1-P-O3'	7.31	121.27	105.20
2	G	2603	G	O4'-C1'-N9	7.26	114.01	108.20
2	F	2604	FHU	OP1-P-O3'	7.25	121.16	105.20
2	H	2588	G	P-O5'-C5'	-7.21	109.37	120.90
2	G	2601	C	O4'-C1'-N1	-7.19	102.45	108.20
2	F	2597	G	C1'-O4'-C4'	-7.18	104.15	109.90
2	H	2588	G	C8-N9-C4	-7.15	103.54	106.40
2	G	2597	G	N9-C4-C5	7.13	108.25	105.40
2	E	2602	A	O4'-C1'-N9	7.08	113.86	108.20
2	H	2597	G	N9-C4-C5	7.06	108.22	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2597	G	N9-C1'-C2'	7.05	123.16	114.00
2	F	2589	A	C5-C6-N6	-6.96	118.13	123.70
2	F	2597	G	N9-C1'-C2'	6.93	123.01	114.00
2	H	2596	U	N1-C1'-C2'	-6.89	104.42	112.00
2	G	2607	G	P-O3'-C3'	6.87	127.94	119.70
2	F	2597	G	N3-C4-C5	6.86	132.03	128.60
2	G	2595	G	N1-C6-O6	-6.85	115.79	119.90
2	H	2588	G	C4'-C3'-C2'	-6.85	95.75	102.60
2	F	2592	G	C1'-O4'-C4'	-6.81	104.45	109.90
2	H	2597	G	C6-C5-N7	6.75	134.45	130.40
2	G	2587	A	P-O3'-C3'	6.75	127.81	119.70
2	G	2603	G	C4-C5-N7	6.75	113.50	110.80
2	F	2608	G	C5'-C4'-O4'	6.67	117.10	109.10
2	F	2589	A	N9-C4-C5	-6.66	103.14	105.80
2	H	2597	G	N1-C2-N2	6.64	122.18	116.20
2	E	2601	C	C4'-C3'-C2'	-6.62	95.97	102.60
2	G	2592	G	P-O3'-C3'	6.61	127.63	119.70
2	E	2608	G	O4'-C1'-N9	6.56	113.45	108.20
2	F	2607	G	C1'-O4'-C4'	-6.52	104.68	109.90
2	E	2587	A	C5'-C4'-C3'	-6.44	105.70	116.00
2	H	2593	U	C3'-C2'-C1'	-6.36	96.41	101.50
2	H	2603	G	C5-C6-O6	-6.36	124.79	128.60
2	F	2592	G	C4'-C3'-C2'	-6.32	96.28	102.60
2	H	2600	A	O3'-P-O5'	-6.28	92.08	104.00
2	F	2591	C	C4'-C3'-C2'	-6.27	96.33	102.60
2	G	2588	G	C1'-O4'-C4'	-6.27	104.89	109.90
2	E	2597	G	C1'-O4'-C4'	-6.26	104.89	109.90
2	H	2587	A	P-O3'-C3'	6.26	127.21	119.70
2	E	2601	C	C6-N1-C2	-6.26	117.80	120.30
2	H	2589	A	P-O5'-C5'	-6.25	110.89	120.90
2	G	2607	G	C6-C5-N7	6.21	134.12	130.40
2	G	2597	G	N9-C1'-C2'	6.20	122.06	114.00
2	F	2604	FHU	OP2-P-O3'	-6.18	91.61	105.20
2	E	2598	A	O4'-C1'-N9	-6.14	103.29	108.20
2	H	2587	A	N1-C6-N6	-6.10	114.94	118.60
2	G	2597	G	C5-N7-C8	-6.09	101.25	104.30
2	H	2603	G	N3-C4-N9	5.98	129.59	126.00
2	F	2587	A	P-O3'-C3'	5.96	126.85	119.70
2	E	2599	G	N9-C1'-C2'	-5.95	105.45	112.00
2	F	2603	G	P-O5'-C5'	-5.95	111.38	120.90
2	H	2605	U	C1'-O4'-C4'	-5.93	105.16	109.90
2	G	2597	G	N3-C2-N2	-5.88	115.78	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	2591	C	P-O3'-C3'	5.86	126.73	119.70
2	F	2608	G	N7-C8-N9	5.83	116.01	113.10
2	H	2598	A	C5'-C4'-O4'	5.82	116.08	109.10
2	G	2588	G	C5'-C4'-C3'	-5.82	106.69	116.00
2	E	2604	FHU	OP1-P-O3'	5.79	117.93	105.20
2	F	2597	G	N9-C4-C5	5.77	107.71	105.40
2	F	2602	A	C8-N9-C4	5.76	108.10	105.80
2	H	2588	G	C5'-C4'-C3'	-5.76	106.79	116.00
2	H	2597	G	C3'-C2'-C1'	5.74	106.09	101.50
2	F	2608	G	N3-C4-C5	-5.72	125.74	128.60
2	E	2607	G	O4'-C1'-N9	5.71	112.77	108.20
2	G	2587	A	N3-C4-C5	5.69	130.78	126.80
2	E	2587	A	N1-C6-N6	-5.65	115.21	118.60
2	H	2597	G	N9-C1'-C2'	5.64	121.33	114.00
2	F	2593	U	C3'-C2'-C1'	-5.62	97.01	101.50
1	A	237	GLU	N-CA-C	-5.60	95.87	111.00
2	E	2603	G	C5-C6-O6	-5.60	125.24	128.60
2	H	2597	G	C4-C5-C6	-5.58	115.45	118.80
2	H	2596	U	O4'-C1'-N1	5.58	112.66	108.20
2	G	2605	U	O4'-C4'-C3'	-5.55	98.45	104.00
2	E	2588	G	P-O5'-C5'	-5.54	112.03	120.90
2	H	2587	A	N9-C1'-C2'	5.51	121.17	114.00
2	E	2602	A	C8-N9-C4	-5.50	103.60	105.80
2	G	2601	C	N1-C1'-C2'	5.50	121.14	114.00
2	H	2587	A	C5-C6-N6	5.49	128.09	123.70
2	H	2591	C	C1'-O4'-C4'	-5.47	105.52	109.90
2	F	2596	U	C3'-C2'-C1'	5.44	105.85	101.50
2	G	2588	G	C8-N9-C4	-5.44	104.22	106.40
2	H	2603	G	C5-C6-N1	5.43	114.22	111.50
2	E	2597	G	C6-C5-N7	5.42	133.66	130.40
2	G	2605	U	O4'-C1'-N1	5.42	112.53	108.20
2	H	2602	A	C2-N3-C4	-5.39	107.90	110.60
2	F	2601	C	C6-N1-C2	5.38	122.45	120.30
2	E	2589	A	C5'-C4'-C3'	-5.31	107.50	116.00
2	H	2595	G	N3-C2-N2	5.30	123.61	119.90
2	G	2592	G	C4'-C3'-C2'	-5.27	97.33	102.60
2	G	2589	A	P-O5'-C5'	-5.27	112.47	120.90
2	G	2596	U	C2'-C3'-O3'	5.24	122.09	113.70
2	G	2607	G	C4-N9-C1'	-5.20	119.74	126.50
2	E	2593	U	O4'-C1'-N1	-5.20	104.04	108.20
1	D	237	GLU	N-CA-C	-5.19	97.00	111.00
2	F	2597	G	C6-C5-N7	5.16	133.50	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2603	G	C4-C5-N7	5.13	112.85	110.80
2	E	2587	A	C6-C5-N7	5.12	135.89	132.30
2	F	2588	G	C5'-C4'-C3'	-5.12	107.80	116.00
2	G	2588	G	P-O5'-C5'	-5.12	112.70	120.90
2	F	2591	C	C3'-C2'-C1'	5.12	105.60	101.50
2	H	2595	G	C5'-C4'-O4'	5.12	115.24	109.10
2	E	2587	A	N3-C4-N9	-5.11	123.31	127.40
2	G	2597	G	P-O5'-C5'	5.11	129.07	120.90
2	G	2607	G	C8-N9-C1'	5.10	133.63	127.00
2	G	2598	A	N9-C1'-C2'	5.10	120.63	114.00
2	G	2607	G	O5'-P-OP2	-5.10	101.11	105.70
2	E	2589	A	C5'-C4'-O4'	5.07	115.18	109.10
2	G	2597	G	C5'-C4'-O4'	5.05	115.16	109.10
2	E	2597	G	N9-C4-C5	5.04	107.42	105.40
2	H	2587	A	C6-C5-N7	5.04	135.82	132.30
2	E	2587	A	OP1-P-O3'	5.00	116.20	105.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1902	0	1942	62	0
1	B	1909	0	1950	67	0
1	C	1895	0	1933	67	0
1	D	1895	0	1933	75	0
2	E	475	0	241	27	0
2	F	475	0	241	27	0
2	G	475	0	241	26	0
2	H	475	0	241	33	0
3	A	12	0	0	1	0
3	B	9	0	0	2	0
3	C	15	0	0	1	0
3	D	3	0	0	0	0
3	E	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	1	0	0	0	0
3	G	3	0	0	0	0
3	H	1	0	0	1	0
All	All	9550	0	8722	334	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (334) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:VAL:HG11	1:C:218:LEU:O	1.45	1.15
2:G:2596:U:O2'	2:G:2597:G:O5'	1.70	1.10
1:D:236:ILE:HG23	1:D:238:ASN:ND2	1.70	1.07
1:C:8:ARG:HH21	2:G:2597:G:N2	1.52	1.06
1:C:236:ILE:HG23	1:C:238:ASN:ND2	1.71	1.04
1:D:8:ARG:HH21	2:H:2597:G:N2	1.62	0.98
1:B:236:ILE:HG23	1:B:238:ASN:ND2	1.78	0.97
1:D:9:LEU:O	1:D:13:ILE:HG22	1.66	0.94
1:A:236:ILE:HG23	1:A:238:ASN:ND2	1.81	0.94
1:D:8:ARG:HH21	2:H:2597:G:H22	1.00	0.93
1:A:8:ARG:HH21	2:E:2597:G:H22	1.17	0.90
1:D:236:ILE:HG23	1:D:238:ASN:HD22	1.39	0.87
1:A:220:GLU:OE1	1:D:53:LYS:NZ	2.06	0.86
1:B:9:LEU:O	1:B:13:ILE:HG22	1.75	0.86
2:H:2587:A:N6	2:H:2605:U:O2	2.08	0.86
2:G:2596:U:HO2'	2:G:2597:G:C5'	1.88	0.85
2:F:2596:U:O2'	2:F:2597:G:O5'	1.94	0.85
1:C:8:ARG:HH21	2:G:2597:G:H22	1.16	0.84
1:B:8:ARG:HH21	2:F:2597:G:N2	1.75	0.83
1:A:8:ARG:HH21	2:E:2597:G:N2	1.77	0.81
2:H:2592:G:H2'	2:H:2593:U:C6	2.15	0.81
2:E:2587:A:H5'	2:F:2588:G:N7	1.95	0.80
2:E:2597:G:H4'	2:E:2597:G:OP1	1.80	0.80
1:C:13:ILE:HD11	1:C:19:CYS:SG	2.21	0.80
2:H:2606:C:H2'	2:H:2607:G:O4'	1.82	0.80
1:D:8:ARG:NH2	2:H:2597:G:H22	1.79	0.80
2:H:2587:A:H4'	2:H:2588:G:OP1	1.82	0.79
1:C:236:ILE:HG23	1:C:238:ASN:HD22	1.44	0.79
1:C:91:VAL:HG13	3:C:293:HOH:O	1.83	0.77
2:F:2587:A:N6	2:F:2605:U:O2	2.17	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:8:ARG:NH2	2:G:2597:G:H22	1.83	0.76
2:F:2597:G:H1'	2:F:2598:A:C2	2.20	0.76
2:G:2597:G:H4'	2:G:2597:G:OP1	1.85	0.74
1:C:9:LEU:O	1:C:13:ILE:HG22	1.87	0.74
1:A:143:LYS:NZ	3:A:295:HOH:O	2.19	0.74
1:B:25:ASP:OD1	2:F:2597:G:O6	2.06	0.74
2:F:2596:U:HO2'	2:F:2597:G:C5'	2.01	0.74
1:B:217:PRO:HG2	1:B:220:GLU:HG3	1.69	0.73
1:B:211:VAL:HA	3:B:295:HOH:O	1.87	0.72
2:E:2598:A:N3	2:E:2598:A:H3'	2.04	0.72
1:A:9:LEU:O	1:A:13:ILE:HG22	1.91	0.71
1:B:236:ILE:HG23	1:B:238:ASN:HD22	1.54	0.71
1:A:13:ILE:HD12	1:A:24:ALA:HB2	1.72	0.71
1:B:8:ARG:HE	2:F:2597:G:H22	1.39	0.70
1:B:173:ALA:HB1	1:B:174:PRO:HD2	1.73	0.70
2:G:2596:U:O2'	2:G:2597:G:C5'	2.38	0.70
1:C:160:LEU:O	1:C:162:THR:HG22	1.92	0.70
1:A:236:ILE:HG23	1:A:238:ASN:HD22	1.53	0.70
1:B:71:ALA:HB1	1:B:113:LEU:HD11	1.75	0.69
1:D:13:ILE:HD12	1:D:24:ALA:HB2	1.74	0.69
1:D:217:PRO:HG2	1:D:220:GLU:HG3	1.72	0.69
1:A:173:ALA:HB1	1:A:174:PRO:HD2	1.74	0.69
1:C:13:ILE:HD12	1:C:24:ALA:HB2	1.74	0.68
1:B:74:LYS:HE2	1:B:78:ILE:O	1.92	0.68
2:H:2596:U:O2'	2:H:2597:G:O5'	2.11	0.68
1:A:13:ILE:HD12	1:A:24:ALA:CB	2.23	0.68
1:A:13:ILE:HD11	1:A:19:CYS:SG	2.34	0.68
2:H:2592:G:H2'	2:H:2593:U:H6	1.55	0.68
1:D:173:ALA:HB1	1:D:174:PRO:HD2	1.75	0.67
1:A:242:GLU:N	1:A:242:GLU:OE2	2.27	0.67
1:C:173:ALA:HB1	1:C:174:PRO:HD2	1.76	0.66
1:D:10:ASN:ND2	2:H:2597:G:O6	2.29	0.66
1:B:242:GLU:O	1:B:243:VAL:HG12	1.96	0.66
2:H:2595:G:O2'	2:H:2598:A:N6	2.29	0.66
1:A:74:LYS:HE2	1:A:78:ILE:O	1.96	0.66
2:H:2597:G:H1'	2:H:2598:A:C2	2.32	0.65
1:B:137:TYR:CE2	1:B:205:ARG:HD3	2.32	0.64
1:D:74:LYS:HE2	1:D:78:ILE:O	1.96	0.64
1:D:71:ALA:HB1	1:D:113:LEU:HD11	1.78	0.64
2:H:2597:G:N3	2:H:2597:G:O4'	2.25	0.64
1:A:20:SER:HB2	2:E:2592:G:OP2	1.97	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:217:PRO:HG2	1:C:220:GLU:HG3	1.80	0.64
1:D:4:ASP:N	1:D:4:ASP:OD2	2.29	0.63
1:C:105:ARG:O	2:G:2604:FHU:H3'	1.99	0.62
2:H:2596:U:HO2'	2:H:2597:G:C5'	2.12	0.62
1:C:71:ALA:HB1	1:C:113:LEU:HD11	1.80	0.62
1:B:13:ILE:HD12	1:B:24:ALA:HB2	1.79	0.62
1:C:8:ARG:NH2	2:G:2597:G:N2	2.35	0.62
1:D:137:TYR:CE2	1:D:205:ARG:HD3	2.34	0.62
1:D:13:ILE:HD13	1:D:13:ILE:C	2.20	0.62
1:A:217:PRO:HG2	1:A:220:GLU:HG3	1.82	0.61
2:E:2587:A:H4'	2:E:2588:G:OP1	2.01	0.61
2:E:2597:G:O4'	2:E:2597:G:N3	2.27	0.61
1:A:111:GLN:O	1:A:204:GLU:HA	2.01	0.60
2:H:2595:G:H8	2:H:2595:G:OP2	1.84	0.60
1:C:74:LYS:HE2	1:C:78:ILE:O	2.01	0.60
2:H:2588:G:H4'	2:H:2588:G:OP2	2.00	0.60
1:C:157:VAL:HG23	1:C:158:PRO:HD2	1.84	0.60
1:D:8:ARG:HE	2:H:2597:G:H1	1.50	0.59
1:D:11:LYS:HE2	1:D:15:GLU:OE1	2.02	0.59
1:C:13:ILE:HD12	1:C:24:ALA:CB	2.32	0.59
1:C:234:LYS:C	1:C:236:ILE:H	2.06	0.59
1:A:160:LEU:O	1:A:162:THR:HG22	2.03	0.59
1:D:42:ILE:HG23	2:H:2597:G:C5	2.38	0.58
1:A:137:TYR:CE2	1:A:205:ARG:HD3	2.38	0.58
1:B:13:ILE:HD13	1:B:13:ILE:C	2.23	0.58
1:D:13:ILE:HD12	1:D:24:ALA:CB	2.33	0.58
1:B:234:LYS:C	1:B:236:ILE:H	2.05	0.58
2:H:2602:A:C6	2:H:2603:G:C6	2.91	0.58
1:C:137:TYR:CE2	1:C:205:ARG:HD3	2.39	0.58
1:B:8:ARG:HH21	2:F:2597:G:H22	1.50	0.57
1:B:51:VAL:HG11	1:C:218:LEU:C	2.24	0.57
1:A:234:LYS:C	1:A:236:ILE:H	2.08	0.57
1:B:13:ILE:HD12	1:B:24:ALA:CB	2.35	0.57
1:C:13:ILE:C	1:C:13:ILE:HD13	2.25	0.56
1:D:19:CYS:HB2	1:D:23:GLU:OE2	2.04	0.56
1:A:11:LYS:HE2	1:A:15:GLU:OE1	2.05	0.56
1:A:71:ALA:HB1	1:A:113:LEU:HD11	1.86	0.56
1:A:29:GLU:HG3	1:A:42:ILE:CD1	2.36	0.56
1:B:111:GLN:O	1:B:204:GLU:HA	2.05	0.56
1:B:135:LYS:HD2	1:B:135:LYS:N	2.21	0.56
1:D:160:LEU:O	1:D:162:THR:HG22	2.05	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:2596:U:O2'	2:E:2597:G:OP2	2.23	0.56
1:B:13:ILE:HD11	1:B:19:CYS:SG	2.47	0.55
1:D:234:LYS:C	1:D:236:ILE:H	2.10	0.55
2:F:2597:G:N3	2:F:2597:G:O4'	2.37	0.55
1:D:182:VAL:O	1:D:182:VAL:HG13	2.07	0.55
1:A:157:VAL:HG23	1:A:158:PRO:HD2	1.89	0.55
1:D:157:VAL:HG23	1:D:158:PRO:HD2	1.88	0.55
2:H:2587:A:C4'	2:H:2588:G:OP1	2.54	0.54
1:C:111:GLN:O	1:C:204:GLU:HA	2.06	0.54
2:E:2601:C:H2'	2:E:2602:A:O5'	2.07	0.54
1:C:11:LYS:HE2	1:C:15:GLU:OE1	2.07	0.54
2:H:2607:G:C4	2:H:2608:G:H1'	2.43	0.54
1:D:135:LYS:N	1:D:135:LYS:HD2	2.22	0.54
2:E:2596:U:HO2'	2:E:2597:G:P	2.31	0.54
2:F:2587:A:H4'	2:F:2588:G:OP1	2.08	0.54
2:E:2601:C:H3'	2:E:2601:C:C6	2.43	0.53
1:B:145:ILE:HB	1:B:171:LYS:HD2	1.90	0.53
1:D:147:GLU:O	1:D:148:GLU:C	2.45	0.53
1:B:8:ARG:NE	2:F:2597:G:H22	2.06	0.53
2:G:2597:G:O4'	2:G:2597:G:N3	2.38	0.53
1:C:74:LYS:NZ	1:C:110:SER:O	2.38	0.53
2:G:2596:U:C2'	2:G:2597:G:O5'	2.55	0.53
1:B:160:LEU:O	1:B:162:THR:HG22	2.08	0.53
1:C:147:GLU:O	1:C:148:GLU:C	2.46	0.53
2:H:2588:G:C8	2:H:2588:G:H5''	2.43	0.53
1:C:135:LYS:HD2	1:C:135:LYS:N	2.24	0.52
1:D:13:ILE:HD13	1:D:14:SER:N	2.24	0.52
1:C:145:ILE:HB	1:C:171:LYS:HD2	1.91	0.52
1:B:157:VAL:CG1	1:B:192:MET:HE2	2.39	0.52
1:B:147:GLU:O	1:B:148:GLU:C	2.48	0.52
1:D:157:VAL:CG1	1:D:192:MET:HE2	2.39	0.52
2:F:2597:G:H4'	2:F:2597:G:OP1	2.10	0.51
1:A:136:GLU:HB3	1:A:207:ARG:HB3	1.92	0.51
1:C:59:ILE:HG13	1:C:59:ILE:O	2.10	0.51
2:E:2602:A:C6	2:E:2603:G:C6	2.99	0.51
1:B:157:VAL:HG23	1:B:158:PRO:HD2	1.93	0.51
1:B:145:ILE:HG21	1:B:171:LYS:HG3	1.93	0.51
1:C:4:ASP:O	1:C:5:SER:HB3	2.11	0.51
1:C:4:ASP:O	1:C:5:SER:CB	2.59	0.51
2:E:2598:A:N3	2:E:2598:A:C3'	2.74	0.51
1:D:145:ILE:HG21	1:D:171:LYS:HG3	1.92	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:2592:G:H2'	2:G:2593:U:C6	2.46	0.51
1:D:236:ILE:CG2	1:D:238:ASN:ND2	2.60	0.51
1:A:135:LYS:HD2	1:A:135:LYS:N	2.25	0.50
1:C:13:ILE:CD1	1:C:19:CYS:SG	2.97	0.50
1:A:13:ILE:HD13	1:A:14:SER:N	2.27	0.50
1:C:145:ILE:HG21	1:C:171:LYS:HG3	1.94	0.50
1:A:21:ARG:NH1	2:E:2594:C:OP2	2.42	0.50
1:B:8:ARG:HH21	2:F:2597:G:H21	1.55	0.50
1:B:230:ILE:CG2	1:B:234:LYS:HE2	2.42	0.50
2:G:2602:A:C6	2:G:2603:G:C6	3.00	0.50
1:B:131:ASN:OD1	1:B:238:ASN:HB3	2.12	0.50
1:D:42:ILE:CG2	2:H:2597:G:C4	2.95	0.50
1:D:131:ASN:CG	1:D:238:ASN:HB3	2.33	0.50
2:H:2602:A:N6	2:H:2603:G:C6	2.80	0.50
1:B:8:ARG:NH2	2:F:2597:G:N2	2.55	0.49
1:B:11:LYS:HE2	1:B:15:GLU:OE1	2.11	0.49
1:D:32:ASN:HB3	1:D:55:ASN:ND2	2.27	0.49
1:A:8:ARG:NH2	2:E:2597:G:H22	1.99	0.49
1:D:42:ILE:HG23	2:H:2597:G:C4	2.47	0.49
1:D:111:GLN:O	1:D:204:GLU:HA	2.12	0.49
1:B:131:ASN:CG	1:B:238:ASN:HB3	2.32	0.49
2:H:2602:A:N1	3:H:14:HOH:O	2.35	0.49
1:A:179:ILE:O	1:A:179:ILE:HG23	2.12	0.49
1:A:237:GLU:OE2	1:A:237:GLU:O	2.30	0.49
2:E:2587:A:H2'	2:E:2589:A:C8	2.47	0.49
1:C:21:ARG:NH1	2:G:2594:C:OP2	2.40	0.49
1:A:131:ASN:CG	1:A:238:ASN:HB3	2.33	0.48
1:C:13:ILE:HD13	1:C:14:SER:N	2.27	0.48
2:E:2606:C:H2'	2:E:2607:G:O4'	2.12	0.48
1:C:78:ILE:N	1:C:78:ILE:HD12	2.28	0.48
1:D:104:GLY:N	1:D:127:LEU:HD21	2.28	0.48
1:C:8:ARG:HE	2:G:2597:G:H22	1.62	0.48
1:D:29:GLU:HG3	1:D:42:ILE:CD1	2.44	0.48
1:A:13:ILE:HD13	1:A:13:ILE:C	2.33	0.48
1:A:59:ILE:O	1:A:59:ILE:HG13	2.13	0.48
2:F:2596:U:C2'	2:F:2597:G:O5'	2.60	0.48
1:D:9:LEU:O	1:D:13:ILE:CG2	2.50	0.48
1:D:13:ILE:HD11	1:D:19:CYS:SG	2.54	0.48
2:H:2594:C:H2'	2:H:2595:G:O4'	2.14	0.48
1:A:128:ARG:HH22	2:E:2601:C:H1'	1.80	0.47
1:B:25:ASP:CG	2:F:2597:G:O6	2.51	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:189:ILE:H	2:H:2604:FHU:HN1	1.62	0.47
1:B:21:ARG:NH1	2:F:2594:C:OP2	2.42	0.47
2:G:2596:U:O2'	2:G:2597:G:H5"	2.14	0.47
1:A:179:ILE:HG21	1:A:189:ILE:HD13	1.97	0.47
1:B:13:ILE:HD13	1:B:14:SER:N	2.30	0.47
1:C:139:VAL:HG22	1:C:203:LEU:HD13	1.97	0.47
1:B:71:ALA:HB1	1:B:113:LEU:CD1	2.44	0.46
1:A:68:VAL:HG23	1:A:118:ASN:ND2	2.30	0.46
1:C:236:ILE:HA	1:C:238:ASN:HD21	1.80	0.46
1:C:236:ILE:CG2	1:C:238:ASN:ND2	2.62	0.46
2:E:2587:A:C5'	2:F:2588:G:N7	2.74	0.46
1:B:8:ARG:NH2	2:F:2597:G:H22	2.12	0.46
2:G:2588:G:N7	2:H:2587:A:O4'	2.49	0.46
2:G:2601:C:H2'	2:G:2602:A:O5'	2.16	0.46
1:D:41:THR:O	1:D:42:ILE:C	2.53	0.46
1:D:84:ASP:O	1:D:85:GLY:C	2.54	0.46
1:D:236:ILE:HA	1:D:238:ASN:HD21	1.80	0.46
1:A:145:ILE:HB	1:A:171:LYS:HD2	1.97	0.46
2:E:2598:A:C2	2:E:2599:G:C8	3.03	0.46
1:B:4:ASP:O	1:B:5:SER:C	2.54	0.46
1:C:131:ASN:CG	1:C:238:ASN:HB3	2.36	0.46
1:B:234:LYS:C	1:B:236:ILE:N	2.68	0.46
1:A:29:GLU:HG3	1:A:42:ILE:HD13	1.98	0.46
1:D:145:ILE:HB	1:D:171:LYS:HD2	1.98	0.45
1:D:147:GLU:C	1:D:149:PHE:N	2.69	0.45
1:B:186:ASN:O	1:B:191:ARG:HD2	2.17	0.45
1:C:234:LYS:C	1:C:236:ILE:N	2.69	0.45
1:C:78:ILE:N	1:C:78:ILE:CD1	2.79	0.45
1:D:230:ILE:CG2	1:D:234:LYS:HE2	2.47	0.45
1:A:29:GLU:HG3	1:A:42:ILE:HD11	1.97	0.45
1:A:35:LEU:CD2	1:A:50:ASP:HB3	2.47	0.45
1:A:182:VAL:HG13	1:A:182:VAL:O	2.16	0.45
1:C:29:GLU:HG3	1:C:42:ILE:CD1	2.47	0.45
1:C:136:GLU:HB3	1:C:207:ARG:HB3	1.99	0.45
1:A:145:ILE:HG21	1:A:171:LYS:HG3	1.99	0.45
1:B:104:GLY:N	1:B:127:LEU:HD21	2.31	0.45
1:D:105:ARG:O	2:H:2604:FHU:H3'	2.17	0.45
1:D:160:LEU:HD21	1:D:191:ARG:CZ	2.47	0.45
2:F:2607:G:H2'	2:F:2608:G:O4'	2.17	0.44
2:G:2606:C:H2'	2:G:2607:G:O4'	2.17	0.44
1:A:105:ARG:O	2:E:2604:FHU:H5'	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:8:ARG:CZ	2:G:2597:G:H22	2.29	0.44
2:G:2588:G:H5"	2:G:2588:G:H2'	1.53	0.44
1:A:188:GLN:O	1:A:192:MET:HG3	2.17	0.44
1:B:241:SER:OG	3:B:291:HOH:O	1.99	0.44
1:D:76:VAL:HG22	1:D:109:ASP:O	2.17	0.44
2:H:2588:G:H5"	2:H:2588:G:H8	1.83	0.44
2:F:2595:G:O2'	2:F:2598:A:N6	2.51	0.44
2:E:2588:G:H4'	2:E:2589:A:OP2	2.18	0.44
1:D:173:ALA:HB1	1:D:174:PRO:CD	2.47	0.44
1:A:169:VAL:HG22	1:A:179:ILE:HG13	1.98	0.44
1:A:230:ILE:CG2	1:A:234:LYS:HE2	2.48	0.44
2:E:2596:U:O2'	2:E:2597:G:P	2.76	0.44
2:E:2601:C:C6	2:E:2601:C:C3'	3.01	0.44
2:F:2606:C:H2'	2:F:2607:G:O4'	2.18	0.44
1:C:182:VAL:O	1:C:182:VAL:HG13	2.18	0.44
1:D:47:LYS:N	1:D:50:ASP:OD1	2.51	0.44
1:D:76:VAL:CG1	1:D:77:GLY:N	2.81	0.44
1:D:139:VAL:HG22	1:D:203:LEU:HD13	1.99	0.44
1:A:147:GLU:O	1:A:148:GLU:C	2.55	0.43
1:C:104:GLY:N	1:C:127:LEU:HD21	2.31	0.43
1:A:10:ASN:HB3	1:A:25:ASP:OD2	2.18	0.43
2:E:2601:C:C2'	2:E:2602:A:O5'	2.66	0.43
1:B:139:VAL:HG22	1:B:203:LEU:HD13	2.01	0.43
1:C:120:GLY:O	2:G:2593:U:H5'	2.17	0.43
2:F:2597:G:H1'	2:F:2598:A:N1	2.33	0.43
1:D:234:LYS:C	1:D:236:ILE:N	2.72	0.43
1:C:160:LEU:HD21	1:C:191:ARG:CZ	2.47	0.43
1:B:147:GLU:C	1:B:149:PHE:N	2.70	0.43
1:C:35:LEU:CD2	1:C:50:ASP:HB3	2.49	0.43
1:D:159:ILE:HG13	1:D:160:LEU:H	1.84	0.43
1:C:230:ILE:CG2	1:C:234:LYS:HE2	2.49	0.43
1:B:51:VAL:HG12	1:C:218:LEU:HB3	2.01	0.43
1:B:157:VAL:HG11	1:B:192:MET:HE2	2.01	0.43
1:C:8:ARG:NE	2:G:2597:G:H22	2.16	0.43
1:A:159:ILE:HG13	1:A:160:LEU:H	1.83	0.42
1:B:101:PHE:CE1	1:B:117:THR:HG23	2.55	0.42
1:A:47:LYS:N	1:A:50:ASP:OD1	2.52	0.42
1:C:237:GLU:O	1:C:237:GLU:OE2	2.38	0.42
1:D:46:VAL:O	1:D:46:VAL:HG22	2.19	0.42
1:D:90:ILE:O	1:D:94:VAL:HG13	2.20	0.42
1:B:131:ASN:HB3	1:B:133:HIS:CE1	2.55	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:8:ARG:HH21	2:G:2597:G:H21	1.55	0.42
1:C:188:GLN:O	1:C:192:MET:HG3	2.19	0.42
1:B:11:LYS:HE3	2:F:2593:U:OP1	2.20	0.42
1:B:29:GLU:HG3	1:B:42:ILE:CD1	2.48	0.42
1:B:38:LYS:NZ	1:C:88:ASP:OD1	2.46	0.42
1:D:35:LEU:CD2	1:D:50:ASP:HB3	2.49	0.42
1:D:138:LEU:HD12	1:D:138:LEU:HA	1.94	0.42
1:D:73:ASN:CG	1:D:213:LEU:HD21	2.39	0.42
1:D:105:ARG:HB2	2:H:2605:U:H5'	2.01	0.42
1:A:58:LEU:C	1:A:58:LEU:HD23	2.40	0.42
1:A:153:MET:HG3	1:A:192:MET:HE2	2.01	0.42
1:B:160:LEU:HD21	1:B:191:ARG:CZ	2.49	0.42
1:D:133:HIS:N	1:D:182:VAL:HG22	2.35	0.42
1:A:234:LYS:C	1:A:236:ILE:N	2.71	0.42
2:E:2587:A:N6	2:E:2606:C:C2	2.87	0.42
1:B:213:LEU:O	1:B:214:SER:C	2.58	0.42
1:D:68:VAL:HG23	1:D:118:ASN:ND2	2.35	0.42
1:D:236:ILE:HA	1:D:238:ASN:ND2	2.34	0.42
1:B:35:LEU:CD2	1:B:50:ASP:HB3	2.50	0.42
1:A:41:THR:O	1:A:42:ILE:C	2.58	0.41
1:B:136:GLU:O	1:B:205:ARG:HG3	2.20	0.41
1:C:147:GLU:C	1:C:149:PHE:N	2.74	0.41
1:D:78:ILE:N	1:D:78:ILE:HD12	2.35	0.41
1:A:58:LEU:HD23	1:A:59:ILE:N	2.35	0.41
1:C:127:LEU:HD12	1:C:127:LEU:HA	1.91	0.41
1:C:236:ILE:HA	1:C:238:ASN:ND2	2.34	0.41
1:D:25:ASP:HA	1:D:28:ILE:HD12	2.02	0.41
1:A:139:VAL:HG22	1:A:203:LEU:HD13	2.02	0.41
1:B:19:CYS:HB2	1:B:23:GLU:OE2	2.20	0.41
1:C:124:ASN:O	1:C:128:ARG:HG3	2.20	0.41
1:C:159:ILE:HG13	1:C:160:LEU:H	1.84	0.41
1:B:136:GLU:HB3	1:B:207:ARG:HB3	2.03	0.41
1:D:71:ALA:HB1	1:D:113:LEU:CD1	2.48	0.41
1:D:103:ILE:HG22	1:D:127:LEU:CD1	2.51	0.41
1:B:41:THR:O	1:B:42:ILE:C	2.58	0.41
1:D:78:ILE:N	1:D:78:ILE:CD1	2.84	0.41
1:D:165:LYS:HB2	1:D:183:GLN:OE1	2.21	0.41
1:A:84:ASP:O	1:A:85:GLY:C	2.59	0.41
1:A:104:GLY:N	1:A:127:LEU:HD21	2.35	0.41
1:B:8:ARG:HH22	2:F:2595:G:H3'	1.86	0.41
1:A:21:ARG:O	1:A:24:ALA:HB3	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:59:ILE:O	1:B:59:ILE:HG13	2.19	0.41
2:G:2588:G:C2	2:H:2587:A:C2	3.09	0.41
1:D:169:VAL:HG22	1:D:179:ILE:HG13	2.02	0.41
1:C:101:PHE:CE1	1:C:117:THR:HG23	2.56	0.41
1:A:124:ASN:O	1:A:128:ARG:HG3	2.21	0.40
1:B:11:LYS:HD2	1:B:21:ARG:NH1	2.36	0.40
2:G:2601:C:C2'	2:G:2602:A:O5'	2.69	0.40
1:A:133:HIS:N	1:A:182:VAL:HG22	2.36	0.40
1:B:60:GLU:HG2	1:B:61:PRO:HD2	2.04	0.40
1:D:179:ILE:HG21	1:D:189:ILE:HD13	2.03	0.40
1:C:172:GLU:HB2	1:C:176:VAL:HG12	2.02	0.40
1:D:157:VAL:HG11	1:D:192:MET:HE2	2.03	0.40
1:B:201:LYS:HD3	1:B:201:LYS:HA	1.87	0.40
2:F:2594:C:H2'	2:F:2595:G:O4'	2.21	0.40
1:D:10:ASN:HB3	1:D:25:ASP:OD2	2.20	0.40
1:A:146:THR:O	1:A:149:PHE:HB3	2.22	0.40
1:C:21:ARG:O	1:C:24:ALA:HB3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	238/290 (82%)	214 (90%)	21 (9%)	3 (1%)	12 45
1	B	239/290 (82%)	210 (88%)	24 (10%)	5 (2%)	7 33
1	C	237/290 (82%)	213 (90%)	19 (8%)	5 (2%)	7 33
1	D	237/290 (82%)	209 (88%)	23 (10%)	5 (2%)	7 33
All	All	951/1160 (82%)	846 (89%)	87 (9%)	18 (2%)	8 36

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	237	GLU
1	B	5	SER
1	B	237	GLU
1	C	5	SER
1	D	237	GLU
1	C	237	GLU
1	B	148	GLU
1	C	148	GLU
1	A	148	GLU
1	D	148	GLU
1	D	42	ILE
1	A	42	ILE
1	B	42	ILE
1	C	42	ILE
1	D	156	GLY
1	C	159	ILE
1	D	159	ILE
1	B	159	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	214/253 (85%)	190 (89%)	24 (11%)	6 24
1	B	215/253 (85%)	191 (89%)	24 (11%)	6 24
1	C	213/253 (84%)	189 (89%)	24 (11%)	6 24
1	D	213/253 (84%)	190 (89%)	23 (11%)	6 26
All	All	855/1012 (84%)	760 (89%)	95 (11%)	6 25

All (95) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASP
1	A	13	ILE
1	A	35	LEU
1	A	38	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	44	ASP
1	A	46	VAL
1	A	47	LYS
1	A	60	GLU
1	A	127	LEU
1	A	135	LYS
1	A	138	LEU
1	A	150	ILE
1	A	153	MET
1	A	157	VAL
1	A	163	VAL
1	A	168	LYS
1	A	182	VAL
1	A	203	LEU
1	A	222	ARG
1	A	226	ASP
1	A	229	LEU
1	A	237	GLU
1	A	242	GLU
1	A	243	VAL
1	B	4	ASP
1	B	13	ILE
1	B	35	LEU
1	B	38	LYS
1	B	44	ASP
1	B	46	VAL
1	B	60	GLU
1	B	127	LEU
1	B	135	LYS
1	B	138	LEU
1	B	150	ILE
1	B	151	ARG
1	B	153	MET
1	B	157	VAL
1	B	163	VAL
1	B	168	LYS
1	B	182	VAL
1	B	203	LEU
1	B	222	ARG
1	B	226	ASP
1	B	229	LEU
1	B	237	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	242	GLU
1	B	243	VAL
1	C	13	ILE
1	C	35	LEU
1	C	38	LYS
1	C	44	ASP
1	C	46	VAL
1	C	47	LYS
1	C	60	GLU
1	C	127	LEU
1	C	135	LYS
1	C	138	LEU
1	C	150	ILE
1	C	151	ARG
1	C	153	MET
1	C	157	VAL
1	C	163	VAL
1	C	168	LYS
1	C	182	VAL
1	C	203	LEU
1	C	222	ARG
1	C	226	ASP
1	C	229	LEU
1	C	237	GLU
1	C	241	SER
1	C	242	GLU
1	D	4	ASP
1	D	6	SER
1	D	13	ILE
1	D	35	LEU
1	D	38	LYS
1	D	44	ASP
1	D	46	VAL
1	D	60	GLU
1	D	127	LEU
1	D	135	LYS
1	D	138	LEU
1	D	150	ILE
1	D	151	ARG
1	D	153	MET
1	D	157	VAL
1	D	163	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	168	LYS
1	D	182	VAL
1	D	203	LEU
1	D	222	ARG
1	D	226	ASP
1	D	229	LEU
1	D	237	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	45	GLN
1	A	55	ASN
1	A	95	ASN
1	A	119	HIS
1	A	133	HIS
1	A	238	ASN
1	B	32	ASN
1	B	45	GLN
1	B	55	ASN
1	B	95	ASN
1	B	119	HIS
1	B	133	HIS
1	B	238	ASN
1	C	32	ASN
1	C	45	GLN
1	C	55	ASN
1	C	95	ASN
1	C	111	GLN
1	C	119	HIS
1	C	133	HIS
1	C	238	ASN
1	D	32	ASN
1	D	55	ASN
1	D	95	ASN
1	D	111	GLN
1	D	119	HIS
1	D	133	HIS
1	D	238	ASN

### 5.3.3 RNA [\(i\)](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	E	22/22 (100%)	11 (50%)	4 (18%)
2	F	22/22 (100%)	10 (45%)	3 (13%)
2	G	22/22 (100%)	9 (40%)	5 (22%)
2	H	22/22 (100%)	9 (40%)	4 (18%)
All	All	88/88 (100%)	39 (44%)	16 (18%)

All (39) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	E	2588	G
2	E	2589	A
2	E	2595	G
2	E	2596	U
2	E	2597	G
2	E	2598	A
2	E	2601	C
2	E	2602	A
2	E	2604	FHU
2	E	2605	U
2	E	2606	C
2	F	2588	G
2	F	2589	A
2	F	2594	C
2	F	2595	G
2	F	2596	U
2	F	2597	G
2	F	2598	A
2	F	2602	A
2	F	2605	U
2	F	2608	G
2	G	2588	G
2	G	2589	A
2	G	2596	U
2	G	2597	G
2	G	2598	A
2	G	2602	A
2	G	2605	U
2	G	2606	C
2	G	2608	G
2	H	2588	G
2	H	2589	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	H	2595	G
2	H	2596	U
2	H	2597	G
2	H	2598	A
2	H	2599	G
2	H	2605	U
2	H	2608	G

All (16) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	E	2587	A
2	E	2596	U
2	E	2597	G
2	E	2601	C
2	F	2587	A
2	F	2596	U
2	F	2597	G
2	G	2587	A
2	G	2588	G
2	G	2589	A
2	G	2596	U
2	G	2597	G
2	H	2587	A
2	H	2588	G
2	H	2596	U
2	H	2597	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FHU	H	2604	2	16,23,24	1.42	3 (18%)	19,35,38	1.89	5 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FHU	E	2604	2	16,23,24	1.44	1 (6%)	19,35,38	1.62	6 (31%)
2	FHU	F	2604	2	16,23,24	1.31	3 (18%)	19,35,38	1.70	4 (21%)
2	FHU	G	2604	2	16,23,24	1.50	2 (12%)	19,35,38	1.98	8 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FHU	H	2604	2	-	0/3/47/48	0/2/2/2
2	FHU	E	2604	2	-	0/3/47/48	0/2/2/2
2	FHU	F	2604	2	-	0/3/47/48	0/2/2/2
2	FHU	G	2604	2	-	0/3/47/48	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	2604	FHU	F5-C5	-4.17	1.31	1.39
2	G	2604	FHU	F5-C5	-3.96	1.31	1.39
2	H	2604	FHU	F5-C5	-3.76	1.32	1.39
2	F	2604	FHU	F5-C5	-3.27	1.33	1.39
2	F	2604	FHU	C4-N3	-2.64	1.33	1.37
2	H	2604	FHU	C4-N3	-2.27	1.33	1.37
2	G	2604	FHU	C4-N3	-2.26	1.33	1.37
2	H	2604	FHU	C2-N3	-2.12	1.33	1.37
2	F	2604	FHU	C2-N3	-2.10	1.33	1.37

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	2604	FHU	N3-C2-N1	4.83	121.21	116.12
2	F	2604	FHU	N3-C2-N1	4.30	120.65	116.12
2	E	2604	FHU	N3-C2-N1	3.60	119.91	116.12
2	H	2604	FHU	O2'-C2'-C1'	-3.41	104.35	112.90
2	H	2604	FHU	O4'-C1'-C2'	3.30	110.27	104.26
2	F	2604	FHU	O2'-C2'-C1'	-3.21	104.86	112.90
2	G	2604	FHU	O2'-C2'-C1'	-3.01	105.37	112.90
2	G	2604	FHU	C4-N3-C2	-2.96	121.56	126.04
2	G	2604	FHU	O4'-C1'-C2'	2.96	109.66	104.26
2	G	2604	FHU	C5-C4-N3	2.94	119.81	116.72

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	2604	FHU	C2'-C3'-C4'	2.76	108.00	102.64
2	E	2604	FHU	O2'-C2'-C1'	-2.71	106.12	112.90
2	G	2604	FHU	N3-C2-N1	2.69	118.95	116.12
2	G	2604	FHU	O2-C2-N1	-2.66	117.63	122.92
2	E	2604	FHU	C4-N3-C2	-2.53	122.21	126.04
2	G	2604	FHU	O3'-C3'-C4'	-2.22	104.62	111.05
2	H	2604	FHU	C4-N3-C2	-2.22	122.68	126.04
2	F	2604	FHU	O2-C2-N1	-2.18	118.57	122.92
2	E	2604	FHU	O2-C2-N1	-2.09	118.76	122.92
2	E	2604	FHU	C5-C6-N1	-2.09	108.33	111.43
2	E	2604	FHU	C6-N1-C2	-2.05	121.54	126.45
2	H	2604	FHU	O2-C2-N1	-2.02	118.90	122.92
2	F	2604	FHU	C4-N3-C2	-2.01	122.99	126.04

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	2604	FHU	2	0
2	E	2604	FHU	1	0
2	G	2604	FHU	1	0

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	240/290 (82%)	-0.01	0 [100] [100]	37, 52, 65, 78	0
1	B	241/290 (83%)	0.19	5 (2%) 63 [34]	36, 52, 67, 78	0
1	C	239/290 (82%)	-0.06	1 (0%) 92 [79]	36, 52, 65, 78	0
1	D	239/290 (82%)	0.22	3 (1%) 77 [51]	37, 52, 65, 78	0
2	E	21/22 (95%)	-0.21	1 (4%) 30 [11]	30, 41, 67, 90	0
2	F	21/22 (95%)	-0.15	1 (4%) 30 [11]	29, 41, 67, 90	0
2	G	21/22 (95%)	-0.13	0 [100] [100]	28, 41, 66, 90	0
2	H	21/22 (95%)	-0.07	1 (4%) 30 [11]	31, 43, 68, 90	0
All	All	1043/1248 (83%)	0.07	12 (1%) 79 [54]	28, 51, 67, 90	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	2608	G	4.5
1	D	56	GLY	3.7
1	B	49	GLY	3.0
1	B	173	ALA	2.9
1	B	51	VAL	2.7
1	D	64	ALA	2.7
1	B	39	ARG	2.5
2	F	2608	G	2.5
1	D	65	GLU	2.5
1	B	147	GLU	2.3
2	E	2608	G	2.3
1	C	4	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FHU	E	2604	22/23	0.96	0.14	27,33,40,40	0
2	FHU	H	2604	22/23	0.96	0.15	30,34,38,39	0
2	FHU	F	2604	22/23	0.97	0.13	31,34,39,41	0
2	FHU	G	2604	22/23	0.98	0.15	28,33,38,39	0

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.