

Full wwPDB X-ray Structure Validation Report (i)

Oct 7, 2023 – 03:34 PM EDT

PDB ID	:	6DKC
Title	:	Yeast Ddi2 Cyanamide Hydratase, T157V mutant, apo structure
Authors	:	Moore, S.A.; Xiao, W.; Li, J.
Deposited on	:	2018-05-29
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	234	87%	10%	••
1	В	234	90%	7%	••
1	С	234	% 87 %	10%	•
1	D	234	85%	11%	••
1	Е	234	90%	7%	•



Mol	Chain	Length	Quality of chain	
1	F	234	91%	7% •
1	G	234	% • 88%	9% ••
1	Н	234	76%	20% •••
1	Ι	234	41% 60% 35%	•••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	G	302	-	-	Х	-



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 32430 atoms, of which 15869 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms						AltConf	Trace
1	Λ	230	Total	С	Η	Ν	0	S	0	0	0
1	Л	230	3548	1140	1757	306	339	6	0	0	0
1	В	230	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	0	0
L	D	230	3548	1140	1757	306	339	6	0	0	0
1	С	220	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	0	0
	0	225	3578	1147	1774	309	342	6	0	0	U
1	Л	229	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	Ο	0
	D	225	3574	1147	1770	309	342	6	0	0	0
1	E	220	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	0	0
	Ľ	225	3574	1147	1770	309	342	6	0	0	0
1	1 F	232	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	Ο	0
	1	202	3595	1153	1783	311	342	6	0	0	0
1	G	229	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	0	0
	<u> </u>	225	3554	1140	1762	308	338	6	0	0	0
1	н	227	Total	\mathbf{C}	Η	Ν	Ο	\mathbf{S}	0	0	0
	11	221	3512	1128	1741	303	335	5		0	0
1	т	226	Total	\mathbf{C}	Η	N	0	S	0	0	0
	L	220	3534	1132	1755	306	335	6		0	U

• Molecule 1 is a protein called DNA damage-inducible protein.

There are 81 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-7	GLY	-	expression tag	UNP A7A1Y4
А	-6	PRO	-	expression tag	UNP A7A1Y4
А	-5	LEU	-	expression tag	UNP A7A1Y4
А	-4	GLY	-	expression tag	UNP A7A1Y4
А	-3	SER	-	expression tag	UNP A7A1Y4
А	-2	PRO	-	expression tag	UNP A7A1Y4
А	-1	GLU	-	expression tag	UNP A7A1Y4
А	0	PHE	-	expression tag	UNP A7A1Y4
А	157	VAL	THR	engineered mutation	UNP A7A1Y4
В	-7	GLY	-	expression tag	UNP A7A1Y4
B	-6	PRO	_	expression tag	UNP A7A1Y4



Chain	Residue	Modelled	Actual Comment		Reference
В	-5	LEU	_	expression tag	UNP A7A1Y4
В	-4	GLY	_	expression tag	UNP A7A1Y4
В	-3	SER	-	expression tag	UNP A7A1Y4
В	-2	PRO	-	expression tag	UNP A7A1Y4
В	-1	GLU	-	expression tag	UNP A7A1Y4
В	0	PHE	-	expression tag	UNP A7A1Y4
В	157	VAL	THR	engineered mutation	UNP A7A1Y4
С	-7	GLY	-	expression tag	UNP A7A1Y4
С	-6	PRO	-	expression tag	UNP A7A1Y4
С	-5	LEU	_	expression tag	UNP A7A1Y4
С	-4	GLY	_	expression tag	UNP A7A1Y4
С	-3	SER	-	expression tag	UNP A7A1Y4
С	-2	PRO	-	expression tag	UNP A7A1Y4
С	-1	GLU	-	expression tag	UNP A7A1Y4
С	0	PHE	-	expression tag	UNP A7A1Y4
С	157	VAL	THR	engineered mutation	UNP A7A1Y4
D	-7	GLY	-	expression tag	UNP A7A1Y4
D	-6	PRO	-	expression tag	UNP A7A1Y4
D	-5	LEU	-	expression tag	UNP A7A1Y4
D	-4	GLY	-	expression tag	UNP A7A1Y4
D	-3	SER	-	expression tag	UNP A7A1Y4
D	-2	PRO	-	expression tag	UNP A7A1Y4
D	-1	GLU	-	expression tag	UNP A7A1Y4
D	0	PHE	-	expression tag	UNP A7A1Y4
D	157	VAL	THR	engineered mutation	UNP A7A1Y4
Е	-7	GLY	-	expression tag	UNP A7A1Y4
Е	-6	PRO	-	expression tag	UNP A7A1Y4
E	-5	LEU	-	expression tag	UNP A7A1Y4
E	-4	GLY	-	expression tag	UNP A7A1Y4
E	-3	SER	-	expression tag	UNP A7A1Y4
E	-2	PRO	-	expression tag	UNP A7A1Y4
E	-1	GLU	-	expression tag	UNP A7A1Y4
E	0	PHE	-	expression tag	UNP A7A1Y4
E	157	VAL	THR	engineered mutation	UNP A7A1Y4
F	-7	GLY	-	expression tag	UNP A7A1Y4
F	-6	PRO	-	expression tag	UNP A7A1Y4
F	-5	LEU	-	expression tag	UNP A7A1Y4
F	-4	GLY	-	expression tag	UNP A7A1Y4
F	-3	SER	-	expression tag	UNP A7A1Y4
F	-2	PRO	-	expression tag	UNP A7A1Y4
F	-1	GLU	-	expression tag	UNP A7A1Y4
F	0	PHE	-	expression tag	UNP A7A1Y4



Chain

F

G

G

G

G

G

G

G

G

G

Η

Η

Η

Η

Η

Η

Η

Η

Η

ious page			
Modelled	Actual	Comment	Reference
VAL	THR	engineered mutation	UNP A7A1Y4
GLY	-	expression tag	UNP A7A1Y4
PRO	-	expression tag	UNP A7A1Y4
LEU	-	expression tag	UNP A7A1Y4
GLY	-	expression tag	UNP A7A1Y4
SER	-	expression tag	UNP A7A1Y4
PRO	-	expression tag	UNP A7A1Y4
GLU	-	expression tag	UNP A7A1Y4
PHE	-	expression tag	UNP A7A1Y4
VAL	THR	engineered mutation	UNP A7A1Y4
GLY	-	expression tag	UNP A7A1Y4
PRO	-	expression tag	UNP A7A1Y4
LEU	-	expression tag	UNP A7A1Y4
GLY	-	expression tag	UNP A7A1Y4
SER	-	expression tag	UNP A7A1Y4
PRO	-	expression tag	UNP A7A1Y4

expression tag

expression tag

engineered mutation

UNP A7A1Y4

UNP A7A1Y4

UNP A7A1Y4

Continued from previou

Residue

157

-7

-6

-5

-4

-3

-2

-1

0

157

-7

-6

-5

-4

-3

-2

-1

0

157

Ι -7 UNP A7A1Y4 GLY expression tag UNP A7A1Y4 PRO Ι -6 expression tag -Ι LEU UNP A7A1Y4 -5 expression tag -Ι GLY UNP A7A1Y4 -4 expression tag -Ι -3 SER UNP A7A1Y4 expression tag -Ι -2 PRO UNP A7A1Y4 expression tag -Ι GLU UNP A7A1Y4 -1 expression tag -Ι UNP A7A1Y4 0 PHE _ expression tag Ι 157 VAL UNP A7A1Y4 THR engineered mutation

_

_

THR

_

GLU

PHE

VAL

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Zn 1 1	0	0
2	В	1	Total Zn 1 1	0	0
2	С	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	Е	1	Total Zn 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	F	1	Total Zn 1 1	0	0
2	G	1	Total Zn 1 1	0	0
2	Н	1	Total Zn 1 1	0	0
2	Ι	1	Total Zn 1 1	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	36	Total O 36 36	0	0
4	В	34	$\begin{array}{cc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0	0
4	С	48	Total O 48 48	0	0
4	D	36	Total O 36 36	0	0
4	Е	45	$\begin{array}{cc} \text{Total} & \text{O} \\ 45 & 45 \end{array}$	0	0
4	F	28	TotalO2828	0	0
4	G	17	Total O 17 17	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DNA damage-inducible protein

• Molecule 1: DNA damage-inducible protein







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants	263.61Å 263.61Å 119.03Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	39.30 - 2.90	Depositor
Resolution (A)	39.32 - 2.90	EDS
% Data completeness	97.0 (39.30-2.90)	Depositor
(in resolution range)	97.0 (39.32-2.90)	EDS
R _{merge}	0.10	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.07 (at 2.90 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.13_2998)	Depositor
D D	0.193 , 0.215	Depositor
Λ, Λ_{free}	0.193 , 0.216	DCC
R_{free} test set	2578 reflections $(2.53%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	53.4	Xtriage
Anisotropy	0.513	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.39, 55.2	EDS
L-test for twinning ²	$< L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.011 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32430	wwPDB-VP
Average B, all atoms $(Å^2)$	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bo	ond angles
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.41	1/1833~(0.1%)	0.54	0/2506
1	В	0.35	0/1833	0.55	0/2506
1	С	0.39	0/1846	0.57	0/2520
1	D	0.37	1/1846~(0.1%)	0.53	0/2520
1	Е	0.39	0/1846	0.59	1/2520~(0.0%)
1	F	0.35	0/1855	0.52	0/2534
1	G	0.34	0/1834	0.53	0/2506
1	Н	0.33	0/1812	0.54	0/2476
1	Ι	0.37	0/1820	0.58	0/2484
All	All	0.37	2/16525~(0.0%)	0.55	1/22572~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	D	0	1
1	Н	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
1	А	12	GLU	CD-OE1	-6.24	1.18	1.25
1	D	101	LYS	CE-NZ	-5.23	1.35	1.49

All (1) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Ε	1	MET	CA-CB-CG	5.76	123.10	113.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
1	А	-3	SER	Peptide
1	D	-3	SER	Peptide
1	Н	38	ARG	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1791	1757	1746	15	1
1	В	1791	1757	1746	12	0
1	С	1804	1774	1774	13	0
1	D	1804	1770	1774	16	0
1	Е	1804	1770	1774	14	0
1	F	1812	1783	1779	11	0
1	G	1792	1762	1755	19	0
1	Н	1771	1741	1733	35	1
1	Ι	1779	1755	1755	82	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	Н	1	0	0	0	0
2	Ι	1	0	0	0	0
3	А	15	0	0	1	0
3	В	25	0	0	1	0
3	С	30	0	0	1	0
3	D	35	0	0	1	0
3	Е	30	0	0	3	0
3	F	15	0	0	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	10	0	0	4	0
4	А	36	0	0	1	0
4	В	34	0	0	0	0
4	С	48	0	0	1	0
4	D	36	0	0	1	0
4	Е	45	0	0	0	0
4	F	28	0	0	1	0
4	G	17	0	0	1	0
All	All	16561	15869	15836	205	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:I:178:ASN:OD1	1:I:183:ARG:NH1	1.99	0.95
1:C:24:ARG:NH2	3:C:307:SO4:O1	2.01	0.93
1:I:190:PHE:HB3	1:I:217:VAL:HG11	1.52	0.89
1:F:2:SER:OG	1:F:75:ASP:OD2	1.94	0.85
1:E:2:SER:OG	1:E:75:ASP:OD2	1.98	0.80
1:I:36:THR:HG21	1:I:120:THR:HG22	1.62	0.80
1:I:66:ILE:HD13	1:I:168:LEU:HD21	1.63	0.80
1:A:2:SER:OG	1:A:75:ASP:OD2	1.98	0.80
1:I:165:ASN:O	1:I:168:LEU:HD22	1.82	0.79
1:I:29:VAL:H	1:I:61:GLN:HE22	1.33	0.77
1:C:35:GLU:OE1	4:C:401:HOH:O	2.03	0.76
1:B:68:ARG:NH2	3:B:306:SO4:O2	2.22	0.72
1:F:136:ARG:NH1	4:F:401:HOH:O	2.23	0.72
1:A:12:GLU:OE1	1:A:15:LYS:NZ	2.21	0.71
1:H:117:PHE:HB2	1:H:127:ALA:HB2	1.72	0.71
1:I:154:GLN:O	1:I:158:THR:OG1	2.07	0.71
1:H:114:GLU:O	1:H:118:ASN:HB2	1.92	0.69
1:A:62:TYR:CD2	1:A:159:LEU:HD23	2.28	0.69
1:I:34:SER:O	1:I:38:ARG:N	2.25	0.69
1:I:189:CYS:O	1:I:193:VAL:HG23	1.93	0.69
1:D:101:LYS:NZ	1:E:1:MET:HB3	2.08	0.68
1:E:24:ARG:NH1	3:E:307:SO4:O1	2.27	0.68
1:G:186:TRP:N	3:G:302:SO4:O4	2.27	0.68
1:I:93:THR:O	1:I:97:MET:HG2	1.95	0.67
3:G:302:SO4:O1	4:G:401:HOH:O	2.10	0.67



	lo uo pugo	Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:F:32:PRO:O	1:F:41:ARG:NH2	2.28	0.66	
1:D:43:TYR:CE2	1:D:115:LEU:HD11	2.32	0.65	
1:I:41:ARG:NH1	1:I:57:LEU:HD21	2.10	0.65	
1:A:139:ASP:OD1	4:A:401:HOH:O	2.15	0.65	
1:I:12:GLU:OE1	1:I:15:LYS:NZ	2.29	0.65	
1:I:66:ILE:CD1	1:I:168:LEU:HD21	2.27	0.64	
1:I:25:PRO:HG3	1:I:170:HIS:ND1	2.14	0.62	
1:I:28:VAL:HG13	1:I:61:GLN:NE2	2.14	0.62	
1:I:63:SER:CB	1:I:81:LEU:HD21	2.30	0.62	
1:E:75:ASP:N	1:E:75:ASP:OD1	2.29	0.61	
1:I:36:THR:CG2	1:I:120:THR:HG22	2.29	0.61	
1:F:1:MET:HE2	1:H:200:ARG:HG2	1.80	0.61	
1:B:143:THR:HG23	1:B:144:GLY:N	2.16	0.60	
1:H:114:GLU:OE2	1:H:118:ASN:ND2	2.34	0.60	
1:I:134:ILE:O	1:I:137:HIS:ND1	2.34	0.60	
1:I:30:PRO:HB2	1:I:31:PRO:HD2	1.84	0.60	
1:I:41:ARG:HH12	1:I:57:LEU:HD11	1.68	0.59	
1:H:183:ARG:NH1	1:H:224:TYR:CG	2.71	0.59	
1:I:12:GLU:OE1	1:I:15:LYS:CE	2.50	0.59	
1:H:37:ALA:HB2	1:H:79:GLU:HG3	1.85	0.58	
1:B:9:VAL:HG23	1:B:10:PRO:HD2	1.86	0.58	
1:D:101:LYS:HZ3	1:E:1:MET:HB3	1.68	0.58	
1:I:26:ARG:HH21	1:I:69:ASP:N	2.03	0.57	
1:A:24:ARG:O	1:A:26:ARG:HG3	2.04	0.56	
1:B:211:ASP:OD1	1:B:211:ASP:N	2.30	0.56	
1:I:9:VAL:HG22	1:I:10:PRO:HD2	1.88	0.56	
1:A:40:VAL:HG11	1:A:83:VAL:HG13	1.88	0.55	
1:H:80:VAL:HG22	1:H:126:TYR:CE1	2.41	0.55	
1:B:62:TYR:CG	1:B:159:LEU:HD23	2.40	0.55	
1:I:160:ASP:O	1:I:224:TYR:OH	2.23	0.55	
1:C:143:THR:CG2	1:C:144:GLY:N	2.70	0.55	
1:D:132:GLU:O	1:D:136:ARG:HG3	2.08	0.54	
1:E:43:TYR:CE1	1:E:115:LEU:HD11	2.42	0.54	
1:H:112:SER:O	1:H:116:VAL:HG23	2.06	0.54	
1:I:1:MET:HG2	1:I:6:PHE:HB2	1.90	0.54	
1:I:63:SER:HB2	1:I:81:LEU:HD21	1.90	0.54	
1:I:63:SER:HB3	1:I:81:LEU:HD21	1.89	0.54	
1:I:213:PHE:O	1:I:217:VAL:HG23	2.07	0.54	
1:A:12:GLU:OE1	1:A:15:LYS:HD2	2.08	0.54	
1:C:143:THR:HG23	1:C:144:GLY:N	2.22	0.54	
1:G:12:GLU:O	1:G:13:VAL:HB	2.07	0.53	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:117:PHE:HB2	1:H:127:ALA:CB	2.38	0.53
1:I:105:GLU:OE1	1:I:138:GLN:NE2	2.37	0.53
1:D:-1:GLU:N	1:D:3:GLN:OE1	2.42	0.53
1:G:59:VAL:HG13	1:G:156:ALA:HB3	1.91	0.52
1:D:131:THR:HB	1:E:102:MET:HE2	1.90	0.52
1:H:84:THR:OG1	1:H:149:LEU:HD21	2.09	0.52
1:I:36:THR:HG23	1:I:119:ALA:O	2.09	0.52
1:H:102:MET:HE2	1:I:128:ASP:HA	1.91	0.52
1:I:168:LEU:C	1:I:168:LEU:HD23	2.30	0.52
1:I:97:MET:HE3	1:I:196:THR:HG22	1.92	0.51
1:B:143:THR:CG2	1:B:144:GLY:N	2.73	0.51
1:H:117:PHE:CE1	1:H:122:GLY:HA2	2.45	0.51
1:F:1:MET:HG2	1:F:6:PHE:HB2	1.93	0.51
1:H:50:ALA:HB3	1:H:51:PRO:HD3	1.93	0.51
1:F:1:MET:CE	1:H:200:ARG:HG2	2.41	0.51
1:H:41:ARG:HG2	1:H:41:ARG:HH11	1.76	0.50
1:G:62:TYR:CD2	1:G:159:LEU:HD23	2.47	0.50
1:I:25:PRO:HG3	1:I:170:HIS:CE1	2.46	0.50
1:I:26:ARG:NH2	1:I:69:ASP:CG	2.65	0.50
1:I:29:VAL:HG11	1:I:64:VAL:HG11	1.94	0.50
1:D:43:TYR:CZ	1:D:115:LEU:HD11	2.47	0.50
1:D:100:THR:OG1	1:D:102:MET:HG2	2.11	0.50
1:H:25:PRO:HB3	1:H:172:ASP:HB2	1.94	0.50
1:I:28:VAL:HA	1:I:61:GLN:NE2	2.26	0.50
1:C:62:TYR:CD2	1:C:159:LEU:HD23	2.46	0.50
1:B:225:THR:O	1:B:226:LYS:CB	2.60	0.49
1:G:98:ARG:HA	1:G:200:ARG:NH2	2.26	0.49
1:I:29:VAL:N	1:I:61:GLN:HE22	2.06	0.49
1:G:12:GLU:O	1:G:13:VAL:CB	2.59	0.49
1:I:24:ARG:HG3	1:I:69:ASP:OD1	2.12	0.49
1:I:102:MET:HE1	1:I:110:ILE:HD12	1.94	0.49
1:F:211:ASP:OD1	1:F:211:ASP:N	2.46	0.49
1:H:48:LEU:HD21	1:H:90:ILE:HA	1.96	0.48
1:H:55:HIS:O	1:H:59:VAL:HG23	2.12	0.48
1:I:34:SER:O	1:I:38:ARG:HB2	2.13	0.48
1:I:57:LEU:HD13	1:I:181:PHE:CD1	2.48	0.48
1:H:12:GLU:OE2	1:H:143:THR:HG22	2.13	0.48
1:A:9:VAL:HG23	1:A:10:PRO:HD2	1.95	0.47
1:I:21:ASN:H	1:I:70:GLN:HE22	1.62	0.47
1:I:56:SER:HB3	1:I:86:LEU:HA	1.96	0.47
1:A:77:ASP:OD1	1:A:79:GLU:N	2.45	0.47



	, and pagetti	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:80:VAL:HG22	1:A:126:TYR:CE1	2.49	0.47
1:A:186:TRP:N	3:A:303:SO4:O1	2.47	0.47
1:I:97:MET:HE3	1:I:196:THR:CG2	2.44	0.47
1:I:35:GLU:HA	1:I:38:ARG:HB3	1.96	0.47
3:E:305:SO4:O1	1:G:1:MET:HB3	2.15	0.47
1:G:200:ARG:HD3	1:I:1:MET:HE2	1.98	0.46
1:H:116:VAL:HG12	1:H:117:PHE:N	2.31	0.46
1:I:34:SER:O	1:I:38:ARG:CB	2.64	0.46
1:C:62:TYR:CG	1:C:159:LEU:HD23	2.51	0.46
1:C:143:THR:HG23	1:C:144:GLY:H	1.81	0.46
1:I:26:ARG:NH2	1:I:68:ARG:HB2	2.31	0.46
1:I:57:LEU:HD13	1:I:181:PHE:CE1	2.50	0.46
1:I:77:ASP:OD1	1:I:79:GLU:N	2.47	0.46
1:G:9:VAL:CG2	1:G:10:PRO:HD2	2.46	0.46
1:H:87:LEU:O	1:H:90:ILE:HG22	2.15	0.46
1:I:12:GLU:OE1	1:I:15:LYS:HE3	2.15	0.46
1:I:37:ALA:HB2	1:I:79:GLU:HG3	1.96	0.46
1:G:9:VAL:HG22	1:G:10:PRO:HD2	1.97	0.46
1:H:183:ARG:NH1	1:H:224:TYR:CD1	2.83	0.46
1:H:183:ARG:HH21	1:H:186:TRP:HD1	1.62	0.46
1:B:225:THR:O	1:B:225:THR:HG22	2.15	0.46
1:D:113:ARG:NH1	4:D:405:HOH:O	2.49	0.46
1:H:11:ARG:NH1	1:H:154:GLN:OE1	2.49	0.46
1:C:-2:PRO:HA	1:C:4:TYR:OH	2.16	0.45
1:I:50:ALA:HB3	1:I:51:PRO:HD3	1.98	0.45
1:I:186:TRP:CZ2	1:I:190:PHE:CE1	3.04	0.45
1:F:186:TRP:N	3:F:304:SO4:O2	2.46	0.45
1:G:2:SER:HB3	1:G:7:VAL:CG2	2.46	0.45
1:H:0:PHE:HB2	1:H:3:GLN:HG3	1.98	0.45
1:H:6:PHE:HB3	1:I:203:TRP:CH2	2.52	0.45
1:I:26:ARG:CD	1:I:65:ALA:HA	2.45	0.45
1:C:55:HIS:O	1:C:59:VAL:HG23	2.17	0.45
1:I:26:ARG:HD2	1:I:65:ALA:HA	1.98	0.45
1:E:50:ALA:HB3	1:E:51:PRO:HD3	1.99	0.45
1:C:138:GLN:HA	1:C:140:LEU:HG	1.97	0.45
1:E:43:TYR:CZ	1:E:115:LEU:HD11	2.51	0.45
1:I:17:ILE:HD11	1:I:71:PHE:CZ	2.52	0.44
1:I:191:ALA:CB	1:I:218:ILE:HD11	2.47	0.44
1:H:117:PHE:CE1	1:H:124:GLN:NE2	2.86	0.44
1:G:59:VAL:HG13	1:G:156:ALA:CB	2.47	0.44
1:G:187:LEU:N	3:G:302:SO4:O4	2.38	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:I:188:SER:HA	1:I:218:ILE:CD1	2.48	0.44
1:B:32:PRO:HG3	1:B:78:GLN:HG2	1.99	0.43
1:H:41:ARG:HG2	1:H:41:ARG:NH1	2.34	0.43
1:A:41:ARG:HA	1:A:86:LEU:HD13	2.00	0.43
1:G:35:GLU:O	1:G:39:LEU:HB2	2.18	0.43
1:I:39:LEU:C	1:I:39:LEU:HD23	2.38	0.43
1:I:66:ILE:HG23	1:I:168:LEU:HG	1.99	0.43
1:C:50:ALA:HB3	1:C:51:PRO:HD3	2.01	0.43
1:H:131:THR:HG22	1:H:135:ILE:HD12	1.99	0.43
1:I:158:THR:HG22	1:I:164:SER:HB2	2.00	0.43
1:E:77:ASP:OD1	1:E:79:GLU:N	2.51	0.43
1:H:113:ARG:CD	1:I:110:ILE:HD13	2.49	0.43
1:I:190:PHE:O	1:I:194:VAL:HG23	2.19	0.43
1:D:24:ARG:O	1:D:26:ARG:HG3	2.19	0.43
1:D:116:VAL:O	1:D:120:THR:HG23	2.19	0.43
1:E:215:LYS:HG3	1:G:18:PRO:HG3	2.00	0.43
1:I:40:VAL:HG12	1:I:86:LEU:CD1	2.49	0.43
1:C:57:LEU:HD21	1:C:86:LEU:HD21	2.01	0.43
1:A:166:THR:HG21	1:A:222:PHE:CE1	2.53	0.42
1:H:117:PHE:CB	1:H:127:ALA:HB2	2.46	0.42
1:I:13:VAL:HG12	1:I:13:VAL:O	2.19	0.42
1:I:158:THR:HG22	1:I:164:SER:CB	2.50	0.42
1:H:59:VAL:HG13	1:H:156:ALA:HB3	2.01	0.42
1:D:200:ARG:NH2	3:D:301:SO4:O1	2.53	0.42
1:F:113:ARG:HE	1:G:102:MET:HE2	1.85	0.42
1:D:166:THR:HG21	1:D:222:PHE:CE1	2.54	0.42
1:F:50:ALA:HB3	1:F:51:PRO:HD3	2.02	0.42
1:I:97:MET:CE	1:I:196:THR:HG22	2.50	0.42
1:E:9:VAL:CG2	1:E:10:PRO:HD2	2.50	0.42
1:I:59:VAL:HG12	1:I:85:CYS:SG	2.59	0.42
1:I:190:PHE:HA	1:I:193:VAL:HB	2.02	0.42
1:I:219:CYS:O	1:I:221:THR:HG23	2.20	0.42
1:G:68:ARG:NH2	3:G:303:SO4:O4	2.53	0.41
1:I:28:VAL:HA	1:I:61:GLN:HE22	1.85	0.41
1:C:77:ASP:OD1	1:C:79:GLU:N	2.53	0.41
1:H:62:TYR:CD2	1:H:159:LEU:HD23	2.55	0.41
1:I:26:ARG:NH2	1:I:68:ARG:CB	2.84	0.41
1:F:34:SER:OG	1:F:79:GLU:OE1	2.34	0.41
1:A:211:ASP:OD1	1:A:211:ASP:N	2.53	0.41
1:H:183:ARG:HE	1:H:183:ARG:HB3	1.70	0.41
1:E:186:TRP:N	3:E:303:SO4:O1	2.50	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:102:MET:CE	1:I:128:ASP:HA	2.50	0.41
1:A:75:ASP:OD1	1:A:75:ASP:N	2.53	0.41
1:D:131:THR:HG21	1:E:102:MET:HE1	2.02	0.41
1:B:62:TYR:CD2	1:B:159:LEU:HD23	2.56	0.41
1:I:35:GLU:O	1:I:39:LEU:N	2.31	0.41
1:I:186:TRP:CZ2	1:I:190:PHE:CD1	3.09	0.41
1:D:40:VAL:HG11	1:D:83:VAL:HG13	2.03	0.41
1:D:59:VAL:HG13	1:D:156:ALA:CB	2.51	0.41
1:B:-3:SER:CB	1:B:-2:PRO:HD3	2.51	0.40
1:B:59:VAL:HG13	1:B:156:ALA:HB3	2.03	0.40
1:G:166:THR:HG21	1:G:222:PHE:CE1	2.56	0.40
1:I:97:MET:CE	1:I:196:THR:CG2	2.98	0.40
1:I:48:LEU:HD22	1:I:52:VAL:HG12	2.04	0.40
1:I:138:GLN:HA	1:I:140:LEU:HG	2.03	0.40
1:G:62:TYR:CG	1:G:159:LEU:HD23	2.57	0.40
1:I:168:LEU:HD23	1:I:169:ILE:N	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:TYR:OH	1:H:121:GLY:O[3_566]	1.83	0.37

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	228/234~(97%)	222 (97%)	6 (3%)	0	100	100
1	В	228/234~(97%)	224 (98%)	4 (2%)	0	100	100
1	С	227/234~(97%)	223 (98%)	3 (1%)	1 (0%)	34	66
1	D	227/234~(97%)	224 (99%)	3 (1%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	Ε	227/234~(97%)	223~(98%)	4(2%)	0	100 100
1	F	230/234~(98%)	224 (97%)	4(2%)	2(1%)	17 48
1	G	227/234~(97%)	223~(98%)	3~(1%)	1 (0%)	34 66
1	Н	225/234~(96%)	214 (95%)	7 (3%)	4 (2%)	8 29
1	Ι	224/234~(96%)	216 (96%)	7 (3%)	1 (0%)	34 66
All	All	2043/2106~(97%)	1993 (98%)	41 (2%)	9 (0%)	34 66

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	-1	GLU
1	G	13	VAL
1	Н	116	VAL
1	Н	119	ALA
1	F	-3	SER
1	Н	0	PHE
1	Н	34	SER
1	F	139	ASP
1	Ι	25	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	194/202~(96%)	189~(97%)	5(3%)	46 77
1	В	194/202~(96%)	187 (96%)	7 (4%)	35 69
1	С	198/202~(98%)	191 (96%)	7 (4%)	36 70
1	D	198/202~(98%)	190 (96%)	8 (4%)	31 65
1	Ε	198/202~(98%)	192~(97%)	6 (3%)	41 75
1	F	198/202~(98%)	195~(98%)	3(2%)	65 87
1	G	195/202~(96%)	192~(98%)	3~(2%)	65 87

Continued on next page...



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	Н	192/202~(95%)	187~(97%)	5 (3%)	46	77
1	Ι	195/202~(96%)	188 (96%)	7~(4%)	35	69
All	All	1762/1818~(97%)	1711 (97%)	51 (3%)	42	76

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	41	ARG
1	А	75	ASP
1	А	78	GLN
1	А	126	TYR
1	А	225	THR
1	В	9	VAL
1	В	41	ARG
1	В	53	LEU
1	В	126	TYR
1	В	143	THR
1	В	180	GLN
1	В	211	ASP
1	С	126	TYR
1	С	143	THR
1	С	180	GLN
1	С	201	LYS
1	С	211	ASP
1	С	221	THR
1	С	225	THR
1	D	-1	GLU
1	D	24	ARG
1	D	38	ARG
1	D	41	ARG
1	D	126	TYR
1	D	179	GLU
1	D	180	GLN
1	D	201	LYS
1	Е	1	MET
1	Е	41	ARG
1	Е	75	ASP
1	Е	117	PHE
1	E	126	TYR
1	Е	201	LYS
1	F	126	TYR



Mol	Chain	Res	Type
1	F	201	LYS
1	F	211	ASP
1	G	12	GLU
1	G	39	LEU
1	G	126	TYR
1	Н	9	VAL
1	Н	36	THR
1	Н	39	LEU
1	Н	126	TYR
1	Н	225	THR
1	Ι	117	PHE
1	Ι	126	TYR
1	Ι	158	THR
1	Ι	168	LEU
1	Ι	183	ARG
1	Ι	190	PHE
1	Ι	192	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	78	GLN
1	Н	124	GLN
1	Ι	61	GLN
1	Ι	70	GLN
1	Ι	198	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 41 ligands modelled in this entry, 9 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	B	Bond lengths		Bond angles		gles
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	SO4	С	306	-	4,4,4	0.17	0	$6,\!6,\!6$	0.17	0
3	SO4	С	305	-	4,4,4	0.12	0	6,6,6	0.31	0
3	SO4	В	305	-	4,4,4	0.16	0	$6,\!6,\!6$	0.15	0
3	SO4	А	302	-	4,4,4	0.13	0	6,6,6	0.12	0
3	SO4	С	302	-	4,4,4	0.22	0	$6,\!6,\!6$	0.22	0
3	SO4	D	308	-	4,4,4	0.19	0	$6,\!6,\!6$	0.20	0
3	SO4	В	304	-	4,4,4	0.13	0	6,6,6	0.16	0
3	SO4	F	304	-	4,4,4	0.10	0	$6,\!6,\!6$	0.09	0
3	SO4	G	302	-	4,4,4	0.19	0	$6,\!6,\!6$	0.18	0
3	SO4	D	304	-	4,4,4	0.13	0	$6,\!6,\!6$	0.22	0
3	SO4	В	306	-	4,4,4	0.06	0	$6,\!6,\!6$	0.24	0
3	SO4	D	303	-	4,4,4	0.16	0	$6,\!6,\!6$	0.13	0
3	SO4	D	307	-	4,4,4	0.14	0	$6,\!6,\!6$	0.14	0
3	SO4	D	305	-	4,4,4	0.15	0	6,6,6	0.15	0
3	SO4	F	303	-	4,4,4	0.14	0	$6,\!6,\!6$	0.24	0
3	SO4	В	301	-	4,4,4	0.16	0	6,6,6	0.16	0
3	SO4	Е	307	-	4,4,4	0.12	0	$6,\!6,\!6$	0.40	0
3	SO4	Е	306	-	4,4,4	0.19	0	$6,\!6,\!6$	0.19	0
3	SO4	Е	305	-	4,4,4	0.20	0	6,6,6	0.37	0
3	SO4	Е	302	-	4,4,4	0.17	0	$6,\!6,\!6$	0.12	0
3	SO4	Е	304	-	4,4,4	0.18	0	$6,\!6,\!6$	0.19	0
3	SO4	Е	303	-	4,4,4	0.20	0	$6,\!6,\!6$	0.25	0
3	SO4	С	307	-	4,4,4	0.16	0	$6,\!6,\!6$	0.12	0
3	SO4	D	306	-	4,4,4	0.14	0	$6,\!6,\!6$	0.16	0
3	SO4	С	304	-	4,4,4	0.12	0	$6,\!6,\!6$	0.12	0
3	SO4	С	303	-	4,4,4	0.18	0	$6,\!6,\!6$	0.17	0
3	SO4	A	304	-	4,4,4	0.07	0	6,6,6	0.19	0
3	SO4	В	303	-	4,4,4	0.10	0	6,6,6	0.12	0
3	SO4	А	303	-	4,4,4	0.15	0	$6,\!6,\!6$	0.29	0
3	SO4	F	301	-	4,4,4	0.11	0	$\overline{6,\!6,\!6}$	0.19	0
3	SO4	G	303	-	4,4,4	0.16	0	$6,\!6,\!6$	0.18	0
3	SO4	D	301	-	4,4,4	0.20	0	$6,\!6,\!6$	0.17	0



There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	304	SO4	1	0
3	G	302	SO4	3	0
3	В	306	SO4	1	0
3	Е	307	SO4	1	0
3	Е	305	SO4	1	0
3	Ε	303	SO4	1	0
3	С	307	SO4	1	0
3	А	303	SO4	1	0
3	G	303	SO4	1	0
3	D	301	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	230/234~(98%)	-0.14	1 (0%) 92 93	40, 55, 81, 119	0
1	В	230/234~(98%)	-0.23	1 (0%) 92 93	33, 51, 73, 120	0
1	С	229/234~(97%)	-0.33	2 (0%) 84 84	30, 43, 67, 106	0
1	D	229/234~(97%)	-0.28	1 (0%) 92 93	34,45,67,97	0
1	Е	229/234~(97%)	-0.28	0 100 100	32, 43, 65, 132	0
1	F	232/234~(99%)	-0.16	0 100 100	36, 50, 79, 125	0
1	G	229/234~(97%)	-0.07	2 (0%) 84 84	42, 65, 88, 113	0
1	Н	227/234~(97%)	1.09	51~(22%) 0 0	68, 114, 155, 180	0
1	Ι	226/234~(96%)	1.75	95~(42%) 0 0	89, 149, 188, 235	0
All	All	2061/2106~(97%)	0.15	153 (7%) 14 11	30, 54, 155, 235	0

All (153) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Ι	177	ILE	6.3
1	Ι	90	ILE	5.9
1	Н	28	VAL	5.4
1	Ι	57	LEU	5.2
1	Ι	225	THR	5.1
1	Ι	190	PHE	5.0
1	Ι	139	ASP	5.0
1	Ι	196	THR	5.0
1	Ι	217	VAL	4.9
1	Ι	50	ALA	4.9
1	Ι	222	PHE	4.9
1	Ι	200	ARG	4.7
1	Ι	192	THR	4.7
1	Ι	82	TYR	4.6
1	Н	0	PHE	4.6



Mol	Chain	Res	Type	RSRZ
1	Н	19	VAL	4.6
1	Ι	86	LEU	4.6
1	Ι	42	GLU	4.5
1	Ι	213	PHE	4.5
1	Ι	181	PHE	4.4
1	Н	64	VAL	4.4
1	Ι	184	LEU	4.2
1	Н	225	THR	4.2
1	Ι	185	HIS	4.2
1	Н	181	PHE	4.2
1	Ι	20	VAL	4.1
1	Н	139	ASP	4.1
1	Ι	61	GLN	4.0
1	Н	176	ALA	4.0
1	Ι	119	ALA	4.0
1	Ι	186	TRP	3.9
1	Н	172	ASP	3.9
1	Ι	36	THR	3.9
1	Ι	98	ARG	3.9
1	Ι	166	THR	3.8
1	Н	72	PRO	3.8
1	Ι	170	HIS	3.8
1	Н	25	PRO	3.7
1	Ι	188	SER	3.7
1	Ι	216	LYS	3.7
1	Н	32	PRO	3.7
1	Ι	120	THR	3.7
1	Ι	24	ARG	3.6
1	Ι	219	CYS	3.6
1	Н	166	THR	3.6
1	Ι	220	ASN	3.6
1	Ι	84	THR	3.5
1	Ι	218	ILE	3.5
1	Ι	165	ASN	3.4
1	Ι	64	VAL	3.4
1	Н	26	ARG	3.4
1	Ι	96	ASN	3.4
1	Ι	47	GLU	3.4
1	Н	1	MET	3.4
1	Н	29	VAL	3.4
1	Ι	46	LYS	3.4
1	Ι	33	ASN	3.3



Mol	Chain	Res	Type	RSRZ
1	Ι	30	PRO	3.3
1	Ι	172	ASP	3.3
1	Н	169	ILE	3.3
1	Ι	21	ASN	3.3
1	Н	17	ILE	3.3
1	А	119	ALA	3.2
1	Н	43	TYR	3.2
1	Ι	44	ALA	3.2
1	Ι	83	VAL	3.2
1	В	225	THR	3.2
1	Ι	194	VAL	3.2
1	Ι	168	LEU	3.1
1	Н	30	PRO	3.1
1	Ι	224	TYR	3.1
1	Ι	173	THR	3.1
1	Н	18	PRO	3.0
1	Н	71	PHE	3.0
1	Н	4	TYR	3.0
1	Н	173	THR	3.0
1	Ι	32	PRO	3.0
1	Н	61	GLN	3.0
1	Ι	25	PRO	3.0
1	Ι	169	ILE	2.9
1	Н	74	TRP	2.9
1	Ι	53	LEU	2.9
1	Ι	121	GLY	2.9
1	Ι	39	LEU	2.9
1	Ι	54	ASN	2.9
1	Н	223	GLY	2.8
1	Ι	193	VAL	2.8
1	Ι	182	PRO	2.8
1	Н	122	GLY	2.8
1	Ι	189	CYS	2.8
1	Ι	204	GLY	2.8
1	Н	27	ALA	2.8
1	Ι	43	TYR	2.8
1	Ι	48	LEU	2.8
1	Ι	4	TYR	2.8
1	Ι	65	ALA	2.7
1	Н	20	VAL	2.7
1	Ι	29	VAL	2.7
1	Н	205	HIS	2.7



Mol	Chain	Res	Type	RSRZ
1	Н	179	GLU	2.7
1	Ι	34	SER	2.6
1	Ι	63	SER	2.6
1	Ι	199	SER	2.6
1	Ι	107	TYR	2.6
1	Ι	40	VAL	2.6
1	Н	111	LEU	2.6
1	G	220	ASN	2.5
1	Н	178	ASN	2.5
1	Н	21	ASN	2.5
1	Н	68	ARG	2.5
1	Н	180	GLN	2.5
1	Ι	35	GLU	2.5
1	Н	13	VAL	2.4
1	D	-3	SER	2.4
1	Ι	114	GLU	2.4
1	Н	126	TYR	2.4
1	Ι	215	LYS	2.4
1	Н	65	ALA	2.4
1	Ι	191	ALA	2.4
1	G	221	THR	2.4
1	Ι	60	PHE	2.4
1	Н	42	GLU	2.4
1	Н	171	ILE	2.3
1	Н	136	ARG	2.3
1	Н	57	LEU	2.3
1	Ι	99	ALA	2.3
1	Ι	27	ALA	2.3
1	Ι	126	TYR	2.3
1	Н	224	TYR	2.2
1	Ι	214	SER	2.2
1	Ι	221	THR	2.2
1	Н	174	VAL	2.2
1	Н	184	LEU	2.2
1	Ι	26	ARG	2.2
1	Ι	123	ASN	2.2
1	Ι	223	GLY	2.2
1	Ι	176	ALA	2.2
1	Ι	137	HIS	2.2
1	Ι	183	ARG	2.2
1	Ι	211	ASP	2.2
1	Ι	0	PHE	2.2



	<i>,</i>	-		
Mol	Chain	\mathbf{Res}	Type	RSRZ
1	Ι	38	ARG	2.2
1	С	33	ASN	2.1
1	Ι	203	TRP	2.1
1	С	139	ASP	2.1
1	Н	22	ALA	2.1
1	Н	177	ILE	2.1
1	Ι	28	VAL	2.1
1	Ι	93	THR	2.1
1	Н	222	PHE	2.1
1	Н	7	VAL	2.1
1	Ι	94	ASP	2.0
1	Ι	122	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	ZN	Ι	500	1/1	0.25	0.23	95,95,95,95	1
3	SO4	G	302	5/5	0.79	0.32	65,71,73,74	5
3	SO4	D	305	5/5	0.80	0.34	84,89,95,96	5
3	SO4	С	305	5/5	0.81	0.37	68,68,76,78	5
3	SO4	В	305	5/5	0.84	0.44	104,106,109,113	5
3	SO4	D	306	5/5	0.85	0.35	73,81,82,86	5
3	SO4	В	304	5/5	0.87	0.34	47,55,57,60	5
3	SO4	В	306	5/5	0.87	0.28	78,81,83,84	5
3	SO4	D	303	5/5	0.90	0.24	95,97,99,101	0
3	SO4	D	308	5/5	0.90	0.18	76,79,82,82	5
3	SO4	Е	306	5/5	0.90	0.44	59,63,63,65	5



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	В	303	5/5	0.90	0.26	79,86,91,92	5
3	SO4	С	304	5/5	0.91	0.22	84,87,88,92	5
3	SO4	А	303	5/5	0.91	0.27	55,55,56,61	5
3	SO4	С	307	5/5	0.91	0.14	65,73,77,79	5
3	SO4	D	301	5/5	0.92	0.19	85,90,92,94	0
3	SO4	Е	303	5/5	0.92	0.24	43,44,47,47	5
3	SO4	С	302	5/5	0.93	0.23	38,41,42,43	5
3	SO4	А	304	5/5	0.93	0.23	42,51,55,56	5
3	SO4	В	301	5/5	0.93	0.16	82,89,97,98	0
3	SO4	F	304	5/5	0.93	0.23	52,53,58,59	5
3	SO4	А	302	5/5	0.93	0.23	67,73,74,79	5
2	ZN	G	301	1/1	0.94	0.05	69,69,69,69	1
2	ZN	Н	500	1/1	0.94	0.14	100,100,100,100	1
3	SO4	F	303	5/5	0.94	0.20	$71,\!72,\!74,\!77$	5
3	SO4	D	307	5/5	0.94	0.14	67,70,70,71	5
3	SO4	С	306	5/5	0.94	0.23	66,70,74,74	5
3	SO4	G	303	5/5	0.94	0.26	$59,\!63,\!66,\!66$	5
3	SO4	Е	305	5/5	0.95	0.20	43,49,53,53	5
3	SO4	Е	304	5/5	0.96	0.14	$51,\!52,\!56,\!57$	5
3	SO4	D	304	5/5	0.96	0.24	76,79,81,86	0
3	SO4	С	303	5/5	0.96	0.18	$43,\!56,\!59,\!62$	5
3	SO4	F	301	5/5	0.96	0.13	$53,\!57,\!62,\!62$	5
3	SO4	Ε	302	5/5	0.97	0.15	$64,\!66,\!69,\!71$	5
2	ZN	В	302	1/1	0.97	0.11	59, 59, 59, 59, 59	1
2	ZN	С	301	1/1	0.98	0.10	44,44,44,44	1
2	ZN	D	302	1/1	0.98	0.10	58, 58, 58, 58	1
2	ZN	E	301	1/1	0.98	0.11	$53,\!53,\!53,\!53$	1
2	ZN	A	301	1/1	0.98	0.10	$51,\!51,\!51,\!51$	1
3	SO4	E	307	5/5	0.98	0.17	$38,\!47,\!49,\!51$	5
2	ZN	F	302	1/1	0.99	0.18	$57,\!57,\!57,\!57$	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

































6.5 Other polymers (i)

There are no such residues in this entry.

