



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2021 – 06:17 PM EDT

PDB ID : 3DNK
Title : Enzyme deglycosylated Human IgG1 Fc fragment
Authors : Braden, B.C.
Deposited on : 2008-07-02
Resolution : 2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1031 (2.86-2.82)
Clashscore	141614	1078 (2.86-2.82)
Ramachandran outliers	138981	1050 (2.86-2.82)
Sidechain outliers	138945	1051 (2.86-2.82)
RSRZ outliers	127900	1019 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	
1	B	212	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IGHM protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	209	1669	1061	280	321	7	0	0	0
1	B	210	1676	1066	281	322	7	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	297	ASP	ASN	engineered mutation	UNP Q6PI81
B	1297	ASP	ASN	engineered mutation	UNP Q6PI81

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	48	Total	O	0	0
			48	48		
2	B	38	Total	O	0	0
			38	38		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: IGHM protein



- Molecule 1: IGHM protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.37Å 78.21Å 147.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.08 – 2.84 20.08 – 2.84	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.08-2.84) 98.6 (20.08-2.84)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.83Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.240 , 0.320 0.254 , 0.317	Depositor DCC
R_{free} test set	1409 reflections (10.16%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtrriage
Anisotropy	0.256	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	3431	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/1715	0.68	0/2335
1	B	0.44	0/1723	0.62	0/2347
All	All	0.44	0/3438	0.65	0/4682

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1669	0	1632	109	0
1	B	1676	0	1639	97	0
2	A	48	0	0	3	0
2	B	38	0	0	1	0
All	All	3431	0	3271	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1355:ARG:HD3	1:B:1355:ARG:H	1.25	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:TYR:HD1	1:B:1356:GLU:HG3	1.21	0.99
1:A:346:PRO:HB3	1:A:372:PHE:HB3	1.49	0.95
1:B:1432:LEU:HD13	1:B:1437:THR:HG22	1.50	0.94
1:A:355:ARG:HD3	1:A:355:ARG:H	1.33	0.93
1:A:238:PRO:HD2	1:A:328:LEU:HD21	1.51	0.93
1:B:1353:PRO:HD3	1:B:1365:LEU:HD23	1.55	0.88
1:A:349:TYR:CD1	1:B:1356:GLU:HG3	2.10	0.84
1:A:253:ILE:H	1:A:253:ILE:HD12	1.46	0.80
1:B:1290:LYS:HB3	1:B:1303:VAL:HG23	1.65	0.78
1:A:355:ARG:HD3	1:A:355:ARG:N	2.01	0.76
1:B:1382:GLU:HA	1:B:1388:GLU:H	1.50	0.76
1:B:1238:PRO:HD2	1:B:1328:LEU:HD13	1.68	0.75
1:B:1313:TRP:HZ3	1:B:1336:ILE:HD13	1.51	0.74
1:B:1346:PRO:HB3	1:B:1372:PHE:HB3	1.69	0.74
1:A:293:GLU:HG3	1:A:301:ARG:HB3	1.68	0.73
1:A:429:HIS:CD2	1:A:431:ALA:H	2.08	0.72
1:B:1262:VAL:HG22	1:B:1303:VAL:HG12	1.72	0.71
1:A:242:LEU:HD13	1:A:336:ILE:HG23	1.73	0.71
1:B:1418:GLN:HA	1:B:1443:LEU:HD22	1.71	0.71
1:B:1354:SER:OG	1:B:1356:GLU:HG2	1.92	0.70
1:A:372:PHE:HE1	1:A:405:PHE:HA	1.61	0.66
1:A:414:LYS:HE2	1:A:418:GLN:NE2	2.10	0.66
1:B:1276:ASN:HB2	1:B:1322:LYS:HB3	1.78	0.65
1:B:1355:ARG:HD3	1:B:1355:ARG:N	2.05	0.65
1:B:1418:GLN:C	1:B:1420:GLY:H	2.00	0.64
1:A:309:LEU:HB2	1:A:312:ASP:HB2	1.80	0.63
1:A:279:VAL:O	1:A:282:VAL:HG22	1.98	0.63
1:A:395:PRO:HD3	2:A:64:HOH:O	2.00	0.62
1:B:1266:VAL:CG1	1:B:1271:PRO:HA	2.31	0.61
1:A:355:ARG:HG2	1:A:356:GLU:N	2.15	0.61
1:A:368:LEU:HD13	1:A:407:TYR:CZ	2.36	0.60
1:B:1278:TYR:HA	1:B:1283:GLU:HA	1.81	0.60
1:B:1444:SER:HB3	1:B:1445:PRO:CD	2.32	0.59
1:B:1336:ILE:HD12	1:B:1336:ILE:O	2.02	0.59
1:B:1432:LEU:CD1	1:B:1437:THR:HG22	2.28	0.59
1:A:401:ASP:O	1:A:403:SER:N	2.35	0.59
1:A:359:THR:HB	1:A:360:LYS:NZ	2.18	0.58
1:A:250:THR:HB	1:A:314:LEU:HD11	1.85	0.58
1:B:1312:ASP:HB3	1:B:1317:LYS:HD2	1.85	0.58
1:B:1319:TYR:HB2	1:B:1336:ILE:HD11	1.85	0.58
1:A:242:LEU:HD13	1:A:336:ILE:CG2	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1249:ASP:OD1	1:B:1255:ARG:HD3	2.04	0.58
1:B:1418:GLN:O	1:B:1420:GLY:N	2.37	0.57
1:B:1388:GLU:HG3	1:B:1410:LEU:HD21	1.85	0.57
1:A:253:ILE:H	1:A:253:ILE:CD1	2.17	0.56
1:A:251:LEU:O	1:A:435:HIS:HD2	1.88	0.56
1:A:259:VAL:HG13	1:A:336:ILE:HD11	1.88	0.56
1:A:357:GLU:HG3	1:B:1349:TYR:CE2	2.40	0.56
1:A:442:SER:O	1:A:444:SER:N	2.32	0.56
1:A:275:PHE:HZ	1:A:302:VAL:HG12	1.71	0.56
1:B:1292:ARG:HB3	1:B:1302:VAL:HG22	1.88	0.56
1:A:334:LYS:HE3	2:A:62:HOH:O	2.06	0.56
1:A:355:ARG:HG2	1:A:356:GLU:H	1.70	0.55
1:B:1290:LYS:HD3	1:B:1303:VAL:CG2	2.36	0.55
1:B:1336:ILE:HD12	1:B:1336:ILE:C	2.27	0.55
1:B:1261:CYS:HB2	1:B:1277:TRP:CH2	2.42	0.55
1:A:429:HIS:HD2	1:A:431:ALA:H	1.51	0.55
1:A:262:VAL:HG22	1:A:303:VAL:HG22	1.89	0.55
1:B:1280:ASP:OD2	1:B:1317:LYS:HG2	2.07	0.55
1:B:1276:ASN:HD22	1:B:1322:LYS:HD3	1.70	0.55
1:B:1277:TRP:O	1:B:1283:GLU:HG3	2.07	0.54
1:B:1355:ARG:HG2	1:B:1356:GLU:N	2.23	0.54
1:A:311:GLN:O	1:A:315:ASN:HB2	2.07	0.54
1:B:1259:VAL:HG23	1:B:1308:VAL:HG11	1.89	0.54
1:A:325:ASN:O	1:A:327:ALA:N	2.41	0.54
1:A:324:SER:HB3	1:A:331:PRO:HG3	1.90	0.53
1:B:1325:ASN:OD1	1:B:1327:ALA:N	2.41	0.53
1:A:324:SER:HB3	1:A:331:PRO:HB3	1.91	0.53
1:A:348:VAL:HG22	1:A:369:VAL:HG13	1.89	0.53
1:B:1240:VAL:HG13	1:B:1262:VAL:O	2.08	0.53
1:B:1418:GLN:C	1:B:1420:GLY:N	2.61	0.53
1:B:1266:VAL:HG12	1:B:1271:PRO:HA	1.91	0.53
1:B:1354:SER:HG	1:B:1356:GLU:HG2	1.73	0.53
1:A:266:VAL:HB	1:A:300:TYR:HB2	1.91	0.52
1:B:1290:LYS:HD3	1:B:1303:VAL:HG21	1.92	0.52
1:A:253:ILE:HD12	1:A:253:ILE:N	2.18	0.52
1:A:414:LYS:HG2	1:A:418:GLN:HE21	1.74	0.52
1:B:1263:VAL:HG22	1:B:1323:VAL:HG21	1.90	0.52
1:B:1264:VAL:O	1:B:1265:ASP:HB2	2.08	0.52
1:A:377:ILE:HD11	1:A:427:VAL:HG13	1.91	0.52
1:A:394:THR:HA	1:B:1397:VAL:HG21	1.91	0.52
1:A:297:ASP:OD2	1:A:299:THR:HG23	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:LYS:HE2	1:A:255:ARG:NH2	2.26	0.51
1:A:346:PRO:HB3	1:A:372:PHE:CB	2.32	0.51
1:A:349:TYR:HB3	1:B:1354:SER:CB	2.41	0.51
1:B:1348:VAL:HG12	1:B:1439:LYS:HD3	1.93	0.51
1:A:275:PHE:CZ	1:A:302:VAL:HG12	2.46	0.51
1:A:295:GLN:O	1:A:296:TYR:C	2.49	0.51
1:A:346:PRO:CB	1:A:372:PHE:HB3	2.34	0.50
1:B:1444:SER:HB3	1:B:1445:PRO:HD3	1.92	0.50
1:A:368:LEU:HD13	1:A:407:TYR:CE1	2.46	0.50
1:B:1344:ARG:NH1	2:B:54:HOH:O	2.45	0.50
1:B:1444:SER:CB	1:B:1445:PRO:CD	2.90	0.49
1:A:278:TYR:CE2	1:A:283:GLU:HB2	2.47	0.49
1:A:377:ILE:HG12	1:A:378:ALA:N	2.27	0.49
1:B:1319:TYR:HB2	1:B:1336:ILE:CD1	2.42	0.49
1:A:355:ARG:H	1:A:355:ARG:CD	2.13	0.49
1:A:359:THR:HB	1:A:360:LYS:HZ2	1.78	0.49
1:A:268:HIS:O	1:A:271:PRO:HD3	2.13	0.49
1:B:1297:ASP:O	1:B:1297:ASP:CG	2.51	0.48
1:B:1382:GLU:CB	1:B:1387:PRO:HA	2.43	0.48
1:A:397:VAL:HG21	1:B:1394:THR:HA	1.96	0.48
1:A:248:LYS:HE2	1:A:255:ARG:HH21	1.77	0.48
1:A:324:SER:HB3	1:A:331:PRO:CG	2.43	0.48
1:B:1382:GLU:HA	1:B:1388:GLU:N	2.24	0.48
1:B:1309:LEU:HB2	1:B:1312:ASP:OD2	2.13	0.48
1:A:370:LYS:HA	1:A:405:PHE:CB	2.44	0.48
1:B:1313:TRP:CZ3	1:B:1336:ILE:HD13	2.40	0.48
1:A:242:LEU:HD12	1:A:334:LYS:O	2.13	0.47
1:A:288:LYS:N	1:A:288:LYS:HD3	2.28	0.47
1:B:1422:VAL:HA	1:B:1442:SER:HB3	1.95	0.47
1:A:245:PRO:HD2	1:A:313:TRP:CH2	2.50	0.47
1:A:252:MET:HB2	1:A:255:ARG:HG2	1.95	0.47
1:A:401:ASP:C	1:A:403:SER:H	2.17	0.47
1:A:264:VAL:O	1:A:265:ASP:HB2	2.15	0.47
1:A:263:VAL:CG2	1:A:323:VAL:HG11	2.45	0.46
1:B:1269:GLU:HA	1:B:1269:GLU:OE1	2.13	0.46
1:B:1249:ASP:HB3	1:B:1257:PRO:HA	1.97	0.46
1:B:1241:PHE:HB3	1:B:1243:PHE:CE2	2.50	0.46
1:A:390:ASN:OD1	1:A:390:ASN:O	2.33	0.46
1:B:1288:LYS:HD3	1:B:1288:LYS:C	2.36	0.46
1:B:1262:VAL:HG22	1:B:1303:VAL:CG1	2.44	0.46
1:B:1362:GLN:HG2	1:B:1413:ASP:HA	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1372:PHE:CE1	1:B:1405:PHE:HA	2.51	0.46
1:A:349:TYR:HB3	1:B:1354:SER:HB3	1.98	0.46
1:A:409:LYS:HB2	1:B:1407:TYR:OH	2.15	0.46
1:A:390:ASN:OD1	1:A:411:THR:HB	2.16	0.46
1:A:397:VAL:HG21	1:B:1394:THR:HG22	1.98	0.45
1:A:364:SER:HB2	1:A:409:LYS:HG3	1.98	0.45
1:B:1357:GLU:O	1:B:1357:GLU:HG2	2.16	0.45
1:B:1358:MET:O	1:B:1414:LYS:HE3	2.14	0.45
1:B:1391:TYR:C	1:B:1391:TYR:CD1	2.90	0.45
1:A:276:ASN:ND2	1:A:322:LYS:HZ2	2.15	0.45
1:A:345:GLU:HG3	1:A:432:LEU:HD23	1.97	0.45
1:B:1348:VAL:CG1	1:B:1439:LYS:HD3	2.47	0.45
1:A:242:LEU:HD13	1:A:336:ILE:HG12	1.98	0.45
1:B:1264:VAL:HG12	1:B:1265:ASP:N	2.32	0.45
1:B:1328:LEU:HD21	1:B:1332:ILE:CD1	2.46	0.45
1:B:1355:ARG:H	1:B:1355:ARG:CD	2.12	0.45
1:B:1369:VAL:HB	1:B:1406:LEU:CD1	2.47	0.45
1:B:1249:ASP:HB3	1:B:1257:PRO:CA	2.48	0.44
1:A:370:LYS:HA	1:A:405:PHE:HB2	1.98	0.44
1:B:1422:VAL:HG11	1:B:1440:SER:HB2	1.98	0.44
1:A:309:LEU:O	1:A:312:ASP:HB2	2.17	0.44
1:B:1420:GLY:O	1:B:1421:ASN:O	2.36	0.44
1:A:325:ASN:C	1:A:327:ALA:H	2.21	0.44
1:A:377:ILE:HD11	1:A:427:VAL:CG1	2.48	0.44
1:A:257:PRO:HG2	1:A:308:VAL:O	2.18	0.44
1:A:436:TYR:CD1	1:A:436:TYR:C	2.90	0.44
1:A:389:ASN:CG	1:A:390:ASN:H	2.21	0.44
1:B:1261:CYS:HB2	1:B:1277:TRP:CZ2	2.52	0.44
1:B:1444:SER:CB	1:B:1445:PRO:HD3	2.47	0.44
1:B:1253:ILE:HG23	1:B:1254:SER:N	2.32	0.43
1:A:329:PRO:HG2	1:A:330:ALA:H	1.83	0.43
1:B:1241:PHE:HB2	1:B:1262:VAL:HB	1.98	0.43
1:A:249:ASP:HB3	1:A:257:PRO:HA	2.00	0.43
1:A:311:GLN:HB2	2:A:74:HOH:O	2.18	0.43
1:A:319:TYR:O	1:A:335:THR:HA	2.19	0.43
1:B:1276:ASN:ND2	1:B:1322:LYS:HD3	2.33	0.43
1:B:1346:PRO:CB	1:B:1372:PHE:HB3	2.45	0.43
1:A:246:LYS:HD2	1:A:249:ASP:OD2	2.19	0.43
1:A:353:PRO:HB3	1:A:363:VAL:HG12	2.00	0.43
1:B:1271:PRO:O	1:B:1292:ARG:NH1	2.52	0.43
1:B:1299:THR:C	1:B:1300:TYR:HD1	2.21	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:416:ARG:NH2	1:A:423:PHE:HE2	2.15	0.43
1:B:1414:LYS:O	1:B:1414:LYS:HG3	2.18	0.43
1:B:1279:VAL:N	1:B:1282:VAL:O	2.52	0.42
1:A:324:SER:HB3	1:A:331:PRO:CB	2.49	0.42
1:A:250:THR:HG21	1:A:313:TRP:CD1	2.54	0.42
1:B:1412:VAL:HG11	1:B:1423:PHE:CE2	2.54	0.42
1:B:1429:HIS:O	1:B:1435:HIS:HA	2.19	0.42
1:A:266:VAL:O	1:A:267:SER:C	2.58	0.42
1:B:1262:VAL:HG12	1:B:1263:VAL:N	2.34	0.42
1:A:413:ASP:O	1:A:414:LYS:C	2.57	0.42
1:B:1240:VAL:HG12	1:B:1241:PHE:N	2.35	0.42
1:A:335:THR:HG22	1:A:336:ILE:N	2.35	0.41
1:A:278:TYR:HA	1:A:283:GLU:HA	2.02	0.41
1:B:1242:LEU:HD12	1:B:1260:THR:O	2.20	0.41
1:A:262:VAL:HG13	1:A:303:VAL:CG2	2.51	0.41
1:A:326:LYS:HB3	1:A:326:LYS:NZ	2.36	0.41
1:A:355:ARG:CG	1:A:356:GLU:N	2.83	0.41
1:A:315:ASN:HD22	1:A:315:ASN:HA	1.57	0.41
1:A:367:CYS:HB2	1:A:381:TRP:CZ2	2.56	0.41
1:B:1312:ASP:OD1	1:B:1317:LYS:HE3	2.21	0.41
1:A:249:ASP:OD1	1:A:255:ARG:NH1	2.54	0.41
1:A:276:ASN:HB2	1:A:322:LYS:HB3	2.03	0.41
1:A:288:LYS:O	1:A:305:VAL:N	2.47	0.41
1:A:297:ASP:CG	1:A:299:THR:HG23	2.40	0.41
1:A:353:PRO:CB	1:A:363:VAL:CG1	2.99	0.41
1:A:430:GLU:HA	1:A:435:HIS:CE1	2.56	0.41
1:A:263:VAL:HG21	1:A:323:VAL:HG11	2.02	0.41
1:A:292:ARG:HB3	1:A:300:TYR:CD2	2.56	0.40
1:B:1432:LEU:HD22	1:B:1437:THR:CG2	2.50	0.40
1:A:268:HIS:HD2	1:A:298:SER:HB2	1.86	0.40
1:B:1381:TRP:HB2	1:B:1391:TYR:CD2	2.56	0.40
1:A:372:PHE:CE1	1:A:405:PHE:HA	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/212 (98%)	183 (88%)	15 (7%)	9 (4%)	2	5
1	B	208/212 (98%)	176 (85%)	25 (12%)	7 (3%)	3	8
All	All	415/424 (98%)	359 (86%)	40 (10%)	16 (4%)	3	6

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	297	ASP
1	B	1329	PRO
1	B	1421	ASN
1	A	286	ASN
1	A	296	TYR
1	A	326	LYS
1	A	390	ASN
1	A	402	GLY
1	B	1287	ALA
1	B	1292	ARG
1	B	1419	GLN
1	A	291	PRO
1	A	443	LEU
1	B	1384	ASN
1	A	329	PRO
1	B	1444	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/196 (99%)	179 (92%)	15 (8%)	13	27
1	B	195/196 (100%)	183 (94%)	12 (6%)	18	35
All	All	389/392 (99%)	362 (93%)	27 (7%)	15	31

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	LEU
1	A	250	THR
1	A	254	SER
1	A	255	ARG
1	A	280	ASP
1	A	297	ASP
1	A	312	ASP
1	A	315	ASN
1	A	355	ARG
1	A	360	LYS
1	A	365	LEU
1	A	376	ASP
1	A	415	SER
1	A	419	GLN
1	A	443	LEU
1	B	1270	ASP
1	B	1272	GLU
1	B	1299	THR
1	B	1301	ARG
1	B	1342	GLN
1	B	1355	ARG
1	B	1376	ASP
1	B	1384	ASN
1	B	1414	LYS
1	B	1426	SER
1	B	1437	THR
1	B	1439	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	268	HIS
1	A	276	ASN
1	A	315	ASN
1	A	347	GLN
1	A	418	GLN
1	A	429	HIS
1	A	434	ASN
1	A	435	HIS
1	B	1276	ASN
1	B	1389	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1418	GLN
1	B	1419	GLN
1	B	1421	ASN
1	B	1433	HIS
1	B	1438	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/212 (98%)	-0.10	4 (1%) 66 62	15, 31, 52, 66	7 (3%)
1	B	210/212 (99%)	0.05	11 (5%) 27 20	8, 35, 65, 75	8 (3%)
All	All	419/424 (98%)	-0.02	15 (3%) 42 35	8, 33, 62, 75	15 (3%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1445	PRO	5.0
1	B	1296	TYR	4.5
1	A	444	SER	3.7
1	B	1236	GLY	3.6
1	B	1300	TYR	3.6
1	B	1294	GLU	3.2
1	B	1298	SER	3.1
1	A	236	GLY	2.8
1	B	1444	SER	2.7
1	A	296	TYR	2.5
1	B	1293	GLU	2.4
1	B	1295	GLN	2.4
1	A	384	ASN	2.1
1	B	1327	ALA	2.1
1	B	1386	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.