



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 03:42 pm BST

PDB ID : 1DSU  
Title : HUMAN FACTOR D, COMPLEMENT ACTIVATING ENZYME  
Authors : Narayana, S.V.L.; Volanakis, J.E.; Delucas, L.J.  
Deposited on : 1995-09-15  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 63%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 5px;">5%      63%      29%      7% •</p>
1	B	228	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 28%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 5px;">3%      64%      28%      7% •</p>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3499 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FACTOR D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	228	1712	1058	325	319	10	0	0	0
1	B	228	1711	1057	325	319	10	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	48	Total 48	O 48	0	0
2	B	28	Total 28	O 28	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FACTOR D



- Molecule 1: FACTOR D



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	40.99Å 65.02Å 40.36Å 101.26° 109.89° 74.32°	Depositor
Resolution (Å)	7.50 – 2.00 20.17 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.50-2.00) 93.6 (20.17-2.00)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtrriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.188 , 0.203 0.196 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.4	Xtrriage
Anisotropy	0.049	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 55.4	EDS
L-test for twinning <sup>1</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	3499	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.83	0/1747	1.14	8/2377 (0.3%)
1	B	0.76	0/1744	1.04	13/2371 (0.5%)
All	All	0.79	0/3491	1.09	21/4748 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	179	ARG	NE-CZ-NH2	7.52	124.06	120.30
1	A	218	ARG	NE-CZ-NH2	7.26	123.93	120.30
1	A	187	ARG	NE-CZ-NH2	7.13	123.86	120.30
1	A	188	ARG	NE-CZ-NH2	7.08	123.84	120.30
1	B	129	ARG	NE-CZ-NH2	7.04	123.82	120.30
1	B	20	ARG	NE-CZ-NH2	7.03	123.81	120.30
1	B	27	ARG	NE-CZ-NH2	7.01	123.81	120.30
1	B	126	ARG	NE-CZ-NH2	6.80	123.70	120.30
1	B	218	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	B	30	MET	CG-SD-CE	6.00	109.80	100.20
1	B	181	MET	CG-SD-CE	5.78	109.44	100.20
1	A	223	ARG	NE-CZ-NH2	5.76	123.18	120.30
1	B	176	ILE	O-C-N	5.37	131.29	122.70
1	A	20	ARG	NE-CZ-NH2	5.34	122.97	120.30
1	B	81	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	A	121	ARG	NE-CZ-NH2	5.22	122.91	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	ARG	NE-CZ-NH2	5.15	122.88	120.30
1	A	165	ARG	NE-CZ-NH2	5.14	122.87	120.30
1	B	199	LEU	N-CA-C	-5.09	97.26	111.00
1	B	188	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	A	150	ARG	NE-CZ-NH2	5.07	122.84	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	228	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1712	0	1695	68	3
1	B	1711	0	1693	48	1
2	A	48	0	0	3	2
2	B	28	0	0	0	0
All	All	3499	0	3388	108	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:HIS:HB2	1:A:92:PRO:HD2	1.39	1.04
1:A:214:THR:HG21	1:A:229:THR:HG22	1.47	0.97
1:A:95:GLN:HB3	1:A:96:PRO:HD2	1.46	0.94
1:A:126:ARG:HH21	1:B:124(A):TRP:HE1	1.23	0.84
1:B:129:ARG:CA	1:B:129(A):ASP:N	2.40	0.84
1:A:91:HIS:HB2	1:A:92:PRO:CD	2.09	0.82
1:A:101:HIS:ND1	1:A:214:THR:HG23	1.97	0.80

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:177:THR:OG1	1:B:179:ARG:HG2	1.82	0.79
1:A:95:GLN:HB3	1:A:96:PRO:CD	2.14	0.76
1:A:208:VAL:HG21	1:B:124:PRO:HG2	1.67	0.74
1:A:95:GLN:CB	1:A:96:PRO:HD2	2.18	0.74
1:A:35:LEU:HD21	1:A:61(B):ALA:HB3	1.69	0.73
1:A:95:GLN:CB	1:A:96:PRO:CD	2.68	0.72
1:A:169:ASN:HD21	1:A:176:ILE:H	1.36	0.70
1:A:95:GLN:HG2	1:A:96:PRO:HD3	1.73	0.70
1:B:129:ARG:O	1:B:129(A):ASP:N	2.25	0.70
1:B:129:ARG:CA	1:B:129:ARG:O	2.41	0.69
1:A:35:LEU:HD21	1:A:61(B):ALA:CB	2.23	0.68
1:B:169:ASN:HD21	1:B:176:ILE:H	1.41	0.67
1:A:19:GLY:HA2	1:A:158:VAL:HG13	1.78	0.66
1:B:57:HIS:HE1	1:B:96:PRO:HA	1.61	0.65
1:A:56:ALA:HA	1:A:104:LEU:HD22	1.78	0.63
1:A:27:ARG:HG2	1:A:29:TYR:OH	1.98	0.62
1:A:86:LEU:HD22	1:A:109:SER:HA	1.81	0.61
1:A:122:PRO:HG2	1:B:127:VAL:HG21	1.83	0.61
1:A:143:ILE:HG13	1:A:149:GLY:HA2	1.83	0.60
1:A:59:LEU:HD23	1:A:104:LEU:HD23	1.83	0.60
1:A:19:GLY:CA	1:A:158:VAL:HG13	2.32	0.60
1:A:16:ILE:CG2	1:A:158:VAL:HG22	2.32	0.59
1:A:73:LEU:CD1	1:A:151:ARG:HH22	2.15	0.59
1:A:95:GLN:HG2	1:A:96:PRO:CD	2.33	0.59
1:A:55:ALA:O	1:A:58:CYS:HB2	2.03	0.58
1:B:214:THR:HG23	1:B:215:SER:O	2.04	0.58
1:B:177:THR:HG23	1:B:180:LEU:CD1	2.35	0.56
1:A:20:ARG:N	1:A:20:ARG:HD3	2.21	0.56
1:B:100:ASP:OD1	1:B:177:THR:HG21	2.05	0.56
1:A:208:VAL:CG2	1:B:124:PRO:HG2	2.33	0.56
1:B:29:TYR:HD2	1:B:121:ARG:NH2	2.05	0.55
1:B:177:THR:HG23	1:B:180:LEU:HD12	1.88	0.55
1:A:19:GLY:HA2	1:A:158:VAL:CG1	2.35	0.55
1:B:170:ARG:HB3	1:B:170(B):THR:HG22	1.89	0.55
1:A:143:ILE:HG23	1:A:145:ASN:O	2.07	0.55
1:B:29:TYR:HD2	1:B:121:ARG:HH21	1.55	0.54
1:B:167:THR:HA	1:B:170:ARG:HD3	1.90	0.54
1:B:114:LEU:HD22	1:B:122:PRO:HD3	1.91	0.53
1:A:208:VAL:HG21	1:B:124:PRO:CG	2.35	0.53
1:B:170(A):ARG:NH2	1:B:173:ASP:OD1	2.42	0.53
1:A:214:THR:O	1:A:214:THR:CG2	2.57	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:THR:O	1:A:214:THR:HG23	2.10	0.51
1:A:214:THR:CG2	1:A:229:THR:HG22	2.30	0.51
1:B:23:GLU:HG2	1:B:26:ALA:CB	2.41	0.51
1:A:127:VAL:HG21	1:B:122:PRO:HG2	1.93	0.50
1:B:53:LEU:HD13	1:B:212:VAL:HG21	1.92	0.50
1:A:138:VAL:HG22	1:A:199:LEU:HD23	1.93	0.50
1:A:20:ARG:NH2	1:A:159:LEU:H	2.10	0.50
1:A:67:LEU:HD13	1:A:82:LEU:HD13	1.94	0.50
1:B:46:LEU:HD22	1:B:48:ALA:O	2.12	0.50
1:A:47:VAL:O	1:B:126:ARG:NH1	2.45	0.49
1:A:61:ASP:O	1:A:61(B):ALA:N	2.45	0.49
1:B:49:GLU:HG2	1:B:114:LEU:HD11	1.92	0.49
1:B:150:ARG:HH11	1:B:150:ARG:HB2	1.77	0.49
1:A:16:ILE:HG23	1:A:158:VAL:HG22	1.93	0.49
1:B:143:ILE:HG12	1:B:149:GLY:HA2	1.95	0.49
1:A:138:VAL:CG2	1:A:199:LEU:HD23	2.44	0.48
1:A:171:HIS:HA	1:A:223(A):LYS:O	2.13	0.48
1:A:186:ASN:O	1:A:187:ARG:HB3	2.14	0.48
1:B:91:HIS:CG	1:B:92:PRO:HD2	2.49	0.48
1:A:136:CYS:HB3	1:A:199:LEU:HD22	1.96	0.47
1:A:23:GLU:OE1	1:A:27:ARG:NH2	2.47	0.47
1:B:52:VAL:HG21	1:B:66:VAL:HG21	1.97	0.47
1:A:143:ILE:HD11	2:A:548:HOH:O	2.14	0.47
1:B:56:ALA:HA	1:B:104:LEU:HB2	1.97	0.47
1:B:36:ASN:HD21	1:B:62:GLY:HA3	1.80	0.46
1:A:95:GLN:CG	1:A:96:PRO:CD	2.93	0.46
1:A:16:ILE:N	1:A:194:ASP:OD2	2.49	0.46
1:A:185:SER:OG	1:A:225:PRO:HA	2.15	0.46
1:A:209:LEU:HD13	1:A:231:VAL:HG11	1.97	0.46
1:A:143:ILE:CG1	1:A:149:GLY:HA2	2.46	0.46
1:A:20:ARG:NH1	1:A:158:VAL:HG12	2.32	0.44
1:A:214:THR:HG21	1:A:229:THR:CG2	2.33	0.44
1:B:170(A):ARG:H	1:B:170(A):ARG:HG2	1.43	0.44
1:A:188:ARG:NE	2:A:586:HOH:O	2.50	0.44
1:A:16:ILE:HG21	1:A:158:VAL:HG22	2.00	0.43
1:A:224:LYS:HA	1:A:224:LYS:HD3	1.82	0.43
1:B:185:SER:HA	1:B:188:ARG:O	2.17	0.43
1:B:123:LEU:HD12	1:B:124:PRO:HD2	2.01	0.43
1:B:177:THR:HG1	1:B:179:ARG:HG2	1.83	0.43
1:B:87:ARG:HE	1:B:107:GLN:NE2	2.17	0.43
1:B:86:LEU:HG	1:B:109:SER:HA	2.01	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:ASN:ND2	1:B:62:GLY:HA3	2.33	0.42
1:B:138:VAL:HG22	1:B:199:LEU:HD12	2.02	0.42
1:B:179:ARG:HG2	1:B:179:ARG:H	1.65	0.42
1:B:93:ASP:HB3	1:B:101:HIS:CD2	2.54	0.42
1:A:169:ASN:HD21	1:A:176:ILE:N	2.10	0.42
1:A:24:ALA:O	1:A:71:HIS:HB2	2.20	0.42
1:A:126:ARG:NH2	1:B:124(A):TRP:HE1	2.03	0.41
1:B:143:ILE:CG1	1:B:149:GLY:HA2	2.50	0.41
1:B:132:PRO:HG3	1:B:164:ASP:HB3	2.02	0.41
1:A:136:CYS:HB2	1:A:199:LEU:HD21	2.01	0.41
1:A:167:THR:O	1:A:170:ARG:HG3	2.20	0.41
1:A:101:HIS:ND1	1:A:214:THR:CG2	2.77	0.41
1:A:170(A):ARG:NH1	1:A:170(A):ARG:HB3	2.35	0.41
1:A:47:VAL:HG22	1:A:124(A):TRP:CE3	2.56	0.40
1:A:96:PRO:O	1:A:99:ILE:CG2	2.68	0.40
1:A:52:VAL:HG21	1:A:66:VAL:HG11	2.02	0.40
1:B:171:HIS:HA	1:B:224:LYS:O	2.20	0.40
1:A:25:HIS:HD2	2:A:545:HOH:O	2.05	0.40
1:B:126:ARG:H	1:B:126:ARG:HG3	1.64	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ARG:NH2	2:A:534:HOH:O[1_454]	1.23	0.97
1:A:97:ASP:OD2	1:B:217:SER:OG[1_545]	1.53	0.67
1:A:170:ARG:CZ	2:A:534:HOH:O[1_454]	1.89	0.31

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/228 (99%)	210 (93%)	12 (5%)	4 (2%)	8	3
1	B	224/228 (98%)	217 (97%)	6 (3%)	1 (0%)	34	30
All	All	450/456 (99%)	427 (95%)	18 (4%)	5 (1%)	14	8

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	24	ALA
1	A	61(B)	ALA
1	A	61(A)	ALA
1	B	173	ASP
1	A	95	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/182 (100%)	152 (84%)	30 (16%)	2	1
1	B	182/182 (100%)	156 (86%)	26 (14%)	3	1
All	All	364/364 (100%)	308 (85%)	56 (15%)	2	1

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	ARG
1	A	45	VAL
1	A	47	VAL
1	A	53	LEU
1	A	61	ASP
1	A	61(C)	ASP
1	A	75	GLN
1	A	81	ARG
1	A	86	LEU
1	A	94	SER
1	A	95	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	100	ASP
1	A	129	ARG
1	A	143	ILE
1	A	144	VAL
1	A	151	ARG
1	A	158	VAL
1	A	161	PRO
1	A	163	LEU
1	A	164	ASP
1	A	169	ASN
1	A	170	ARG
1	A	178	GLU
1	A	199	LEU
1	A	209	LEU
1	A	214	THR
1	A	215	SER
1	A	223	ARG
1	A	229	THR
1	A	240	SER
1	B	17	LEU
1	B	20	ARG
1	B	34	GLN
1	B	46	LEU
1	B	53	LEU
1	B	59	LEU
1	B	63	LYS
1	B	66	VAL
1	B	68	LEU
1	B	81	ARG
1	B	82	LEU
1	B	99	ILE
1	B	121	ARG
1	B	126	ARG
1	B	135	LEU
1	B	150	ARG
1	B	151	ARG
1	B	159	LEU
1	B	170(A)	ARG
1	B	177	THR
1	B	178	GLU
1	B	179	ARG
1	B	208	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	214	THR
1	B	223	ARG
1	B	233	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	HIS
1	A	36	ASN
1	A	71	HIS
1	A	169	ASN
1	B	25	HIS
1	B	50	GLN
1	B	57	HIS
1	B	75	GLN
1	B	107	GLN
1	B	169	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	228/228 (100%)	0.02	11 (4%) 30 29	7, 17, 38, 57	0
1	B	228/228 (100%)	-0.25	6 (2%) 56 54	7, 15, 33, 49	0
All	All	456/456 (100%)	-0.12	17 (3%) 41 41	7, 16, 36, 57	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	99	ILE	7.7
1	A	61(B)	ALA	6.7
1	A	92	PRO	5.5
1	A	96	PRO	4.6
1	A	61(C)	ASP	4.1
1	A	95	GLN	3.9
1	A	243	ALA	3.1
1	A	61(A)	ALA	3.0
1	A	97	ASP	2.9
1	B	178	GLU	2.7
1	B	217	SER	2.6
1	B	170(A)	ARG	2.4
1	B	176	ILE	2.4
1	A	61	ASP	2.2
1	B	243	ALA	2.1
1	A	101	HIS	2.0
1	B	177	THR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates

There are no carbohydrates in this entry.

### 6.4 Ligands

There are no ligands in this entry.

### 6.5 Other polymers

There are no such residues in this entry.