



Full wwPDB EM Validation Report ⓘ

Jan 16, 2023 – 12:11 PM JST

PDB ID : 7DSD
EMDB ID : EMD-30831
Title : CALHM1 close state with disordered CTH
Authors : Ren, Y.; Yang, X.; Shen, Y.Q.
Deposited on : 2020-12-30
Resolution : 2.90 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	46% 9% 44%
1	B	346	47% 9% 44%
1	C	346	47% 9% 44%
1	D	346	47% 8% 44%
1	E	346	47% 8% 44%
1	F	346	46% 9% 44%
1	G	346	46% 9% 44%

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 10542 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium homeostasis modulator 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	B	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	C	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	D	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	E	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	F	193	Total 1492	C 974	N 241	O 264	S 13	0	0
1	G	193	Total 1492	C 974	N 241	O 264	S 13	0	0

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
2	A	1	Total 14	8	1	5	0
2	B	1	Total 14	8	1	5	0
2	C	1	Total 14	8	1	5	0
2	D	1	Total 14	8	1	5	0
2	E	1	Total 14	8	1	5	0
2	F	1	Total 14	8	1	5	0
2	G	1	Total 14	8	1	5	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium homeostasis modulator 1



- Molecule 1: Calcium homeostasis modulator 1



- Molecule 1: Calcium homeostasis modulator 1



PHE
ALA
TRP
ASN
LYS
VAL
HIS
THR
CYS
ILE
GLN
GLN
TYR
PRO
LEU
PHE
LEU
SER
LEU
SER
ILE
SER
GLY
THR
GLU
ILE
VAL
SER
GLN
LEU
GLY
PRO
HIS
ALA
GLN
SER
PRO
ALA
PHE

TRP
ASN
TRP
HIS
PHE
THR
CYS
LYS
PRO
PRO
LEU
LEU
LEU
SER
SER
LYS
ARG
THR
GLU
GLU
VAL
MET
SER
ASN
GLY
HIS
ALA
HIS
LEU
ASP
THR
HIS
SER
LEU
LEU
THR
ASP
GLU
ARG
HIS
THR
LYS
LYS
LYS
ALA
VAL
VAL
TYR
TYR
SER
LYS
VAL

● Molecule 1: Calcium homeostasis modulator 1



MET
ASP
LYS
PHE
ARG
ILE
MET
V8
Q9
F10
L11
Q12
A13
N14
Q15
E16
S17
F18
M19
ASN
G21
T40
I57
V58
P59
P60
I61
W62
F63
F64
Y68
N71
I74
S75
W76
L77
T78
E79
E80
W81
K82
K87
ARG
SER
LYS
D91
P92
M98
M102
T103
W113

I114
A115
M119
D120
G121
K122
S123
F124
N139
E140
S146
E149
M191
T194
R201
R204
PRO
CYS
PHE
THR
GLN
GLY
ALA
ALA
PHE
LEU
LYS
THR
LYS
TYR
TRP
SER
HIS
TYR
ILE
ASP
THR
THR
GLU
ARG
LEU
LEU
GLY
PHE
ASP
GLU
THR
CYS
SER
LYS
GLU
HIS
HIS
ALA
SER
PHE

ALA
LYS
VAL
CYS
ILE
GLN
GLN
TYR
PHE
GLU
SER
LEU
SER
ILE
SER
GLY
ARG
THR
GLU
ILE
GLU
VAL
SER
MET
SER
GLN
LEU
PRO
GLN
ALA
SER
PRO
ALA
PHE
LYS
LYS
PHE
THR
GLY
LYS
GLY
GLY
THR
THR
ASP
GLU
ASP
HIS
GLU
THR
ASP
HIS
LYS
GLY
LYS
LYS
GLN
VAL
VAL
TYR
TYR
GLU
SER
SER
LYS
VAL
TRP

ASN
TRP
HIS
THR
CYS
LYS
PRO
PRO
LEU
LEU
LEU
SER
SER
LYS
ARG
THR
GLU
GLU
VAL
MET
SER
ASN
GLY
HIS
HIS
HIS
LEU
LEU
ASP
THR
HIS
SER
LYS
LYS
LYS
ALA
VAL
VAL
TYR
TYR
SER
SER
LYS
VAL

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	56801	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.390	Depositor
Minimum map value	-0.580	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.045	Depositor
Recommended contour level	0.154	Depositor
Map size (\AA)	263.64, 263.64, 263.64	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.014, 1.014, 1.014	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/1526	0.41	0/2072
1	B	0.28	0/1526	0.41	0/2072
1	C	0.28	0/1526	0.41	0/2072
1	D	0.28	0/1526	0.41	0/2072
1	E	0.29	0/1526	0.41	0/2072
1	F	0.28	0/1526	0.41	0/2072
1	G	0.28	0/1526	0.41	0/2072
All	All	0.28	0/10682	0.41	0/14504

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1492	0	1467	28	0
1	B	1492	0	1467	26	0
1	C	1492	0	1467	27	0
1	D	1492	0	1467	25	0
1	E	1492	0	1467	26	0
1	F	1492	0	1467	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1492	0	1467	29	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
2	C	14	0	13	0	0
2	D	14	0	13	0	0
2	E	14	0	13	0	0
2	F	14	0	13	0	0
2	G	14	0	13	0	0
All	All	10542	0	10360	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:91:ASP:HB3	1:C:92:PRO:CD	1.83	1.09
1:B:91:ASP:HB3	1:B:92:PRO:CD	1.83	1.09
1:D:91:ASP:HB3	1:D:92:PRO:CD	1.83	1.09
1:E:91:ASP:HB3	1:E:92:PRO:CD	1.82	1.08
1:A:91:ASP:HB3	1:A:92:PRO:CD	1.83	1.08
1:F:91:ASP:HB3	1:F:92:PRO:CD	1.83	1.07
1:G:91:ASP:HB3	1:G:92:PRO:CD	1.82	1.06
1:C:91:ASP:HB3	1:C:92:PRO:HD2	1.01	1.01
1:D:91:ASP:HB3	1:D:92:PRO:HD2	1.01	1.01
1:A:91:ASP:HB3	1:A:92:PRO:HD2	1.01	1.00
1:B:91:ASP:HB3	1:B:92:PRO:HD2	1.01	1.00
1:E:91:ASP:CB	1:E:92:PRO:HD2	1.91	1.00
1:D:91:ASP:CB	1:D:92:PRO:HD2	1.92	1.00
1:F:91:ASP:CB	1:F:92:PRO:HD2	1.92	1.00
1:C:91:ASP:CB	1:C:92:PRO:HD2	1.92	0.99
1:G:91:ASP:HB3	1:G:92:PRO:HD2	1.01	0.99
1:G:91:ASP:CB	1:G:92:PRO:HD2	1.91	0.99
1:E:91:ASP:HB3	1:E:92:PRO:HD2	1.01	0.99
1:B:91:ASP:CB	1:B:92:PRO:HD2	1.92	0.99
1:A:91:ASP:CB	1:A:92:PRO:HD2	1.92	0.98
1:F:91:ASP:HB3	1:F:92:PRO:HD2	1.01	0.98
1:A:74:ILE:HD11	1:G:201:ARG:HB3	1.67	0.76
1:A:201:ARG:HB3	1:B:74:ILE:HD11	1.68	0.76
1:D:40:THR:HG23	1:D:40:THR:O	1.86	0.75
1:F:201:ARG:HB3	1:G:74:ILE:HD11	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:40:THR:HG23	1:G:40:THR:O	1.86	0.75
1:B:201:ARG:HB3	1:C:74:ILE:HD11	1.68	0.74
1:F:40:THR:O	1:F:40:THR:HG23	1.86	0.74
1:E:40:THR:O	1:E:40:THR:HG23	1.86	0.74
1:C:40:THR:HG23	1:C:40:THR:O	1.86	0.74
1:D:201:ARG:HB3	1:E:74:ILE:HD11	1.68	0.74
1:E:201:ARG:HB3	1:F:74:ILE:HD11	1.69	0.73
1:A:40:THR:O	1:A:40:THR:HG23	1.86	0.73
1:B:40:THR:O	1:B:40:THR:HG23	1.86	0.73
1:C:201:ARG:HB3	1:D:74:ILE:HD11	1.69	0.72
1:G:64:PHE:CZ	1:G:68:TYR:HE1	2.13	0.67
1:B:64:PHE:CZ	1:B:68:TYR:HE1	2.13	0.67
1:C:64:PHE:CZ	1:C:68:TYR:HE1	2.13	0.67
1:A:64:PHE:CZ	1:A:68:TYR:HE1	2.13	0.66
1:F:64:PHE:CZ	1:F:68:TYR:HE1	2.13	0.66
1:D:64:PHE:CZ	1:D:68:TYR:HE1	2.13	0.66
1:E:64:PHE:CZ	1:E:68:TYR:HE1	2.13	0.66
1:A:71:ASN:HD22	1:A:102:MET:HG3	1.63	0.64
1:E:71:ASN:HD22	1:E:102:MET:HG3	1.63	0.63
1:F:71:ASN:HD22	1:F:102:MET:HG3	1.63	0.63
1:C:71:ASN:HD22	1:C:102:MET:HG3	1.63	0.63
1:G:71:ASN:HD22	1:G:102:MET:HG3	1.63	0.63
1:B:71:ASN:HD22	1:B:102:MET:HG3	1.64	0.62
1:D:71:ASN:HD22	1:D:102:MET:HG3	1.64	0.62
1:G:64:PHE:CE1	1:G:68:TYR:HE1	2.21	0.59
1:A:64:PHE:CE1	1:A:68:TYR:HE1	2.21	0.58
1:E:64:PHE:CE1	1:E:68:TYR:HE1	2.21	0.58
1:C:64:PHE:CE1	1:C:68:TYR:HE1	2.21	0.58
1:B:191:MET:SD	1:C:62:TRP:HB2	2.44	0.58
1:A:191:MET:SD	1:B:62:TRP:HB2	2.44	0.58
1:F:64:PHE:CE1	1:F:68:TYR:HE1	2.21	0.58
1:B:64:PHE:CE1	1:B:68:TYR:HE1	2.21	0.58
1:D:64:PHE:CE1	1:D:68:TYR:HE1	2.21	0.58
1:D:191:MET:SD	1:E:62:TRP:HB2	2.44	0.58
1:C:191:MET:SD	1:D:62:TRP:HB2	2.44	0.57
1:A:62:TRP:HB2	1:G:191:MET:SD	2.44	0.56
1:F:191:MET:SD	1:G:62:TRP:HB2	2.44	0.56
1:E:191:MET:SD	1:F:62:TRP:HB2	2.45	0.56
1:D:64:PHE:CE1	1:D:68:TYR:CE1	2.94	0.56
1:B:91:ASP:CB	1:B:92:PRO:CD	2.62	0.56
1:A:64:PHE:CE1	1:A:68:TYR:CE1	2.94	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:64:PHE:CE1	1:C:68:TYR:CE1	2.94	0.56
1:E:68:TYR:HH	1:E:103:THR:HG1	1.52	0.56
1:G:64:PHE:CE1	1:G:68:TYR:CE1	2.94	0.56
1:F:64:PHE:CE1	1:F:68:TYR:CE1	2.94	0.55
1:E:64:PHE:CE1	1:E:68:TYR:CE1	2.94	0.55
1:B:64:PHE:CE1	1:B:68:TYR:CE1	2.94	0.55
1:G:68:TYR:HH	1:G:103:THR:HG1	1.52	0.55
1:E:120:ASP:OD2	1:E:122:LYS:NZ	2.36	0.55
1:F:120:ASP:OD2	1:F:122:LYS:NZ	2.36	0.54
1:A:40:THR:O	1:A:40:THR:CG2	2.55	0.54
1:D:120:ASP:OD2	1:D:122:LYS:NZ	2.36	0.54
1:B:120:ASP:OD2	1:B:122:LYS:NZ	2.36	0.54
1:A:120:ASP:OD2	1:A:122:LYS:NZ	2.36	0.53
1:F:40:THR:O	1:F:40:THR:CG2	2.56	0.53
1:G:120:ASP:OD2	1:G:122:LYS:NZ	2.36	0.53
1:D:40:THR:O	1:D:40:THR:CG2	2.56	0.53
1:C:40:THR:O	1:C:40:THR:CG2	2.56	0.53
1:A:91:ASP:CB	1:A:92:PRO:CD	2.62	0.52
1:E:40:THR:O	1:E:40:THR:CG2	2.55	0.51
1:D:91:ASP:CB	1:D:92:PRO:CD	2.62	0.51
1:G:40:THR:O	1:G:40:THR:CG2	2.55	0.51
1:C:91:ASP:CB	1:C:92:PRO:CD	2.62	0.51
1:C:120:ASP:OD2	1:C:122:LYS:NZ	2.36	0.51
1:B:40:THR:O	1:B:40:THR:CG2	2.55	0.50
1:E:91:ASP:CB	1:E:92:PRO:CD	2.62	0.49
1:A:60:PRO:HD3	1:A:113:TRP:CD1	2.48	0.49
1:B:60:PRO:HD3	1:B:113:TRP:CD1	2.48	0.49
1:F:91:ASP:CB	1:F:92:PRO:CD	2.62	0.49
1:A:146:SER:HB2	1:A:149:GLU:HG2	1.96	0.48
1:B:146:SER:HB2	1:B:149:GLU:HG2	1.96	0.48
1:G:60:PRO:HD3	1:G:113:TRP:CD1	2.48	0.48
1:G:91:ASP:CB	1:G:92:PRO:CD	2.62	0.48
1:F:60:PRO:HD3	1:F:113:TRP:CD1	2.48	0.48
1:G:146:SER:HB2	1:G:149:GLU:HG2	1.96	0.48
1:C:60:PRO:HD3	1:C:113:TRP:CD1	2.48	0.48
1:C:146:SER:HB2	1:C:149:GLU:HG2	1.96	0.48
1:D:60:PRO:HD3	1:D:113:TRP:CD1	2.48	0.48
1:D:146:SER:HB2	1:D:149:GLU:HG2	1.96	0.48
1:E:146:SER:HB2	1:E:149:GLU:HG2	1.96	0.47
1:E:60:PRO:HD3	1:E:113:TRP:CD1	2.48	0.47
1:F:146:SER:HB2	1:F:149:GLU:HG2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:115:ALA:O	1:D:119:MET:HG2	2.15	0.47
1:C:115:ALA:O	1:C:119:MET:HG2	2.15	0.46
1:A:115:ALA:O	1:A:119:MET:HG2	2.15	0.46
1:E:115:ALA:O	1:E:119:MET:HG2	2.15	0.46
1:G:115:ALA:O	1:G:119:MET:HG2	2.15	0.46
1:E:64:PHE:CZ	1:E:68:TYR:CE1	3.00	0.45
1:F:115:ALA:O	1:F:119:MET:HG2	2.15	0.45
1:B:115:ALA:O	1:B:119:MET:HG2	2.15	0.45
1:A:64:PHE:CZ	1:A:68:TYR:CE1	3.00	0.45
1:A:58:VAL:HB	1:A:59:PRO:HD3	1.99	0.45
1:B:64:PHE:CZ	1:B:68:TYR:CE1	3.00	0.45
1:G:71:ASN:ND2	1:G:102:MET:HG3	2.31	0.45
1:G:58:VAL:HB	1:G:59:PRO:HD3	1.99	0.44
1:F:58:VAL:HB	1:F:59:PRO:HD3	1.99	0.44
1:B:58:VAL:HB	1:B:59:PRO:HD3	1.99	0.44
1:E:58:VAL:HB	1:E:59:PRO:HD3	1.99	0.44
1:F:76:VAL:O	1:F:80:GLU:HG2	2.18	0.44
1:B:76:VAL:O	1:B:80:GLU:HG2	2.18	0.44
1:E:76:VAL:O	1:E:80:GLU:HG2	2.18	0.43
1:E:71:ASN:ND2	1:E:102:MET:HG3	2.31	0.43
1:F:71:ASN:ND2	1:F:102:MET:HG3	2.31	0.43
1:D:58:VAL:HB	1:D:59:PRO:HD3	1.99	0.43
1:G:76:VAL:O	1:G:80:GLU:HG2	2.18	0.43
1:A:76:VAL:O	1:A:80:GLU:HG2	2.18	0.43
1:D:76:VAL:O	1:D:80:GLU:HG2	2.18	0.43
1:E:77:LEU:HD21	1:E:98:MET:HG3	2.01	0.43
1:F:77:LEU:HD21	1:F:98:MET:HG3	2.01	0.43
1:G:64:PHE:CZ	1:G:68:TYR:CE1	3.00	0.43
1:A:71:ASN:ND2	1:A:102:MET:HG3	2.31	0.43
1:C:58:VAL:HB	1:C:59:PRO:HD3	1.99	0.43
1:C:64:PHE:CZ	1:C:68:TYR:CE1	3.00	0.43
1:C:76:VAL:O	1:C:80:GLU:HG2	2.18	0.43
1:D:77:LEU:HD21	1:D:98:MET:HG3	2.01	0.43
1:G:77:LEU:HD21	1:G:98:MET:HG3	2.01	0.43
1:C:77:LEU:HD21	1:C:98:MET:HG3	2.01	0.43
1:B:57:ILE:O	1:B:60:PRO:HG2	2.19	0.42
1:A:57:ILE:O	1:A:60:PRO:HG2	2.20	0.42
1:B:77:LEU:HD21	1:B:98:MET:HG3	2.01	0.42
1:A:77:LEU:HD21	1:A:98:MET:HG3	2.01	0.42
1:E:57:ILE:O	1:E:60:PRO:HG2	2.19	0.42
1:G:57:ILE:O	1:G:60:PRO:HG2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:57:ILE:O	1:F:60:PRO:HG2	2.19	0.42
1:A:62:TRP:NE1	1:G:194:THR:OG1	2.50	0.42
1:D:57:ILE:O	1:D:60:PRO:HG2	2.20	0.42
1:B:71:ASN:ND2	1:B:102:MET:HG3	2.31	0.42
1:C:78:THR:O	1:C:82:LYS:HB2	2.20	0.42
1:D:71:ASN:ND2	1:D:102:MET:HG3	2.31	0.42
1:B:78:THR:O	1:B:82:LYS:HB2	2.20	0.41
1:D:78:THR:O	1:D:82:LYS:HB2	2.20	0.41
1:E:78:THR:O	1:E:82:LYS:HB2	2.20	0.41
1:F:78:THR:O	1:F:82:LYS:HB2	2.20	0.41
1:C:71:ASN:ND2	1:C:102:MET:HG3	2.31	0.41
1:G:57:ILE:HD13	1:G:57:ILE:HA	1.94	0.41
1:C:57:ILE:O	1:C:60:PRO:HG2	2.19	0.41
1:G:139:ASN:OD1	1:G:140:GLU:N	2.54	0.41
1:G:78:THR:O	1:G:82:LYS:HB2	2.20	0.41
1:A:78:THR:O	1:A:82:LYS:HB2	2.20	0.41
1:F:139:ASN:OD1	1:F:140:GLU:N	2.54	0.41
1:C:65:LEU:HD23	1:C:65:LEU:HA	1.95	0.40
1:C:128:PHE:O	1:C:132:ALA:HB2	2.22	0.40
1:A:139:ASN:OD1	1:A:140:GLU:N	2.54	0.40
1:F:128:PHE:O	1:F:132:ALA:HB2	2.22	0.40
1:A:128:PHE:O	1:A:132:ALA:HB2	2.22	0.40
1:B:128:PHE:O	1:B:132:ALA:HB2	2.22	0.40
1:D:64:PHE:CZ	1:D:68:TYR:CE1	3.00	0.40
1:F:64:PHE:CZ	1:F:68:TYR:CE1	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	187/346 (54%)	182 (97%)	5 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
1	C	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
1	D	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
1	E	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
1	F	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
1	G	187/346 (54%)	182 (97%)	5 (3%)	0	100	100
All	All	1309/2422 (54%)	1274 (97%)	35 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	B	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	C	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	D	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	E	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	F	155/306 (51%)	153 (99%)	2 (1%)	69	90
1	G	155/306 (51%)	153 (99%)	2 (1%)	69	90
All	All	1085/2142 (51%)	1071 (99%)	14 (1%)	70	90

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	TYR
1	A	124	PHE
1	B	68	TYR
1	B	124	PHE
1	C	68	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	124	PHE
1	D	68	TYR
1	D	124	PHE
1	E	68	TYR
1	E	124	PHE
1	F	68	TYR
1	F	124	PHE
1	G	68	TYR
1	G	124	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	154	GLN
1	B	71	ASN
1	B	154	GLN
1	C	71	ASN
1	C	154	GLN
1	D	71	ASN
1	D	154	GLN
1	E	71	ASN
1	E	154	GLN
1	F	71	ASN
1	F	154	GLN
1	G	71	ASN
1	G	154	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	F	1001	1	14,14,15	0.29	0	17,19,21	0.51	0
2	NAG	D	1001	1	14,14,15	0.27	0	17,19,21	0.52	0
2	NAG	E	1001	1	14,14,15	0.28	0	17,19,21	0.51	0
2	NAG	A	1001	1	14,14,15	0.27	0	17,19,21	0.50	0
2	NAG	G	1001	1	14,14,15	0.27	0	17,19,21	0.50	0
2	NAG	B	1001	1	14,14,15	0.28	0	17,19,21	0.51	0
2	NAG	C	1001	1	14,14,15	0.28	0	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	F	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	D	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	E	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	A	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	G	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	B	1001	1	-	0/6/23/26	0/1/1/1
2	NAG	C	1001	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30831. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 156



Y Index: 109




Z Index: 118


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.154. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 185 nm³; this corresponds to an approximate mass of 167 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.345\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30831 and PDB model 7DSD. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.154 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.154).

















9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.154) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8760	 0.4920
A	 0.8748	 0.4920
B	 0.8762	 0.4920
C	 0.8762	 0.4910
D	 0.8755	 0.4920
E	 0.8762	 0.4920
F	 0.8748	 0.4920
G	 0.8782	 0.4930

