



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 01:00 AM EST

PDB ID : 3DT7
Title : The structure of rat cytosolic PEPCK in complex with beta-sulfoxyruvate and GTP
Authors : Sullivan, S.M.; Holyoak, T.
Deposited on : 2008-07-14
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	624	
1	B	624	

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 11144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoenolpyruvate carboxykinase, cytosolic [GTP].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	624	Total	C	N	O	S	0	31	0
			5068	3255	858	920	35			
1	B	611	Total	C	N	O	S	0	27	0
			4964	3184	842	905	33			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P07379
A	0	SER	-	expression tag	UNP P07379
B	-1	GLY	-	expression tag	UNP P07379
B	0	SER	-	expression tag	UNP P07379

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Mn	0	0
			3	3		
2	B	2	Total	Mn	0	0
			2	2		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
4	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 5 is SULFOPYRUVATE (three-letter code: SPV) (formula: $C_3H_4O_6S$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
5	A	1	Total	C	O	S	0	0
			10	3	6	1		
5	B	1	Total	C	O	S	0	0
			10	3	6	1		

- Molecule 6 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is 2-ETHOXYETHANOL (three-letter code: ETX) (formula: $C_4H_{10}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	4	2		
7	B	1	Total	C	O	0	0
			6	4	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	502	Total 502	O 502	0	0
8	B	497	Total 497	O 497	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoenolpyruvate carboxykinase, cytosolic [GTP]



- Molecule 1: Phosphoenolpyruvate carboxykinase, cytosolic [GTP]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.02Å 119.50Å 87.28Å 90.00° 107.07° 90.00°	Depositor
Resolution (Å)	29.15 – 1.50 29.15 – 1.50	Depositor EDS
% Data completeness (in resolution range)	97.3 (29.15-1.50) 97.3 (29.15-1.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 1.50Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.174 , 0.209 0.182 , 0.214	Depositor DCC
R_{free} test set	9440 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	13.9	Xtrriage
Anisotropy	0.136	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11144	wwPDB-VP
Average B, all atoms (Å ²)	8.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 67.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.9764e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ETX, GTP, SPV, MN, 1PE, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.90	2/5290 (0.0%)	0.85	2/7157 (0.0%)
1	B	0.89	0/5172	0.86	5/6996 (0.1%)
All	All	0.90	2/10462 (0.0%)	0.85	7/14153 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	399	CYS	CB-SG	-5.41	1.73	1.81
1	A	516	TRP	CE3-CZ3	5.14	1.47	1.38

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	150	GLY	N-CA-C	-6.96	95.69	113.10
1	B	47	ASP	CB-CG-OD1	6.43	124.09	118.30
1	B	324	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	B	88	ILE	CB-CA-C	-5.55	100.51	111.60
1	B	246	PHE	CB-CG-CD2	-5.37	117.04	120.80
1	B	87	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	A	612	LEU	CB-CG-CD2	-5.10	102.33	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	149	LEU	Peptide
1	B	6	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5068	0	5099	91	0
1	B	4964	0	4977	76	0
2	A	3	0	0	0	0
2	B	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	32	0	12	4	0
4	B	32	0	12	1	0
5	A	10	0	2	0	0
5	B	10	0	2	0	0
6	A	10	0	13	5	0
7	A	6	0	10	1	0
7	B	6	0	10	3	0
8	A	502	0	0	23	1
8	B	497	0	0	21	0
All	All	11144	0	10137	168	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:ASN:OD1	1:B:8:GLY:HA3	1.19	1.30
1:B:115[A]:ARG:HB3	1:B:115[A]:ARG:NH1	1.49	1.28
1:A:324:ARG:NH2	8:A:3913:HOH:O	1.75	1.15
1:A:601[B]:ASN:OD1	8:A:3457:HOH:O	1.64	1.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190[B]:ILE:HG21	1:A:246:PHE:CE1	1.83	1.14
1:B:511:ILE:H	7:B:3430:ETX:H11	1.10	1.11
1:B:115[A]:ARG:HH11	1:B:115[A]:ARG:CG	1.63	1.10
1:A:153:LEU:HA	8:A:3817:HOH:O	1.52	1.08
1:B:115[A]:ARG:NH1	1:B:115[A]:ARG:CB	2.19	1.06
1:B:115[A]:ARG:HH11	1:B:115[A]:ARG:CB	1.68	1.06
1:B:7:ASN:CG	1:B:8:GLY:HA3	1.76	1.04
1:A:93:VAL:HG12	1:A:115[B]:ARG:HG2	1.41	1.02
1:B:7:ASN:OD1	1:B:8:GLY:CA	2.06	1.02
1:B:375[A]:GLU:CG	8:B:4189:HOH:O	2.08	1.00
1:B:115[A]:ARG:HH11	1:B:115[A]:ARG:HG2	1.28	0.97
1:B:375[A]:GLU:HG3	8:B:4189:HOH:O	1.63	0.96
1:A:578[B]:PHE:HD1	8:A:3918:HOH:O	1.48	0.95
1:A:316:LYS:HZ3	6:A:1000:1PE:H231	1.31	0.95
1:B:256[B]:LYS:HE3	8:B:4240:HOH:O	1.68	0.92
1:B:274:GLU:HG3	8:B:3983:HOH:O	1.71	0.90
1:A:112[B]:GLN:NE2	8:A:3776:HOH:O	2.03	0.90
1:B:590[A]:GLU:CD	8:B:3953:HOH:O	2.14	0.87
1:B:511:ILE:N	7:B:3430:ETX:H11	1.91	0.86
1:A:268:LEU:HD13	1:A:270[B]:ILE:HG22	1.59	0.85
1:B:82[B]:PRO:HG3	8:B:4053:HOH:O	1.77	0.83
1:A:42:TYR:CE2	8:A:3743:HOH:O	2.30	0.83
1:A:42:TYR:HE2	8:A:3743:HOH:O	1.60	0.82
1:A:292[B]:ASN:OD1	4:A:800:GTP:H8	1.63	0.81
1:B:9:LEU:HG	1:B:36:GLN:NE2	1.98	0.79
1:A:292[B]:ASN:OD1	4:A:800:GTP:C8	2.37	0.78
1:A:224[B]:ASP:OD2	8:A:3906:HOH:O	2.02	0.77
1:A:253:ARG:NH1	8:A:3800:HOH:O	2.16	0.76
1:A:268:LEU:HD13	1:A:270[B]:ILE:CG2	2.16	0.75
1:A:574:VAL:O	1:A:578[A]:PHE:HD2	1.69	0.75
1:B:375[A]:GLU:HG2	8:B:4189:HOH:O	1.76	0.75
1:A:317:PHE:HE2	1:A:500[B]:MET:CE	2.01	0.73
1:A:0:SER:H	1:A:25:GLN:HE22	1.34	0.73
1:A:152:PRO:HG2	1:A:153:LEU:HD13	1.71	0.73
1:A:316:LYS:NZ	6:A:1000:1PE:H122	2.04	0.72
1:B:7:ASN:CG	1:B:8:GLY:CA	2.56	0.72
1:B:375[B]:GLU:OE2	8:B:4008:HOH:O	2.07	0.71
1:B:464:ALA:HB3	8:B:4049:HOH:O	1.89	0.70
1:A:153:LEU:CD2	8:A:3813:HOH:O	2.39	0.70
1:A:268:LEU:CD1	1:A:270[B]:ILE:CG2	2.69	0.70
1:A:152:PRO:HG2	1:A:153:LEU:CD1	2.22	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:LYS:HG2	8:A:3662:HOH:O	1.92	0.68
1:A:413:CYS:SG	1:A:415[B]:ILE:HD13	2.34	0.68
1:A:224[B]:ASP:OD1	1:A:253:ARG:NH2	2.27	0.68
1:A:190[B]:ILE:CG2	1:A:246:PHE:CE1	2.71	0.66
1:A:153:LEU:HD22	8:A:3813:HOH:O	1.95	0.66
1:B:115[A]:ARG:NH1	1:B:115[A]:ARG:HG2	2.03	0.66
1:A:151:SER:OG	1:A:153:LEU:HD22	1.97	0.64
1:B:7:ASN:HD21	1:B:10:ASP:H	1.44	0.64
1:B:256[B]:LYS:HE2	8:B:4218:HOH:O	1.96	0.64
1:A:578[B]:PHE:CD1	8:A:3918:HOH:O	2.33	0.63
1:A:520:ASP:OD1	1:A:524:LYS:HG2	1.99	0.63
1:A:317:PHE:HE2	1:A:500[B]:MET:HE3	1.63	0.62
1:B:547[A]:GLU:HG2	1:B:549:SER:HB3	1.80	0.62
1:B:7:ASN:ND2	1:B:10:ASP:H	1.96	0.62
1:B:607:GLU:HG3	8:B:4007:HOH:O	1.98	0.62
1:A:74:ASN:ND2	1:A:76:TRP:HE1	1.98	0.61
1:B:55[A]:ARG:NH2	8:B:4227:HOH:O	2.32	0.61
1:B:6:HIS:O	1:B:7:ASN:HB2	2.01	0.61
1:A:7:ASN:HB3	8:A:3814:HOH:O	2.00	0.61
1:B:115[A]:ARG:HD3	8:B:3913:HOH:O	1.99	0.61
1:B:587:LYS:O	1:B:587:LYS:HD3	2.00	0.60
7:B:3430:ETX:H32	8:B:4330:HOH:O	2.02	0.59
1:B:520:ASP:HB3	1:B:526[B]:LEU:HD11	1.84	0.59
1:A:268:LEU:CD1	1:A:270[B]:ILE:HG23	2.32	0.59
1:A:317:PHE:CE2	1:A:500[B]:MET:CE	2.84	0.59
1:B:155:LYS:HE2	1:B:254:LEU:CD1	2.33	0.59
1:A:293:LEU:HD12	1:A:296:MET:HE3	1.84	0.58
1:B:203:LYS:HE3	8:B:3957:HOH:O	2.02	0.58
1:A:601[B]:ASN:OD1	1:A:602:ALA:N	2.30	0.58
1:B:115[A]:ARG:CB	1:B:115[A]:ARG:CZ	2.81	0.58
1:A:153:LEU:HD13	1:A:153:LEU:N	2.21	0.56
1:A:105:ILE:O	1:A:601[B]:ASN:ND2	2.39	0.56
1:A:573:ASN:ND2	1:A:576:GLU:HB2	2.20	0.56
1:A:317:PHE:HE2	1:A:500[B]:MET:HE2	1.71	0.55
1:A:292[B]:ASN:CG	4:A:800:GTP:C8	2.80	0.55
1:B:115[A]:ARG:HB3	1:B:115[A]:ARG:CZ	2.30	0.55
1:A:317:PHE:CE2	1:A:500[B]:MET:HE3	2.41	0.55
1:B:272:ASN:HD21	1:B:276:LYS:NZ	2.05	0.54
1:B:88:ILE:H	1:B:238:ASN:HD21	1.54	0.54
1:B:89:GLU:OE1	1:B:483[B]:ARG:NH1	2.40	0.54
1:B:587:LYS:HD3	1:B:587:LYS:C	2.28	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:ASN:ND2	1:B:76:TRP:HE1	2.05	0.54
1:A:574:VAL:O	1:A:578[A]:PHE:CD2	2.56	0.54
8:A:3836:HOH:O	1:B:276:LYS:HE2	2.08	0.54
1:A:317:PHE:CE2	1:A:500[B]:MET:HE2	2.43	0.53
7:A:3430:ETX:H31	8:A:3929:HOH:O	2.07	0.53
1:B:589:VAL:HG11	1:B:619[A]:ILE:HD12	1.90	0.53
1:A:316:LYS:HZ3	6:A:1000:1PE:H122	1.74	0.53
1:A:149:LEU:HD21	1:A:179[A]:SER:HB2	1.90	0.53
1:A:316:LYS:HZ1	6:A:1000:1PE:H122	1.74	0.53
1:B:375[B]:GLU:HG2	8:B:4189:HOH:O	2.09	0.51
1:A:292[B]:ASN:OD1	4:A:800:GTP:H2'	2.10	0.51
1:A:316:LYS:NZ	6:A:1000:1PE:H242	2.26	0.51
1:B:317:PHE:CE2	1:B:500[B]:MET:HE3	2.45	0.51
1:A:107:LYS:O	1:B:507:LYS:NZ	2.44	0.50
1:A:153:LEU:HD23	1:A:326:ILE:HD12	1.93	0.50
1:B:590[A]:GLU:CG	8:B:3953:HOH:O	2.57	0.50
1:A:149:LEU:HD21	1:A:179[B]:SER:HB3	1.92	0.50
1:B:155:LYS:HE2	1:B:254:LEU:HD13	1.94	0.50
1:A:435:GLY:CA	8:A:3702:HOH:O	2.60	0.50
1:B:88:ILE:HD11	1:B:217:THR:HG21	1.94	0.50
1:A:153:LEU:HD21	1:A:423[A]:PRO:HA	1.92	0.50
1:A:190[B]:ILE:HG21	1:A:246:PHE:CZ	2.41	0.50
1:B:317:PHE:CE2	1:B:500[B]:MET:CE	2.96	0.49
1:B:55[A]:ARG:HH11	1:B:55[A]:ARG:HG2	1.77	0.49
1:B:7:ASN:OD1	1:B:9:LEU:N	2.45	0.49
1:B:317:PHE:HE2	1:B:500[B]:MET:CE	2.25	0.49
1:A:190[B]:ILE:CG2	1:A:246:PHE:CZ	2.95	0.49
1:A:151:SER:HG	1:A:153:LEU:HD22	1.76	0.48
1:B:253:ARG:HG2	1:B:488:TYR:HB3	1.94	0.48
1:A:415[B]:ILE:HD13	1:A:415[B]:ILE:H	1.78	0.48
1:B:9:LEU:HG	1:B:36:GLN:CD	2.34	0.48
1:A:292[B]:ASN:ND2	1:A:530:PHE:CE1	2.82	0.47
1:A:107:LYS:NZ	1:A:597[B]:GLU:OE1	2.42	0.47
1:B:521:LYS:HD2	8:B:4020:HOH:O	2.15	0.47
1:A:607[A]:GLU:HG2	1:A:610:ARG:NH2	2.29	0.47
1:A:153:LEU:HD21	1:A:423[B]:PRO:HA	1.96	0.47
1:A:435:GLY:N	8:A:3702:HOH:O	2.48	0.47
1:B:391:TRP:CH2	1:B:393:PRO:HA	2.50	0.47
1:A:71[A]:LYS:NZ	8:A:3796:HOH:O	2.47	0.46
1:B:483[A]:ARG:HB3	1:B:484:PRO:HD3	1.97	0.46
1:B:483[B]:ARG:CD	8:B:3911:HOH:O	2.64	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:ALA:HA	4:B:800:GTP:O2A	2.15	0.46
1:B:317:PHE:HE2	1:B:500[B]:MET:HE3	1.81	0.46
1:A:483:ARG:HB3	1:A:484:PRO:HD3	1.98	0.46
1:B:271:THR:HB	1:B:304:LYS:HD3	1.98	0.46
1:A:97[A]:GLN:HE21	1:A:97[A]:GLN:HB2	1.56	0.45
1:A:342:LYS:HE3	8:A:3662:HOH:O	2.15	0.45
1:A:56:LEU:O	1:A:60[B]:MET:HG3	2.17	0.45
1:A:589[B]:VAL:HG11	1:A:615:LEU:HG	1.99	0.45
1:A:159:GLU:HA	1:A:192:CYS:HB2	1.99	0.44
1:A:520:ASP:HB2	8:A:3740:HOH:O	2.18	0.44
1:A:148:PRO:HD2	8:A:3813:HOH:O	2.17	0.44
1:B:616[B]:LYS:HD2	8:B:4329:HOH:O	2.15	0.44
1:B:315:MET:HA	1:B:324:ARG:O	2.18	0.44
1:A:292[B]:ASN:ND2	1:A:530:PHE:HE1	2.16	0.44
1:A:15:VAL:HG21	1:A:20:LEU:HG	2.01	0.43
1:B:203:LYS:HD2	8:B:4086:HOH:O	2.18	0.43
1:A:45[B]:ILE:CD1	1:A:141:VAL:HG21	2.48	0.43
1:B:272:ASN:HD21	1:B:276:LYS:HZ1	1.66	0.43
1:A:502:HIS:CD2	8:A:3673:HOH:O	2.71	0.42
1:B:7:ASN:HD22	1:B:10:ASP:HB3	1.83	0.42
1:A:60[B]:MET:HE2	1:A:60[B]:MET:HB3	1.80	0.42
1:B:261:LEU:HD11	1:B:500[B]:MET:SD	2.60	0.41
1:A:190[B]:ILE:HD11	1:A:228:ILE:HG13	2.01	0.41
1:A:589[B]:VAL:HG11	1:A:619:ILE:HD12	2.02	0.41
1:A:56:LEU:HD11	1:A:164:PRO:HB3	2.02	0.41
1:B:217:THR:HA	1:B:231:PHE:O	2.20	0.41
1:A:45[B]:ILE:HD13	1:A:141:VAL:CG2	2.50	0.41
1:B:391:TRP:CD2	1:B:399:CYS:HB3	2.55	0.41
1:B:569:LEU:HD23	1:B:569:LEU:HA	1.81	0.41
1:B:221:HIS:CE1	1:B:249:ARG:HD2	2.56	0.41
1:B:264:HIS:CD2	1:B:290:LYS:HE3	2.56	0.41
1:B:520:ASP:HB3	1:B:526[B]:LEU:CD1	2.50	0.41
1:A:268:LEU:C	1:A:268:LEU:HD12	2.41	0.41
1:A:0:SER:N	1:A:25:GLN:HE22	2.12	0.40
1:B:550:ALA:HB1	1:B:557:TYR:HB3	2.02	0.40
1:A:389:LYS:HE2	1:A:389:LYS:HA	2.03	0.40
1:A:95:ILE:HD12	1:A:95:ILE:N	2.36	0.40
1:A:213:ASN:HD22	1:A:213:ASN:C	2.24	0.40
1:A:413:CYS:SG	1:A:415[B]:ILE:CD1	3.09	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:3626:HOH:O	8:A:3743:HOH:O[2_645]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	653/624 (105%)	631 (97%)	22 (3%)	0	100	100
1	B	634/624 (102%)	616 (97%)	18 (3%)	0	100	100
All	All	1287/1248 (103%)	1247 (97%)	40 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	551/520 (106%)	540 (98%)	11 (2%)	55	25
1	B	539/520 (104%)	527 (98%)	12 (2%)	52	22
All	All	1090/1040 (105%)	1067 (98%)	23 (2%)	55	23

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	97[A]	GLN
1	A	97[B]	GLN
1	A	153	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	ASN
1	A	369	TYR
1	A	394	GLN
1	A	471	LYS
1	A	521	LYS
1	A	577	LEU
1	A	581	SER
1	A	587	LYS
1	B	4	GLN
1	B	9	LEU
1	B	88	ILE
1	B	115[A]	ARG
1	B	115[B]	ARG
1	B	213	ASN
1	B	246	PHE
1	B	253	ARG
1	B	521	LYS
1	B	571	ASP
1	B	575	GLU
1	B	587	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	74	ASN
1	A	208	ASN
1	A	213	ASN
1	A	238	ASN
1	A	297	ASN
1	A	320	GLN
1	A	322	ASN
1	A	515	ASN
1	B	36	GLN
1	B	59	HIS
1	B	74	ASN
1	B	209	ASN
1	B	213	ASN
1	B	238	ASN
1	B	272	ASN
1	B	292	ASN
1	B	297	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	502	HIS
1	B	515	ASN
1	B	522	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 7 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	A	800	2	26,34,34	1.44	3 (11%)	32,54,54	1.64	6 (18%)
5	SPV	B	900	2	9,9,9	3.29	3 (33%)	11,13,13	1.23	1 (9%)
5	SPV	A	900	2	9,9,9	2.68	3 (33%)	11,13,13	1.78	1 (9%)
6	1PE	A	1000	-	9,9,15	0.66	0	8,8,14	0.64	0
4	GTP	B	800	2	26,34,34	1.17	2 (7%)	32,54,54	1.30	4 (12%)
7	ETX	A	3430	-	5,5,5	0.58	0	4,4,4	0.56	0
7	ETX	B	3430	-	5,5,5	0.62	0	4,4,4	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	A	800	2	-	2/18/38/38	0/3/3/3
5	SPV	B	900	2	-	0/8/9/9	-
5	SPV	A	900	2	-	1/8/9/9	-
6	1PE	A	1000	-	-	3/7/7/13	-
4	GTP	B	800	2	-	1/18/38/38	0/3/3/3
7	ETX	A	3430	-	-	1/3/3/3	-
7	ETX	B	3430	-	-	1/3/3/3	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	900	SPV	C3-S	-6.63	1.71	1.78
5	B	900	SPV	C2-C1	-6.42	1.45	1.53
5	A	900	SPV	C2-C1	-5.82	1.45	1.53
5	A	900	SPV	C3-S	-4.72	1.73	1.78
4	A	800	GTP	C5-C6	-3.88	1.39	1.47
4	B	800	GTP	C5-C6	-3.44	1.40	1.47
4	A	800	GTP	PG-O2G	-2.52	1.45	1.54
5	B	900	SPV	O1-C1	2.43	1.29	1.22
5	A	900	SPV	O1-C1	2.40	1.29	1.22
4	A	800	GTP	O4'-C4'	-2.18	1.40	1.45
4	B	800	GTP	C2'-C1'	-2.06	1.50	1.53

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	900	SPV	O1-C1-C2	-4.74	115.39	121.72
4	A	800	GTP	O6-C6-N1	-4.68	115.12	120.65
4	A	800	GTP	C5-C6-N1	3.49	120.12	113.95
4	A	800	GTP	C2-N1-C6	-3.22	119.17	125.10
4	B	800	GTP	O4'-C1'-C2'	-3.20	102.25	106.93
4	A	800	GTP	O2G-PG-O3B	-2.56	96.06	104.64
4	B	800	GTP	N2-C2-N1	2.45	121.94	116.71
4	B	800	GTP	C5-C6-N1	2.43	118.23	113.95
4	A	800	GTP	C8-N7-C5	2.40	107.56	102.99
4	B	800	GTP	N1-C2-N3	-2.05	119.48	123.32
4	A	800	GTP	N2-C2-N1	2.03	121.04	116.71
5	B	900	SPV	O2S-S-O3S	2.00	116.17	111.27

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	800	GTP	C5'-O5'-PA-O1A
6	A	1000	1PE	OH5-C14-C24-OH4
7	A	3430	ETX	C4-C3-O2-C2
4	A	800	GTP	PA-O3A-PB-O2B
5	A	900	SPV	C2-C3-S-O2S
6	A	1000	1PE	OH4-C13-C23-OH3
4	A	800	GTP	PA-O3A-PB-O1B
6	A	1000	1PE	C23-C13-OH4-C24
7	B	3430	ETX	C1-C2-O2-C3

There are no ring outliers.

5 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	800	GTP	4	0
6	A	1000	1PE	5	0
4	B	800	GTP	1	0
7	A	3430	ETX	1	0
7	B	3430	ETX	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	624/624 (100%)	0.49	61 (9%) 7 7	2, 6, 18, 35	11 (1%)
1	B	611/624 (97%)	0.51	59 (9%) 7 8	2, 6, 19, 34	2 (0%)
All	All	1235/1248 (98%)	0.50	120 (9%) 7 8	2, 6, 19, 35	13 (1%)

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	7	ASN	7.3
1	A	504	PRO	7.2
1	A	394	GLN	7.2
1	B	394	GLN	7.0
1	B	396	GLU	6.8
1	A	393	PRO	6.6
1	B	8	GLY	6.4
1	B	504	PRO	6.2
1	A	149	LEU	5.7
1	B	395	ASP	5.6
1	B	393	PRO	5.6
1	A	392	ARG	5.6
1	A	150	GLY	5.5
1	A	396	GLU	5.5
1	A	152	PRO	5.2
1	B	392	ARG	4.8
1	A	153	LEU	4.6
1	B	521	LYS	4.4
1	B	575	GLU	4.3
1	A	574	VAL	4.2
1	B	205	PRO	4.1
1	A	341	VAL	4.1
1	A	395	ASP	3.9
1	A	205	PRO	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	150	GLY	3.8
1	B	9	LEU	3.8
1	A	397	GLU	3.8
1	A	0	SER	3.8
1	A	319	ALA	3.8
1	B	473	LYS	3.7
1	A	575	GLU	3.7
1	B	432	ILE	3.5
1	B	379	PRO	3.5
1	A	432	ILE	3.4
1	A	473	LYS	3.4
1	B	4	GLN	3.4
1	A	522	ASN	3.3
1	B	583	GLU	3.3
1	B	203	LYS	3.2
1	A	389	LYS	3.2
1	A	1	MET	3.2
1	B	391	TRP	3.2
1	B	21	ASP	3.1
1	B	389	LYS	3.1
1	B	480	PHE	3.1
1	B	571	ASP	3.1
1	A	391	TRP	3.1
1	B	204	LYS	3.1
1	B	431	ILE	3.1
1	A	572	VAL	3.0
1	A	186	ASP	2.9
1	A	166	VAL	2.9
1	B	505	ALA	2.9
1	A	203	LYS	2.9
1	A	472	GLY	2.9
1	A	505	ALA	2.8
1	A	562	ASP	2.8
1	B	502	HIS	2.8
1	A	2	PRO	2.8
1	A	433	PHE	2.7
1	B	377	LEU	2.7
1	B	397[A]	GLU	2.7
1	A	204	LYS	2.7
1	B	390	GLU	2.7
1	B	186[A]	ASP	2.6
1	A	357	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	378	ALA	2.6
1	B	166	VAL	2.6
1	A	356	ILE	2.6
1	B	561	GLU	2.5
1	A	154	ALA	2.5
1	A	390	GLU	2.5
1	B	165	TYR	2.5
1	B	25	GLN	2.5
1	B	522	ASN	2.5
1	A	521	LYS	2.5
1	B	273	PRO	2.4
1	A	431	ILE	2.4
1	B	160	LEU	2.4
1	A	524	LYS	2.4
1	B	562	ASP	2.4
1	B	523	GLY	2.4
1	A	358	THR	2.3
1	A	570	GLY	2.3
1	B	514	VAL	2.3
1	B	374[A]	ASP	2.3
1	B	398	PRO	2.2
1	B	433	PHE	2.2
1	A	349	LYS	2.2
1	A	569	LEU	2.2
1	A	561	GLU	2.2
1	B	301	PRO	2.2
1	A	456	VAL	2.2
1	B	503	ARG	2.2
1	A	374	ASP	2.2
1	B	512	PHE	2.2
1	A	567	LYS	2.2
1	B	22[A]	SER	2.1
1	A	503	ARG	2.1
1	A	571	ASP	2.1
1	A	511	ILE	2.1
1	A	165	TYR	2.1
1	B	70	LYS	2.1
1	B	142	ILE	2.1
1	B	567	LYS	2.1
1	A	208	ASN	2.1
1	B	55[A]	ARG	2.1
1	B	511	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	240	LEU	2.1
1	A	167	VAL	2.0
1	A	388	ASN	2.0
1	B	388	ASN	2.0
1	A	321	GLY	2.0
1	A	583	GLU	2.0
1	A	454	VAL	2.0
1	B	167	VAL	2.0
1	B	381	VAL	2.0
1	A	55	ARG	2.0
1	A	342	LYS	2.0
1	B	524	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	IPE	A	1000	10/16	0.84	0.14	13,19,24,26	0
7	ETX	B	3430	6/6	0.86	0.17	4,16,18,25	0
7	ETX	A	3430	6/6	0.91	0.14	6,14,21,23	0
4	GTP	A	800	32/32	0.95	0.12	2,2,6,7	32
3	NA	A	1100	1/1	0.98	0.06	22,22,22,22	0
4	GTP	B	800	32/32	0.98	0.07	2,4,6,7	0
5	SPV	A	900	10/10	0.98	0.11	2,4,7,7	0
3	NA	B	1100	1/1	0.99	0.06	16,16,16,16	0
2	MN	A	703	1/1	0.99	0.10	2,2,2,2	1
5	SPV	B	900	10/10	0.99	0.11	2,3,5,6	0
2	MN	A	700	1/1	1.00	0.10	3,3,3,3	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MN	B	700	1/1	1.00	0.12	4,4,4,4	0
2	MN	B	701	1/1	1.00	0.08	4,4,4,4	0
2	MN	A	701	1/1	1.00	0.05	2,2,2,2	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.