



Full wwPDB X-ray Structure Validation Report i

Aug 8, 2020 – 04:33 PM BST

PDB ID : 3DUV
Title : Crystal structure of 3-deoxy-manno-octulosonate cytidyltransferase from Haemophilus influenzae complexed with the substrate 3-deoxy-manno-octulosonate in the-configuration
Authors : Yoon, H.J.; Ku, M.J.; Mikami, B.; Suh, S.W.
Deposited on : 2008-07-18
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	KDO	A	263	X	-	-	-

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 4080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 3-deoxy-manno-octulosonate cytidylyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	238	Total	C	N	O	S	Se	0	0	0
			1874	1192	322	354	1	5			
1	B	254	Total	C	N	O	S	Se	0	0	0
			1990	1267	343	374	1	5			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	255	LEU	-	expression tag	UNP P44490
A	256	GLU	-	expression tag	UNP P44490
A	257	HIS	-	expression tag	UNP P44490
A	258	HIS	-	expression tag	UNP P44490
A	259	HIS	-	expression tag	UNP P44490
A	260	HIS	-	expression tag	UNP P44490
A	261	HIS	-	expression tag	UNP P44490
A	262	HIS	-	expression tag	UNP P44490
B	255	LEU	-	expression tag	UNP P44490
B	256	GLU	-	expression tag	UNP P44490
B	257	HIS	-	expression tag	UNP P44490
B	258	HIS	-	expression tag	UNP P44490
B	259	HIS	-	expression tag	UNP P44490
B	260	HIS	-	expression tag	UNP P44490
B	261	HIS	-	expression tag	UNP P44490
B	262	HIS	-	expression tag	UNP P44490

- Molecule 2 is 3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid (three-letter code: KDO) (formula: C₈H₁₄O₈).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 16 8 8	0	0
2	B	1	Total C O 16 8 8	0	0

- Molecule 3 is O-ACETALDEHYDYL-HEXAETHYLENE GLYCOL (three-letter code: P4C) (formula: C₁₄H₂₈O₈).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 22 14 8	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	74	Total O 74 74	0	0
4	B	88	Total O 88 88	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3-deoxy-manno-octulosonate cytidylyltransferase



- Molecule 1: 3-deoxy-manno-octulosonate cytidylyltransferase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.42Å 82.61Å 115.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 27.61 – 2.21	Depositor EDS
% Data completeness (in resolution range)	95.0 (30.00-2.30) 93.4 (27.61-2.21)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	9.96 (at 2.22Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R , R_{free}	0.170 , 0.236 0.193 , 0.259	Depositor DCC
R_{free} test set	3705 reflections (9.44%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.743	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.7	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4080	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KDO, P4C

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1901	0.59	1/2574 (0.0%)
1	B	0.34	0/2021	0.62	0/2737
All	All	0.33	0/3922	0.61	1/5311 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	145	LEU	CA-CB-CG	5.19	127.23	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1874	0	1893	85	0
1	B	1990	0	2019	103	0
2	A	16	0	13	2	0
2	B	16	0	13	0	0
3	A	22	0	28	5	0
4	A	74	0	0	4	0
4	B	88	0	0	3	0
All	All	4080	0	3966	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:233:VAL:HG13	1:B:234:PRO:HA	1.34	1.07
1:B:51:ASN:HD22	1:B:54:VAL:HG23	1.11	1.06
1:B:218:VAL:HG11	1:B:225:ILE:HD11	1.42	1.00
1:B:103:LEU:HD12	1:B:235:ALA:HB3	1.46	0.96
1:B:104:ILE:HG13	1:B:108:ILE:HD11	1.48	0.92
1:A:4:THR:HG23	1:A:92:GLU:OE1	1.73	0.89
1:A:115:ASN:HD21	1:A:228:GLU:HG3	1.39	0.88
1:B:235:ALA:HB2	1:B:250:ILE:HD12	1.56	0.86
1:A:166:GLN:HE22	1:A:177:GLN:H	0.89	0.86
1:A:166:GLN:HE22	1:A:177:GLN:N	1.74	0.84
1:B:51:ASN:HD21	1:B:53:ASN:HB2	1.40	0.84
1:B:55:ALA:HB2	1:B:67:MSE:HE1	1.60	0.83
1:A:27:LYS:HE3	1:A:247:VAL:HG22	1.60	0.83
1:A:1:MSE:HG3	1:A:2:SER:H	1.42	0.82
1:B:29:MSE:HE1	1:B:238:VAL:HG11	1.59	0.82
1:B:47:ILE:HD13	1:B:63:ALA:HB1	1.61	0.82
1:A:39:GLN:HE21	1:A:106:PRO:HG3	1.42	0.81
1:A:218:VAL:HG11	1:A:225:ILE:HD11	1.60	0.81
1:A:166:GLN:NE2	1:A:177:GLN:H	1.74	0.81
1:A:212:LYS:HG3	1:B:164:ARG:NH1	1.96	0.81
1:B:51:ASN:ND2	1:B:54:VAL:HG23	1.94	0.80
1:A:126:LEU:HD21	1:A:188:ILE:HB	1.64	0.79
1:A:115:ASN:ND2	1:A:228:GLU:HG3	1.97	0.78
1:B:128:VAL:HG11	1:B:233:VAL:HB	1.68	0.76
1:B:233:VAL:HG13	1:B:234:PRO:CA	2.13	0.74
1:B:233:VAL:HG22	1:B:235:ALA:N	2.02	0.74
1:B:53:ASN:HB3	4:B:333:HOH:O	1.91	0.70
1:B:104:ILE:CG1	1:B:108:ILE:HD11	2.21	0.69
1:B:166:GLN:HE22	1:B:177:GLN:H	1.39	0.69
1:A:128:VAL:HG21	1:A:232:GLU:HG3	1.74	0.69
1:B:233:VAL:HG22	1:B:234:PRO:C	2.12	0.68
1:A:132:ASP:OD2	1:A:134:GLU:HB2	1.93	0.68
1:B:4:THR:HG22	1:B:92:GLU:OE1	1.94	0.68
1:A:9:ALA:O	1:A:10:ARG:HB2	1.94	0.67
1:A:152:VAL:HG11	1:A:155:PHE:CE1	2.29	0.67
1:A:145:LEU:HD13	1:A:153:LEU:HB2	1.78	0.66
1:B:108:ILE:O	1:B:112:VAL:HG23	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:ALA:CB	1:B:67:MSE:HE1	2.26	0.65
1:A:78:ARG:HB2	1:A:78:ARG:NH1	2.12	0.64
1:B:231:LYS:HB2	1:B:231:LYS:NZ	2.13	0.64
1:A:218:VAL:CG1	1:A:225:ILE:HD11	2.29	0.63
1:A:234:PRO:O	1:A:236:VAL:HG13	1.99	0.63
1:B:157:ARG:NH1	1:B:211:GLU:O	2.31	0.63
1:A:39:GLN:HE21	1:A:106:PRO:CG	2.11	0.62
1:A:39:GLN:NE2	1:A:106:PRO:HG3	2.14	0.62
1:B:171:GLN:OE1	1:B:172:ASP:HB2	1.99	0.62
1:B:58:ALA:HA	1:B:61:PHE:CZ	2.35	0.62
1:B:235:ALA:HB2	1:B:250:ILE:CD1	2.29	0.61
1:B:243:ASP:O	1:B:246:LYS:HB3	1.99	0.61
1:A:128:VAL:HG21	1:A:232:GLU:CG	2.31	0.61
1:A:212:LYS:NZ	3:A:270:P4C:H31	2.17	0.60
1:B:95:VAL:HG11	1:B:109:VAL:HG13	1.83	0.60
1:B:145:LEU:HD13	1:B:153:LEU:HB2	1.83	0.59
1:A:206:GLN:HB2	3:A:270:P4C:H142	1.84	0.59
1:A:145:LEU:CD1	1:A:153:LEU:HB2	2.31	0.59
1:A:105:PRO:HD3	1:A:233:VAL:HG22	1.83	0.58
1:A:53:ASN:O	1:A:57:VAL:HG23	2.03	0.58
1:B:154:TYR:CE2	1:B:156:SER:HB2	2.38	0.58
1:B:51:ASN:ND2	1:B:53:ASN:HB2	2.16	0.58
1:A:110:ARG:HB3	1:A:110:ARG:HH11	1.68	0.57
1:B:112:VAL:HG22	1:B:126:LEU:HD21	1.86	0.57
1:B:123:MSE:HB3	1:B:225:ILE:CD1	2.34	0.57
1:B:152:VAL:HG11	1:B:155:PHE:CE1	2.40	0.57
1:A:105:PRO:HB3	1:A:233:VAL:HG21	1.87	0.56
1:A:109:VAL:O	1:A:112:VAL:HG12	2.06	0.56
1:A:126:LEU:HD23	1:A:126:LEU:N	2.20	0.56
1:A:1:MSE:HG3	1:A:2:SER:N	2.18	0.55
1:B:123:MSE:HB3	1:B:225:ILE:HD12	1.88	0.55
1:B:51:ASN:ND2	1:B:54:VAL:H	2.03	0.55
1:A:129:LYS:NZ	1:A:129:LYS:HB2	2.22	0.55
1:A:218:VAL:CG1	1:A:223:GLU:HB3	2.36	0.55
1:A:123:MSE:SE	1:A:225:ILE:HD12	2.57	0.55
1:B:207:LEU:HD22	1:B:216:LEU:HD13	1.89	0.54
1:B:218:VAL:CG1	1:B:223:GLU:HB3	2.38	0.54
1:B:58:ALA:HA	1:B:61:PHE:CE2	2.43	0.54
1:B:246:LYS:HE3	1:B:250:ILE:HD11	1.90	0.54
1:A:110:ARG:NH1	1:A:110:ARG:CB	2.71	0.54
1:B:108:ILE:HD12	1:B:126:LEU:HD12	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:LEU:HD12	1:B:235:ALA:CB	2.30	0.53
1:A:164:ARG:NH1	4:A:488:HOH:O	2.42	0.53
1:A:104:ILE:HD11	1:A:186:ILE:HD13	1.91	0.53
1:B:129:LYS:HG3	1:B:229:LEU:HD11	1.91	0.52
1:A:130:ILE:HG21	1:A:136:LEU:CD1	2.40	0.52
1:A:123:MSE:HB3	1:A:225:ILE:CD1	2.40	0.52
1:A:157:ARG:HD2	1:A:211:GLU:O	2.10	0.52
1:A:128:VAL:CG2	1:A:232:GLU:HG3	2.40	0.52
1:B:218:VAL:HG12	1:B:223:GLU:HB3	1.91	0.52
1:A:157:ARG:NH1	4:A:309:HOH:O	2.43	0.51
1:B:135:GLU:OE2	1:B:184:ARG:HD2	2.09	0.51
1:B:24:ILE:HD11	1:B:29:MSE:CE	2.40	0.51
1:B:93:ILE:HD11	1:B:192:ARG:CZ	2.41	0.50
1:B:95:VAL:HG13	1:B:188:ILE:HD11	1.94	0.50
1:B:34:PHE:CD2	1:B:47:ILE:HD11	2.47	0.49
2:A:263:KDO:O1A	2:A:263:KDO:H6	2.09	0.49
1:B:24:ILE:HD11	1:B:29:MSE:HE2	1.94	0.49
1:A:143:LYS:HD3	1:A:143:LYS:N	2.27	0.49
1:B:15:ARG:HG3	1:B:15:ARG:HH21	1.78	0.49
1:A:110:ARG:NH1	1:A:110:ARG:HB3	2.28	0.48
1:B:177:GLN:HG3	4:B:750:HOH:O	2.12	0.48
1:B:211:GLU:O	1:B:212:LYS:HB2	2.13	0.48
1:A:212:LYS:HZ2	3:A:270:P4C:H31	1.79	0.48
1:B:108:ILE:HD12	1:B:126:LEU:CD1	2.44	0.48
1:B:93:ILE:HD11	1:B:192:ARG:NH1	2.28	0.48
1:B:241:ALA:O	1:B:244:LEU:HB3	2.13	0.48
1:A:126:LEU:HD23	1:A:126:LEU:H	1.79	0.48
1:B:19:LYS:NZ	1:B:239:ASP:HA	2.29	0.48
1:B:246:LYS:O	1:B:250:ILE:HG13	2.14	0.48
1:B:47:ILE:CD1	1:B:63:ALA:HB1	2.39	0.47
1:A:104:ILE:HD11	1:A:186:ILE:CD1	2.45	0.47
1:A:207:LEU:HG	1:A:216:LEU:HD13	1.96	0.47
1:B:123:MSE:HE3	1:B:191:TYR:CD1	2.50	0.47
1:B:218:VAL:CG1	1:B:225:ILE:HD11	2.30	0.47
1:A:154:TYR:CE2	1:A:156:SER:HB2	2.49	0.47
1:A:191:TYR:N	1:A:191:TYR:CD2	2.83	0.47
1:B:116:LEU:HD21	1:B:190:ALA:HB1	1.97	0.47
1:B:145:LEU:CD1	1:B:153:LEU:HB2	2.45	0.47
1:A:218:VAL:HG12	1:A:223:GLU:HB3	1.96	0.46
1:A:241:ALA:O	1:A:245:GLU:HG3	2.15	0.46
1:A:46:ILE:HD13	1:A:86:LEU:CD2	2.44	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:VAL:HG12	4:A:306:HOH:O	2.14	0.46
1:B:231:LYS:O	1:B:232:GLU:HB2	2.16	0.46
1:A:86:LEU:N	1:A:86:LEU:CD1	2.78	0.46
1:B:36:LYS:HG2	1:B:104:ILE:O	2.16	0.46
1:A:252:ALA:C	1:A:254:ASN:H	2.19	0.46
1:A:27:LYS:HB2	1:A:28:PRO:HD3	1.97	0.46
1:B:19:LYS:HB3	1:B:20:PRO:CD	2.46	0.46
1:B:175:LYS:O	1:B:175:LYS:HG2	2.17	0.45
1:B:4:THR:CG2	1:B:92:GLU:OE1	2.64	0.45
1:B:25:LYS:HD2	1:B:251:LEU:HB3	1.98	0.45
1:B:19:LYS:HE3	1:B:100:ASP:HB3	1.98	0.45
1:B:1:MSE:C	1:B:1:MSE:SE	3.05	0.45
1:A:110:ARG:CB	1:A:110:ARG:HH11	2.30	0.45
1:A:74:SER:OG	1:A:77:GLU:HG3	2.17	0.45
1:B:133:ALA:O	1:B:137:PHE:HD2	2.00	0.45
1:B:51:ASN:HD22	1:B:54:VAL:H	1.64	0.45
1:A:1:MSE:CG	1:A:2:SER:H	2.19	0.45
1:A:130:ILE:HG21	1:A:136:LEU:HD12	2.00	0.44
3:A:270:P4C:H92	4:A:322:HOH:O	2.17	0.44
1:B:112:VAL:HG21	1:B:188:ILE:HD12	1.99	0.44
1:B:233:VAL:HG22	1:B:234:PRO:N	2.31	0.44
1:A:170:LEU:H	1:A:170:LEU:HD23	1.83	0.44
1:B:15:ARG:HG3	1:B:15:ARG:NH2	2.32	0.44
1:B:123:MSE:HE3	1:B:191:TYR:CE1	2.52	0.44
1:B:25:LYS:HB3	1:B:25:LYS:NZ	2.33	0.44
1:A:246:LYS:O	1:A:250:ILE:HG12	2.18	0.44
1:B:105:PRO:O	1:B:108:ILE:HG12	2.18	0.44
1:B:113:ALA:O	1:B:116:LEU:HD23	2.17	0.43
1:B:36:LYS:HD2	1:B:106:PRO:HD3	2.00	0.43
1:B:47:ILE:N	1:B:47:ILE:HD12	2.33	0.43
1:A:78:ARG:HB2	1:A:78:ARG:HH11	1.82	0.43
1:B:233:VAL:HG21	1:B:236:VAL:HG23	2.01	0.43
1:B:50:ASP:HB2	1:B:70:VAL:HG12	2.00	0.43
1:B:146:THR:HB	1:B:150:GLY:C	2.39	0.43
1:A:218:VAL:HG13	1:A:223:GLU:HB3	1.99	0.43
1:A:29:MSE:O	1:A:33:VAL:HG23	2.19	0.42
1:B:201:GLN:HG2	4:B:515:HOH:O	2.19	0.42
1:A:101:GLU:HB3	1:A:104:ILE:CG1	2.50	0.42
1:A:101:GLU:HG2	1:A:186:ILE:CG2	2.50	0.42
1:B:19:LYS:NZ	1:B:238:VAL:O	2.42	0.42
1:B:52:GLU:HA	1:B:52:GLU:OE1	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ASN:OD1	1:A:53:ASN:N	2.52	0.42
1:A:208:GLU:OE1	1:A:217:ARG:HB2	2.19	0.42
1:B:112:VAL:HG22	1:B:126:LEU:CD2	2.50	0.42
1:A:91:ASN:HA	1:A:192:ARG:HD3	2.02	0.42
1:B:123:MSE:SE	1:B:225:ILE:HD12	2.69	0.42
1:B:191:TYR:CD2	1:B:191:TYR:N	2.87	0.42
1:A:238:VAL:HG13	1:A:239:ASP:N	2.33	0.42
1:A:136:LEU:HD12	1:A:136:LEU:N	2.35	0.41
1:A:171:GLN:HE22	1:A:175:LYS:HD3	1.85	0.41
1:B:207:LEU:HD22	1:B:216:LEU:CD1	2.50	0.41
1:B:97:ILE:HD13	1:B:188:ILE:HG12	2.00	0.41
1:A:27:LYS:N	1:A:28:PRO:CD	2.83	0.41
1:B:13:SER:HB3	1:B:16:LEU:O	2.20	0.41
1:B:253:ALA:O	1:B:254:ASN:C	2.58	0.41
1:A:1:MSE:CG	1:A:2:SER:N	2.81	0.41
1:A:34:PHE:CE2	1:A:38:LEU:HD11	2.55	0.41
1:B:105:PRO:HA	1:B:106:PRO:HD3	1.88	0.41
1:A:128:VAL:HG22	1:A:129:LYS:N	2.36	0.41
1:A:104:ILE:CD1	1:A:186:ILE:HD13	2.49	0.41
1:A:96:ASN:O	1:A:188:ILE:HA	2.20	0.41
1:A:212:LYS:HZ3	3:A:270:P4C:HG1	1.82	0.41
1:A:46:ILE:HD13	1:A:86:LEU:HD23	2.03	0.41
1:B:166:GLN:NE2	1:B:177:GLN:H	2.11	0.41
1:A:83:VAL:CG1	1:A:193:ALA:HB1	2.51	0.41
2:A:263:KDO:O1A	2:A:263:KDO:C6	2.68	0.40
1:B:224:ARG:O	1:B:225:ILE:HD13	2.22	0.40
1:B:231:LYS:HB2	1:B:231:LYS:HZ3	1.84	0.40
1:B:61:PHE:HE1	1:B:63:ALA:HB2	1.86	0.40
1:B:112:VAL:HG22	1:B:126:LEU:CG	2.51	0.40
1:B:97:ILE:HD13	1:B:188:ILE:CG1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	234/262 (89%)	223 (95%)	11 (5%)	0	100 100
1	B	252/262 (96%)	237 (94%)	13 (5%)	2 (1%)	19 23
All	All	486/524 (93%)	460 (95%)	24 (5%)	2 (0%)	34 42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	237	GLY
1	B	233	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	204/219 (93%)	196 (96%)	8 (4%)	32 46
1	B	216/219 (99%)	205 (95%)	11 (5%)	24 33
All	All	420/438 (96%)	401 (96%)	19 (4%)	27 39

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MSE
1	A	86	LEU
1	A	101	GLU
1	A	120	ASN
1	A	145	LEU
1	A	174	GLN
1	A	191	TYR
1	A	219	LEU
1	B	4	THR
1	B	52	GLU
1	B	120	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	145	LEU
1	B	164	ARG
1	B	171	GLN
1	B	188	ILE
1	B	191	TYR
1	B	207	LEU
1	B	231	LYS
1	B	233	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	91	ASN
1	A	98	GLN
1	A	115	ASN
1	A	120	ASN
1	A	122	ASN
1	A	131	HIS
1	A	166	GLN
1	A	171	GLN
1	A	174	GLN
1	A	177	GLN
1	B	32	HIS
1	B	51	ASN
1	B	53	ASN
1	B	71	ASN
1	B	98	GLN
1	B	111	GLN
1	B	115	ASN
1	B	122	ASN
1	B	131	HIS
1	B	166	GLN
1	B	198	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	P4C	A	270	-	21,21,21	2.26	7 (33%)	20,20,20	1.16	2 (10%)
2	KDO	B	263	-	13,16,16	0.94	1 (7%)	14,24,24	0.77	1 (7%)
2	KDO	A	263	-	13,16,16	0.96	1 (7%)	14,24,24	1.82	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P4C	A	270	-	-	11/18/19/19	-
2	KDO	B	263	-	-	0/6/30/30	0/1/1/1
2	KDO	A	263	-	1/1/6/6	0/6/30/30	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	270	P4C	O22-C21	-5.21	0.89	1.19
3	A	270	P4C	O10-C9	4.23	1.60	1.42
3	A	270	P4C	O19-C18	3.66	1.57	1.42
3	A	270	P4C	O4-C3	3.47	1.57	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	270	P4C	O13-C12	3.41	1.56	1.42
3	A	270	P4C	O16-C15	3.26	1.56	1.42
2	B	263	KDO	O2-C2	2.83	1.43	1.39
2	A	263	KDO	O2-C2	2.71	1.43	1.39
3	A	270	P4C	O7-C6	2.60	1.53	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	263	KDO	O2-C2-O6	-5.18	98.03	109.85
3	A	270	P4C	O1-C2-C3	3.40	131.51	111.81
2	A	263	KDO	C7-C6-C5	-3.26	108.62	114.03
2	B	263	KDO	C7-C6-C5	-2.24	110.32	114.03
3	A	270	P4C	O22-C21-C20	-2.04	120.23	126.39

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	263	KDO	C2

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	270	P4C	O16-C17-C18-O19
3	A	270	P4C	O13-C14-C15-O16
3	A	270	P4C	O4-C5-C6-O7
3	A	270	P4C	O1-C2-C3-O4
3	A	270	P4C	C21-C20-O19-C18
3	A	270	P4C	C17-C18-O19-C20
3	A	270	P4C	C6-C5-O4-C3
3	A	270	P4C	C18-C17-O16-C15
3	A	270	P4C	C5-C6-O7-C8
3	A	270	P4C	C11-C12-O13-C14
3	A	270	P4C	C2-C3-O4-C5

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	270	P4C	5	0
2	A	263	KDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/262 (88%)	0.22	14 (6%) 21 28	11, 30, 56, 70	0
1	B	249/262 (95%)	-0.06	9 (3%) 42 49	12, 27, 56, 64	0
All	All	482/524 (91%)	0.08	23 (4%) 30 37	11, 28, 56, 70	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	233	VAL	5.1
1	B	174	GLN	4.2
1	A	236	VAL	4.1
1	B	172	ASP	4.0
1	A	237	GLY	3.9
1	A	103	LEU	3.6
1	A	235	ALA	3.4
1	B	232	GLU	3.3
1	B	252	ALA	3.2
1	A	169	ASN	3.1
1	B	171	GLN	2.9
1	A	100	ASP	2.9
1	B	235	ALA	2.7
1	B	254	ASN	2.7
1	A	52	GLU	2.7
1	A	27	LYS	2.6
1	A	238	VAL	2.5
1	A	56	ASP	2.4
1	A	170	LEU	2.2
1	B	175	LYS	2.2
1	A	234	PRO	2.1
1	A	171	GLN	2.1
1	A	104	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	P4C	A	270	22/22	0.86	0.17	39,46,49,51	0
2	KDO	B	263	16/16	0.91	0.18	15,20,33,37	0
2	KDO	A	263	16/16	0.95	0.14	14,19,21,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.