

Full wwPDB X-ray Structure Validation Report (i)

Oct 15, 2023 – 10:24 AM EDT

PDB ID	:	2DWX
Title	:	Co-crystal Structure Analysis of GGA1-GAE with the WNSF motif
Authors	:	Inoue, M.; Shiba, T.; Yamada, Y.; Ihara, K.; Kawasaki, M.; Kato, R.;
		Nakayama, K.; Wakatsuki, S.
Deposited on	:	2006-08-21
Resolution	:	2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	$1284 \ (2.56-2.52)$
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272(2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quali	ty of	chain		
1	Δ	199	2%					
1	A	199	7%	72%			18%	7%•
1	В	133		48%		32%	8% •	11%
1	C	100	2%					_
	C	133	29/	65%			26%	5% • •
1	D	133	2 %	64%			26%	7% •
0	р	19	8%					
	P	13		46%	8%	8%	38%	



Mol	Chain	Length			Quali	ty of	f chain
			15%				
2	Q	13		38%	8%	8%	46%



$2\mathrm{DWX}$

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4235 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	190	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	129	1020	662	173	181	4	0	0	0
1	D	110	Total	С	Ν	0	S	0	0	0
	D	119	937	608	156	170	3	0		0
1	С	198	Total	С	Ν	0	S	0	0	0
	U	128	1012	658	171	179	4	0	0	0
1	1 D	190	Total	С	Ν	0	S	0	0	0
	129	1020	662	173	181	4			U	

• Molecule 1 is a protein called ADP-ribosylation factor-binding protein GGA1.

• Molecule 2 is a protein called hinge peptide from ADP-ribosylation factor binding protein GGA1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	р	8	Total	С	Ν	0	0	0	Ο
2	P	0	65	40	11	14	0	0	U
9	0	7	Total	С	Ν	0	0	0	0
	$2 \qquad Q$	1	59	37	10	12	0	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	30	Total O 30 30	0	0
3	В	30	Total O 30 30	0	0
3	С	30	Total O 30 30	0	0
3	D	23	TotalO2323	0	0
3	Р	6	Total O 6 6	0	0
3	Q	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ADP-ribosylation factor-binding protein GGA1



B604 ILE R609 PK0 R611 L513 R612 L513 I612 L513 I613 L513 R619 R51 R61 R51 R61 R51 R61 R51 R63 R51 R63 R51 R63 R53 R63 R54 R64 P53 R64 P53 R65 R56 R65 P54 R65 P54 R65 P54 R65 P54 R65 P54 R65 P54 R65 R56 R65 R56 R65 P56 R65 P56 R65 P56 R65 P56 R65 P56 R65 P56 R66 P56 R66 P56 <td

• Molecule 2: hinge peptide from ADP-ribosylation factor binding protein GGA1

	8%				
Chain P:		46%	8%	8%	38%
	•				



• Molecule 2: hinge peptide from ADP-ribosylation factor binding protein GGA1

	15%				
Chain Q:		38%	8%	8%	46%
SER LEU ASP GLY THR G-1	S S6				



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	48.22Å 69.62Å 184.97Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	38.63 - 2.55	Depositor
	46.66 - 2.55	EDS
% Data completeness	96.9 (38.63-2.55)	Depositor
(in resolution range)	96.5(46.66-2.55)	EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.95 (at 2.54 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
B B.	0.238 , 0.287	Depositor
II, II, <i>free</i>	0.242 , 0.259	DCC
R_{free} test set	1019 reflections (5.03%)	wwPDB-VP
Wilson B-factor $(Å^2)$	42.6	Xtriage
Anisotropy	0.640	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.30 , 45.1	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4235	wwPDB-VP
Average B, all atoms $(Å^2)$	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.43% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.77	0/1049	0.94	5/1433~(0.3%)	
1	В	0.70	0/963	1.11	7/1316~(0.5%)	
1	С	0.88	0/1041	1.00	4/1422~(0.3%)	
1	D	0.69	0/1049	0.87	2/1433~(0.1%)	
2	Р	0.54	0/67	0.58	0/88	
2	Q	0.71	0/60	0.56	0/77	
All	All	0.76	0/4229	0.97	18/5769~(0.3%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	512	ILE	O-C-N	-16.73	95.93	122.70
1	В	512	ILE	CA-C-N	12.31	144.27	117.20
1	D	539	ASP	CB-CG-OD2	8.00	125.50	118.30
1	С	632	PRO	N-CA-C	7.76	132.29	112.10
1	В	512	ILE	CA-C-O	-6.79	105.84	120.10
1	С	519	ASP	CB-CG-OD2	6.65	124.28	118.30
1	В	513	LEU	N-CA-C	-6.44	93.61	111.00
1	А	532	ASP	CB-CG-OD2	6.06	123.75	118.30
1	С	531	ARG	NE-CZ-NH2	-6.03	117.29	120.30
1	А	626	ASP	CB-CG-OD2	6.02	123.72	118.30
1	В	519	ASP	CB-CG-OD2	5.99	123.69	118.30
1	D	626	ASP	CB-CG-OD2	5.71	123.44	118.30



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	А	596	LEU	CA-CB-CG	5.66	128.33	115.30
1	В	628	ASP	CB-CG-OD2	5.45	123.21	118.30
1	А	628	ASP	CB-CG-OD2	5.40	123.16	118.30
1	С	632	PRO	CA-C-N	5.25	131.81	117.10
1	В	626	ASP	CB-CG-OD2	5.23	123.01	118.30
1	А	519	ASP	CB-CG-OD2	5.22	123.00	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	512	ILE	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1020	0	1042	37	0
1	В	937	0	937	46	0
1	С	1012	0	1036	36	0
1	D	1020	0	1042	50	0
2	Р	65	0	53	1	0
2	Q	59	0	47	2	0
3	А	30	0	0	0	0
3	В	30	0	0	1	0
3	С	30	0	0	1	0
3	D	23	0	0	1	0
3	Р	6	0	0	0	0
3	Q	3	0	0	0	0
All	All	4235	0	4157	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



2DWX

Atom-1	Atom-2	Interatomic	Clash
		distance (Å)	overlap (Å)
1:D:592:ILE:C	1:D:592:ILE:HD13	1.75	1.06
1:B:563:ALA:HB2	1:B:609:ARG:O	1.64	0.97
1:D:512:ILE:H	1:D:512:ILE:HD12	1.30	0.94
1:D:547:MET:HB2	1:D:592:ILE:HG23	1.50	0.91
1:D:632:PRO:O	1:D:635:THR:HG22	1.73	0.88
1:A:586:ILE:HG12	1:D:599:ALA:HB2	1.62	0.81
1:D:592:ILE:C	1:D:592:ILE:CD1	2.48	0.80
1:D:592:ILE:HD13	1:D:593:THR:N	1.95	0.79
1:D:512:ILE:HD12	1:D:512:ILE:N	1.95	0.79
1:A:586:ILE:HD11	1:D:540:VAL:HG22	1.63	0.79
1:B:609:ARG:HA	1:B:625:GLY:O	1.84	0.78
1:A:568:MET:HE1	1:A:606:VAL:HG13	1.66	0.75
1:A:586:ILE:CD1	1:D:540:VAL:HG22	2.16	0.74
1:A:586:ILE:CD1	1:D:599:ALA:HB2	2.18	0.73
1:B:563:ALA:HB2	1:B:609:ARG:C	2.09	0.73
1:D:512:ILE:H	1:D:512:ILE:CD1	2.00	0.72
1:D:636:TRP:HA	1:D:639:LEU:HD22	1.72	0.71
1:A:586:ILE:CG1	1:D:599:ALA:HB2	2.19	0.71
1:D:592:ILE:HD13	1:D:592:ILE:O	1.92	0.70
1:C:588:HIS:ND1	1:D:550:THR:CG2	2.55	0.69
1:A:589:PRO:HD2	1:B:550:THR:CG2	2.23	0.69
1:A:531:ARG:NH2	1:A:532:ASP:O	2.28	0.67
1:C:588:HIS:ND1	1:D:550:THR:HG22	2.11	0.66
1:B:512:ILE:O	1:B:512:ILE:HG12	1.96	0.65
1:D:545:VAL:HG13	1:D:594:GLN:O	1.98	0.64
1:C:580:LEU:HD21	1:C:592:ILE:HG22	1.79	0.64
1:C:633:PRO:C	1:C:635:THR:H	2.00	0.64
1:B:512:ILE:O	1:B:512:ILE:CG1	2.43	0.64
1:C:618:ASP:HB2	3:C:28:HOH:O	1.98	0.64
1:B:517:VAL:HG22	1:B:627:VAL:HG21	1.79	0.63
1:B:525:ILE:HG12	1:B:547:MET:HG2	1.79	0.63
1:A:584:ASN:ND2	1:A:587:VAL:HG13	2.15	0.62
1:A:518:TYR:HE1	1:A:623:GLU:HG2	1.65	0.62
1:A:531:ARG:HG2	1:A:540:VAL:O	1.99	0.62
1:D:511:ASN:CG	1:D:512:ILE:HD12	2.20	0.61
1:D:547:MET:HG3	1:D:592:ILE:HD12	1.83	0.61
1:A:532:ASP:HB2	1:A:533:PRO:HA	1.83	0.60
1:C:633:PRO:HB3	1:C:636:TRP:CZ3	2.37	0.59
1:D:632:PRO:O	1:D:635:THR:CG2	2.48	0.59
1:A:589:PRO:HD2	1:B:550:THR:HG23	1.84	0.59
1:B:632:PRO:O	1:B:635:THR:CG2	2.51	0.58
1:B:570:VAL:N	3:B:114:HOH:O	2.37	0.57



	A second se	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:B:534:LEU:HB3	1:B:535:PRO:CD	2.35	0.57		
1:D:596:LEU:HD12	1:D:596:LEU:O	2.04	0.57		
1:C:588:HIS:ND1	1:D:550:THR:HG21	2.19	0.56		
1:D:602:GLN:HB3	1:D:604:GLU:HG2	1.88	0.56		
1:C:512:ILE:N	1:C:512:ILE:HD13	2.21	0.56		
1:C:547:MET:HB2	1:C:592:ILE:HG23	1.87	0.56		
1:A:545:VAL:HG13	1:A:594:GLN:HB3	1.88	0.56		
1:B:601:PRO:HG2	1:B:633:PRO:HB3	1.89	0.55		
1:C:589:PRO:HD2	1:D:550:THR:HG21	1.87	0.55		
1:C:633:PRO:HB3	1:C:636:TRP:CE3	2.41	0.55		
1:D:561:GLN:HB2	1:D:611:LYS:HB3	1.88	0.55		
1:A:532:ASP:C	1:A:532:ASP:OD1	2.43	0.55		
1:B:600:ASN:ND2	1:B:602:GLN:OE1	2.39	0.55		
1:B:632:PRO:O	1:B:635:THR:HG22	2.07	0.55		
1:D:511:ASN:ND2	1:D:512:ILE:CD1	2.70	0.54		
1:A:550:THR:HG21	1:C:537:ARG:CG	2.37	0.54		
1:A:531:ARG:HH12	1:A:539:ASP:H	1.55	0.54		
1:C:532:ASP:HB3	1:C:540:VAL:O	2.08	0.53		
1:A:531:ARG:HH22	1:A:537:ARG:HE	1.55	0.53		
1:A:589:PRO:HD2	1:B:550:THR:HG21	1.91	0.53		
1:B:530:ALA:O	1:B:531:ARG:HB2	2.09	0.53		
1:A:531:ARG:CZ	1:A:532:ASP:O	2.57	0.52		
1:A:586:ILE:HD11	1:D:599:ALA:HB2	1.90	0.52		
1:C:603:LYS:HG3	1:C:633:PRO:HG2	1.91	0.52		
1:A:550:THR:HG22	1:A:550:THR:O	2.09	0.52		
1:A:565:PRO:HA	2:P:0:TRP:HA	1.91	0.52		
1:C:609:ARG:HB2	2:Q:0:TRP:CZ3	2.45	0.52		
1:B:563:ALA:CB	1:B:609:ARG:C	2.79	0.51		
1:B:573:GLN:HB3	1:B:574:PRO:CD	2.41	0.51		
1:C:547:MET:SD	1:C:592:ILE:HG12	2.50	0.51		
1:C:633:PRO:C	1:C:635:THR:N	2.62	0.51		
1:D:562:SER:HB2	1:D:572:LEU:HD21	1.92	0.51		
1:A:518:TYR:O	1:A:524:ARG:HA	2.12	0.50		
1:A:607:ARG:NH2	1:A:626:ASP:HB3	2.26	0.50		
1:D:592:ILE:HD13	1:D:593:THR:CA	2.41	0.50		
1:C:575:PRO:HB2	1:C:592:ILE:HD12	1.93	0.50		
1:B:633:PRO:HA	1:B:636:TRP:CD1	2.47	0.49		
1:B:518:TYR:O	1:B:524:ARG:HA	2.12	0.49		
1:D:547:MET:HB2	1:D:592:ILE:CG2	2.33	0.49		
1:B:597:LEU:O	1:B:598:LEU:HD12	2.12	0.49		
1:B:585:PRO:HG2	1:C:536:GLY:HA2	1.95	0.49		



	lo uo pugom	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:C:532:ASP:HB2	1:C:533:PRO:HD2	1.96	0.48		
1:C:532:ASP:HB3	1:C:540:VAL:HB	1.95	0.48		
1:A:525:ILE:HG12	1:A:547:MET:HG2	1.93	0.48		
1:B:534:LEU:CB	1:B:535:PRO:CD	2.91	0.48		
1:D:554:PRO:HD3	1:D:582:ALA:HB2	1.95	0.48		
1:A:518:TYR:CE1	1:A:623:GLU:HG2	2.46	0.47		
1:A:562:SER:HB2	1:A:572:LEU:HD21	1.96	0.47		
1:B:537:ARG:HB3	1:B:540:VAL:HG13	1.95	0.47		
1:C:566:LYS:HA	2:Q:1:ASN:HD22	1.80	0.47		
1:B:632:PRO:O	1:B:635:THR:HG23	2.13	0.47		
1:D:543:VAL:HB	1:D:596:LEU:HG	1.96	0.47		
1:B:563:ALA:O	1:B:564:VAL:HB	2.15	0.47		
1:A:586:ILE:HD12	1:D:540:VAL:HG22	1.97	0.46		
1:A:518:TYR:OH	1:A:623:GLU:OE1	2.23	0.46		
1:D:553:GLN:HG3	1:D:616:MET:HE3	1.98	0.46		
1:B:563:ALA:HB1	1:B:609:ARG:N	2.31	0.46		
1:B:545:VAL:CG1	1:B:594:GLN:O	2.64	0.46		
1:B:563:ALA:CB	1:B:609:ARG:N	2.79	0.46		
1:C:524:ARG:CD	1:C:526:LEU:HD11	2.46	0.46		
1:A:586:ILE:CD1	1:D:599:ALA:CB	2.92	0.46		
1:B:547:MET:C	1:B:548:LEU:HD12	2.36	0.46		
1:B:518:TYR:HE1	1:B:623:GLU:HG2	1.81	0.46		
1:C:550:THR:HG22	1:C:550:THR:O	2.16	0.45		
1:B:534:LEU:HB3	1:B:535:PRO:HD2	1.96	0.45		
1:C:522:GLY:O	1:C:549:SER:HA	2.16	0.45		
1:D:531:ARG:HD3	1:D:636:TRP:O	2.17	0.45		
1:A:550:THR:HG21	1:C:537:ARG:HG3	1.98	0.45		
1:D:592:ILE:CD1	1:D:592:ILE:O	2.61	0.45		
1:D:609:ARG:HD2	3:D:33:HOH:O	2.16	0.45		
1:B:547:MET:O	1:B:548:LEU:HD12	2.18	0.44		
1:A:586:ILE:HG12	1:D:599:ALA:CB	2.41	0.44		
1:D:511:ASN:ND2	1:D:512:ILE:HD11	2.33	0.44		
1:D:511:ASN:CG	1:D:512:ILE:CD1	2.84	0.44		
1:D:547:MET:CG	1:D:592:ILE:HD12	2.45	0.44		
1:A:531:ARG:HH12	1:A:540:VAL:H	1.66	0.44		
1:C:538:SER:O	1:C:603:LYS:HE2	2.18	0.43		
1:D:550:THR:HG22	1:D:550:THR:O	2.18	0.43		
1:A:550:THR:CG2	1:C:537:ARG:HD3	2.49	0.43		
1:B:601:PRO:CG	1:B:633:PRO:HB3	2.49	0.43		
1:B:558:ILE:HA	1:B:613:THR:O	2.19	0.43		
1:B:516:THR:HA	1:B:526:LEU:HD22	1.99	0.43		



A + 1	A + a	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:B:557:ASN:HD22	1:B:615:THR:HB	1.84	0.43	
1:B:601:PRO:HG3	1:B:636:TRP:CZ2	2.54	0.43	
1:B:534:LEU:CB	1:B:535:PRO:HD2	2.49	0.42	
1:B:563:ALA:HB1	1:B:609:ARG:HB2	2.01	0.42	
1:C:589:PRO:HD2	1:D:550:THR:CG2	2.49	0.42	
1:B:563:ALA:O	1:B:564:VAL:CB	2.67	0.42	
1:D:516:THR:HA	1:D:526:LEU:HD22	2.00	0.42	
1:D:596:LEU:HD12	1:D:596:LEU:C	2.40	0.42	
1:D:564:VAL:HG22	1:D:570:VAL:HG12	2.00	0.42	
1:C:538:SER:O	1:C:538:SER:OG	2.28	0.42	
1:A:550:THR:HG21	1:C:537:ARG:HB2	2.01	0.42	
1:C:532:ASP:CB	1:C:540:VAL:HB	2.50	0.42	
1:D:595:VAL:HG12	1:D:596:LEU:N	2.35	0.42	
1:C:596:LEU:C	1:C:596:LEU:HD23	2.41	0.41	
1:A:584:ASN:HD21	1:A:587:VAL:HG13	1.83	0.41	
1:B:550:THR:HG22	1:B:550:THR:O	2.19	0.41	
1:B:530:ALA:O	1:B:531:ARG:CB	2.68	0.41	
1:D:537:ARG:HB3	1:D:539:ASP:OD2	2.20	0.41	
1:B:572:LEU:HD21	1:B:594:GLN:NE2	2.36	0.41	
1:B:601:PRO:HG2	1:B:602:GLN:H	1.85	0.40	
1:C:531:ARG:HH22	1:C:535:PRO:HA	1.85	0.40	
1:C:538:SER:HB2	1:C:637:GLY:N	2.36	0.40	
1:C:544:VAL:CG1	1:C:593:THR:HG23	2.51	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	127/133~(96%)	120 (94%)	5(4%)	2(2%)	9 12
1	В	113/133~(85%)	94 (83%)	12 (11%)	7~(6%)	1 0



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	С	126/133~(95%)	115 (91%)	9~(7%)	2(2%)	9	12
1	D	127/133~(96%)	121 (95%)	6~(5%)	0	100	100
2	Р	6/13~(46%)	5 (83%)	1 (17%)	0	100	100
2	Q	3/13~(23%)	3 (100%)	0	0	100	100
All	All	502/558~(90%)	458 (91%)	33~(7%)	11 (2%)	6	7

All (11) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	512	ILE
1	В	531	ARG
1	В	601	PRO
1	В	617	GLY
1	С	617	GLY
1	В	563	ALA
1	С	632	PRO
1	В	638	SER
1	А	533	PRO
1	В	600	ASN
1	В	534	LEU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	117/121~(97%)	107~(92%)	10 (8%)	10	13
1	В	107/121~(88%)	93~(87%)	14 (13%)	4	3
1	С	116/121~(96%)	101 (87%)	15 (13%)	4	3
1	D	$117/121 \ (97\%)$	101 (86%)	16 (14%)	3	3
2	Р	7/11~(64%)	5 (71%)	2(29%)	0	0
2	Q	6/11~(54%)	5 (83%)	1 (17%)	2	2
All	All	470/506~(93%)	412 (88%)	58 (12%)	4	4



All	(58)	residues	with a	a non-rotai	meric	sidechain	are	listed	below:	
-----	------	----------	--------	-------------	-------	-----------	-----	--------	--------	--

Mol	Chain	Res	Type
1	А	512	ILE
1	А	531	ARG
1	А	545	VAL
1	А	556	ARG
1	А	578	THR
1	А	593	THR
1	А	596	LEU
1	А	607	ARG
1	А	612	LEU
1	А	623	GLU
1	В	512	ILE
1	В	545	VAL
1	В	556	ARG
1	В	571	LYS
1	В	578	THR
1	В	609	ARG
1	В	611	LYS
1	В	612	LEU
1	В	615	THR
1	В	618	ASP
1	В	623	GLU
1	В	626	ASP
1	В	629	GLN
1	В	635	THR
1	С	545	VAL
1	С	548	LEU
1	С	566	LYS
1	С	567	VAL
1	С	592	ILE
1	С	598	LEU
1	С	604	GLU
1	С	609	ARG
1	С	616	MET
1	С	628	ASP
1	С	632	PRO
1	С	633	PRO
1	С	635	THR
1	С	636	TRP
1	С	638	SER
1	D	512	ILE
1	D	513	LEU
1	D	545	VAL



Mol	Chain	Res	Type
1	D	553	GLN
1	D	556	ARG
1	D	566	LYS
1	D	578	THR
1	D	592	ILE
1	D	596	LEU
1	D	612	LEU
1	D	613	THR
1	D	623	GLU
1	D	626	ASP
1	D	634	GLU
1	D	635	THR
1	D	639	LEU
2	Р	0	TRP
2	Р	1	ASN
2	Q	1	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	588	HIS
1	А	602	GLN
1	А	629	GLN
1	В	553	GLN
1	В	557	ASN
1	В	561	GLN
1	В	588	HIS
1	В	600	ASN
1	В	629	GLN
1	С	521	HIS
1	D	511	ASN
1	D	553	GLN
1	D	588	HIS
1	D	629	GLN
2	Q	1	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	129/133~(96%)	-0.02	3 (2%) 60 67	23, 37, 69, 79	0
1	В	119/133~(89%)	0.31	9 (7%) 13 17	29, 57, 87, 93	0
1	С	128/133~(96%)	-0.07	2 (1%) 72 78	22, 36, 53, 67	0
1	D	129/133~(96%)	0.15	2 (1%) 72 78	27, 50, 72, 76	0
2	Р	8/13~(61%)	1.01	1 (12%) 3 5	75, 81, 84, 86	0
2	Q	7/13~(53%)	1.36	2(28%) 0 0	69, 71, 94, 94	0
All	All	520/558~(93%)	0.12	19 (3%) 41 48	22, 43, 81, 94	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	586	ILE	4.6
1	А	639	LEU	4.4
1	В	562	SER	4.0
1	В	596	LEU	3.9
1	А	533	PRO	3.7
2	Q	-1	GLY	3.0
1	С	586	ILE	3.0
2	Р	6	SER	2.8
1	С	585	PRO	2.4
1	В	573	GLN	2.3
1	В	563	ALA	2.2
1	D	585	PRO	2.2
1	В	570	VAL	2.2
1	В	564	VAL	2.2
1	А	511	ASN	2.2
1	В	635	THR	2.1
1	В	627	VAL	2.1
2	Q	0	TRP	2.1
1	В	536	GLY	2.1



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

