

Full wwPDB X-ray Structure Validation Report (i)

Sep 6, 2023 – 07:31 AM EDT

PDB ID	:	4E41
Title	:	Structural basis for the recognition of mutant self by a tumor-specific, MHC
		class II-restricted T cell receptor G4
Authors	:	Deng, L.; Langley, R.J.; Wang, Q.; Topalian, S.L.; Mariuzza, R.A.
Deposited on	:	2012-03-11
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
1	Δ	189	2%	1.50/							
1	Л	162	82% 2%	15%	••						
1	F	182	75%	20%	• •						
2	В	190	73%	19%	• 6%						
			3%								
2	G	190	68%	23% •	• 7%						
3	С	15	/%	270/	70/						
3		10	67%	21%	1%						



a 1	C		
Continued	trom	previous	page
	9	1	1 0

Mol	Chain	Length	Quality of chain	
3	Н	15	60%	40%
4	D	203	70%	17% • 11%
4	Ι	203	74%	15% • 6%
5	Е	239	^{2%} 74%	21% ••
5	J	239	% 77%	19% ·



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 12983 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called HLA class II histocompatibility antigen, DR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	179	Total	С	N	0	S	0	0	0
			1473	954	239	275	5	_	_	
1	1 F	179	Total	С	Ν	Ο	\mathbf{S}	0	0	0
Г	Ľ		1473	954	239	275	5		0	0

• Molecule 2 is a protein called HLA class II histocompatibility antigen, DRB1-1 beta chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
9	0 D	170	Total	С	Ν	0	S	0	0	0
Z D	D	179	1468	926	261	275	6			
9	2 G	177	Total	С	Ν	0	S	0	0	0
2			1450	915	256	273	6	0		U

• Molecule 3 is a protein called Triosephosphate isomerase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	3 C	15	Total	С	Ν	0	0	0	0
Э		10	104	66	17	21			
2	Ц	Н 15	Total	С	Ν	0	0	0	0
3	11		104	66	17	21			0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	28	ILE	THR	conflict	UNP P60174
Н	28	ILE	THR	conflict	UNP P60174

• Molecule 4 is a protein called T cell receptor G4 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	181	Total 1432	C 903	N 240	0 282	${ m S} 7$	0	1	0



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	Ι	190	Total 1497	C 940	N 252	O 298	${ m S} 7$	0	0	0

• Molecule 5 is a protein called T cell receptor G4 beta chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
5	F	226	Total	С	Ν	0	S	0	0	0
0	Ľ	230	1898	1200	334	359	5	0	0	0
Б	т	028	Total	С	Ν	0	S	0	0	0
0	J	230	1910	1208	336	361	5	0	0	0

• Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	Total Na 1 1	0	0
6	В	1	Total Na 1 1	0	0

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	26	Total O 26 26	0	0
7	В	20	TotalO2020	0	0
7	С	1	Total O 1 1	0	0
7	D	22	TotalO2222	0	0
7	Е	13	Total O 13 13	0	0
7	F	21	TotalO2121	0	0
7	G	21	TotalO2121	0	0
7	Н	4	Total O 4 4	0	0
7	Ι	26	Total O 26 26	0	0
7	J	18	Total O 18 18	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HLA class II histocompatibility antigen, DR alpha chain



• Molecule 3: Triosephosphate iso	merase		
Chain C: 67%		27%	7%
623 824 125 627 627 128 128 83 83 83 83 83			
• Molecule 3: Triosephosphate iso	merase		
13% Chain H: 60%		40%	
628			
• Molecule 4: T cell receptor G4 a	lpha chain		
Chain D: 70%		17%	• 11%
11 97 97 97 98 99 99 112 112 113 113 113 113 113 113 113 113	T33 R96 G100 D110 D110 T114 T114 P114	R122 D123 SER SER SER SER ASP LYS S130 V131	D138 0145 SER LYS SER ASP VAL VAL Y152
V158 L159 A173 A173 A173 A173 A173 A173 A173 A173	S199 PRO GLU SER SER		
• Molecule 4: T cell receptor G4 a	lpha chain		
Chain I: 749	, 2	15%	• 6%
11 16 15 16 16 16 11 16 16 16 16 16 16 16 16 16	V88 D89 L94 G100 Q104 Q104 S124 S124 S124 S124 S124	SER SER ASP LYS S130 D138 D138 K147	Y152 K155 C157 C157 L159 L159 L159 S168 N169
8170 173 173 175 175 178 178 184 184 186 199 199 199 199 199 199 199 199 199 19	SER		
• Molecule 5: T cell receptor G4 b	oeta chain		
Chain E: 74	%	21%	
G 1 1 1 1 1 1 1 1 1 1 1 1 1	R61 R65 S72 E73 L74 A77 A78 A78 L86	A90 891 895 104 1104 1106 1106	L112 K112 N114 V122 F123 F123 F123 F124 F125
K136 A136 A136 A136 F145 F145 P147 P147 D148 K173 K173 K173 K173 K173 K173 K182 S181 S181 K183 A183 R183 R188 R188 R200	H201 H202 F203 F204 R204 R204 N212 N215 M218 M218 T219 T219 T219	K224 A232 A236 A236 A236 A238 A238 A238	
• Molecule 5: T cell receptor G4 b	oeta chain		
Chain J: 7	7%	199	6 ·

WORLDWIDE PROTEIN DATA BANK

Class control of the second contrel of the second contrel of the second contrel of the



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	126.13Å 175.61Å 88.65Å	Depositor
a, b, c, α , β , γ	90.00° 110.75° 90.00°	Depositor
Bosolution(A)	30.00 - 2.60	Depositor
Resolution (A)	27.35 - 2.41	EDS
% Data completeness	97.2 (30.00-2.60)	Depositor
(in resolution range)	88.8 (27.35-2.41)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.72 (at 2.42 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
P. P.	0.197 , 0.264	Depositor
n, n_{free}	0.198 , 0.263	DCC
R_{free} test set	3102 reflections $(5.03%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	44.2	Xtriage
Anisotropy	0.266	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 40.0	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12983	wwPDB-VP
Average B, all atoms $(Å^2)$	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	ond lengths	Bo	ond angles
WIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.60	1/1518~(0.1%)	0.84	2/2070~(0.1%)
1	F	0.68	1/1518~(0.1%)	0.72	0/2070
2	В	0.62	1/1504~(0.1%)	0.69	0/2041
2	G	0.61	0/1484	0.66	1/2012~(0.0%)
3	С	0.59	0/104	0.74	0/139
3	Н	0.64	0/104	0.65	0/139
4	D	0.64	1/1468~(0.1%)	0.75	1/1995~(0.1%)
4	Ι	0.61	0/1530	0.72	0/2081
5	Е	0.64	2/1951~(0.1%)	0.68	1/2658~(0.0%)
5	J	0.67	3/1964~(0.2%)	0.73	3/2677~(0.1%)
All	All	0.63	9/13145~(0.1%)	0.72	8/17882~(0.0%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	А	16	PRO	N-CD	5.66	1.55	1.47
4	D	7	PRO	N-CD	5.50	1.55	1.47
1	F	16	PRO	N-CD	5.42	1.55	1.47
5	Е	147	PRO	N-CD	5.25	1.55	1.47
5	Ε	6	PRO	N-CD	5.24	1.55	1.47
5	J	89	CYS	CB-SG	-5.16	1.73	1.81
2	В	124	PRO	N-CD	5.04	1.54	1.47
5	J	6	PRO	N-CD	5.04	1.54	1.47
5	J	147	PRO	N-CD	5.03	1.54	1.47

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	113	THR	C-N-CD	-18.40	80.12	120.60
1	А	113	THR	C-N-CA	11.75	171.35	122.00



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	D	159	LEU	CA-CB-CG	5.46	127.87	115.30
2	G	124	PRO	CA-N-CD	-5.25	104.15	111.50
5	J	5	SER	C-N-CD	5.25	139.42	128.40
5	J	146	TYR	C-N-CD	5.19	139.29	128.40
5	J	74	LEU	CA-CB-CG	5.10	127.04	115.30
5	Е	146	TYR	C-N-CD	5.03	138.95	128.40

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1473	0	1407	13	0
1	F	1473	0	1407	26	0
2	В	1468	0	1402	21	0
2	G	1450	0	1381	39	0
3	С	104	0	109	5	0
3	Н	104	0	109	6	0
4	D	1432	0	1357	25	0
4	Ι	1497	0	1420	32	0
5	Е	1898	0	1805	31	0
5	J	1910	0	1820	30	0
6	А	1	0	0	0	0
6	В	1	0	0	0	0
7	А	26	0	0	1	0
7	В	20	0	0	0	0
7	С	1	0	0	0	0
7	D	22	0	0	1	0
7	Е	13	0	0	2	0
7	F	21	0	0	0	0
7	G	21	0	0	0	0
7	Н	4	0	0	0	0
7	Ι	26	0	0	4	0
7	J	18	0	0	1	0
All	All	12983	0	12217	203	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:I:36:GLN:HE22	5:J:35:GLN:HE22	1.15	0.89
2:G:8:LEU:H	2:G:33:ASN:ND2	1.74	0.85
5:J:237:ARG:HB2	5:J:237:ARG:HH11	1.42	0.84
4:I:109:PRO:HD3	4:I:158:VAL:HG11	1.61	0.83
4:I:158:VAL:HG13	4:I:169:ASN:ND2	1.99	0.78
5:J:53:ARG:HH11	5:J:53:ARG:HG3	1.52	0.74
2:G:133:ARG:NH2	2:G:163:THR:HG21	2.04	0.73
5:J:70:TYR:O	5:J:71:SER:HB3	1.89	0.73
1:A:8:ILE:HG12	2:B:14:GLU:HG2	1.70	0.73
5:J:237:ARG:HB2	5:J:237:ARG:NH1	2.03	0.72
2:G:23:ARG:HH11	2:G:23:ARG:HG3	1.54	0.72
2:G:70:GLN:HE22	2:G:71:ARG:HH11	1.37	0.72
1:F:128:VAL:O	1:F:129:THR:HB	1.89	0.71
5:J:122:VAL:HG23	5:J:232:ALA:HB3	1.71	0.71
2:G:46:GLU:OE2	2:G:48:ARG:NH1	2.23	0.71
2:G:8:LEU:H	2:G:33:ASN:HD21	1.37	0.70
5:J:148:ASP:OD1	5:J:171:PRO:HG3	1.92	0.69
5:E:122:VAL:HG23	5:E:232:ALA:HB3	1.72	0.69
4:D:1:ILE:N	7:D:309:HOH:O	2.26	0.68
2:G:23:ARG:HH11	2:G:23:ARG:CG	2.06	0.67
5:E:19:LEU:HD22	5:E:104:THR:HG21	1.77	0.67
5:J:28:THR:HG23	5:J:48:ASP:OD1	1.95	0.66
5:E:61:ARG:HD2	5:E:78:ALA:H	1.61	0.66
4:I:158:VAL:HG13	4:I:169:ASN:HD22	1.60	0.66
5:E:179:ASN:O	5:E:180:ASP:HB3	1.95	0.66
5:E:105:ARG:HD3	7:E:305:HOH:O	1.97	0.65
4:D:93:THR:HG21	4:D:96:ARG:HD2	1.78	0.64
2:G:22:GLU:HG3	2:G:23:ARG:N	2.12	0.64
5:J:168:ASP:CG	5:J:188:ARG:HH22	2.00	0.64
1:F:8:ILE:HG12	2:G:14:GLU:HG2	1.78	0.64
4:I:109:PRO:CD	4:I:158:VAL:HG11	2.25	0.64
4:I:158:VAL:CG1	4:I:169:ASN:ND2	2.60	0.64
2:B:70:GLN:HG3	4:D:29:ASN:HD21	1.62	0.63
1:A:114:PRO:HD2	1:A:167:HIS:HE2	1.63	0.63
5:E:28:THR:HG23	5:E:48:ASP:OD1	1.98	0.63
1:F:118:ASN:HB2	1:F:166:GLU:HB2	1.80	0.62
4:I:28:VAL:HG21	4:I:88:VAL:HB	1.82	0.62



	A	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:G:70:GLN:HE22	2:G:71:ARG:NH1	1.97	0.61
5:J:53:ARG:HG3	5:J:53:ARG:NH1	2.12	0.61
2:G:69:GLU:OE1	4:I:53:LYS:CE	2.50	0.60
2:G:133:ARG:HH22	2:G:163:THR:CG2	2.15	0.60
2:G:70:GLN:HG3	4:I:29:ASN:HD21	1.65	0.59
2:B:70:GLN:HE22	2:B:71:ARG:HH11	1.49	0.59
5:J:111:ASP:OD1	5:J:113:LYS:HG2	2.01	0.59
2:G:25:ARG:NH2	2:G:41:ASP:OD2	2.34	0.59
4:I:1:ILE:N	7:I:322:HOH:O	2.36	0.59
4:I:109:PRO:HG3	4:I:158:VAL:CG1	2.32	0.59
1:F:26:PHE:HB2	1:F:31:ILE:HD11	1.84	0.58
2:G:133:ARG:NH2	2:G:163:THR:CG2	2.66	0.58
1:F:114:PRO:HB2	1:F:115:PRO:HD2	1.84	0.58
1:A:95:SER:HB2	1:A:96:PRO:CD	2.34	0.58
2:G:129:VAL:HG22	2:G:175:VAL:HG22	1.86	0.58
4:I:109:PRO:HG3	4:I:158:VAL:HG11	1.85	0.58
4:D:29:ASN:HD22	4:D:30:ASN:HD22	1.52	0.58
5:E:112:LEU:HD13	5:E:212:LEU:HD22	1.85	0.57
4:D:36:GLN:HB2	4:D:42:LEU:HD23	1.86	0.57
4:I:156:LYS:HA	4:I:170:SER:O	2.04	0.57
2:B:70:GLN:HE22	2:B:71:ARG:NH1	2.04	0.56
4:D:28:VAL:HG22	4:D:88:VAL:HG13	1.87	0.55
1:F:100:ARG:HG2	1:F:100:ARG:O	2.07	0.55
4:I:170:SER:OG	5:J:188:ARG:HD2	2.07	0.55
2:B:70:GLN:NE2	2:B:71:ARG:HH11	2.05	0.55
5:E:173:LYS:HE2	5:E:181:SER:HB3	1.89	0.55
4:D:188:ASN:ND2	4:D:189:SER:H	2.04	0.55
5:J:212:LEU:HD12	5:J:225:PRO:HD2	1.88	0.55
4:I:28:VAL:CG2	4:I:88:VAL:HB	2.37	0.55
2:B:8:LEU:H	2:B:33:ASN:ND2	2.05	0.54
1:F:130:THR:HG23	1:F:131:GLY:N	2.23	0.54
5:J:11:LYS:HE3	5:J:16:GLN:O	2.07	0.54
5:E:65:ARG:O	5:E:72:SER:HB2	2.08	0.54
1:F:36:MET:CE	1:F:63:ILE:HG13	2.37	0.54
1:F:94:ASN:HB3	1:F:106:ILE:HD11	1.89	0.53
2:G:133:ARG:HG2	2:G:134:ASN:HD22	1.71	0.53
1:F:53:SER:HB2	3:H:25:LEU:HD13	1.89	0.53
2:B:134:ASN:HD21	2:B:169:GLU:HG2	1.74	0.53
2:B:29:ARG:HD2	2:B:36:GLU:OE2	2.09	0.52
5:E:112:LEU:HD13	5:E:212:LEU:CD2	2.39	0.52
1:F:90:THR:HA	1:F:176:LYS:HD2	1.91	0.52



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:G:57:ASP:OD1	3:H:35:PRO:HD2	2.08	0.52	
5:J:41:LEU:HD23	5:J:41:LEU:N	2.25	0.52	
2:G:69:GLU:OE1	4:I:53:LYS:NZ	2.41	0.52	
4:I:109:PRO:CG	4:I:158:VAL:HG11	2.40	0.52	
4:I:158:VAL:CG1	4:I:169:ASN:HD22	2.22	0.52	
2:B:70:GLN:HG3	4:D:29:ASN:ND2	2.25	0.52	
4:D:12:LEU:HD11	4:D:18:SER:OG	2.10	0.52	
2:G:23:ARG:CG	2:G:23:ARG:NH1	2.69	0.51	
1:F:128:VAL:HG13	1:F:129:THR:N	2.25	0.51	
4:D:188:ASN:CG	4:D:189:SER:H	2.12	0.50	
1:F:158:GLU:N	1:F:158:GLU:OE1	2.44	0.50	
2:G:133:ARG:HH22	2:G:163:THR:HG22	1.75	0.50	
5:J:19:LEU:HD22	5:J:104:THR:HG21	1.93	0.50	
5:J:129:GLU:OE2	5:J:137:THR:OG1	2.26	0.50	
1:A:114:PRO:HD2	1:A:167:HIS:NE2	2.26	0.50	
1:A:107:CYS:HB2	1:A:121:TRP:CH2	2.47	0.50	
5:J:12:THR:O	5:J:15:GLN:HB2	2.12	0.50	
4:D:29:ASN:ND2	4:D:30:ASN:HD22	2.09	0.49	
2:G:13:PHE:CD1	3:H:29:LEU:HD23	2.46	0.49	
2:G:27:LEU:HD11	2:G:39:ARG:HD3	1.94	0.49	
2:G:121:GLY:HA2	2:G:154:THR:HB	1.94	0.49	
4:D:109:PRO:HG3	4:D:158:VAL:HG13	1.94	0.49	
4:I:186:PHE:O	4:I:189:SER:HB2	2.12	0.49	
2:B:116:VAL:HG22	2:B:160:MET:HG2	1.95	0.49	
4:I:181:ALA:HB3	4:I:184:ASN:HD21	1.77	0.49	
4:D:189:SER:O	4:D:191:ILE:N	2.46	0.49	
1:A:9:GLN:HB2	1:A:24:PHE:CZ	2.48	0.49	
5:J:214:GLU:HA	7:J:314:HOH:O	2.13	0.48	
1:A:12:PHE:C	1:A:12:PHE:CD1	2.87	0.48	
5:E:125:PRO:HG3	5:E:136:ALA:HB1	1.96	0.48	
2:G:74:ALA:HA	2:G:77:THR:OG1	2.14	0.48	
4:D:29:ASN:HD22	4:D:30:ASN:ND2	2.10	0.47	
5:E:61:ARG:HD2	5:E:78:ALA:N	2.26	0.47	
5:E:134:GLN:HE21	5:E:134:GLN:HA	1.79	0.47	
5:E:145:PHE:CE1	5:E:183:TYR:HB2	2.48	0.47	
2:B:19:ASN:HB3	2:B:22:GLU:HG2	1.97	0.47	
5:E:148:ASP:OD1	5:E:171:PRO:HG3	2.14	0.47	
5:J:7:THR:HB	5:J:8:HIS:HD2	1.80	0.47	
4:D:28:VAL:CG2	4:D:88:VAL:HG13	2.44	0.47	
1:F:110:ASP:OD1	1:F:146:ARG:HG2	2.15	0.47	
1:A:158:GLU:HG3	7:A:323:HOH:O	2.14	0.46	



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
5:E:41:LEU:HD23	5:E:41:LEU:N	2.29	0.46	
4:D:108:TRP:HB3	4:D:109:PRO:HD2	1.97	0.46	
2:G:22:GLU:HG3	2:G:23:ARG:H	1.76	0.46	
5:J:7:THR:HB	5:J:8:HIS:CD2	2.50	0.46	
1:F:36:MET:HE3	1:F:63:ILE:HG13	1.97	0.46	
2:B:87:GLU:OE2	2:B:92:GLN:NE2	2.49	0.46	
2:B:132:PHE:CE2	2:B:137:GLU:HG2	2.51	0.46	
3:C:33:LYS:NZ	5:E:48:ASP:OD2	2.49	0.46	
1:A:122:LEU:HB2	1:A:162:ASP:HB2	1.97	0.46	
5:J:55:ARG:NH2	5:J:62:PHE:O	2.42	0.46	
1:F:9:GLN:HB2	1:F:24:PHE:CZ	2.50	0.46	
1:A:45:LEU:HD12	1:A:48:PHE:CZ	2.50	0.46	
4:D:5:GLN:HE21	4:D:100:GLY:HA3	1.81	0.46	
4:I:152:TYR:O	4:I:173:ALA:HA	2.16	0.45	
2:B:123:TYR:CG	2:B:124:PRO:HA	2.51	0.45	
4:I:159:LEU:HB3	5:J:166:CYS:HB2	1.96	0.45	
3:H:30:ASN:HB3	4:I:94:LEU:HD21	1.99	0.45	
5:E:27:HIS:HD2	5:E:91:SER:OG	2.00	0.45	
1:F:103:ASN:HB3	1:F:153:PHE:CE1	2.52	0.45	
4:I:190:ILE:HD12	4:I:190:ILE:HA	1.88	0.45	
5:E:105:ARG:CD	7:E:305:HOH:O	2.62	0.44	
4:D:159:LEU:O	4:D:159:LEU:HD23	2.17	0.44	
1:F:114:PRO:HB2	1:F:115:PRO:CD	2.47	0.44	
1:F:101:GLU:HG2	1:F:102:PRO:HD2	2.00	0.44	
2:G:187:GLU:N	2:G:187:GLU:CD	2.71	0.44	
4:I:159:LEU:HD12	7:I:302:HOH:O	2.18	0.44	
5:E:199:PRO:HA	5:E:236:GLY:O	2.17	0.44	
1:F:130:THR:CG2	1:F:131:GLY:N	2.81	0.44	
2:G:114:LEU:HD12	2:G:161:LEU:O	2.17	0.44	
2:G:19:ASN:O	2:G:22:GLU:HG2	2.18	0.43	
5:J:198:ASN:HD22	5:J:199:PRO:CD	2.31	0.43	
5:J:209:PHE:O	5:J:227:THR:HA	2.18	0.43	
2:G:70:GLN:HG3	4:I:29:ASN:ND2	2.33	0.43	
1:A:11:GLU:HA	1:A:21:GLU:O	2.18	0.43	
4:D:112:GLN:O	4:D:114:PRO:HD3	2.17	0.43	
1:F:39:LYS:HG2	1:F:60:LEU:HD21	1.99	0.43	
1:F:179:GLU:HG3	1:F:181:ASP:HB3	1.99	0.43	
3:C:33:LYS:HZ1	5:E:28:THR:HG21	1.82	0.43	
2:G:78:TYR:CD2	3:H:29:LEU:HD22	2.53	0.43	
1:A:92:LEU:HD12	1:A:93:THR:H	1.84	0.43	
2:B:164:VAL:HA	2:B:165:PRO:HD3	1.90	0.43	



	i i i i i i i i i i i i i i i i i i i	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
5:J:198:ASN:ND2	5:J:198:ASN:C	2.72	0.43	
2:B:168:GLY:H	2:B:190:ALA:HA	1.82	0.43	
3:C:27:GLY:HA2	4:D:92:SER:HA	2.01	0.43	
2:G:29:ARG:HD2	2:G:36:GLU:OE2	2.19	0.43	
5:E:218:TRP:HB2	5:E:224:LYS:HE3	2.01	0.43	
1:F:70:LEU:HD13	2:G:9:TRP:HB2	2.00	0.43	
5:J:197:GLN:HG2	5:J:237:ARG:O	2.19	0.43	
4:D:96:ARG:HH21	5:E:56:GLY:HA2	1.83	0.43	
1:F:119:VAL:HG22	1:F:165:VAL:HG22	2.01	0.43	
2:G:152:ASP:O	2:G:153:TRP:HB2	2.19	0.42	
4:I:9:ASP:HB2	4:I:104:GLN:HB2	2.01	0.42	
4:I:21:ARG:NH2	7:I:325:HOH:O	2.51	0.42	
1:A:93:THR:HG22	1:A:105:LEU:HD23	2.00	0.42	
1:F:119:VAL:HA	1:F:164:ARG:O	2.20	0.42	
5:J:168:ASP:HA	5:J:169:PRO:HD3	1.87	0.42	
4:I:5:GLN:HE21	4:I:100:GLY:HA3	1.85	0.42	
3:C:33:LYS:HZ1	5:E:28:THR:CG2	2.33	0.42	
2:G:97:PRO:HB3	2:G:122:PHE:HB3	2.00	0.42	
2:B:9:TRP:CH2	2:B:30:CYS:HB3	2.55	0.42	
5:E:37:LEU:H	5:E:37:LEU:HD12	1.84	0.41	
5:E:114:ASN:OD1	5:E:114:ASN:N	2.53	0.41	
5:E:90:ALA:HA	5:E:99:TYR:O	2.20	0.41	
4:I:159:LEU:HD13	4:I:168:SER:O	2.20	0.41	
2:G:123:TYR:CG	2:G:124:PRO:HA	2.54	0.41	
4:D:123:ASP:OD1	4:D:123:ASP:N	2.52	0.41	
3:H:36:ALA:O	3:H:37:ASP:HB2	2.19	0.41	
5:E:202:HIS:HE1	5:E:204:ARG:NH2	2.18	0.41	
5:J:38:GLY:O	5:J:39:LEU:O	2.38	0.41	
4:D:110:ASP:OD1	4:D:112:GLN:HG2	2.21	0.41	
2:G:177:HIS:CD2	2:G:178:PRO:HD2	2.56	0.41	
4:D:29:ASN:ND2	5:E:95:ARG:HD2	2.35	0.41	
4:D:152:TYR:O	4:D:173:ALA:HA	2.20	0.41	
2:B:28:GLU:HB3	2:B:40:PHE:HB3	2.03	0.41	
2:B:74:ALA:HA	2:B:77:THR:OG1	2.21	0.41	
2:B:78:TYR:CD2	3:C:29:LEU:HD22	2.57	0.41	
5:J:209:PHE:CE2	5:J:211:GLY:HA3	2.56	0.40	
1:F:113:THR:OG1	1:F:114:PRO:HA	2.22	0.40	
2:B:7:PHE:HA	2:B:33:ASN:HD21	1.87	0.40	
5:E:214:GLU:HG3	5:E:215:ASN:ND2	2.37	0.40	
2:G:55:ARG:HB3	2:G:56:PRO:HD3	2.03	0.40	
4:I:50:SER:HB2	7:I:310:HOH:O	2.20	0.40	



Atom-1	Atom-1 Atom-2		Clash overlap (Å)	
5:E:171:PRO:HB3	5:E:185:LEU:HD13	2.01	0.40	
2:G:69:GLU:OE1	4:I:53:LYS:HE2	2.21	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	177/182~(97%)	169 (96%)	8 (4%)	0	100	100
1	F	177/182~(97%)	169 (96%)	8 (4%)	0	100	100
2	В	175/190~(92%)	166 (95%)	8 (5%)	1 (1%)	25	47
2	G	171/190~(90%)	158 (92%)	11 (6%)	2(1%)	13	27
3	С	13/15~(87%)	13 (100%)	0	0	100	100
3	Н	13/15~(87%)	12 (92%)	1 (8%)	0	100	100
4	D	172/203~(85%)	159 (92%)	11 (6%)	2(1%)	13	27
4	Ι	184/203~(91%)	179 (97%)	4 (2%)	1 (0%)	29	52
5	E	232/239~(97%)	215~(93%)	14 (6%)	3 (1%)	12	24
5	J	236/239~(99%)	221 (94%)	12 (5%)	3 (1%)	12	24
All	All	1550/1658~(94%)	1461 (94%)	77 (5%)	12 (1%)	19	39

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	190	ILE
5	Е	180	ASP
5	J	39	LEU
5	J	71	SER
5	Е	214	GLU



Continued from previous page...

Mol	Chain	Res	Type
5	J	70	TYR
4	Ι	193	GLU
2	G	124	PRO
4	D	131	VAL
5	Е	179	ASN
2	G	19	ASN
2	В	124	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	164/166~(99%)	155~(94%)	9~(6%)	21	43
1	F	164/166~(99%)	153~(93%)	11 (7%)	16	33
2	В	161/171~(94%)	148 (92%)	13 (8%)	11	23
2	G	159/171~(93%)	151 (95%)	8 (5%)	24	47
3	С	10/10~(100%)	7 (70%)	3 (30%)	0	0
3	Н	10/10~(100%)	10 (100%)	0	100	100
4	D	163/184~(89%)	149 (91%)	14 (9%)	10	20
4	Ι	171/184~(93%)	152 (89%)	19 (11%)	6	11
5	Е	206/208~(99%)	189 (92%)	17 (8%)	11	22
5	J	207/208~(100%)	194 (94%)	13 (6%)	18	36
All	All	1415/1478 (96%)	1308 (92%)	107 (8%)	13	26

All (107) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	12	PHE
1	А	16	PRO
1	А	53	SER
1	А	97	VAL
1	А	120	THR
1	А	141	GLU



Mol	Chain	Res	Type
1	А	154	LEU
1	А	175	LEU
1	А	177	HIS
2	В	22	GLU
2	В	29	ARG
2	В	34	GLN
2	В	35	GLU
2	В	53	LEU
2	В	69	GLU
2	В	75	VAL
2	В	96	GLU
2	В	113	ASN
2	В	124	PRO
2	В	136	GLN
2	В	164	VAL
2	В	181	THR
3	С	25	LEU
3	С	29	LEU
3	С	37	ASP
4	D	6	SER
4	D	9	ASP
4	D	14	GLU
4	D	18	SER
4	D	88	VAL
4	D	113	LYS
4	D	122	ARG
4	D	123	ASP
4	D	130	SER
4	D	138	ASP
4	D	159	LEU
4	D	162	ARG
4	D	189	SER
4	D	197	PHE
5	Е	9	LEU
5	Е	12	THR
5	Е	29	SER
5	Е	41	LEU
5	Е	53	ARG
5	Е	72	SER
5	Е	74	LEU
5	Е	77	ASN
5	Е	86	LEU



Mol	Chain	Res	Type
5	Е	106	LEU
5	Е	114	ASN
5	Е	124	GLU
5	Е	134	GLN
5	Е	170	GLN
5	Е	188	ARG
5	Е	219	THR
5	Е	220	GLN
1	F	16	PRO
1	F	60	LEU
1	F	62	ASN
1	F	90	THR
1	F	92	LEU
1	F	94	ASN
1	F	97	VAL
1	F	129	THR
1	F	130	THR
1	F	172	GLU
1	F	180	PHE
2	G	23	ARG
2	G	29	ARG
2	G	34	GLN
2	G	53	LEU
2	G	69	GLU
2	G	75	VAL
2	G	137	GLU
2	G	181	THR
4	Ι	7	PRO
4	Ι	9	ASP
4	Ι	28	VAL
4	Ι	30	ASN
4	Ι	50	SER
4	Ι	58	LEU
4	Ι	65	THR
4	Ι	75	SER
4	Ι	89	ASP
4	Ι	124	SER
4	Ι	138	ASP
4	Ι	147	LYS
4	Ι	158	VAL
4	Ι	159	LEU
4	Ι	165	ASP



Mol	Chain	Rog	Type
WIOI	Cilaili	nes	Type
4	Ι	176	ASN
4	Ι	189	SER
4	Ι	190	ILE
4	Ι	193	GLU
5	J	13	ARG
5	J	41	LEU
5	J	53	ARG
5	J	74	LEU
5	J	86	LEU
5	J	106	LEU
5	J	107	LEU
5	J	110	GLU
5	J	147	PRO
5	J	159	LYS
5	J	170	GLN
5	J	198	ASN
5	J	214	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (52) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	18	GLN
1	А	149	HIS
2	В	33	ASN
2	В	70	GLN
2	В	134	ASN
2	В	136	GLN
2	В	150	ASN
2	В	156	GLN
4	D	5	GLN
4	D	29	ASN
4	D	36	GLN
4	D	104	GLN
4	D	112	GLN
4	D	120	GLN
4	D	184	ASN
4	D	188	ASN
5	Е	4	GLN
5	Е	16	GLN
5	Е	27	HIS
5	Е	35	GLN
5	Е	75	ASN



Mol	Chain	Res	Type
5	Е	93	GLN
5	Е	98	GLN
5	Е	134	GLN
5	Е	202	HIS
5	Е	215	ASN
5	Е	220	GLN
1	F	18	GLN
1	F	62	ASN
1	F	94	ASN
1	F	149	HIS
2	G	33	ASN
2	G	70	GLN
2	G	92	GLN
2	G	134	ASN
2	G	150	ASN
2	G	156	GLN
3	Н	30	ASN
4	Ι	5	GLN
4	Ι	29	ASN
4	Ι	30	ASN
4	Ι	35	HIS
4	Ι	169	ASN
4	Ι	176	ASN
4	Ι	184	ASN
5	J	4	GLN
5	J	8	HIS
5	J	27	HIS
5	J	35	GLN
5	J	114	ASN
5	J	149	HIS
5	J	198	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	# RSRZ > 2	$OWAB(A^2)$	Q < 0.9
1	А	179/182~(98%)	-0.32	3 (1%) 70 66	30, 43, 63, 72	0
1	F	179/182~(98%)	-0.31	3 (1%) 70 66	33, 44, 63, 77	0
2	В	179/190~(94%)	-0.31	5 (2%) 53 46	27, 45, 72, 75	0
2	G	177/190~(93%)	-0.17	5 (2%) 53 46	31, 48, 80, 91	0
3	С	15/15~(100%)	0.43	1 (6%) 17 13	32, 38, 56, 58	0
3	Н	15/15~(100%)	0.07	2(13%) 3 2	33, 38, 55, 61	0
4	D	181/203~(89%)	-0.30	0 100 100	26, 42, 78, 81	0
4	Ι	190/203~(93%)	-0.34	0 100 100	27, 40, 74, 77	0
5	Е	236/239~(98%)	-0.08	4 (1%) 70 66	31, 55, 72, 85	0
5	J	$23\overline{8/239}~(99\%)$	-0.23	2 (0%) 86 84	28, 49, 66, 76	0
All	All	1589/1658~(95%)	-0.24	25 (1%) 72 68	26, 47, 73, 91	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	190	ALA	4.9
3	С	23	GLY	4.3
5	Ε	238	ALA	3.4
5	Ε	37	LEU	3.1
1	F	3	GLU	2.9
3	Н	23	GLY	2.8
2	В	143	VAL	2.7
2	G	113	ASN	2.7
1	А	100	ARG	2.6
2	G	180	VAL	2.5
5	Е	200	ARG	2.4
2	В	181	THR	2.3
2	В	126	SER	2.3



Mol	Chain	Res	Type	RSRZ
5	Е	199	PRO	2.3
1	F	100	ARG	2.2
5	J	238	ALA	2.2
2	В	176	GLU	2.2
2	G	136	GLN	2.2
1	А	3	GLU	2.1
2	G	134	ASN	2.1
1	А	158	GLU	2.1
1	F	157	THR	2.1
3	Н	37	ASP	2.1
2	G	182	SER	2.0
5	J	131	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
6	NA	А	201	1/1	0.75	0.19	72,72,72,72	0
6	NA	В	201	1/1	0.85	0.34	$53,\!53,\!53,\!53$	0

6.5 Other polymers (i)

There are no such residues in this entry.

