



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 7, 2023 – 03:35 AM EST

PDB ID : 2E77
Title : Crystal structure of L-lactate oxidase with pyruvate complex
Authors : Morimoto, Y.
Deposited on : 2007-01-06
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	
1	B	374	
1	C	374	
1	D	374	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactate oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	355	Total 2738	C 1732	N 475	O 525	S 6	0	0	0
1	B	368	Total 2840	C 1794	N 494	O 545	S 7	0	0	0
1	C	350	Total 2700	C 1708	N 467	O 519	S 6	0	0	0
1	D	368	Total 2840	C 1794	N 494	O 545	S 7	0	0	0

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 31	C 17	N 4	O 9	P 1	0	0
2	B	1	Total 31	C 17	N 4	O 9	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is PYRUVIC ACID (three-letter code: PYR) (formula: $C_3H_4O_3$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			6	3 3		
3	B	1	Total	C O	0	0
			6	3 3		
3	D	1	Total	C O	0	0
			6	3 3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	292	Total	O	0	0
			292	292		
4	B	370	Total	O	0	0
			370	370		
4	C	289	Total	O	0	0
			289	289		
4	D	360	Total	O	0	0
			360	360		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lactate oxidase




- Molecule 1: Lactate oxidase



- Molecule 1: Lactate oxidase



- Molecule 1: Lactate oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	134.84Å 118.57Å 107.24Å 90.00° 121.07° 90.00°	Depositor
Resolution (Å)	37.40 – 1.90 37.39 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (37.40-1.90) 99.2 (37.39-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.93 (at 1.89Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.176 , 0.227 0.176 , 0.226	Depositor DCC
R_{free} test set	5676 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	23.0	Xtrriage
Anisotropy	0.036	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12571	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, PYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2800	0.78	3/3795 (0.1%)
1	B	0.93	4/2904 (0.1%)	0.98	17/3935 (0.4%)
1	C	0.77	0/2761	0.75	1/3740 (0.0%)
1	D	0.87	0/2904	0.95	10/3935 (0.3%)
All	All	0.83	4/11369 (0.0%)	0.87	31/15405 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1285	GLU	CG-CD	7.33	1.62	1.51
1	B	1070	ASP	N-CA	5.66	1.57	1.46
1	B	1285	GLU	CB-CG	5.32	1.62	1.52
1	B	1255	ARG	CG-CD	5.06	1.64	1.51

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	3290	ARG	NE-CZ-NH2	-18.76	110.92	120.30
1	D	3290	ARG	NE-CZ-NH1	14.97	127.79	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1290	ARG	NE-CZ-NH1	13.33	126.96	120.30
1	B	1290	ARG	NE-CZ-NH2	-12.51	114.04	120.30
1	B	1069	GLN	C-N-CA	-10.63	95.11	121.70
1	B	1141	ARG	NE-CZ-NH1	-9.93	115.33	120.30
1	D	3141	ARG	NE-CZ-NH1	-9.47	115.57	120.30
1	B	1370	TYR	C-N-CA	-9.08	103.23	122.30
1	B	1323	LEU	CA-CB-CG	-8.86	94.93	115.30
1	D	3200	ARG	NE-CZ-NH2	-8.62	115.99	120.30
1	D	3215	TYR	C-N-CA	-8.33	104.81	122.30
1	B	1070	ASP	CB-CG-OD2	7.95	125.45	118.30
1	D	3200	ARG	NE-CZ-NH1	7.84	124.22	120.30
1	B	1141	ARG	NE-CZ-NH2	7.55	124.07	120.30
1	B	1069	GLN	O-C-N	-7.20	111.17	122.70
1	D	3141	ARG	NE-CZ-NH2	7.10	123.85	120.30
1	B	1145	ILE	CB-CA-C	-7.05	97.49	111.60
1	A	290	ARG	NE-CZ-NH2	-6.93	116.84	120.30
1	B	1363	LEU	CB-CG-CD1	5.69	120.68	111.00
1	B	1207	GLU	C-N-CA	-5.65	110.44	122.30
1	B	1367	ASP	CB-CG-OD2	5.50	123.25	118.30
1	A	328	LEU	CA-CB-CG	5.42	127.76	115.30
1	D	3075	ASP	CB-CG-OD1	5.39	123.15	118.30
1	B	1070	ASP	CB-CG-OD1	-5.33	113.51	118.30
1	C	2363	LEU	CB-CG-CD1	5.29	119.99	111.00
1	B	1200	ARG	NE-CZ-NH2	-5.27	117.66	120.30
1	A	370	TYR	C-N-CA	-5.27	111.24	122.30
1	B	1365	LEU	CB-CG-CD1	5.20	119.84	111.00
1	B	1070	ASP	CB-CA-C	5.15	120.70	110.40
1	D	3290	ARG	CD-NE-CZ	5.12	130.78	123.60
1	D	3365	LEU	CB-CG-CD1	5.05	119.58	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	235	GLY	Peptide
1	B	1208	GLY	Peptide
1	D	3216	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2738	0	2668	51	0
1	B	2840	0	2770	46	0
1	C	2700	0	2627	55	0
1	D	2840	0	2770	43	0
2	A	31	0	19	0	0
2	B	31	0	19	0	0
2	C	31	0	19	0	0
2	D	31	0	19	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	D	6	0	0	0	0
4	A	292	0	0	10	0
4	B	370	0	0	13	0
4	C	289	0	0	23	0
4	D	360	0	0	11	0
All	All	12571	0	10911	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2123:ALA:HB2	4:C:2716:HOH:O	1.31	1.25
1:B:1356:ASN:HB3	4:B:1826:HOH:O	1.35	1.20
1:A:227:ILE:HB	1:A:255:ARG:NE	1.62	1.14
1:B:1228:GLU:OE2	1:B:1255:ARG:HD2	1.52	1.06
1:D:3287:VAL:O	1:D:3290:ARG:HD3	1.52	1.06
1:D:3216:GLY:HA2	1:D:3220:GLN:NE2	1.74	1.03
1:B:1367:ASP:HB2	4:B:1830:HOH:O	1.59	1.00
1:B:1289:LYS:HD3	4:B:1876:HOH:O	1.60	0.99
1:D:3130:GLU:HG3	4:D:3712:HOH:O	1.63	0.98
1:B:1287:VAL:O	1:B:1290:ARG:HD3	1.63	0.97
1:C:2195:MET:C	4:C:2744:HOH:O	2.02	0.97
1:A:286:ARG:HD2	4:A:4731:HOH:O	1.66	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2007:GLU:N	4:C:2797:HOH:O	2.00	0.95
1:A:148:ALA:H	1:A:154:ASN:HD21	0.96	0.95
1:C:2083:HIS:HE1	4:C:2775:HOH:O	1.49	0.94
1:D:3224:PRO:HB3	1:D:3255:ARG:HG3	1.52	0.91
1:C:2123:ALA:O	1:C:2124:TYR:HD1	1.53	0.91
1:C:2214:ILE:HG12	4:C:2769:HOH:O	1.68	0.91
1:B:1148:ALA:H	1:B:1154:ASN:HD21	1.17	0.91
1:D:3287:VAL:O	1:D:3290:ARG:CD	2.19	0.90
1:D:3205:THR:HG22	1:D:3207:GLU:H	1.35	0.90
1:C:2083:HIS:CE1	4:C:2775:HOH:O	2.21	0.88
1:D:3216:GLY:HA2	1:D:3220:GLN:HE22	1.39	0.86
1:A:225:ARG:HD2	4:A:4752:HOH:O	1.75	0.86
1:C:2148:ALA:H	1:C:2154:ASN:HD21	1.23	0.84
1:C:2039:ASN:HD22	1:C:2183:ARG:HH11	1.22	0.83
1:C:2095:ALA:O	1:C:2096:ALA:CB	2.26	0.83
1:B:1255:ARG:HG2	4:B:1542:HOH:O	1.77	0.83
1:D:3148:ALA:H	1:D:3154:ASN:HD21	1.27	0.82
1:C:2254:LYS:HD2	4:C:2736:HOH:O	1.79	0.82
1:B:1007:GLU:HA	4:B:1739:HOH:O	1.78	0.81
1:C:2104:LYS:HD3	4:C:2752:HOH:O	1.80	0.80
1:A:212:ASN:ND2	4:A:4803:HOH:O	2.13	0.80
1:B:1205:THR:HG22	1:B:1207:GLU:H	1.45	0.79
1:A:227:ILE:CB	1:A:255:ARG:NE	2.46	0.79
1:D:3255:ARG:HG2	4:D:3559:HOH:O	1.82	0.78
1:C:2123:ALA:O	1:C:2124:TYR:CD1	2.36	0.78
1:D:3039:ASN:HD22	1:D:3183:ARG:HH11	1.29	0.78
1:C:2159:ASP:HB3	4:C:2767:HOH:O	1.84	0.76
1:C:2243:ILE:HD12	1:C:2260:ILE:HG23	1.66	0.76
1:C:2214:ILE:CD1	4:C:2793:HOH:O	2.33	0.75
1:B:1039:ASN:HD22	1:B:1183:ARG:HH11	1.34	0.75
1:C:2254:LYS:CD	4:C:2736:HOH:O	2.32	0.75
1:C:2287:VAL:O	1:C:2290:ARG:HD3	1.87	0.74
1:D:3061:LYS:HE2	4:D:3805:HOH:O	1.87	0.73
1:A:287:VAL:O	1:A:290:ARG:HD3	1.89	0.73
1:A:148:ALA:N	1:A:154:ASN:HD21	1.79	0.72
1:B:1205:THR:CG2	1:B:1207:GLU:H	2.02	0.71
1:D:3323:LEU:HB2	4:D:3804:HOH:O	1.91	0.70
1:C:2214:ILE:HD11	4:C:2793:HOH:O	1.91	0.70
1:A:39:ASN:HD22	1:A:183:ARG:HH11	1.38	0.69
1:D:3224:PRO:CB	1:D:3255:ARG:HG3	2.21	0.69
1:A:226:ASP:O	1:A:230:ILE:HG12	1.93	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1191:TYR:OH	1:B:1211:LEU:HG	1.93	0.69
1:A:148:ALA:H	1:A:154:ASN:ND2	1.81	0.68
1:B:1148:ALA:N	1:B:1154:ASN:HD21	1.89	0.68
1:B:1200:ARG:HD2	4:B:1598:HOH:O	1.93	0.68
1:D:3323:LEU:HD13	4:D:3804:HOH:O	1.94	0.68
1:D:3224:PRO:HB3	1:D:3255:ARG:CG	2.24	0.68
1:A:227:ILE:HG22	1:A:255:ARG:HH11	1.61	0.66
1:D:3148:ALA:N	1:D:3154:ASN:HD21	1.94	0.66
1:B:1228:GLU:OE2	1:B:1255:ARG:CD	2.39	0.65
1:C:2158:LEU:HD11	1:C:2230:ILE:HD12	1.78	0.65
1:C:2039:ASN:ND2	1:C:2183:ARG:HH11	1.95	0.65
1:A:227:ILE:HB	1:A:255:ARG:CD	2.25	0.65
1:D:3205:THR:HG21	4:D:3627:HOH:O	1.96	0.64
1:D:3216:GLY:CA	1:D:3220:GLN:HE22	2.10	0.64
1:C:2254:LYS:HG2	4:C:2649:HOH:O	1.97	0.64
1:A:227:ILE:HB	1:A:255:ARG:HE	1.57	0.64
1:C:2095:ALA:O	1:C:2096:ALA:HB3	1.97	0.63
1:B:1287:VAL:O	1:B:1290:ARG:CD	2.42	0.63
1:D:3072:GLU:H	1:D:3355:GLN:HE22	1.44	0.62
1:A:324:PHE:O	1:A:328:LEU:HD22	2.01	0.61
1:C:2104:LYS:CD	4:C:2752:HOH:O	2.42	0.61
1:A:227:ILE:HG21	1:A:240:VAL:HG22	1.82	0.61
1:B:1247:GLU:HB2	4:B:1879:HOH:O	2.00	0.61
1:C:2324:PHE:O	1:C:2328:LEU:HD22	2.02	0.60
1:A:171:LEU:CD2	1:A:227:ILE:HG23	2.31	0.60
1:A:104:LYS:HD2	1:A:127:ALA:HB2	1.82	0.59
1:C:2368:ASN:HD21	1:C:2370:TYR:HB2	1.67	0.59
1:A:171:LEU:HD23	1:A:227:ILE:HG23	1.84	0.59
1:A:199:GLN:HA	4:A:4801:HOH:O	2.01	0.59
1:C:2289:LYS:HD2	4:C:2683:HOH:O	2.03	0.59
1:B:1019:VAL:N	4:B:1878:HOH:O	1.72	0.58
1:A:213:ASN:HA	4:A:4725:HOH:O	2.03	0.58
1:B:1205:THR:HG22	1:B:1207:GLU:N	2.15	0.58
1:D:3191:TYR:O	1:D:3207:GLU:O	2.21	0.58
1:D:3022:THR:HA	1:D:3025:LEU:HD22	1.84	0.58
1:D:3083:HIS:HD2	4:D:3664:HOH:O	1.86	0.56
1:D:3039:ASN:ND2	1:D:3183:ARG:HH11	2.02	0.56
1:C:2095:ALA:O	1:C:2096:ALA:HB2	2.03	0.56
1:B:1148:ALA:H	1:B:1154:ASN:ND2	1.97	0.56
1:C:2214:ILE:HD12	4:C:2799:HOH:O	2.06	0.56
1:A:227:ILE:HB	1:A:255:ARG:CZ	2.33	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3216:GLY:CA	1:D:3220:GLN:NE2	2.61	0.56
1:A:227:ILE:CB	1:A:255:ARG:HE	2.14	0.55
1:B:1072:GLU:H	1:B:1355:GLN:HE22	1.53	0.55
1:A:227:ILE:CG2	1:A:255:ARG:HE	2.20	0.55
1:B:1153:GLN:HE22	1:B:1201:TYR:HB3	1.71	0.55
1:B:1101:HIS:CD2	1:B:1103:THR:H	2.25	0.54
1:B:1224:PRO:HB3	1:B:1255:ARG:HG3	1.89	0.54
1:A:214:ILE:O	1:A:215:TYR:HB2	2.08	0.54
1:D:3094:ILE:HG21	1:D:3323:LEU:HD22	1.90	0.54
1:D:3157:ILE:HD11	1:D:3200:ARG:HD3	1.90	0.54
1:A:11:PRO:HG3	1:A:32:VAL:O	2.07	0.53
1:B:1101:HIS:HD2	1:B:1103:THR:H	1.56	0.53
1:C:2094:ILE:O	1:C:2097:HIS:CD2	2.61	0.53
1:D:3153:GLN:HE22	1:D:3201:TYR:HB3	1.74	0.53
1:A:368:ASN:HD21	1:A:370:TYR:HB2	1.74	0.53
1:B:1228:GLU:OE2	1:B:1255:ARG:NH2	2.28	0.53
1:C:2086:LYS:HD3	1:C:2115:PHE:O	2.09	0.53
1:D:3152:GLN:NE2	1:D:3155:ARG:HH11	2.06	0.52
1:C:2101:HIS:HD2	1:C:2103:THR:H	1.58	0.52
1:A:252:ALA:O	1:A:255:ARG:HD3	2.09	0.52
1:C:2097:HIS:CD2	1:C:2105:GLU:HG3	2.44	0.52
1:A:101:HIS:HD2	1:A:103:THR:H	1.59	0.51
1:B:1145:ILE:HD12	1:B:1171:LEU:HA	1.92	0.51
1:C:2104:LYS:CE	4:C:2752:HOH:O	2.58	0.51
1:A:199:GLN:HB2	4:A:4624:HOH:O	2.11	0.51
1:B:1247:GLU:OE2	4:B:1879:HOH:O	2.19	0.50
1:C:2241:LYS:HA	1:C:2261:TRP:HB3	1.94	0.50
1:C:2121:ILE:HD11	1:C:2136:LEU:HD11	1.93	0.50
1:D:3013:GLU:O	1:D:3101:HIS:HE1	1.94	0.49
1:B:1109:ALA:HB1	1:B:1136:LEU:HG	1.93	0.49
1:B:1224:PRO:CB	1:B:1255:ARG:HG3	2.43	0.49
1:A:227:ILE:HD12	1:A:255:ARG:HD2	1.95	0.49
1:B:1368:ASN:HD21	1:B:1370:TYR:HB2	1.78	0.48
1:B:1039:ASN:ND2	1:B:1183:ARG:HH11	2.08	0.48
1:D:3224:PRO:HB2	1:D:3255:ARG:NH2	2.28	0.48
1:D:3368:ASN:HD21	1:D:3370:TYR:HB2	1.79	0.47
1:A:101:HIS:CD2	1:A:103:THR:H	2.32	0.47
1:B:1067:LEU:HD23	4:D:3609:HOH:O	2.14	0.47
1:C:2268:ARG:NH2	4:C:2637:HOH:O	2.47	0.47
1:D:3349:MET:HG2	1:D:3360:LEU:HD21	1.96	0.47
1:B:1076:THR:O	1:B:1087:ALA:HA	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3148:ALA:H	1:D:3154:ASN:ND2	2.03	0.47
1:B:1224:PRO:HB3	1:B:1255:ARG:CG	2.45	0.47
1:A:227:ILE:HG21	1:A:240:VAL:CG2	2.45	0.46
1:C:2086:LYS:CG	4:C:2684:HOH:O	2.61	0.46
1:D:3153:GLN:NE2	1:D:3201:TYR:HB3	2.31	0.46
1:A:255:ARG:C	1:A:255:ARG:HH21	2.20	0.46
1:A:39:ASN:ND2	1:A:183:ARG:HH11	2.09	0.45
1:A:227:ILE:HB	1:A:255:ARG:CG	2.45	0.45
1:B:1022:THR:HA	1:B:1025:LEU:HD22	1.98	0.45
1:C:2130:GLU:H	1:C:2130:GLU:CD	2.18	0.45
1:D:3101:HIS:HD2	1:D:3103:THR:H	1.65	0.45
1:B:1208:GLY:HA3	4:B:1785:HOH:O	2.17	0.45
1:A:371:GLY:HA3	4:A:4587:HOH:O	2.15	0.44
1:C:2224:PRO:CB	1:C:2255:ARG:HD2	2.46	0.44
1:A:227:ILE:HG22	1:A:255:ARG:NH1	2.29	0.44
1:C:2013:GLU:O	1:C:2101:HIS:HE1	2.01	0.44
1:C:2254:LYS:HD3	4:C:2736:HOH:O	2.07	0.44
1:A:225:ARG:HG3	4:A:4787:HOH:O	2.18	0.44
1:B:1191:TYR:O	1:B:1207:GLU:O	2.35	0.44
1:B:1367:ASP:CB	4:B:1830:HOH:O	2.38	0.44
1:A:11:PRO:HD2	1:A:100:ALA:O	2.18	0.44
1:A:255:ARG:NH2	1:A:256:GLY:C	2.71	0.44
1:A:290:ARG:NH2	4:A:4784:HOH:O	2.50	0.44
1:C:2226:ASP:O	1:C:2230:ILE:HG12	2.18	0.44
1:A:79:GLU:HA	1:A:83:HIS:O	2.17	0.44
1:C:2101:HIS:CD2	1:C:2103:THR:H	2.34	0.44
1:D:3101:HIS:CD2	1:D:3103:THR:H	2.36	0.44
1:B:1153:GLN:NE2	1:B:1201:TYR:HB3	2.32	0.43
1:C:2251:MET:O	1:C:2255:ARG:HG2	2.17	0.43
1:C:2094:ILE:O	1:C:2097:HIS:NE2	2.51	0.43
1:D:3130:GLU:CG	4:D:3712:HOH:O	2.40	0.43
1:B:1018:ASP:CA	4:B:1878:HOH:O	2.65	0.43
1:C:2224:PRO:HB3	1:C:2255:ARG:HG3	2.00	0.43
1:A:238:VAL:HG11	1:A:255:ARG:HH11	1.83	0.43
1:C:2011:PRO:HD2	1:C:2100:ALA:O	2.18	0.43
1:A:199:GLN:CB	4:A:4624:HOH:O	2.66	0.42
1:D:3022:THR:HB	1:D:3321:PRO:HB3	2.01	0.42
1:C:2160:GLU:HG3	4:C:2734:HOH:O	2.20	0.42
1:A:66:ARG:C	1:A:67:LEU:HD23	2.40	0.42
1:A:133:SER:OG	1:A:141:ARG:NH1	2.53	0.42
1:B:1022:THR:O	1:B:1025:LEU:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2349:MET:HG2	1:C:2360:LEU:HD21	2.01	0.42
1:D:3083:HIS:CE1	1:D:3167:THR:OG1	2.73	0.42
1:D:3148:ALA:HB2	1:D:3201:TYR:CD1	2.54	0.42
1:B:1192:PRO:HG2	1:B:1193:PHE:CD2	2.55	0.41
1:C:2101:HIS:HD2	1:C:2103:THR:OG1	2.03	0.41
1:A:22:THR:HA	1:A:25:LEU:HD22	2.01	0.41
1:C:2214:ILE:HD12	4:C:2793:HOH:O	2.07	0.41
1:A:171:LEU:HD22	1:A:227:ILE:HG23	2.01	0.41
1:B:1205:THR:CG2	1:B:1207:GLU:HB3	2.50	0.41
1:B:1349:MET:HG2	1:B:1360:LEU:HD21	2.03	0.41
1:A:72:GLU:H	1:A:355:GLN:HE22	1.68	0.41
1:C:2288:ASN:HD22	1:C:2288:ASN:HA	1.55	0.41
1:C:2101:HIS:CD2	1:C:2103:THR:OG1	2.75	0.40
1:D:3191:TYR:OH	1:D:3211:LEU:HG	2.21	0.40
1:A:101:HIS:HD2	1:A:103:THR:OG1	2.04	0.40
1:D:3323:LEU:CB	4:D:3804:HOH:O	2.56	0.40
1:C:2104:LYS:HE2	4:C:2752:HOH:O	2.19	0.40
1:D:3367:ASP:OD1	4:D:3849:HOH:O	2.22	0.40
1:B:1153:GLN:NE2	4:B:1659:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	351/374 (94%)	339 (97%)	9 (3%)	3 (1%)	17 7
1	B	366/374 (98%)	355 (97%)	9 (2%)	2 (0%)	29 18
1	C	346/374 (92%)	333 (96%)	10 (3%)	3 (1%)	17 7
1	D	366/374 (98%)	355 (97%)	10 (3%)	1 (0%)	41 31
All	All	1429/1496 (96%)	1382 (97%)	38 (3%)	9 (1%)	25 15

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	213	ASN
1	A	215	TYR
1	A	297	SER
1	B	1297	SER
1	C	2096	ALA
1	C	2124	TYR
1	D	3297	SER
1	C	2297	SER
1	B	1019	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/298 (95%)	271 (96%)	11 (4%)	32	23
1	B	292/298 (98%)	281 (96%)	11 (4%)	33	24
1	C	277/298 (93%)	264 (95%)	13 (5%)	26	16
1	D	292/298 (98%)	283 (97%)	9 (3%)	40	32
All	All	1143/1192 (96%)	1099 (96%)	44 (4%)	33	24

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	LEU
1	A	86	LYS
1	A	125	SER
1	A	141	ARG
1	A	163	SER
1	A	212	ASN
1	A	227	ILE
1	A	254	LYS
1	A	255	ARG
1	A	363	LEU
1	A	365	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1025	LEU
1	B	1141	ARG
1	B	1145	ILE
1	B	1200	ARG
1	B	1205	THR
1	B	1211	LEU
1	B	1323	LEU
1	B	1328	LEU
1	B	1342	GLN
1	B	1363	LEU
1	B	1365	LEU
1	C	2025	LEU
1	C	2130	GLU
1	C	2133	SER
1	C	2141	ARG
1	C	2163	SER
1	C	2167	THR
1	C	2195	MET
1	C	2214	ILE
1	C	2288	ASN
1	C	2323	LEU
1	C	2328	LEU
1	C	2363	LEU
1	C	2365	LEU
1	D	3025	LEU
1	D	3067	LEU
1	D	3141	ARG
1	D	3190	VAL
1	D	3200	ARG
1	D	3203	ARG
1	D	3211	LEU
1	D	3328	LEU
1	D	3365	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	HIS
1	A	39	ASN
1	A	83	HIS
1	A	101	HIS
1	A	137	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	154	ASN
1	A	187	ASN
1	A	288	ASN
1	A	355	GLN
1	A	368	ASN
1	B	1039	ASN
1	B	1083	HIS
1	B	1101	HIS
1	B	1153	GLN
1	B	1154	ASN
1	B	1187	ASN
1	B	1288	ASN
1	B	1342	GLN
1	B	1355	GLN
1	B	1368	ASN
1	C	2039	ASN
1	C	2083	HIS
1	C	2101	HIS
1	C	2137	ASN
1	C	2154	ASN
1	C	2187	ASN
1	C	2288	ASN
1	C	2355	GLN
1	C	2368	ASN
1	D	3009	ASN
1	D	3035	HIS
1	D	3039	ASN
1	D	3083	HIS
1	D	3101	HIS
1	D	3152	GLN
1	D	3153	GLN
1	D	3154	ASN
1	D	3187	ASN
1	D	3288	ASN
1	D	3355	GLN
1	D	3368	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PYR	B	1442	-	5,5,5	2.73	3 (60%)	3,6,6	2.05	2 (66%)
2	FMN	C	2512	-	33,33,33	1.17	2 (6%)	48,50,50	1.31	9 (18%)
2	FMN	A	4512	-	33,33,33	1.08	2 (6%)	48,50,50	1.25	8 (16%)
3	PYR	D	3442	-	5,5,5	2.71	3 (60%)	3,6,6	1.76	1 (33%)
2	FMN	D	3512	-	33,33,33	1.20	3 (9%)	48,50,50	1.33	8 (16%)
2	FMN	B	1512	-	33,33,33	1.43	3 (9%)	48,50,50	1.23	7 (14%)
3	PYR	A	4442	-	5,5,5	2.90	3 (60%)	3,6,6	1.63	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PYR	B	1442	-	-	0/4/4/4	-
2	FMN	C	2512	-	-	1/18/18/18	0/3/3/3
2	FMN	A	4512	-	-	1/18/18/18	0/3/3/3
3	PYR	D	3442	-	-	0/4/4/4	-
2	FMN	D	3512	-	-	1/18/18/18	0/3/3/3
2	FMN	B	1512	-	-	1/18/18/18	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PYR	A	4442	-	-	0/4/4/4	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1512	FMN	C4A-N5	4.90	1.40	1.30
2	C	2512	FMN	C4A-N5	4.61	1.39	1.30
2	A	4512	FMN	C4A-N5	4.12	1.38	1.30
3	A	4442	PYR	CA-C	-4.05	1.39	1.54
3	B	1442	PYR	CA-C	-4.04	1.39	1.54
3	D	3442	PYR	CA-C	-3.97	1.40	1.54
3	A	4442	PYR	O3-CA	3.68	1.31	1.23
3	B	1442	PYR	O3-CA	3.53	1.31	1.23
3	D	3442	PYR	O3-CA	3.50	1.31	1.23
2	D	3512	FMN	C4A-N5	3.49	1.37	1.30
3	A	4442	PYR	O-C	3.37	1.31	1.22
2	C	2512	FMN	C10-N1	3.31	1.40	1.33
2	B	1512	FMN	C10-N1	2.93	1.39	1.33
2	A	4512	FMN	C10-N1	2.90	1.39	1.33
3	B	1442	PYR	O-C	2.87	1.30	1.22
3	D	3442	PYR	O-C	2.85	1.30	1.22
2	D	3512	FMN	C10-N1	2.62	1.38	1.33
2	B	1512	FMN	C5'-C4'	2.47	1.55	1.51
2	D	3512	FMN	C5'-C4'	2.27	1.55	1.51

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2512	FMN	O4-C4-C4A	-3.11	118.34	126.60
2	D	3512	FMN	C4-C4A-N5	2.92	122.39	118.23
3	B	1442	PYR	OXT-C-CA	2.69	121.33	113.97
2	D	3512	FMN	C4A-C4-N3	2.64	119.90	113.19
2	A	4512	FMN	O4'-C4'-C5'	-2.63	104.01	109.92
2	C	2512	FMN	C4A-C10-N10	2.58	120.25	116.48
2	D	3512	FMN	C10-C4A-N5	-2.53	119.49	124.86
2	A	4512	FMN	C10-C4A-N5	-2.50	119.55	124.86
2	B	1512	FMN	C4A-C10-N10	2.46	120.08	116.48
2	B	1512	FMN	C8M-C8-C9	-2.41	115.04	119.49
2	C	2512	FMN	C10-C4A-N5	-2.39	119.78	124.86
2	A	4512	FMN	C4-N3-C2	-2.39	121.23	125.64
2	A	4512	FMN	C4A-C10-N10	2.36	119.94	116.48
3	A	4442	PYR	OXT-C-CA	2.35	120.39	113.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1442	PYR	OXT-C-O	-2.27	118.41	123.61
2	C	2512	FMN	C4-C4A-C10	2.26	120.60	116.79
2	C	2512	FMN	C9A-C5A-N5	-2.23	120.01	122.43
2	D	3512	FMN	C4A-C10-N10	2.22	119.72	116.48
2	D	3512	FMN	C9A-C5A-N5	-2.21	120.03	122.43
2	C	2512	FMN	C4A-C10-N1	-2.20	119.63	124.73
3	D	3442	PYR	OXT-C-O	-2.19	118.61	123.61
2	D	3512	FMN	C4-N3-C2	-2.18	121.61	125.64
2	D	3512	FMN	C10-N1-C2	2.17	121.25	116.90
2	B	1512	FMN	C4A-C4-N3	2.16	118.68	113.19
2	C	2512	FMN	O3P-P-O5'	2.16	112.47	106.73
2	B	1512	FMN	C9A-C5A-N5	-2.15	120.10	122.43
2	A	4512	FMN	C9A-C5A-N5	-2.14	120.10	122.43
2	B	1512	FMN	C4A-C10-N1	-2.12	119.82	124.73
2	A	4512	FMN	C4A-C4-N3	2.11	118.54	113.19
2	D	3512	FMN	O4-C4-C4A	-2.10	121.03	126.60
2	B	1512	FMN	C10-C4A-N5	-2.08	120.45	124.86
2	B	1512	FMN	C4-N3-C2	-2.07	121.81	125.64
2	A	4512	FMN	C4A-C10-N1	-2.05	119.96	124.73
2	C	2512	FMN	C4A-C4-N3	2.01	118.30	113.19
2	C	2512	FMN	C4-N3-C2	-2.01	121.92	125.64
2	A	4512	FMN	C6-C5A-C9A	2.01	121.78	118.94

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1512	FMN	C4'-C5'-O5'-P
2	C	2512	FMN	C4'-C5'-O5'-P
2	D	3512	FMN	C4'-C5'-O5'-P
2	A	4512	FMN	C4'-C5'-O5'-P


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	355/374 (94%)	-0.00	4 (1%) 80 82	16, 29, 43, 51	0
1	B	368/374 (98%)	-0.26	2 (0%) 91 92	11, 19, 30, 46	0
1	C	350/374 (93%)	0.10	11 (3%) 49 51	14, 27, 43, 49	0
1	D	368/374 (98%)	-0.26	5 (1%) 75 77	11, 19, 30, 46	0
All	All	1441/1496 (96%)	-0.11	22 (1%) 73 76	11, 23, 40, 51	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	255	ARG	4.8
1	C	2124	TYR	4.1
1	D	3208	GLY	3.9
1	D	3203	ARG	3.8
1	B	1007	GLU	3.5
1	C	2130	GLU	3.4
1	C	2123	ALA	3.4
1	D	3007	GLU	3.2
1	A	225	ARG	3.0
1	C	2134	GLU	2.7
1	C	2235	GLY	2.6
1	C	2255	ARG	2.3
1	C	2018	ASP	2.2
1	A	8	TYR	2.2
1	B	1208	GLY	2.2
1	C	2172	THR	2.1
1	A	199	GLN	2.1
1	C	2225	ARG	2.1
1	D	3092	ALA	2.1
1	C	2092	ALA	2.0
1	C	2150	ASP	2.0
1	D	3094	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PYR	A	4442	6/6	0.94	0.16	34,35,36,37	0
2	FMN	C	2512	31/31	0.96	0.17	19,25,28,28	0
3	PYR	D	3442	6/6	0.96	0.13	19,23,26,27	0
2	FMN	B	1512	31/31	0.97	0.17	9,16,19,19	0
3	PYR	B	1442	6/6	0.97	0.13	25,29,33,33	0
2	FMN	A	4512	31/31	0.97	0.14	17,23,25,27	0
2	FMN	D	3512	31/31	0.98	0.14	9,14,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN C 2512:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around FMN B 1512:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN A 4512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.