

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 21, 2023 – 12:52 AM JST

PDB ID	:	$7\mathrm{E}7\mathrm{E}$
Title	:	The co-crystal structure of ACE2 with Fab
Authors	:	Xiao, J.Y.; Zhang, Y.
Deposited on	:	2021-02-26
Resolution	:	3.80  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	1212 (4.00-3.60)
Clashscore	141614	$1288 \ (4.00-3.60)$
Ramachandran outliers	138981	1243 (4.00-3.60)
Sidechain outliers	138945	1237 (4.00-3.60)
RSRZ outliers	127900	1121 (4.00-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1		606	3%	_
1	A	606	85%	12% •
			9%	
1	В	606	86%	12% •
			11%	
2	С	228	75% 16%	9%
			6%	
2	Н	228	75% 16%	9%
			15%	
3	D	214	85%	13% •
	_		3%	
3	Ĺ	214	88%	10% •



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ZN	В	701	-	-	-	Х



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 16055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	588	Total 4798	C 3071	N 796	O 902	S 29	0	0	0
1	В	592	Total 4828	C 3089	N 800	O 910	S 29	0	0	0

• Molecule 1 is a protein called Processed angiotensin-converting enzyme 2.

Chain	Residue	Modelled	Actual	Comment	Reference
А	616	HIS	-	expression tag	UNP Q9BYF1
А	617	HIS	-	expression tag	UNP Q9BYF1
А	618	HIS	-	expression tag	UNP Q9BYF1
А	619	HIS	-	expression tag	UNP Q9BYF1
А	620	HIS	-	expression tag	UNP Q9BYF1
А	621	HIS	-	expression tag	UNP Q9BYF1
А	622	HIS	-	expression tag	UNP Q9BYF1
А	623	HIS	-	expression tag	UNP Q9BYF1
В	616	HIS	-	expression tag	UNP Q9BYF1
В	617	HIS	-	expression tag	UNP Q9BYF1
В	618	HIS	-	expression tag	UNP Q9BYF1
В	619	HIS	-	expression tag	UNP Q9BYF1
В	620	HIS	-	expression tag	UNP Q9BYF1
В	621	HIS	-	expression tag	UNP Q9BYF1
B	622	HIS	-	expression tag	UNP Q9BYF1
В	623	HIS	-	expression tag	UNP Q9BYF1

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called h11B11-Fab.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	Ц	208	Total	С	Ν	Ο	S	0	0	0
	11	200	1585	1001	267	309	8	0	0	U
0	C	208	Total	С	Ν	0	S	0	0	0
		200	1584	1001	267	308	8		0	U



• Molecule 3 is a protein called h11B11-Fab.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
3	т	210	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
0		210	1629	1021	274	328	6	0		0
2	П	210 Total C N O S		S	0	0	0			
0	D	210	1629	1021	274	328	6	0	0	0

• Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Zn 1 1	0	0
4	В	1	Total Zn 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Processed angiotensin-converting enzyme 2





# 8127 V128 8139 8139 8139 8139 8139 8139 8139 8139 8139 8139 8139 8139 8139 8139 8143 8154 8153 8164 1165 8184 118 8184 118 8184 8184 8184 8184 8185 8184 8185 8185 8185 8185 818 818 818 818 818 818 818 818 818 818 818 818 818 818 818





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	98.78Å 115.46Å 224.67Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	49.84 - 3.80	Depositor
Resolution (A)	49.84 - 3.80	EDS
% Data completeness	99.1 (49.84-3.80)	Depositor
(in resolution range)	99.1 (49.84-3.80)	EDS
$R_{merge}$	0.41	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.14 (at 3.77 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
B B.	0.276 , $0.327$	Depositor
II, II free	0.274 , $0.324$	DCC
$R_{free}$ test set	1284 reflections $(4.98%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	95.0	Xtriage
Anisotropy	1.024	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34 , $102.3$	EDS
L-test for $twinning^2$	$ < L >=0.40, < L^2>=0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	16055	wwPDB-VP
Average B, all atoms $(Å^2)$	118.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
INIOI	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.26	0/4933	0.49	1/6701~(0.0%)	
1	В	0.27	0/4963	0.47	0/6742	
2	С	0.29	0/1621	0.56	0/2204	
2	Н	0.28	0/1622	0.57	0/2205	
3	D	0.27	0/1666	0.53	0/2262	
3	L	0.28	0/1666	0.54	0/2262	
All	All	0.27	0/16471	0.51	1/22376~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	359	LEU	CA-CB-CG	5.17	127.19	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4798	0	4585	42	0
1	В	4828	0	4614	35	0
2	С	1584	0	1540	22	0
2	Н	1585	0	1545	22	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10101	Cham	1101111	II(iiiouei)	II(dudda)	Clashes	Symmetablieb
3	D	1629	0	1589	15	0
3	L	1629	0	1591	12	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
All	All	16055	0	15464	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:6:GLN:NE2	3:D:99:GLN:O	2.19	0.74
1:A:261:CYS:HB2	1:A:488:VAL:HG13	1.70	0.73
3:L:33:HIS:ND1	3:L:48:TYR:O	2.22	0.72
1:B:261:CYS:HB2	1:B:488:VAL:HG13	1.75	0.67
1:A:438:PHE:HD2	1:A:540:HIS:HE1	1.42	0.67
3:D:137:ASN:HA	3:D:171:THR:HG23	1.78	0.65
3:D:166:ASP:HB3	3:D:171:THR:H	1.63	0.64
1:B:276:THR:HG1	1:B:445:THR:HG1	1.44	0.62
2:H:51:ILE:HD13	2:H:74:ARG:HG3	1.83	0.60
1:A:482:ARG:HG2	1:A:488:VAL:HG12	1.83	0.60
1:A:180:TYR:HA	1:A:183:TYR:HB3	1.83	0.60
1:A:245:ARG:NH2	1:A:603:PHE:O	2.35	0.59
2:H:37:VAL:HG21	2:H:110:TRP:HZ3	1.69	0.57
1:A:365:THR:HG23	1:A:368:ASP:H	1.70	0.57
3:D:12:SER:HB3	3:D:104:GLU:HB2	1.87	0.56
2:H:216:LYS:NZ	3:L:122:GLU:OE1	2.39	0.56
1:B:535:HIS:NE2	1:B:543:ASP:O	2.39	0.56
1:B:309:LYS:HE3	1:B:313:LYS:NZ	2.20	0.55
1:A:574:VAL:HG23	1:A:576:ALA:H	1.71	0.54
1:B:296:ALA:HB2	1:B:366:MET:HB2	1.89	0.54
1:B:293:VAL:HG12	1:B:295:ASP:H	1.73	0.54
2:H:93:THR:HG23	2:H:117:THR:HA	1.90	0.54
2:C:50:PHE:HD1	2:C:52:ARG:H	1.56	0.54
1:A:457:GLU:HG2	1:A:512:PHE:HB3	1.90	0.53
3:L:50:THR:O	3:L:51:SER:OG	2.24	0.53
1:B:300:GLN:O	1:B:302:TRP:N	2.41	0.53
1:A:438:PHE:CD2	1:A:540:HIS:HE1	2.24	0.53
2:H:51:ILE:HA	2:H:59:THR:O	2.09	0.53
2:H:108:ASP:OD2	3:L:35:TYR:OH	2.27	0.53



	louo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:H:153:PHE:HB3	2:H:154:PRO:HD3	1.90	0.53	
2:C:170:VAL:HG22	2:C:189:VAL:HG12	1.89	0.53	
1:B:382:ASP:OD1	1:B:385:TYR:OH	2.20	0.53	
2:C:85:MET:HB3	2:C:88:LEU:HD21	1.91	0.52	
2:H:148:LEU:HD12	2:H:185:LEU:O	2.08	0.52	
1:B:382:ASP:HA	1:B:385:TYR:CZ	2.44	0.52	
1:A:148:LEU:HB3	1:A:270:MET:HE1	1.92	0.52	
1:A:74:LYS:HG2	1:A:104:GLY:O	2.10	0.52	
2:H:128:VAL:HG22	2:H:149:VAL:HG22	1.92	0.51	
1:B:418:LEU:HD22	1:B:423:LEU:HD12	1.91	0.51	
3:D:47:ILE:HG22	3:D:49:ASP:O	2.12	0.50	
2:C:67:LYS:HG2	2:C:68:GLY:H	1.75	0.50	
2:C:126:PRO:HB3	2:C:152:TYR:HB3	1.94	0.50	
1:B:127:TYR:CZ	1:B:504:PHE:HB2	2.47	0.50	
1:A:107:VAL:HG13	1:A:108:LEU:HG	1.93	0.50	
1:B:451:PRO:HB2	1:B:485:VAL:HG12	1.94	0.50	
2:C:22:CYS:O	2:C:80:THR:HA	2.13	0.49	
1:B:203:TRP:CE3	1:B:511:SER:HB3	2.47	0.49	
1:A:85:LEU:HD21	1:A:94:LYS:HG3	1.95	0.48	
1:A:144:LEU:HA	1:A:148:LEU:HB2	1.94	0.48	
2:C:51:ILE:HG22	2:C:60:THR:HG22	1.94	0.48	
2:H:204:ASN:ND2	2:H:215:ASP:OD1	2.39	0.48	
1:A:293:VAL:HG21	1:A:423:LEU:HD13	1.95	0.48	
2:C:159:VAL:HG13	2:C:205:VAL:HG22	1.96	0.47	
1:B:170:SER:HA	1:B:497:TYR:O	2.14	0.47	
2:H:34:MET:HB3	2:H:81:LEU:HD22	1.96	0.47	
2:C:47:TRP:CD2	3:D:95:LEU:HB2	2.50	0.47	
2:C:48:VAL:HG13	2:C:66:VAL:HG11	1.97	0.47	
1:A:456:LEU:HD23	1:A:512:PHE:CG	2.50	0.47	
3:L:14:SER:HA	3:L:106:LYS:HB2	1.97	0.46	
2:H:36:TRP:NE1	2:H:83:LEU:HB2	2.30	0.46	
2:H:166:LEU:HD12	2:H:166:LEU:HA	1.78	0.46	
1:B:180:TYR:HA	1:B:183:TYR:HB3	1.97	0.46	
2:H:37:VAL:HG21	2:H:110:TRP:CZ3	2.51	0.46	
2:C:36:TRP:CE2	2:C:83:LEU:HB2	2.50	0.45	
1:A:197:GLU:OE2	1:A:465:LYS:NZ	2.49	0.45	
3:D:33:HIS:ND1	3:D:48:TYR:O	2.38	0.45	
3:D:124:LEU:O	3:D:182:LYS:HD2	2.17	0.45	
1:A:116:LEU:HD21	1:A:186:LEU:HB2	1.99	0.45	
2:C:155:GLU:N	2:C:156:PRO:HD2	2.31	0.45	
3:L:6:GLN:HA	3:L:23:CYS:HA	1.96	0.45	



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:86:GLN:HG2	1:A:87:GLU:HG3	1.99	0.45
1:B:50:TYR:CE1	1:B:59:VAL:HG22	2.51	0.45
1:A:290:ASN:ND2	1:A:292:ASP:O	2.50	0.45
2:H:38:ARG:NH1	2:H:92:ASP:OD1	2.49	0.45
1:A:242:ALA:HB2	1:A:604:VAL:HA	1.99	0.45
1:A:283:VAL:HG11	1:A:286:GLY:HA2	1.99	0.45
1:A:127:TYR:CZ	1:A:504:PHE:HB2	2.51	0.44
1:A:135:PRO:HD3	1:A:163:TRP:HE1	1.82	0.44
1:A:104:GLY:HA2	1:A:194:ASN:OD1	2.18	0.44
3:L:146:GLN:HB3	3:L:153:LEU:HD21	2.00	0.44
3:L:185:TYR:HA	3:L:191:TYR:OH	2.17	0.44
2:C:67:LYS:HG2	2:C:68:GLY:N	2.33	0.44
1:B:394:ASN:O	1:B:562:LYS:HG3	2.18	0.44
1:A:366:MET:HA	1:A:369:PHE:HB3	2.00	0.44
1:A:213:ASP:OD1	1:A:214:GLY:N	2.49	0.44
1:B:242:ALA:HB2	1:B:604:VAL:HA	2.00	0.43
2:H:126:PRO:HB2	2:H:149:VAL:HG13	2.00	0.43
2:C:32:TYR:CE1	2:C:102:MET:HB2	2.53	0.43
1:B:457:GLU:HG3	1:B:513:ILE:HB	2.00	0.43
1:A:55:THR:HG23	1:A:57:GLU:HB2	1.99	0.43
1:B:236:LEU:HD13	1:B:592:PHE:HB2	2.00	0.43
1:B:335:ASP:C	1:B:337:GLY:H	2.22	0.43
1:B:539:LEU:HB2	1:B:587:TYR:HD1	1.83	0.43
1:A:85:LEU:HD11	1:A:94:LYS:HG3	1.99	0.43
1:A:528:ALA:HB2	1:A:574:VAL:HG12	2.01	0.43
1:A:417:HIS:CE1	1:A:421:ILE:HD11	2.54	0.43
1:B:127:TYR:CE1	1:B:504:PHE:HB2	2.54	0.43
2:C:81:LEU:HD23	2:C:98:CYS:SG	2.59	0.43
1:A:482:ARG:HD2	1:A:608:THR:O	2.19	0.43
2:C:36:TRP:HD1	2:C:72:ILE:HD13	1.83	0.43
1:A:529:LEU:HD11	1:A:554:LEU:HD21	2.01	0.42
2:H:143:ALA:HA	3:L:115:PHE:CE2	2.53	0.42
1:B:318:VAL:HG13	1:B:551:GLY:HA3	2.00	0.42
1:B:490:PRO:HA	1:B:612:PRO:HG2	2.00	0.42
2:C:131:LEU:HB3	3:D:117:PHE:CD1	2.54	0.42
3:D:34:TRP:O	3:D:45:LEU:HD12	2.19	0.42
1:B:209:VAL:HG12	1:B:211:GLY:H	1.84	0.42
1:B:482:ARG:O	1:B:606:TRP:NE1	2.50	0.42
1:A:406:GLU:HG3	1:A:518:ARG:HD2	2.01	0.42
1:A:481:LYS:HB3	1:A:487:VAL:HG13	2.02	0.42
1:B:187:LYS:NZ	1:B:509:ASP:OD2	2.38	0.42



A 4 a m 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:D:150:ASP:HA	3:D:190:VAL:HB	2.00	0.42
2:C:51:ILE:HD12	2:C:74:ARG:HD2	2.02	0.42
3:D:118:PRO:HB3	3:D:208:PHE:CE2	2.54	0.42
2:H:37:VAL:HG22	2:H:97:TYR:HB2	2.01	0.42
2:H:170:VAL:HG22	2:H:189:VAL:HG22	2.01	0.42
3:L:186:GLU:O	3:L:210:ARG:NH2	2.52	0.42
1:A:145:GLU:HA	1:A:146:PRO:HA	1.72	0.42
3:D:48:TYR:HD2	3:D:54:ALA:HB2	1.84	0.42
1:B:239:HIS:HB3	1:B:595:LEU:HB3	2.02	0.41
1:B:382:ASP:HA	1:B:385:TYR:CE2	2.56	0.41
2:C:199:LYS:HB2	2:C:201:TYR:CE2	2.55	0.41
3:D:129:ALA:O	3:D:179:THR:HA	2.20	0.41
2:H:139:SER:HB3	3:L:115:PHE:CE2	2.55	0.41
3:D:48:TYR:CD2	3:D:54:ALA:HB2	2.55	0.41
1:B:108:LEU:HD11	1:B:190:MET:HB2	2.02	0.41
1:A:501:ALA:O	1:A:507:SER:HB3	2.19	0.41
1:A:578:ASN:OD1	1:A:579:MET:N	2.51	0.41
1:B:581:VAL:HG12	1:B:585:LEU:HG	2.03	0.41
1:A:389:PRO:O	1:A:393:ARG:HG3	2.21	0.41
1:B:92:THR:HG22	1:B:96:GLN:HE21	1.85	0.41
2:C:66:VAL:HB	2:C:70:PHE:HB2	2.01	0.41
1:B:407:ILE:HD11	1:B:525:PHE:CD2	2.56	0.41
2:C:21:SER:HA	2:C:81:LEU:O	2.20	0.41
1:B:22:GLU:HG2	1:B:88:ILE:HG23	2.03	0.41
3:L:139:TYR:CG	3:L:140:PRO:HA	2.56	0.40
2:C:17:SER:HA	2:C:85:MET:O	2.21	0.40
2:H:49:GLY:HA3	2:H:72:ILE:CD1	2.52	0.40
2:H:152:TYR:O	2:H:183:TYR:HB2	2.22	0.40
1:A:261:CYS:HB2	1:A:488:VAL:CG1	2.45	0.40
1:A:335:ASP:OD1	1:A:361:CYS:HB3	2.21	0.40
1:A:526:GLN:HG3	1:A:539:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	584/606~(96%)	568~(97%)	16 (3%)	0	100	100
1	В	588/606~(97%)	569~(97%)	17 (3%)	2~(0%)	41	74
2	С	202/228~(89%)	199~(98%)	3~(2%)	0	100	100
2	Н	202/228~(89%)	195~(96%)	7 (4%)	0	100	100
3	D	208/214~(97%)	201 (97%)	7 (3%)	0	100	100
3	L	208/214~(97%)	203~(98%)	5(2%)	0	100	100
All	All	1992/2096~(95%)	1935 (97%)	55 (3%)	2(0%)	51	83

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	301	ALA
1	В	364	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	$\mathbf{ntiles}$
1	А	519/536~(97%)	515~(99%)	4 (1%)	81	89
1	В	523/536~(98%)	519~(99%)	4 (1%)	81	89
2	С	177/196~(90%)	175~(99%)	2(1%)	73	85
2	Н	178/196~(91%)	176~(99%)	2(1%)	73	85
3	D	187/190~(98%)	183~(98%)	4 (2%)	53	74
3	L	187/190~(98%)	184 (98%)	3~(2%)	62	79
All	All	1771/1844~(96%)	1752~(99%)	19 (1%)	73	85

All (19) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	100	LEU
1	А	107	VAL
1	А	512	PHE
1	А	540	HIS
2	Н	120	SER
2	Н	122	SER
3	L	105	ILE
3	L	108	THR
3	L	155	SER
1	В	101	GLN
1	В	109	SER
1	В	110	GLU
1	В	113	SER
2	С	118	VAL
2	С	122	SER
3	D	89	GLN
3	D	107	ARG
3	D	108	THR
3	D	109	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	101	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.



There are no bond length outliers. There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	588/606~(97%)	0.22	18 (3%) 49 40	72, 103, 159, 221	0
1	В	592/606~(97%)	0.46	54 (9%) 9 7	80, 113, 174, 263	0
2	С	208/228~(91%)	0.76	24 (11%) 4 5	81, 119, 198, 283	0
2	Н	208/228~(91%)	0.46	13 (6%) 20 15	85, 114, 161, 211	0
3	D	210/214~(98%)	0.83	32~(15%) 2 2	86, 126, 161, 204	0
3	L	210/214~(98%)	0.37	7 (3%) 46 38	101, 124, 171, 230	0
All	All	2016/2096~(96%)	0.45	148 (7%) 15 12	72, 114, 171, 283	0

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	498	CYS	6.1
1	В	499	ASP	5.9
2	Н	103	TYR	5.5
1	В	136	ASP	5.4
1	В	261	CYS	4.5
1	В	168	TRP	4.4
3	L	32	MET	4.4
1	В	137	ASN	4.3
1	В	176	LEU	4.3
3	D	32	MET	4.2
2	С	151	ASP	4.2
3	D	180	LEU	4.0
1	А	106	SER	3.9
2	Н	9	GLY	3.7
3	D	86	TYR	3.7
2	С	10	GLY	3.6
1	А	532	ALA	3.6
1	В	20	THR	3.6
2	С	197	GLY	3.5



Mol	Chain	Res	Type	RSRZ	
3	L	28	SER	3.5	
3	D	157	ASN	3.5	
2	Н	215	ASP	3.5	
3	D	191	TYR	3.5	
1	А	103	ASN	3.4	
3	D	185	TYR	3.3	
1	В	135	PRO	3.2	
1	В	180	TYR	3.2	
1	В	163	TRP	3.2	
3	D	93	ASN	3.2	
1	В	151	ILE	3.2	
1	В	132	VAL	3.1	
1	В	186	LEU	3.1	
3	D	98	GLY	3.1	
2	Н	102	MET	3.1	
2	С	159	VAL	3.0	
1	В	497	TYR	3.0	
1	А	263	PRO	3.0	
1	В	21	ILE	3.0	
1	В	144	LEU	2.9	
1	В	175	GLN	2.9	
1	А	533	ALA	2.9	
1	В	490	PRO	2.9	
2	С	186	SER	2.9	
1	В	83	TYR	2.9	
2	Н	88	LEU	2.9	
2	С	163	SER	2.8	
1	В	295	ASP	2.8	
1	А	534	LYS	2.8	
1	В	263	PRO	2.7	
3	D	172	TYR	2.7	
3	D	2	ILE	2.7	
1	А	490	PRO	2.7	
1	В	80	ALA	2.7	
2	Н	70	PHE	2.7	
2	Н	99	ALA	2.7	
1	А	190	MET	2.7	
3	D	53	LEU	2.7	
3	D	105	ILE	2.7	
2	С	74	ARG	2.7	
3	D	25	ALA	2.7	
1	В	82	MET	2.7	



Mol Chain Res		Res	Type	RSRZ	
1	В	169	ARG	2.7	
1	В	171	GLU	2.7	
2	С	34	MET	2.7	
1	В	133	CYS	2.6	
1	В	162	LEU	2.6	
2	С	140	GLU	2.6	
1	А	261	CYS	2.6	
1	В	258	PRO	2.6	
3	L	27	SER	2.6	
1	А	577	LYS	2.6	
1	В	139	GLN	2.6	
1	А	464	PHE	2.6	
2	С	45	LEU	2.5	
3	D	27	SER	2.5	
2	С	126	PRO	2.5	
3	L	6	GLN	2.5	
2	С	206	ASP	2.5	
1	В	540	HIS	2.5	
3	D	87	CYS	2.5	
3	D	97	PHE	2.4	
1	В	259	ILE	2.4	
1	В	173	GLY	2.4	
1	А	473	TRP	2.4	
2	С	158	THR	2.4	
3	D	63	GLY	2.4	
1	В	601	ASN	2.4	
3	D	148	LYS	2.4	
2	С	38	ARG	2.3	
1	В	172	VAL	2.3	
1	А	121	ASN	2.3	
1	В	134	ASN	2.3	
1	А	391	LEU	2.3	
1	В	195	HIS	2.3	
3	D	85	TYR	2.3	
2	Н	29	PHE	2.3	
3	D	165	GLN	2.3	
1	В	493	HIS	2.3	
2	Н	37	VAL	2.3	
1	А	400	PHE	2.3	
3	D	146	GLN	2.3	
2	Н	216	LYS	2.3	
3	L	97	PHE	2.3	



Mol	Chain	Res	Type	RSRZ	
2	С	154	PRO	2.3	
1	В	532	ALA	2.3	
3	L	31	TYR	2.3	
3	D	133	CYS	2.3	
3	D	36	GLN	2.2	
3	D	92	TYR	2.2	
2	Н	153	PHE	2.2	
1	А	102	GLN	2.2	
2	С	148	LEU	2.2	
1	В	138	PRO	2.2	
2	Н	152	TYR	2.2	
3	D	179	THR	2.2	
1	В	464	PHE	2.2	
3	D	128	THR	2.2	
1	В	142	LEU	2.2	
3	D	29	VAL	2.2	
1	В	177	ARG	2.2	
3	D	121	ASP	2.2	
1	А	540	HIS	2.2	
1	В	478	TRP	2.2	
2	С	102	MET	2.1	
2	С	96	TYR	2.1	
1	В	266	LEU	2.1	
1	В	194	ASN	2.1	
3	L	136	ASN	2.1	
1	В	19	SER	2.1	
1	В	148	LEU	2.1	
3	D	89	GLN	2.1	
2	С	201	TYR	2.1	
1	В	165	TRP	2.1	
1	В	422	GLY	2.1	
1	В	265	HIS	2.1	
2	Н	110	TRP	2.1	
2	С	152	TYR	2.1	
2	С	35	ASN	2.0	
1	В	502	SER	2.0	
2	С	117	THR	2.0	
2	С	131	LEU	2.0	
1	В	260	GLY	2.0	
1	А	569	ALA	2.0	
2	С	161	TRP	2.0	
3	D	31	TYR	2.0	



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	70	TYR	2.0
3	D	44	LYS	2.0
1	В	338	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

# 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	ZN	В	701	1/1	0.74	0.53	191,191,191,191	0
4	ZN	А	701	1/1	0.91	0.25	$105,\!105,\!105,\!105$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









# 6.5 Other polymers (i)

There are no such residues in this entry.

