



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 14, 2023 – 08:14 PM EDT

PDB ID : 8EWN  
Title : Crystal structure of CYP3A4 bound to an inhibitor  
Authors : Sevrioukova, I.F.  
Deposited on : 2022-10-24  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	487	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3663 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 3A4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	442	3552	2317	582	629	24	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	deletion	UNP P08684
A	?	-	ILE	deletion	UNP P08684
A	?	-	PRO	deletion	UNP P08684
A	?	-	ASP	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	ALA	deletion	UNP P08684
A	?	-	MET	deletion	UNP P08684
A	?	-	GLU	deletion	UNP P08684
A	?	-	THR	deletion	UNP P08684
A	?	-	TRP	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	ALA	deletion	UNP P08684
A	?	-	VAL	deletion	UNP P08684
A	?	-	SER	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	VAL	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	?	-	LEU	deletion	UNP P08684
A	504	HIS	-	expression tag	UNP P08684
A	505	HIS	-	expression tag	UNP P08684
A	506	HIS	-	expression tag	UNP P08684
A	507	HIS	-	expression tag	UNP P08684

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	A	15	Total	O	0	0
			15	15		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome P450 3A4



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.52Å 99.29Å 125.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.39 – 2.10 39.39 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (39.39-2.10) 99.1 (39.39-2.10)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.30 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.237 , 0.257 0.238 , 0.256	Depositor DCC
$R_{free}$ test set	1369 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	64.0	Xtrriage
Anisotropy	0.214	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 73.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	3663	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: X1O, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/3639	0.69	0/4920

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3552	0	3643	122	0
2	A	43	0	30	5	0
3	A	53	0	0	6	0
4	A	15	0	0	0	0
All	All	3663	0	3673	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:SER:HA	1:A:271:PHE:HB2	1.62	0.81
1:A:210:LEU:HD11	1:A:245:VAL:HG11	1.62	0.80
1:A:472:GLN:HE21	1:A:476:LYS:H	1.29	0.80
1:A:255:ARG:NH1	1:A:256:MET:HG2	1.97	0.79
1:A:152:TYR:HA	1:A:155:VAL:HG12	1.64	0.78
1:A:255:ARG:HH12	1:A:256:MET:HG2	1.46	0.77
1:A:317:ILE:HD13	1:A:363:THR:HG21	1.67	0.76
1:A:87:PRO:HG3	1:A:431:ILE:HD11	1.69	0.75
1:A:132:LEU:HD13	1:A:290:LEU:HG	1.69	0.74
1:A:140:GLY:HA2	1:A:143:LYS:HD3	1.70	0.73
1:A:59:MET:O	1:A:63:GLU:HG2	1.89	0.71
1:A:247:ASN:O	1:A:251:LYS:HG3	1.91	0.70
1:A:458:ARG:NH1	1:A:461:GLN:OE1	2.25	0.70
1:A:256:MET:SD	1:A:272:LEU:HD13	2.32	0.69
1:A:487:LYS:HD3	1:A:488:PRO:HD2	1.76	0.67
1:A:117:ALA:HB1	1:A:301:ILE:HG13	1.81	0.61
1:A:106:ARG:HD2	1:A:108:PHE:CE2	2.36	0.60
1:A:171:THR:HA	1:A:490:VAL:HG12	1.82	0.60
1:A:153:GLY:O	1:A:157:VAL:HG13	2.03	0.59
1:A:299:SER:O	1:A:303:ILE:HD12	2.02	0.59
1:A:420:SER:OG	1:A:422:LYS:HD2	2.01	0.59
1:A:172:LEU:HB3	1:A:176:PHE:CD1	2.38	0.59
1:A:229:LEU:HA	1:A:232:ILE:HD12	1.84	0.58
1:A:141:LYS:N	1:A:141:LYS:HD2	2.19	0.58
1:A:210:LEU:H	1:A:210:LEU:HD12	1.69	0.58
1:A:154:ASP:O	1:A:157:VAL:HG22	2.04	0.57
1:A:187:THR:O	1:A:271:PHE:N	2.37	0.57
1:A:232:ILE:O	1:A:236:LEU:HG	2.05	0.57
1:A:169:PRO:HG3	1:A:468:CYS:SG	2.45	0.57
3:A:602:X1O:C09	3:A:602:X1O:C19	2.83	0.57
1:A:183:VAL:O	1:A:187:THR:HG22	2.06	0.56
1:A:148:ILE:H	1:A:148:ILE:HD12	1.70	0.56
1:A:206:ASN:HD21	1:A:245:VAL:HA	1.70	0.56
1:A:296:VAL:O	1:A:300:ILE:HG13	2.06	0.56
1:A:154:ASP:O	1:A:158:ARG:HG3	2.05	0.55
1:A:442:CYS:HB2	2:A:601:HEM:NA	2.22	0.54
1:A:159:ASN:ND2	1:A:197:ASN:HD21	2.05	0.54
3:A:602:X1O:C19	3:A:602:X1O:N12	2.69	0.54
3:A:602:X1O:C01	3:A:602:X1O:N27	2.68	0.54
1:A:249:LEU:O	1:A:253:VAL:HG23	2.08	0.54
2:A:601:HEM:C1B	3:A:602:X1O:C49	2.91	0.54
1:A:458:ARG:O	1:A:462:ASN:ND2	2.39	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:GLN:N	1:A:298:GLN:OE1	2.41	0.53
3:A:602:X1O:C01	3:A:602:X1O:C23	2.87	0.53
3:A:602:X1O:C09	3:A:602:X1O:C32	2.86	0.53
1:A:383:ILE:O	1:A:384:ASN:C	2.46	0.53
1:A:152:TYR:CD1	1:A:182:ASP:HB3	2.44	0.53
1:A:226:PHE:HA	1:A:228:PHE:CE1	2.44	0.53
1:A:194:ASP:HB3	1:A:198:ASN:OD1	2.09	0.52
1:A:119:SER:HB3	2:A:601:HEM:HAD1	1.91	0.52
1:A:345:PRO:HB2	1:A:454:LEU:HD23	1.92	0.52
1:A:410:GLU:HB3	1:A:413:LYS:HG3	1.91	0.52
1:A:305:ALA:O	1:A:309:THR:OG1	2.21	0.51
1:A:159:ASN:HD22	1:A:197:ASN:HD21	1.58	0.51
1:A:442:CYS:HB2	2:A:601:HEM:C4A	2.45	0.51
1:A:71:VAL:HG11	1:A:386:MET:HE1	1.93	0.51
1:A:99:TYR:CE1	1:A:127:LYS:HE2	2.45	0.51
1:A:162:ARG:HD3	1:A:163:GLU:N	2.26	0.51
1:A:253:VAL:HG21	1:A:296:VAL:HG22	1.93	0.51
1:A:345:PRO:HB2	1:A:454:LEU:CD2	2.41	0.51
1:A:176:PHE:CD2	1:A:314:LEU:HD23	2.47	0.50
1:A:160:LEU:O	1:A:164:ALA:N	2.42	0.50
1:A:155:VAL:HA	1:A:158:ARG:HE	1.76	0.50
1:A:172:LEU:HB3	1:A:176:PHE:CE1	2.48	0.49
1:A:271:PHE:O	1:A:275:MET:HG3	2.12	0.48
1:A:275:MET:HB2	1:A:295:LEU:HD11	1.93	0.48
1:A:438:GLY:O	1:A:441:ASN:ND2	2.47	0.48
1:A:114:MET:HE1	1:A:301:ILE:HG12	1.96	0.48
2:A:601:HEM:HBB2	2:A:601:HEM:HMB2	1.96	0.47
1:A:209:LYS:HA	1:A:209:LYS:HE2	1.96	0.47
1:A:180:SER:OG	1:A:307:TYR:HA	2.15	0.47
1:A:133:LEU:HD13	1:A:133:LEU:HA	1.75	0.46
1:A:226:PHE:N	1:A:227:PRO:HD3	2.30	0.46
1:A:339:LEU:HG	1:A:343:ALA:HB3	1.96	0.46
1:A:253:VAL:HG11	1:A:295:LEU:HD23	1.96	0.46
1:A:349:THR:HA	1:A:352:GLN:OE1	2.16	0.46
1:A:335:ILE:HG21	1:A:461:GLN:HG3	1.99	0.45
1:A:143:LYS:HG2	1:A:144:GLU:N	2.30	0.45
1:A:236:LEU:HB2	1:A:238:ILE:HG13	1.99	0.45
1:A:251:LYS:HA	1:A:254:LYS:HG2	1.99	0.45
1:A:421:LYS:HA	1:A:424:LYS:HD3	1.98	0.45
1:A:255:ARG:HH11	1:A:255:ARG:HG3	1.82	0.45
1:A:252:SER:O	1:A:256:MET:HG3	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:339:LEU:HD21	1:A:345:PRO:HA	1.99	0.45
1:A:456:LEU:HD23	1:A:456:LEU:HA	1.77	0.45
1:A:483:LEU:HD12	1:A:483:LEU:HA	1.73	0.45
1:A:91:LYS:HG3	1:A:92:THR:N	2.32	0.45
1:A:159:ASN:ND2	1:A:197:ASN:ND2	2.65	0.45
1:A:379:LYS:O	1:A:381:VAL:HG13	2.17	0.45
1:A:110:PRO:HB3	1:A:233:LEU:HB2	1.99	0.44
1:A:184:ILE:HG12	1:A:303:ILE:HA	1.98	0.44
1:A:181:MET:HG3	1:A:195:SER:OG	2.17	0.44
1:A:193:ILE:HD12	1:A:204:VAL:HG23	1.98	0.44
1:A:88:ASP:HA	1:A:91:LYS:HG2	2.00	0.44
1:A:149:ILE:HG22	1:A:183:VAL:HG13	1.98	0.44
1:A:226:PHE:HB3	1:A:229:LEU:HG	2.00	0.44
1:A:466:LYS:HB3	1:A:466:LYS:HE3	1.60	0.44
1:A:125:GLU:OE2	1:A:129:LEU:HG	2.18	0.44
1:A:338:VAL:CG1	1:A:349:THR:HG23	2.48	0.44
1:A:179:TYR:O	1:A:183:VAL:HG23	2.17	0.44
1:A:357:ASP:O	1:A:360:VAL:HG22	2.18	0.44
1:A:353:MET:HB3	1:A:353:MET:HE2	1.39	0.44
1:A:226:PHE:HD1	1:A:228:PHE:CZ	2.36	0.43
1:A:348:ASP:O	1:A:352:GLN:HG3	2.18	0.43
1:A:146:VAL:HG13	1:A:454:LEU:HD11	2.00	0.43
1:A:112:GLY:O	1:A:115:LYS:HG2	2.19	0.43
1:A:133:LEU:HD11	1:A:275:MET:SD	2.59	0.43
1:A:206:ASN:OD1	1:A:245:VAL:HG13	2.18	0.43
1:A:126:TRP:CZ2	1:A:130:ARG:HD3	2.54	0.42
1:A:479:LEU:HD12	1:A:479:LEU:HA	1.79	0.42
1:A:477:LEU:HD23	1:A:477:LEU:HA	1.87	0.42
1:A:172:LEU:HB2	1:A:489:VAL:HG23	2.02	0.42
1:A:159:ASN:HB3	1:A:196:LEU:HD23	2.01	0.42
1:A:321:LEU:HD23	1:A:321:LEU:HA	1.86	0.42
1:A:369:ILE:HD12	1:A:370:ALA:N	2.34	0.42
1:A:136:THR:HG23	1:A:274:LEU:HD13	2.02	0.41
1:A:339:LEU:HD12	1:A:339:LEU:HA	1.76	0.41
1:A:487:LYS:HD3	1:A:487:LYS:HA	1.87	0.41
1:A:141:LYS:HD2	1:A:141:LYS:H	1.85	0.41
1:A:172:LEU:HB3	1:A:176:PHE:HD1	1.85	0.41
1:A:101:VAL:HG11	1:A:381:VAL:HG11	2.02	0.41
1:A:290:LEU:HD23	1:A:290:LEU:HA	1.96	0.40
1:A:410:GLU:CB	1:A:413:LYS:HG3	2.50	0.40
1:A:146:VAL:N	1:A:147:PRO:HD2	2.36	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:VAL:HA	1:A:149:ILE:HG12	2.03	0.40
1:A:142:LEU:O	1:A:146:VAL:HG23	2.22	0.40
1:A:191:VAL:HG21	1:A:203:PHE:CD2	2.57	0.40
1:A:189:PHE:O	1:A:256:MET:HE1	2.22	0.40
1:A:356:LEU:HD21	1:A:453:LYS:HB3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	434/487 (89%)	408 (94%)	26 (6%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	403/443 (91%)	376 (93%)	27 (7%)	<b>16</b> <b>13</b>

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	MET

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	67	LYS
1	A	108	PHE
1	A	130	ARG
1	A	139	SER
1	A	141	LYS
1	A	159	ASN
1	A	160	LEU
1	A	162	ARG
1	A	168	LYS
1	A	173	LYS
1	A	198	ASN
1	A	203	PHE
1	A	210	LEU
1	A	220	PHE
1	A	222	SER
1	A	248	PHE
1	A	258	GLU
1	A	288	LYS
1	A	339	LEU
1	A	384	ASN
1	A	386	MET
1	A	422	LYS
1	A	469	LYS
1	A	478	SER
1	A	479	LEU
1	A	482	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	ASN
1	A	472	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	601	1,3	41,50,50	1.41	4 (9%)	45,82,82	1.83	13 (28%)
3	X1O	A	602	2	62,62,62	1.71	10 (16%)	72,100,100	2.30	18 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1,3	-	2/12/54/54	-
3	X1O	A	602	2	-	1/10/128/128	0/10/10/10

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	X1O	C36-C33	-6.42	1.32	1.47
3	A	602	X1O	C44-N43	6.09	1.47	1.33
2	A	601	HEM	C3C-C2C	-3.67	1.35	1.40
2	A	601	HEM	C3C-CAC	3.60	1.55	1.47
3	A	602	X1O	IR07-N27	-3.33	1.91	2.08
3	A	602	X1O	IR07-N12	-3.30	1.91	2.08
3	A	602	X1O	C03-IR07	-3.29	1.92	2.01
3	A	602	X1O	C17-IR07	-3.02	1.93	2.01
2	A	601	HEM	CAB-C3B	2.67	1.54	1.47
3	A	602	X1O	C20-C23	-2.13	1.43	1.47
3	A	602	X1O	IR07-N38	-2.11	1.97	2.08

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	X1O	C18-C21	2.11	1.41	1.37
2	A	601	HEM	CMC-C2C	2.07	1.56	1.51
3	A	602	X1O	C36-N38	-2.06	1.33	1.37

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	X1O	O48-C44-N43	-7.78	108.32	123.01
3	A	602	X1O	C45-C44-N43	7.12	128.41	116.42
3	A	602	X1O	C34-C33-N16	6.30	128.63	119.86
3	A	602	X1O	C39-C36-N38	5.04	126.88	119.86
3	A	602	X1O	C36-C33-N16	-5.00	108.91	115.40
3	A	602	X1O	C32-N16-C33	-4.96	111.81	119.06
2	A	601	HEM	CMA-C3A-C4A	-4.46	121.61	128.46
3	A	602	X1O	C33-C36-N38	-4.09	110.10	115.40
2	A	601	HEM	CBA-CAA-C2A	-4.01	105.77	112.62
3	A	602	X1O	C42-N43-C44	-3.43	117.00	122.34
2	A	601	HEM	C4D-ND-C1D	3.28	108.46	105.07
2	A	601	HEM	CMC-C2C-C3C	3.08	130.43	124.68
2	A	601	HEM	C1B-NB-C4B	3.04	108.21	105.07
3	A	602	X1O	C20-C23-N27	3.03	116.45	113.11
2	A	601	HEM	CMA-C3A-C2A	2.76	130.15	124.94
3	A	602	X1O	C39-C40-C37	-2.68	117.34	121.03
3	A	602	X1O	C02-C05-C04	2.53	119.28	116.62
2	A	601	HEM	CHD-C1D-ND	2.53	127.18	124.43
3	A	602	X1O	C35-C31-C34	-2.51	116.37	120.19
3	A	602	X1O	C41-N38-C36	-2.50	114.57	119.19
2	A	601	HEM	C4C-CHD-C1D	2.49	125.84	122.56
2	A	601	HEM	CBD-CAD-C3D	-2.48	105.75	112.63
3	A	602	X1O	C30-N27-C23	2.43	122.62	119.06
2	A	601	HEM	O1A-CGA-CBA	-2.28	115.76	123.08
2	A	601	HEM	C3B-C2B-C1B	2.26	108.16	106.49
3	A	602	X1O	C11-C14-C13	-2.24	116.77	120.19
3	A	602	X1O	C05-C04-C01	-2.21	120.72	123.52
2	A	601	HEM	CHC-C4B-NB	2.14	126.76	124.43
3	A	602	X1O	C19-C22-C18	-2.13	120.82	123.52
2	A	601	HEM	CHA-C4D-ND	2.00	126.85	124.38
3	A	602	X1O	C52-N53-C49	2.00	121.56	116.85

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	X1O	C44-C45-C46-C47
2	A	601	HEM	CAD-CBD-CGD-O2D
2	A	601	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	5	0
3	A	602	X1O	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	442/487 (90%)	1.22	92 (20%) <b>1</b> <b>0</b>	53, 92, 151, 169	0

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	274	LEU	7.8
1	A	203	PHE	7.6
1	A	241	PHE	7.5
1	A	189	PHE	7.4
1	A	257	LYS	6.6
1	A	248	PHE	6.2
1	A	193	ILE	6.1
1	A	206	ASN	6.1
1	A	191	VAL	6.0
1	A	290	LEU	5.8
1	A	271	PHE	5.5
1	A	256	MET	5.4
1	A	276	ILE	5.4
1	A	202	PRO	5.0
1	A	253	VAL	4.8
1	A	220	PHE	4.7
1	A	210	LEU	4.7
1	A	277	ASP	4.6
1	A	369	ILE	4.4
1	A	168	LYS	4.4
1	A	254	LYS	4.3
1	A	251	LYS	4.3
1	A	293	LEU	4.2
1	A	207	THR	4.1
1	A	200	GLN	4.1
1	A	308	GLU	4.1
1	A	255	ARG	4.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	192	ASN	4.0
1	A	310	THR	3.9
1	A	250	ARG	3.9
1	A	249	LEU	3.9
1	A	341	ASN	3.9
1	A	205	GLU	3.9
1	A	28	HIS	3.9
1	A	312	SER	3.7
1	A	270	ASP	3.6
1	A	313	VAL	3.5
1	A	252	SER	3.5
1	A	309	THR	3.5
1	A	237	ASN	3.4
1	A	244	GLU	3.4
1	A	272	LEU	3.4
1	A	247	ASN	3.4
1	A	226	PHE	3.3
1	A	295	LEU	3.3
1	A	113	PHE	3.3
1	A	145	MET	3.3
1	A	482	LEU	3.3
1	A	149	ILE	3.2
1	A	132	LEU	3.1
1	A	322	ALA	3.0
1	A	314	LEU	3.0
1	A	275	MET	3.0
1	A	186	SER	2.9
1	A	166	THR	2.9
1	A	188	SER	2.8
1	A	162	ARG	2.8
1	A	154	ASP	2.7
1	A	384	ASN	2.7
1	A	232	ILE	2.7
1	A	246	THR	2.6
1	A	160	LEU	2.6
1	A	167	GLY	2.6
1	A	449	LEU	2.6
1	A	165	GLU	2.6
1	A	35	LYS	2.6
1	A	273	GLN	2.6
1	A	305	ALA	2.5
1	A	66	LYS	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	481	GLY	2.4
1	A	368	PRO	2.4
1	A	287	HIS	2.4
1	A	289	ALA	2.4
1	A	46	PHE	2.4
1	A	373	LEU	2.3
1	A	364	LEU	2.3
1	A	382	GLU	2.3
1	A	258	GLU	2.3
1	A	458	ARG	2.3
1	A	434	PRO	2.3
1	A	148	ILE	2.2
1	A	108	PHE	2.2
1	A	470	GLU	2.2
1	A	224	THR	2.2
1	A	446	ARG	2.2
1	A	236	LEU	2.2
1	A	381	VAL	2.2
1	A	317	ILE	2.2
1	A	204	VAL	2.2
1	A	493	VAL	2.1
1	A	371	MET	2.1
1	A	120	ILE	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	X1O	A	602	53/53	0.84	0.37	108,164,181,184	0
2	HEM	A	601	43/43	0.97	0.22	53,67,74,79	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.