



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2023 – 01:38 PM JST

PDB ID : 5F0V
Title : X-ray crystal structure of a thiolase from Escherichia coli at 1.8 Å resolution
Authors : Ithayaraja, M.; Neelanjana, J.; Wierenga, R.; Savithri, H.S.; Murthy, M.R.N.
Deposited on : 2015-11-28
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	395	 2% 92% 7% .
1	B	395	 2% 92% 8% .
1	C	395	 2% 92% 8%
1	D	395	 % 91% 8% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	MLY	A	86	-	-	X	-
1	MLY	B	86	-	-	X	-
1	MLY	C	86	-	-	X	-
1	MLY	D	86	-	-	X	-
2	EDO	B	403	-	-	X	-
2	EDO	D	405	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12462 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	395	2819	1770	497	535	17	0	6	0
1	B	394	2787	1747	488	535	17	0	1	0
1	C	395	2785	1749	485	534	17	0	1	0
1	D	395	2757	1732	481	528	16	0	2	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ALA	-	expression tag	UNP P76461
A	0	SER	-	expression tag	UNP P76461
B	-1	ALA	-	expression tag	UNP P76461
B	0	SER	-	expression tag	UNP P76461
C	-1	ALA	-	expression tag	UNP P76461
C	0	SER	-	expression tag	UNP P76461
D	-1	ALA	-	expression tag	UNP P76461
D	0	SER	-	expression tag	UNP P76461

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 3 2 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	320	Total O 321 321	0	1
3	B	299	Total O 299 299	0	0
3	C	297	Total O 299 299	0	2
3	D	220	Total O 220 220	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase





4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	190.93Å 75.31Å 147.41Å 90.00° 131.42° 90.00°	Depositor
Resolution (Å)	35.60 – 1.80 35.03 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (35.60-1.80) 93.5 (35.03-1.80)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 1.81Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.160 , 0.195 0.172 , 0.206	Depositor DCC
R_{free} test set	6673 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtrriage
Anisotropy	0.095	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12462	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MLY, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.91	1/2858 (0.0%)	0.89	5/3870 (0.1%)
1	B	0.88	0/2810	0.87	4/3804 (0.1%)
1	C	0.86	1/2809 (0.0%)	0.86	7/3805 (0.2%)
1	D	0.89	3/2783 (0.1%)	0.94	6/3766 (0.2%)
All	All	0.88	5/11260 (0.0%)	0.89	22/15245 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	357	ARG	CD-NE	-10.35	1.28	1.46
1	D	4	CYS	CB-SG	-6.40	1.71	1.82
1	A	4	CYS	CB-SG	-5.83	1.72	1.81
1	D	130	ARG	CZ-NH2	-5.63	1.25	1.33
1	C	354	SER	CB-OG	-5.19	1.35	1.42

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	357	ARG	NE-CZ-NH2	-20.34	110.13	120.30
1	D	357	ARG	NE-CZ-NH1	17.98	129.29	120.30
1	B	275	ARG	NE-CZ-NH1	10.17	125.38	120.30
1	B	275	ARG	NE-CZ-NH2	-9.46	115.57	120.30
1	C	237	ASP	CB-CG-OD1	6.70	124.33	118.30
1	D	392	ARG	NE-CZ-NH2	-6.65	116.98	120.30
1	C	357	ARG	NE-CZ-NH2	-6.63	116.98	120.30
1	D	357	ARG	CD-NE-CZ	6.61	132.86	123.60
1	B	357	ARG	NE-CZ-NH2	-6.11	117.25	120.30
1	A	146[A]	ARG	CG-CD-NE	-6.06	99.08	111.80
1	A	146[B]	ARG	CG-CD-NE	-6.06	99.08	111.80
1	D	126	ASP	CB-CG-OD1	-5.97	112.93	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	137	ASP	CB-CG-OD1	5.96	123.66	118.30
1	C	67	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	134	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	357	ARG	NE-CZ-NH1	-5.49	117.55	120.30
1	C	124	LEU	CA-CB-CG	5.34	127.58	115.30
1	C	392	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	B	237	ASP	CB-CG-OD2	-5.34	113.50	118.30
1	C	237	ASP	CB-CG-OD2	-5.31	113.52	118.30
1	D	44	ASP	CB-CG-OD1	5.22	123.00	118.30
1	A	357	ARG	NE-CZ-NH2	5.09	122.84	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2819	0	2864	32	0
1	B	2787	0	2814	34	0
1	C	2785	0	2811	23	0
1	D	2757	0	2738	30	0
2	A	63	0	92	8	0
2	B	56	0	84	14	0
2	C	24	0	36	3	0
2	D	32	0	48	6	0
3	A	321	0	0	6	0
3	B	299	0	0	4	0
3	C	299	0	0	2	0
3	D	220	0	0	4	0
All	All	12462	0	11487	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:86:MLY:HH21	1:D:50:GLU:OE2	1.48	1.12
1:C:50:GLU:OE2	1:D:86:MLY:HH21	1.59	1.01
1:A:86:MLY:HH21	1:B:50:GLU:OE2	1.60	1.00
1:A:50:GLU:OE2	1:B:86:MLY:HH21	1.58	0.99
1:A:174[B]:GLU:CG	3:A:784:HOH:O	2.09	0.99
1:A:174[A]:GLU:CG	3:A:813:HOH:O	2.20	0.90
1:A:370:ASP:OD1	1:A:392[A]:ARG:NH2	2.06	0.88
1:D:14:ILE:HD11	1:D:357:ARG:HD2	1.57	0.87
1:B:86:MLY:HH12	1:B:281:SER:OG	1.79	0.83
1:D:86:MLY:HH12	1:D:281:SER:OG	1.79	0.82
1:C:86:MLY:HH12	1:C:281:SER:OG	1.81	0.81
1:A:86:MLY:HH12	1:A:281:SER:OG	1.84	0.77
1:A:86:MLY:HH23	1:B:80:CYS:HB3	1.65	0.76
1:C:80:CYS:HB3	1:D:86:MLY:HH23	1.67	0.76
2:D:406:EDO:O1	3:D:501:HOH:O	2.02	0.76
1:B:4:CYS:SG	1:B:259:ILE:CG2	2.76	0.74
1:A:80:CYS:HB3	1:B:86:MLY:HH23	1.69	0.73
1:D:277:LYS:HD3	1:D:304:ALA:HB1	1.71	0.71
1:A:130[A]:ARG:NH2	1:B:144:ILE:HD12	2.06	0.70
1:A:86:MLY:HH11	1:A:93:LYS:HZ3	1.56	0.70
1:C:4:CYS:SG	1:C:259:ILE:CG2	2.80	0.69
1:D:86:MLY:HH11	1:D:93:LYS:HZ3	1.58	0.68
1:B:244:ALA:HB3	2:B:405:EDO:H21	1.76	0.68
1:A:86:MLY:HH13	1:A:93:LYS:HD3	1.76	0.68
1:D:4:CYS:SG	1:D:259:ILE:CG2	2.81	0.67
1:B:86:MLY:HH11	1:B:93:LYS:HZ3	1.59	0.67
1:C:86:MLY:HH23	1:D:80:CYS:HB3	1.77	0.66
1:B:232:LEU:HD22	2:B:405:EDO:H22	1.77	0.66
1:B:186:LYS:HA	2:B:403:EDO:H21	1.78	0.64
1:C:86:MLY:HH13	1:C:93:LYS:HD3	1.84	0.60
1:D:1:MET:CB	2:D:405:EDO:C1	2.80	0.60
1:B:157:HIS:HE2	2:B:411:EDO:H22	1.66	0.60
2:B:408:EDO:H11	1:C:150:MET:HG3	1.82	0.60
1:C:86:MLY:HH11	1:C:93:LYS:NZ	2.16	0.59
2:A:416:EDO:H21	3:A:511:HOH:O	2.02	0.59
1:B:190:ALA:HB2	2:B:402:EDO:H12	1.83	0.59
1:B:4:CYS:SG	1:B:259:ILE:HG22	2.43	0.58
1:A:86:MLY:HH11	1:A:93:LYS:NZ	2.18	0.57
1:B:86:MLY:HH13	1:B:93:LYS:HD3	1.86	0.57
1:D:272:PRO:HB2	1:D:393:LEU:HD23	1.87	0.57
2:B:408:EDO:H12	3:B:550:HOH:O	2.05	0.56
1:C:86:MLY:HH11	1:C:93:LYS:HZ3	1.70	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:GLU:CG	3:A:546:HOH:O	2.54	0.55
1:B:232:LEU:CD2	2:B:405:EDO:H22	2.36	0.55
1:C:4:CYS:SG	1:C:259:ILE:HG22	2.46	0.55
1:C:320:PHE:H	1:C:323:GLN:HE21	1.55	0.55
1:D:86:MLY:HH13	1:D:93:LYS:HD3	1.89	0.55
1:B:86:MLY:HH11	1:B:93:LYS:NZ	2.23	0.54
1:A:140:VAL:HG13	1:D:140:VAL:HG23	1.90	0.54
1:A:18[A]:ASN:ND2	3:A:502:HOH:O	2.25	0.54
1:D:1:MET:CB	2:D:405:EDO:H12	2.38	0.54
1:D:4:CYS:SG	1:D:259:ILE:HG22	2.48	0.53
1:B:190:ALA:N	2:B:402:EDO:H11	2.25	0.52
1:C:275:ARG:HD2	3:C:603:HOH:O	2.09	0.52
1:C:219:PHE:N	1:C:220:PRO:CD	2.72	0.52
1:D:320:PHE:H	1:D:323[A]:GLN:HE21	1.57	0.51
1:C:86:MLY:HH12	1:C:281:SER:CB	2.42	0.50
1:A:223:ASN:N	2:A:403:EDO:H11	2.27	0.50
1:B:320:PHE:H	1:B:323:GLN:HE21	1.59	0.49
1:B:285:PRO:HD3	3:B:744:HOH:O	2.12	0.49
1:B:173:ARG:NH1	1:B:177:ASP:OD2	2.44	0.49
1:C:288:LEU:HD12	2:C:405:EDO:H21	1.94	0.49
1:D:127:ALA:H	2:D:407:EDO:H11	1.77	0.49
1:D:86:MLY:HH11	1:D:93:LYS:NZ	2.26	0.49
1:B:86:MLY:HH12	1:B:281:SER:CB	2.43	0.48
1:C:179:LEU:HD21	2:C:401:EDO:H11	1.96	0.48
1:A:146[B]:ARG:HE	2:A:415:EDO:H11	1.78	0.48
1:A:134:ARG:HB2	2:A:410:EDO:H21	1.95	0.47
1:A:219:PHE:N	1:A:220:PRO:CD	2.77	0.47
1:A:86:MLY:HH12	1:A:281:SER:CB	2.44	0.47
1:A:146[A]:ARG:HG2	2:A:415:EDO:H11	1.97	0.47
1:A:146[B]:ARG:HD3	1:B:60:GLY:HA2	1.95	0.47
1:D:86:MLY:HH12	1:D:281:SER:CB	2.44	0.47
1:A:146[B]:ARG:HD3	1:A:146[B]:ARG:HH21	1.45	0.47
1:B:186:LYS:HG2	2:B:403:EDO:H21	1.97	0.47
1:A:182:HIS:HE1	3:A:763:HOH:O	1.97	0.46
1:B:27:ILE:HD12	3:B:658:HOH:O	2.16	0.46
1:D:392:ARG:C	1:D:393:LEU:CA	2.83	0.46
1:C:86:MLY:HH12	1:C:281:SER:HG	1.76	0.46
1:D:219:PHE:N	1:D:220:PRO:CD	2.79	0.46
1:C:288:LEU:CD1	2:C:405:EDO:H21	2.46	0.45
1:C:80:CYS:CB	1:D:86:MLY:HH23	2.41	0.45
1:A:80:CYS:CB	1:B:86:MLY:HH23	2.42	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130[A]:ARG:HH22	1:B:144:ILE:HD12	1.82	0.44
1:A:241:THR:CG2	2:A:402:EDO:H21	2.48	0.44
1:D:307:GLN:HB3	3:D:627:HOH:O	2.17	0.44
1:A:134:ARG:HB2	2:A:410:EDO:C2	2.48	0.44
1:A:86:MLY:HH22	1:B:81:GLY:CA	2.48	0.43
1:C:86:MLY:CH1	1:C:93:LYS:NZ	2.82	0.43
1:B:219:PHE:N	1:B:220:PRO:CD	2.82	0.43
1:D:86:MLY:CH1	1:D:93:LYS:NZ	2.82	0.43
1:A:223:ASN:H	2:A:403:EDO:H11	1.84	0.42
1:B:86:MLY:CH1	1:B:93:LYS:NZ	2.82	0.42
1:B:186:LYS:HG2	2:B:403:EDO:C2	2.49	0.42
1:D:1:MET:CB	2:D:405:EDO:C2	2.97	0.42
1:D:290:GLY:O	1:D:323[B]:GLN:HG2	2.19	0.42
1:C:292:GLY:N	1:C:293:PRO:CD	2.82	0.42
1:C:207:THR:HG22	3:C:686:HOH:O	2.19	0.42
1:D:1:MET:CA	2:D:405:EDO:H12	2.50	0.42
1:D:357:ARG:HD3	3:D:584:HOH:O	2.19	0.42
1:D:290:GLY:CA	1:D:323[B]:GLN:HG3	2.49	0.42
2:B:403:EDO:H22	3:B:553:HOH:O	2.20	0.42
1:A:86:MLY:CH1	1:A:93:LYS:NZ	2.81	0.41
1:B:190:ALA:HB2	2:B:402:EDO:C1	2.49	0.41
1:B:146[B]:ARG:HD3	2:B:414:EDO:O1	2.20	0.41
1:A:234:PRO:HB2	1:A:237:ASP:O	2.21	0.41
1:D:27:ILE:HD12	3:D:617:HOH:O	2.21	0.41
1:B:4:CYS:SG	1:B:259:ILE:HG23	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	398/395 (101%)	388 (98%)	9 (2%)	1 (0%)	41 27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	390/395 (99%)	378 (97%)	11 (3%)	1 (0%)	41	27
1	C	393/395 (100%)	384 (98%)	8 (2%)	1 (0%)	41	27
1	D	393/395 (100%)	385 (98%)	7 (2%)	1 (0%)	41	27
All	All	1574/1580 (100%)	1535 (98%)	35 (2%)	4 (0%)	41	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	87	VAL
1	B	87	VAL
1	C	87	VAL
1	D	87	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/282 (98%)	265 (96%)	10 (4%)	35	20
1	B	270/282 (96%)	265 (98%)	5 (2%)	57	46
1	C	269/282 (95%)	264 (98%)	5 (2%)	57	46
1	D	259/282 (92%)	252 (97%)	7 (3%)	44	31
All	All	1073/1128 (95%)	1046 (98%)	27 (2%)	50	34

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	LEU
1	A	130[A]	ARG
1	A	130[B]	ARG
1	A	146[A]	ARG
1	A	146[B]	ARG
1	A	149	LEU
1	A	156	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	259	ILE
1	A	289	MET
1	A	323	GLN
1	B	70	LEU
1	B	149	LEU
1	B	156	TYR
1	B	173	ARG
1	B	289	MET
1	C	70	LEU
1	C	88	CYS
1	C	149	LEU
1	C	156	TYR
1	C	289	MET
1	D	70	LEU
1	D	88	CYS
1	D	124	LEU
1	D	149	LEU
1	D	156	TYR
1	D	289	MET
1	D	357	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	HIS
1	B	68	GLN
1	B	323	GLN
1	C	323	GLN
1	D	3	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MLY	A	86	1	9,10,11	1.61	1 (11%)	6,11,13	3.46	3 (50%)
1	MLY	C	86	1	9,10,11	1.66	2 (22%)	6,11,13	3.23	2 (33%)
1	MLY	B	86	1	9,10,11	1.92	3 (33%)	6,11,13	3.34	2 (33%)
1	MLY	D	86	1	9,10,11	1.53	1 (11%)	6,11,13	4.01	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MLY	A	86	1	-	3/8/9/11	-
1	MLY	C	86	1	-	3/8/9/11	-
1	MLY	B	86	1	-	3/8/9/11	-
1	MLY	D	86	1	-	3/8/9/11	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	86	MLY	CD-CE	3.97	1.67	1.51
1	A	86	MLY	CD-CE	3.82	1.67	1.51
1	D	86	MLY	CD-CE	3.68	1.66	1.51
1	C	86	MLY	CB-CA	2.92	1.57	1.53
1	B	86	MLY	CH1-NZ	-2.92	1.37	1.46
1	C	86	MLY	CD-CE	2.56	1.62	1.51
1	B	86	MLY	CE-NZ	2.38	1.54	1.46

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	86	MLY	CH2-NZ-CE	8.38	143.94	110.74
1	A	86	MLY	CH2-NZ-CE	6.98	138.39	110.74
1	B	86	MLY	CH2-NZ-CE	6.84	137.83	110.74
1	C	86	MLY	CH2-NZ-CE	6.66	137.14	110.74
1	B	86	MLY	CD-CG-CB	4.34	128.99	113.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	86	MLY	CH2-NZ-CH1	-4.05	99.26	109.73
1	A	86	MLY	CD-CG-CB	3.99	127.74	113.62
1	C	86	MLY	CD-CG-CB	3.98	127.70	113.62
1	D	86	MLY	CD-CG-CB	2.99	124.22	113.62
1	A	86	MLY	CH2-NZ-CH1	-2.49	103.31	109.73

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	86	MLY	CD-CE-NZ-CH2
1	D	86	MLY	CD-CE-NZ-CH2
1	B	86	MLY	CG-CD-CE-NZ
1	D	86	MLY	CG-CD-CE-NZ
1	C	86	MLY	CG-CD-CE-NZ
1	A	86	MLY	CG-CD-CE-NZ
1	C	86	MLY	CD-CE-NZ-CH2
1	A	86	MLY	CD-CE-NZ-CH2
1	B	86	MLY	CE-CD-CG-CB
1	C	86	MLY	CE-CD-CG-CB
1	A	86	MLY	CE-CD-CG-CB
1	D	86	MLY	CE-CD-CG-CB

There are no ring outliers.

4 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	86	MLY	9	0
1	C	86	MLY	9	0
1	B	86	MLY	9	0
1	D	86	MLY	9	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	405	-	3,3,3	0.54	0	2,2,2	0.83	0
2	EDO	A	415	-	3,3,3	0.27	0	2,2,2	0.66	0
2	EDO	D	403	-	3,3,3	0.43	0	2,2,2	0.26	0
2	EDO	A	411	-	3,3,3	0.69	0	2,2,2	0.20	0
2	EDO	B	403	-	3,3,3	0.17	0	2,2,2	1.19	0
2	EDO	B	414	-	3,3,3	0.44	0	2,2,2	0.24	0
2	EDO	D	408	-	3,3,3	0.49	0	2,2,2	0.32	0
2	EDO	D	405	-	3,3,3	0.24	0	2,2,2	0.47	0
2	EDO	A	404	-	3,3,3	0.77	0	2,2,2	0.10	0
2	EDO	B	405	-	3,3,3	0.84	0	2,2,2	0.53	0
2	EDO	A	409	-	3,3,3	0.70	0	2,2,2	0.16	0
2	EDO	A	414	-	2,2,3	0.47	0	1,1,2	0.80	0
2	EDO	B	407	-	3,3,3	0.29	0	2,2,2	0.56	0
2	EDO	C	402	-	3,3,3	0.17	0	2,2,2	1.06	0
2	EDO	A	403	-	3,3,3	0.70	0	2,2,2	1.14	0
2	EDO	A	413	-	3,3,3	0.40	0	2,2,2	0.69	0
2	EDO	D	402	-	3,3,3	0.43	0	2,2,2	0.39	0
2	EDO	A	401	-	3,3,3	0.21	0	2,2,2	0.32	0
2	EDO	A	407	-	3,3,3	0.45	0	2,2,2	0.20	0
2	EDO	B	402	-	3,3,3	0.33	0	2,2,2	0.62	0
2	EDO	A	410	-	3,3,3	0.54	0	2,2,2	0.38	0
2	EDO	C	405	-	3,3,3	0.31	0	2,2,2	0.56	0
2	EDO	D	401	-	3,3,3	0.46	0	2,2,2	0.60	0
2	EDO	B	406	-	3,3,3	0.59	0	2,2,2	0.11	0
2	EDO	B	404	-	3,3,3	0.37	0	2,2,2	0.65	0
2	EDO	C	401	-	3,3,3	0.34	0	2,2,2	0.63	0
2	EDO	A	402	-	3,3,3	0.84	0	2,2,2	0.88	0
2	EDO	B	401	-	3,3,3	0.48	0	2,2,2	0.36	0
2	EDO	A	406	-	3,3,3	0.50	0	2,2,2	0.55	0
2	EDO	D	407	-	3,3,3	0.34	0	2,2,2	0.85	0
2	EDO	A	408	-	3,3,3	1.08	0	2,2,2	0.26	0
2	EDO	D	404	-	3,3,3	0.75	0	2,2,2	0.05	0
2	EDO	A	416	-	3,3,3	0.28	0	2,2,2	0.96	0
2	EDO	B	408	-	3,3,3	0.58	0	2,2,2	0.15	0
2	EDO	B	409	-	3,3,3	0.21	0	2,2,2	0.19	0
2	EDO	B	411	-	3,3,3	0.69	0	2,2,2	0.02	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	D	406	-	3,3,3	0.61	0	2,2,2	0.10	0
2	EDO	C	406	-	3,3,3	0.57	0	2,2,2	0.17	0
2	EDO	C	404	-	3,3,3	0.55	0	2,2,2	0.28	0
2	EDO	B	413	-	3,3,3	0.32	0	2,2,2	0.74	0
2	EDO	B	410	-	3,3,3	0.43	0	2,2,2	0.72	0
2	EDO	A	412	-	3,3,3	0.58	0	2,2,2	0.61	0
2	EDO	C	403	-	3,3,3	0.81	0	2,2,2	0.75	0
2	EDO	B	412	-	3,3,3	0.49	0	2,2,2	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	405	-	-	0/1/1/1	-
2	EDO	A	415	-	-	1/1/1/1	-
2	EDO	D	403	-	-	0/1/1/1	-
2	EDO	A	411	-	-	1/1/1/1	-
2	EDO	B	403	-	-	0/1/1/1	-
2	EDO	B	414	-	-	1/1/1/1	-
2	EDO	D	408	-	-	1/1/1/1	-
2	EDO	D	405	-	-	1/1/1/1	-
2	EDO	A	404	-	-	1/1/1/1	-
2	EDO	B	405	-	-	1/1/1/1	-
2	EDO	A	409	-	-	1/1/1/1	-
2	EDO	B	407	-	-	1/1/1/1	-
2	EDO	C	402	-	-	1/1/1/1	-
2	EDO	A	403	-	-	0/1/1/1	-
2	EDO	A	413	-	-	0/1/1/1	-
2	EDO	D	402	-	-	1/1/1/1	-
2	EDO	A	401	-	-	0/1/1/1	-
2	EDO	A	407	-	-	0/1/1/1	-
2	EDO	B	402	-	-	1/1/1/1	-
2	EDO	A	410	-	-	1/1/1/1	-
2	EDO	C	405	-	-	1/1/1/1	-
2	EDO	D	401	-	-	0/1/1/1	-
2	EDO	B	406	-	-	1/1/1/1	-
2	EDO	B	404	-	-	1/1/1/1	-
2	EDO	C	401	-	-	0/1/1/1	-
2	EDO	A	402	-	-	1/1/1/1	-
2	EDO	B	401	-	-	0/1/1/1	-
2	EDO	A	406	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	407	-	-	0/1/1/1	-
2	EDO	A	408	-	-	0/1/1/1	-
2	EDO	D	404	-	-	0/1/1/1	-
2	EDO	A	416	-	-	0/1/1/1	-
2	EDO	B	408	-	-	1/1/1/1	-
2	EDO	B	409	-	-	1/1/1/1	-
2	EDO	B	411	-	-	1/1/1/1	-
2	EDO	D	406	-	-	1/1/1/1	-
2	EDO	C	406	-	-	1/1/1/1	-
2	EDO	C	404	-	-	0/1/1/1	-
2	EDO	B	413	-	-	0/1/1/1	-
2	EDO	B	410	-	-	0/1/1/1	-
2	EDO	A	412	-	-	1/1/1/1	-
2	EDO	C	403	-	-	1/1/1/1	-
2	EDO	B	412	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	410	EDO	O1-C1-C2-O2
2	D	405	EDO	O1-C1-C2-O2
2	A	402	EDO	O1-C1-C2-O2
2	A	404	EDO	O1-C1-C2-O2
2	A	409	EDO	O1-C1-C2-O2
2	A	411	EDO	O1-C1-C2-O2
2	B	405	EDO	O1-C1-C2-O2
2	B	411	EDO	O1-C1-C2-O2
2	B	414	EDO	O1-C1-C2-O2
2	B	404	EDO	O1-C1-C2-O2
2	A	412	EDO	O1-C1-C2-O2
2	B	402	EDO	O1-C1-C2-O2
2	B	409	EDO	O1-C1-C2-O2
2	C	403	EDO	O1-C1-C2-O2
2	C	406	EDO	O1-C1-C2-O2
2	C	405	EDO	O1-C1-C2-O2
2	B	408	EDO	O1-C1-C2-O2
2	C	402	EDO	O1-C1-C2-O2
2	D	406	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	412	EDO	O1-C1-C2-O2
2	B	406	EDO	O1-C1-C2-O2
2	A	415	EDO	O1-C1-C2-O2
2	D	408	EDO	O1-C1-C2-O2
2	B	407	EDO	O1-C1-C2-O2
2	D	402	EDO	O1-C1-C2-O2

There are no ring outliers.

16 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	415	EDO	2	0
2	B	403	EDO	4	0
2	B	414	EDO	1	0
2	D	405	EDO	4	0
2	B	405	EDO	3	0
2	A	403	EDO	2	0
2	B	402	EDO	3	0
2	A	410	EDO	2	0
2	C	405	EDO	2	0
2	C	401	EDO	1	0
2	A	402	EDO	1	0
2	D	407	EDO	1	0
2	A	416	EDO	1	0
2	B	408	EDO	2	0
2	B	411	EDO	1	0
2	D	406	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	394/395 (99%)	-0.08	6 (1%) 73 70	14, 23, 39, 53	0
1	B	393/395 (99%)	-0.05	8 (2%) 65 61	15, 25, 42, 63	0
1	C	394/395 (99%)	-0.07	9 (2%) 60 56	14, 25, 40, 57	0
1	D	394/395 (99%)	-0.12	2 (0%) 91 89	14, 28, 50, 63	0
All	All	1575/1580 (99%)	-0.08	25 (1%) 72 68	14, 25, 43, 63	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	-1	ALA	3.4
1	C	0	SER	3.2
1	B	207	THR	3.1
1	A	-1	ALA	3.1
1	A	393	LEU	3.0
1	B	206	VAL	2.7
1	B	212	PHE	2.6
1	C	46	GLN	2.6
1	B	0	SER	2.5
1	C	84	VAL	2.5
1	C	56	VAL	2.4
1	B	1	MET	2.4
1	D	236	PHE	2.4
1	B	211	THR	2.4
1	B	223	ASN	2.3
1	C	47	HIS	2.3
1	A	0	SER	2.2
1	A	267	ALA	2.2
1	C	267	ALA	2.2
1	B	358	ILE	2.1
1	A	56	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	353	ALA	2.0
1	D	126	ASP	2.0
1	C	268	ALA	2.0
1	A	266	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	MLY	A	86	11/12	0.93	0.20	14,16,19,20	0
1	MLY	C	86	11/12	0.93	0.21	12,15,17,17	0
1	MLY	D	86	11/12	0.93	0.21	14,16,17,19	0
1	MLY	B	86	11/12	0.95	0.21	12,15,18,19	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	411	4/4	0.75	0.14	50,52,53,60	0
2	EDO	D	408	4/4	0.76	0.17	55,57,57,57	0
2	EDO	A	412	4/4	0.77	0.23	48,51,52,57	0
2	EDO	A	404	4/4	0.77	0.20	43,44,44,48	0
2	EDO	D	406	4/4	0.79	0.16	56,57,60,61	0
2	EDO	A	413	4/4	0.81	0.12	56,56,60,63	0
2	EDO	D	407	4/4	0.81	0.16	51,55,56,57	0
2	EDO	B	411	4/4	0.81	0.18	48,48,52,57	0
2	EDO	B	410	4/4	0.84	0.25	49,56,60,60	0
2	EDO	C	406	4/4	0.86	0.23	58,59,61,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	EDO	D	403	4/4	0.86	0.15	37,38,41,44	0
2	EDO	B	406	4/4	0.86	0.18	50,50,52,55	0
2	EDO	A	409	4/4	0.86	0.21	49,49,52,52	0
2	EDO	A	402	4/4	0.86	0.17	29,39,40,47	0
2	EDO	D	404	4/4	0.87	0.11	35,39,42,43	0
2	EDO	C	403	4/4	0.87	0.14	32,36,38,39	0
2	EDO	A	414	3/4	0.87	0.15	47,47,48,51	0
2	EDO	C	402	4/4	0.87	0.16	48,50,59,62	0
2	EDO	A	416	4/4	0.88	0.19	58,58,60,61	0
2	EDO	A	408	4/4	0.88	0.13	31,37,39,43	0
2	EDO	A	410	4/4	0.88	0.18	49,49,51,58	0
2	EDO	D	401	4/4	0.89	0.13	33,34,34,37	0
2	EDO	B	407	4/4	0.90	0.19	53,53,54,57	0
2	EDO	B	408	4/4	0.90	0.14	48,49,49,52	0
2	EDO	D	405	4/4	0.90	0.22	39,42,46,50	0
2	EDO	B	412	4/4	0.92	0.19	50,50,51,58	0
2	EDO	B	414	4/4	0.92	0.13	54,57,58,62	0
2	EDO	B	405	4/4	0.92	0.28	30,32,34,40	0
2	EDO	A	415	4/4	0.92	0.14	32,44,49,55	0
2	EDO	B	413	4/4	0.93	0.23	35,36,41,52	0
2	EDO	A	405	4/4	0.93	0.22	34,41,45,50	0
2	EDO	B	404	4/4	0.93	0.14	37,51,52,52	0
2	EDO	A	407	4/4	0.93	0.37	41,46,49,51	0
2	EDO	A	406	4/4	0.94	0.17	34,35,36,36	0
2	EDO	C	405	4/4	0.95	0.43	42,45,47,53	0
2	EDO	A	403	4/4	0.95	0.17	34,35,41,50	0
2	EDO	B	402	4/4	0.95	0.16	25,40,47,48	0
2	EDO	C	404	4/4	0.96	0.11	31,34,34,34	0
2	EDO	B	401	4/4	0.96	0.14	27,27,32,32	0
2	EDO	C	401	4/4	0.96	0.10	32,32,33,33	0
2	EDO	B	409	4/4	0.96	0.18	36,37,41,45	0
2	EDO	B	403	4/4	0.96	0.21	32,33,34,35	0
2	EDO	A	401	4/4	0.97	0.07	25,28,28,30	0
2	EDO	D	402	4/4	0.98	0.06	40,43,44,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.