



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 6, 2023 – 01:23 PM EDT

PDB ID : 8F0I  
Title : Crystal structure of SARS-CoV-2 receptor binding domain in complex with human antibody COVA309-22  
Authors : Yuan, M.; Wilson, I.A.  
Deposited on : 2022-11-03  
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)
RSRZ outliers	127900	1578 (3.90-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	205	 81% 14% 5%
1	B	205	 80% 16% 5%
1	G	205	 84% 11% 5%
2	C	223	 % 79% 21%
2	E	223	 3% 78% 20% .

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	H	223	<p>2% 78% 21%</p>
3	D	216	<p>79% 18% ..</p>
3	F	216	<p>% 83% 15% .</p>
3	I	216	<p>83% 15% .</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	G	601	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14610 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	195	1543	989	257	289	8	0	0	0
1	B	195	1543	989	257	289	8	0	0	0
1	G	195	1543	989	257	289	8	0	0	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	531	GLY	-	expression tag	UNP P0DTC2
A	532	HIS	-	expression tag	UNP P0DTC2
A	533	HIS	-	expression tag	UNP P0DTC2
A	534	HIS	-	expression tag	UNP P0DTC2
A	535	HIS	-	expression tag	UNP P0DTC2
A	536	HIS	-	expression tag	UNP P0DTC2
A	537	HIS	-	expression tag	UNP P0DTC2
B	531	GLY	-	expression tag	UNP P0DTC2
B	532	HIS	-	expression tag	UNP P0DTC2
B	533	HIS	-	expression tag	UNP P0DTC2
B	534	HIS	-	expression tag	UNP P0DTC2
B	535	HIS	-	expression tag	UNP P0DTC2
B	536	HIS	-	expression tag	UNP P0DTC2
B	537	HIS	-	expression tag	UNP P0DTC2
G	531	GLY	-	expression tag	UNP P0DTC2
G	532	HIS	-	expression tag	UNP P0DTC2
G	533	HIS	-	expression tag	UNP P0DTC2
G	534	HIS	-	expression tag	UNP P0DTC2
G	535	HIS	-	expression tag	UNP P0DTC2
G	536	HIS	-	expression tag	UNP P0DTC2
G	537	HIS	-	expression tag	UNP P0DTC2


- Molecule 2 is a protein called COVA309-22 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	223	Total	C	N	O	S	0	0	0
			1681	1059	284	330	8			
2	E	223	Total	C	N	O	S	0	0	0
			1681	1059	284	330	8			
2	H	223	Total	C	N	O	S	0	0	0
			1681	1059	284	330	8			

- Molecule 3 is a protein called COVA309-22 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	212	Total	C	N	O	S	0	0	0
			1632	1024	271	333	4			
3	F	212	Total	C	N	O	S	0	0	0
			1632	1024	271	333	4			
3	I	212	Total	C	N	O	S	0	0	0
			1632	1024	271	333	4			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike protein S1

Chain A: 




- Molecule 1: Spike protein S1

Chain B: 





- Molecule 1: Spike protein S1

Chain G: 




- Molecule 2: COVA309-22 heavy chain


Chain C: 




- Molecule 2: COVA309-22 heavy chain




- Molecule 2: COVA309-22 heavy chain




- Molecule 3: COVA309-22 light chain



- Molecule 3: COVA309-22 light chain



- Molecule 3: COVA309-22 light chain



S203			
F210			
N211			
R212			
GLY			
GLU			
CYS			
SER			



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.73Å 152.53Å 240.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.25 – 3.70 47.25 – 3.69	Depositor EDS
% Data completeness (in resolution range)	99.4 (47.25-3.70) 99.4 (47.25-3.69)	Depositor EDS
$R_{merge}$	0.95	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.43 (at 3.66Å)	Xtrriage
Refinement program	PHENIX 1.19.2	Depositor
R, $R_{free}$	0.226 , 0.275 0.226 , 0.276	Depositor DCC
$R_{free}$ test set	1110 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.5	Xtrriage
Anisotropy	0.291	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 16.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	14610	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.10% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/1587	0.48	0/2161
1	B	0.26	0/1587	0.48	0/2161
1	G	0.26	0/1587	0.48	0/2161
2	C	0.26	0/1723	0.51	0/2346
2	E	0.26	0/1723	0.50	0/2346
2	H	0.26	0/1723	0.51	0/2346
3	D	0.25	0/1669	0.47	0/2270
3	F	0.25	0/1669	0.47	0/2270
3	I	0.25	0/1669	0.47	0/2270
All	All	0.26	0/14937	0.49	0/20331

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1543	0	1459	17	0
1	B	1543	0	1459	17	0
1	G	1543	0	1459	11	0
2	C	1681	0	1634	26	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	1681	0	1634	26	1
2	H	1681	0	1634	25	1
3	D	1632	0	1588	25	0
3	F	1632	0	1588	18	0
3	I	1632	0	1588	16	0
4	A	14	0	13	0	0
4	B	14	0	13	0	0
4	G	14	0	13	0	0
All	All	14610	0	14082	173	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:433:VAL:HG22	1:G:512:VAL:HG22	1.74	0.69
2:E:11:VAL:HG22	2:E:154:PRO:HG3	1.74	0.68
2:E:134:SER:HA	2:E:221:LYS:HE3	1.74	0.68
2:E:135:SER:HB3	2:E:221:LYS:HB2	1.76	0.67
2:H:20:LEU:HD22	2:H:83:MET:HE1	1.76	0.66
1:G:395:VAL:HG23	1:G:524:VAL:HG21	1.78	0.66
2:C:105:THR:HG1	3:D:97:TRP:HE1	1.42	0.66
2:E:105:THR:HG1	3:F:97:TRP:HE1	1.43	0.65
2:C:126:PRO:HB3	2:C:152:TYR:HB3	1.79	0.65
2:H:126:PRO:HB3	2:H:152:TYR:HB3	1.79	0.65
3:I:107:ILE:O	3:I:167:GLN:NE2	2.30	0.64
1:A:433:VAL:HG22	1:A:512:VAL:HG22	1.80	0.64
3:F:37:GLN:HB2	3:F:47:LEU:HD11	1.80	0.63
2:C:37:VAL:HG22	2:C:47:TRP:HA	1.81	0.62
2:H:51:ILE:HD13	2:H:58:LYS:HE3	1.81	0.62
1:B:395:VAL:HG23	1:B:524:VAL:HG21	1.79	0.62
2:H:132:ALA:HB3	2:H:221:LYS:HE3	1.80	0.62
2:H:105:THR:HG1	3:I:97:TRP:HE1	1.44	0.61
2:H:91:THR:HG23	2:H:117:THR:HA	1.81	0.61
3:D:37:GLN:HB2	3:D:47:LEU:HD11	1.84	0.60
1:A:395:VAL:HG23	1:A:524:VAL:HG21	1.82	0.60
2:C:91:THR:HG23	2:C:117:THR:HA	1.84	0.60
2:E:51:ILE:HD13	2:E:58:LYS:HE3	1.84	0.60
1:B:433:VAL:HG22	1:B:512:VAL:HG22	1.84	0.60
2:H:52:TRP:O	2:H:72:ARG:NH1	2.35	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:11:VAL:HG22	2:C:154:PRO:HG3	1.84	0.59
3:I:37:GLN:HB2	3:I:47:LEU:HD11	1.86	0.58
1:B:359:SER:OG	1:B:394:ASN:OD1	2.22	0.58
1:G:335:LEU:HD23	1:G:362:VAL:HG13	1.86	0.57
3:F:33:LEU:HD13	3:F:71:PHE:HD2	1.68	0.57
2:E:126:PRO:HB3	2:E:152:TYR:HB3	1.87	0.56
1:G:359:SER:OG	1:G:394:ASN:OD1	2.23	0.56
3:D:107:ILE:O	3:D:167:GLN:NE2	2.38	0.56
3:D:33:LEU:HD13	3:D:71:PHE:HD2	1.69	0.56
2:E:91:THR:HG23	2:E:117:THR:HA	1.88	0.56
1:A:359:SER:OG	1:A:394:ASN:OD1	2.25	0.55
2:C:51:ILE:HD13	2:C:58:LYS:HE3	1.89	0.55
2:E:19:ARG:HD2	2:E:80:TYR:HD1	1.72	0.54
2:E:222:SER:OG	2:E:223:CYS:N	2.40	0.54
3:I:183:SER:OG	3:I:186:ASP:OD2	2.24	0.54
1:B:439:ASN:O	1:B:443:SER:HB2	2.09	0.53
3:D:66:GLY:HA3	3:D:71:PHE:HD1	1.74	0.53
1:A:369:TYR:HE1	1:A:375:SER:HG	1.56	0.53
2:E:37:VAL:HG22	2:E:47:TRP:HA	1.89	0.53
2:E:97:ALA:HB1	2:E:107:PHE:HB3	1.92	0.52
3:F:183:SER:OG	3:F:186:ASP:OD2	2.28	0.52
2:E:47:TRP:HZ2	2:E:50:VAL:HG12	1.75	0.52
1:B:398:ASP:OD2	1:B:423:TYR:OH	2.21	0.52
2:H:39:GLN:HG3	2:H:44:GLY:O	2.10	0.52
1:A:439:ASN:O	1:A:443:SER:HB2	2.10	0.51
3:F:107:ILE:O	3:F:167:GLN:NE2	2.42	0.51
3:I:89:GLN:HB2	3:I:99:PHE:CD1	2.46	0.51
2:C:52:TRP:O	2:C:72:ARG:NH1	2.44	0.51
2:H:37:VAL:HG22	2:H:47:TRP:HA	1.93	0.50
3:I:120:PRO:HB3	3:I:210:PHE:CE2	2.46	0.50
3:D:183:SER:OG	3:D:186:ASP:OD2	2.29	0.50
2:H:11:VAL:HG22	2:H:154:PRO:HG3	1.93	0.50
3:F:33:LEU:HD13	3:F:71:PHE:CD2	2.47	0.50
2:H:34:MET:HB3	2:H:79:LEU:HD22	1.94	0.50
2:E:51:ILE:HD13	2:E:58:LYS:HB3	1.94	0.49
2:C:34:MET:HB3	2:C:79:LEU:HD22	1.93	0.49
3:F:66:GLY:HA3	3:F:71:PHE:HD1	1.77	0.49
1:B:335:LEU:HD23	1:B:362:VAL:HG13	1.93	0.49
3:F:18:ARG:HA	3:F:75:ILE:O	2.12	0.49
2:C:47:TRP:HZ2	2:C:50:VAL:HG12	1.78	0.49
3:D:114:PRO:HB3	3:D:140:PHE:HB3	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:134:SER:HA	2:H:221:LYS:HZ2	1.76	0.49
2:E:20:LEU:HD13	2:E:83:MET:HE1	1.95	0.49
3:D:106:GLU:HG2	3:D:167:GLN:OE1	2.13	0.49
2:E:34:MET:HB3	2:E:79:LEU:HD22	1.93	0.49
2:C:75:SER:HB3	1:B:449:TYR:CD1	2.47	0.48
1:G:431:GLY:HA2	1:G:515:PHE:HD2	1.78	0.48
2:C:105:THR:OG1	3:D:97:TRP:NE1	2.33	0.48
2:C:53:TYR:O	2:C:55:GLY:N	2.46	0.48
1:G:439:ASN:O	1:G:443:SER:HB2	2.14	0.48
2:H:94:TYR:O	2:H:113:GLY:HA2	2.14	0.48
1:A:335:LEU:HD23	1:A:362:VAL:HG13	1.95	0.48
2:H:47:TRP:HZ2	2:H:50:VAL:HG12	1.78	0.48
2:H:53:TYR:O	2:H:55:GLY:N	2.39	0.48
3:D:120:PRO:HB3	3:D:210:PHE:CE2	2.49	0.47
3:I:33:LEU:HD13	3:I:71:PHE:HD2	1.78	0.47
2:E:94:TYR:O	2:E:113:GLY:HA2	2.14	0.47
3:D:19:VAL:HG21	3:D:78:LEU:HD13	1.97	0.47
1:B:431:GLY:HA2	1:B:515:PHE:HD2	1.79	0.47
2:H:19:ARG:HD2	2:H:80:TYR:HD1	1.79	0.47
2:C:20:LEU:HD13	2:C:83:MET:HE3	1.97	0.47
1:B:448:ASN:OD1	1:B:450:ASN:ND2	2.32	0.47
1:A:382:VAL:HG23	2:C:103:MET:HG2	1.96	0.47
2:C:104:THR:HG22	2:C:105:THR:H	1.80	0.47
3:I:29:ILE:HD11	3:I:71:PHE:HE2	1.80	0.47
2:C:94:TYR:O	2:C:113:GLY:HA2	2.15	0.46
2:C:97:ALA:HB1	2:C:107:PHE:HB3	1.98	0.46
1:B:405:ASP:N	1:B:405:ASP:OD1	2.47	0.46
2:C:51:ILE:HD13	2:C:58:LYS:HB3	1.98	0.46
1:G:411:ALA:HB3	1:G:414:GLN:HG3	1.98	0.46
2:C:53:TYR:C	2:C:55:GLY:H	2.19	0.45
2:E:105:THR:OG1	3:F:97:TRP:NE1	2.36	0.45
1:A:446:GLY:H	1:A:498:GLN:HE22	1.65	0.45
1:B:446:GLY:H	1:B:498:GLN:HE22	1.65	0.45
3:D:30:SER:OG	3:D:31:SER:N	2.49	0.45
3:F:30:SER:OG	3:F:31:SER:N	2.48	0.45
1:G:405:ASP:N	1:G:405:ASP:OD1	2.50	0.45
2:H:104:THR:HG22	2:H:105:THR:H	1.82	0.45
2:H:212:THR:C	2:H:213:LYS:HD3	2.37	0.45
3:D:33:LEU:HD13	3:D:71:PHE:CD2	2.50	0.45
1:A:405:ASP:N	1:A:405:ASP:OD1	2.49	0.44
2:E:98:ARG:HG2	2:E:99:ASP:N	2.32	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:PHE:CD2	1:A:434:ILE:HG12	2.52	0.44
3:F:120:PRO:HB3	3:F:210:PHE:CE2	2.51	0.44
3:D:18:ARG:HA	3:D:75:ILE:O	2.16	0.44
2:E:39:GLN:HG3	2:E:44:GLY:O	2.17	0.44
2:E:212:THR:C	2:E:213:LYS:HD3	2.38	0.44
1:A:449:TYR:CD1	1:A:496:GLY:HA2	2.52	0.44
1:A:498:GLN:HB3	1:A:501:ASN:OD1	2.18	0.44
3:F:29:ILE:HD11	3:F:71:PHE:HE2	1.82	0.44
2:C:39:GLN:HG3	2:C:44:GLY:O	2.17	0.44
3:F:114:PRO:HB3	3:F:140:PHE:HB3	2.00	0.44
1:G:472:ILE:HD12	1:G:484:GLU:HB3	2.00	0.44
2:H:98:ARG:HG2	2:H:99:ASP:N	2.33	0.43
3:D:121:PRO:HD3	3:D:133:VAL:HG22	2.00	0.43
1:B:498:GLN:HB3	1:B:501:ASN:OD1	2.18	0.43
2:E:53:TYR:O	2:E:55:GLY:N	2.44	0.43
3:I:121:PRO:HD3	3:I:133:VAL:HG22	2.01	0.43
2:C:212:THR:C	2:C:213:LYS:HD3	2.39	0.43
2:E:53:TYR:C	2:E:55:GLY:H	2.21	0.43
3:I:30:SER:OG	3:I:31:SER:N	2.51	0.43
3:I:149:TRP:HB2	3:I:156:GLN:HB2	2.01	0.43
2:C:38:ARG:NH1	2:C:90:ASP:OD1	2.50	0.43
3:D:89:GLN:HB2	3:D:99:PHE:CD1	2.54	0.43
2:H:38:ARG:HB3	2:H:94:TYR:CE2	2.54	0.43
3:I:18:ARG:HA	3:I:75:ILE:O	2.18	0.43
2:C:173:PHE:CE2	3:D:177:SER:HB3	2.54	0.43
3:F:89:GLN:HB2	3:F:99:PHE:CD1	2.54	0.43
1:B:384:PRO:HA	1:B:387:LEU:HG	2.01	0.43
3:I:66:GLY:HA3	3:I:71:PHE:HD1	1.82	0.43
3:D:164:VAL:HG22	3:D:176:LEU:HD12	2.01	0.43
1:A:393:THR:HG21	1:A:518:LEU:HB2	2.02	0.42
1:B:431:GLY:HA2	1:B:515:PHE:CD2	2.54	0.42
1:A:431:GLY:HA2	1:A:515:PHE:HD2	1.84	0.42
2:E:104:THR:HG22	2:E:105:THR:H	1.84	0.42
3:I:49:TYR:O	3:I:53:SER:HB2	2.19	0.42
3:D:89:GLN:HE22	3:D:91:SER:HB3	1.85	0.42
2:H:38:ARG:HG2	2:H:48:VAL:HG22	2.01	0.42
3:I:24:ARG:NH1	3:I:70:ASP:OD1	2.53	0.42
3:F:4:LEU:HD11	3:F:90:GLN:H	1.85	0.42
3:D:29:ILE:HD11	3:D:71:PHE:HE2	1.84	0.42
3:F:106:GLU:HG2	3:F:167:GLN:OE1	2.19	0.42
1:A:498:GLN:H	1:A:501:ASN:ND2	2.17	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:185:ALA:O	3:D:189:LYS:HG3	2.19	0.42
3:D:89:GLN:HE21	3:D:90:GLN:C	2.23	0.42
3:F:19:VAL:HG21	3:F:78:LEU:HD13	2.00	0.41
2:H:12:VAL:O	2:H:118:VAL:HA	2.20	0.41
2:H:89:GLU:H	2:H:89:GLU:HG2	1.67	0.41
1:B:497:PHE:CD2	1:B:507:PRO:HB3	2.56	0.41
1:G:378:LYS:HE3	1:G:378:LYS:HB2	1.82	0.41
3:D:49:TYR:O	3:D:53:SER:HB2	2.21	0.41
1:B:449:TYR:CD1	1:B:496:GLY:HA2	2.56	0.41
3:I:33:LEU:HD13	3:I:71:PHE:CD2	2.56	0.41
1:A:379:CYS:HB3	1:A:382:VAL:O	2.21	0.41
3:D:7:SER:OG	3:D:22:THR:OG1	2.27	0.41
1:B:369:TYR:CZ	1:B:371:SER:HA	2.56	0.41
2:H:97:ALA:HB1	2:H:107:PHE:HB3	2.03	0.41
2:C:98:ARG:HG2	2:C:99:ASP:N	2.35	0.41
1:G:498:GLN:HB3	1:G:501:ASN:OD1	2.21	0.41
3:D:159:ASN:OD1	3:D:159:ASN:N	2.54	0.40
2:E:12:VAL:O	2:E:118:VAL:HA	2.21	0.40
2:E:36:TRP:HE1	2:E:79:LEU:HG	1.86	0.40
3:F:185:ALA:O	3:F:189:LYS:HG3	2.21	0.40
2:E:52:TRP:O	2:E:72:ARG:NH1	2.49	0.40
2:H:51:ILE:HD13	2:H:58:LYS:HB3	2.02	0.40
1:A:378:LYS:HB2	1:A:378:LYS:HE3	1.90	0.40
2:C:51:ILE:HD11	2:C:55:GLY:HA2	2.03	0.40
2:C:153:PHE:HA	2:C:154:PRO:HA	1.80	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:13:GLN:NE2	2:H:194:SER:OG[2_654]	2.18	0.02

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/205 (94%)	170 (88%)	22 (11%)	1 (0%)	29	66
1	B	193/205 (94%)	171 (89%)	21 (11%)	1 (0%)	29	66
1	G	193/205 (94%)	171 (89%)	21 (11%)	1 (0%)	29	66
2	C	221/223 (99%)	205 (93%)	11 (5%)	5 (2%)	6	36
2	E	221/223 (99%)	205 (93%)	11 (5%)	5 (2%)	6	36
2	H	221/223 (99%)	206 (93%)	10 (4%)	5 (2%)	6	36
3	D	210/216 (97%)	199 (95%)	11 (5%)	0	100	100
3	F	210/216 (97%)	199 (95%)	11 (5%)	0	100	100
3	I	210/216 (97%)	199 (95%)	11 (5%)	0	100	100
All	All	1872/1932 (97%)	1725 (92%)	129 (7%)	18 (1%)	15	51

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	57	ASN
2	E	57	ASN
2	H	57	ASN
2	H	138	THR
2	C	141	GLY
2	E	222	SER
2	H	137	SER
2	C	54	ASP
2	C	138	THR
2	E	137	SER
1	G	518	LEU
2	H	54	ASP
1	A	518	LEU
1	B	518	LEU
2	E	54	ASP
2	H	102	THR
2	E	102	THR
2	C	64	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar



resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	168/177 (95%)	166 (99%)	2 (1%)	71	84
1	B	168/177 (95%)	165 (98%)	3 (2%)	59	77
1	G	168/177 (95%)	166 (99%)	2 (1%)	71	84
2	C	188/188 (100%)	184 (98%)	4 (2%)	53	74
2	E	188/188 (100%)	184 (98%)	4 (2%)	53	74
2	H	188/188 (100%)	186 (99%)	2 (1%)	73	85
3	D	189/192 (98%)	184 (97%)	5 (3%)	46	69
3	F	189/192 (98%)	183 (97%)	6 (3%)	39	65
3	I	189/192 (98%)	182 (96%)	7 (4%)	34	61
All	All	1635/1671 (98%)	1600 (98%)	35 (2%)	53	74

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	466	ARG
1	A	494	SER
2	C	142	THR
2	C	186	SER
2	C	194	SER
2	C	223	CYS
3	D	7	SER
3	D	63	SER
3	D	89	GLN
3	D	143	ARG
3	D	191	LYS
1	B	346	ARG
1	B	466	ARG
1	B	494	SER
2	E	19	ARG
2	E	186	SER
2	E	194	SER
2	E	223	CYS
3	F	7	SER
3	F	63	SER
3	F	89	GLN
3	F	143	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	F	191	LYS
3	F	203	SER
1	G	466	ARG
1	G	494	SER
2	H	19	ARG
2	H	186	SER
3	I	7	SER
3	I	63	SER
3	I	89	GLN
3	I	109	ARG
3	I	143	ARG
3	I	191	LYS
3	I	203	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	D	89	GLN
3	F	89	GLN
3	I	89	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	A	601	1	14,14,15	0.43	0	17,19,21	0.54	0
4	NAG	G	601	1	14,14,15	0.43	0	17,19,21	0.60	0
4	NAG	B	601	1	14,14,15	0.41	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	601	1	-	2/6/23/26	0/1/1/1
4	NAG	G	601	1	-	1/6/23/26	0/1/1/1
4	NAG	B	601	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	NAG	O5-C5-C6-O6
4	A	601	NAG	C3-C2-N2-C7
4	G	601	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	195/205 (95%)	-0.11	1 (0%) 91 85	61, 78, 112, 119	0
1	B	195/205 (95%)	-0.09	1 (0%) 91 85	61, 76, 113, 124	0
1	G	195/205 (95%)	-0.18	1 (0%) 91 85	58, 77, 110, 138	0
2	C	223/223 (100%)	0.02	3 (1%) 77 67	62, 79, 104, 133	0
2	E	223/223 (100%)	0.13	7 (3%) 49 36	55, 83, 124, 163	0
2	H	223/223 (100%)	0.14	5 (2%) 62 50	54, 79, 115, 151	0
3	D	212/216 (98%)	0.11	0 100 100	65, 82, 96, 117	0
3	F	212/216 (98%)	0.14	2 (0%) 84 76	55, 76, 108, 119	0
3	I	212/216 (98%)	0.05	0 100 100	63, 80, 96, 113	0
All	All	1890/1932 (97%)	0.03	20 (1%) 80 71	54, 79, 111, 163	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	139	SER	4.4
2	H	223	CYS	3.4
2	E	127	SER	3.1
2	H	221	LYS	3.1
2	E	222	SER	3.0
2	E	138	THR	2.8
2	E	223	CYS	2.7
2	H	218	VAL	2.6
3	F	1	GLU	2.6
2	C	139	SER	2.5
1	B	521	PRO	2.4
2	H	136	LYS	2.3
2	C	138	THR	2.3
2	E	142	THR	2.2
2	E	134	SER	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	222	SER	2.2
2	C	137	SER	2.1
1	A	422	ASN	2.1
3	F	182	LEU	2.0
1	G	519	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	G	601	14/15	0.52	0.48	112,126,131,132	0
4	NAG	B	601	14/15	0.69	0.38	98,113,122,122	0
4	NAG	A	601	14/15	0.72	0.37	104,119,124,125	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.