



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 19, 2023 – 12:11 PM EDT

PDB ID : 5F7Q
Title : ROK repressor Lmo0178 from *Listeria monocytogenes* bound to operator
Authors : Light, S.H.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2015-12-08
Resolution : 2.40 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	407	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">89% 5% 5%</p>
1	E	407	<div style="width: 92%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div>
1	J	407	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">90% 7% .</p>
1	L	407	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">86% 8% 5%</p>
2	F	36	<div style="width: 58%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	K	36	 53% 33% 8% 6%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 14119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lmo0178 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	385	3034	1929	518	572	15	0	2	0
1	E	396	3097	1966	525	591	15	0	0	0
1	J	396	3097	1966	525	591	15	0	0	0
1	L	386	3031	1927	515	574	15	0	1	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	SER	-	expression tag	UNP Q8YAF1
C	-1	ASN	-	expression tag	UNP Q8YAF1
C	0	ALA	-	expression tag	UNP Q8YAF1
E	-2	SER	-	expression tag	UNP Q8YAF1
E	-1	ASN	-	expression tag	UNP Q8YAF1
E	0	ALA	-	expression tag	UNP Q8YAF1
J	-2	SER	-	expression tag	UNP Q8YAF1
J	-1	ASN	-	expression tag	UNP Q8YAF1
J	0	ALA	-	expression tag	UNP Q8YAF1
L	-2	SER	-	expression tag	UNP Q8YAF1
L	-1	ASN	-	expression tag	UNP Q8YAF1
L	0	ALA	-	expression tag	UNP Q8YAF1

- Molecule 2 is a DNA chain called Operator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	F	29	712	335	124	216	37	0	11	0


- Molecule 3 is a DNA chain called Operator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	K	29	712	335	124	216	37	0	11	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	Zn	0	0
			1	1		
4	E	1	Total	Zn	0	0
			1	1		
4	J	1	Total	Zn	0	0
			1	1		
4	L	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 1-METHOXY-2-[2-(2-METHOXY-ETHOXY)]-ETHANE (three-letter code: PG5) (formula: C₈H₁₈O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			12	8	4		
5	E	1	Total	C	O	0	0
			12	8	4		
5	J	1	Total	C	O	0	0
			12	8	4		

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			13	8	5		
6	C	1	Total	C	O	0	0
			13	8	5		
6	J	1	Total	C	O	0	0
			13	8	5		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	J	1	Total	C	O	0	0
			7	4	3		
7	L	1	Total	C	O	0	0
			7	4	3		
7	L	1	Total	C	O	0	0
			7	4	3		
7	L	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is 2-(2-(2-(2-(2-(2-ETHOXYETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHANOL (three-letter code: 7PE) (formula: C₁₄H₃₀O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	C	O	0	0
			21	14	7		
8	J	1	Total	C	O	0	0
			21	14	7		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	69	Total	O	0	0
			69	69		
9	E	52	Total	O	0	0
			52	52		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	F	9	Total O 9 9	0	0
9	J	57	Total O 57 57	0	0
9	K	12	Total O 12 12	0	0
9	L	74	Total O 74 74	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lmo0178 protein




- Molecule 1: Lmo0178 protein



- Molecule 1: Lmo0178 protein




- Molecule 1: Lmo0178 protein



● Molecule 2: Operator

Chain F:  58% 25% 11% 6%

● Molecule 3: Operator

Chain K:  53% 33% 8% 6%

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.67Å 180.26Å 79.86Å 90.00° 89.97° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 29.89 – 2.39	Depositor EDS
% Data completeness (in resolution range)	99.6 (30.00-2.40) 99.6 (29.89-2.39)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.182 , 0.218 0.186 , 0.220	Depositor DCC
R_{free} test set	4010 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	51.4	Xtrriage
Anisotropy	0.195	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.468 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14119	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PG5, ZN, PEG, 7PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.54	0/3088	0.74	2/4161 (0.0%)
1	E	0.53	0/3152	0.72	1/4250 (0.0%)
1	J	0.53	0/3152	0.71	1/4250 (0.0%)
1	L	0.56	0/3085	0.76	3/4158 (0.1%)
2	F	1.44	3/913 (0.3%)	0.98	4/1392 (0.3%)
3	K	1.84	5/914 (0.5%)	1.67	7/1396 (0.5%)
All	All	0.78	8/14304 (0.1%)	0.85	18/19607 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	J	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	11[B]	DG	O3'-P	-40.36	1.12	1.61
2	F	11[B]	DA	O3'-P	-37.39	1.16	1.61
3	K	21[B]	DT	O3'-P	-26.21	1.29	1.61
3	K	16[B]	DA	O3'-P	-18.32	1.39	1.61
3	K	22[B]	DT	O3'-P	-14.77	1.43	1.61
2	F	16[B]	DT	O3'-P	-14.56	1.43	1.61
2	F	22[B]	DG	O3'-P	12.00	1.75	1.61
3	K	10[B]	DC	O3'-P	8.24	1.71	1.61

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	21[B]	DT	P-O3'-C3'	46.75	175.80	119.70
3	K	21[B]	DT	OP2-P-O3'	-15.85	70.34	105.20
3	K	11[B]	DG	O3'-P-O5'	13.91	130.42	104.00
2	F	11[B]	DA	O3'-P-O5'	12.38	127.51	104.00
3	K	21[B]	DT	OP1-P-O3'	11.97	131.54	105.20
2	F	11[B]	DA	P-O3'-C3'	-11.09	106.39	119.70
2	F	11[B]	DA	OP1-P-O3'	-9.72	83.81	105.20
1	L	25	ARG	NE-CZ-NH1	7.63	124.11	120.30
3	K	11[B]	DG	OP1-P-O3'	-7.51	88.69	105.20
1	J	5	ARG	CD-NE-CZ	6.78	133.09	123.60
3	K	10[B]	DC	P-O3'-C3'	-6.23	112.23	119.70
1	L	156	ARG	NE-CZ-NH1	-5.64	117.48	120.30
1	C	156	ARG	NE-CZ-NH2	5.62	123.11	120.30
1	L	156	ARG	NE-CZ-NH2	5.55	123.07	120.30
3	K	7	DC	C1'-O4'-C4'	-5.51	104.59	110.10
2	F	7	DC	C1'-O4'-C4'	-5.47	104.63	110.10
1	E	69	GLY	N-CA-C	5.25	126.24	113.10
1	C	156	ARG	NE-CZ-NH1	-5.19	117.70	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	J	5	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3034	0	3021	16	0
1	E	3097	0	3080	14	0
1	J	3097	0	3080	19	0
1	L	3031	0	3013	20	0
2	F	712	0	333	15	0
3	K	712	0	333	6	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	J	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	L	1	0	0	0	0
5	C	12	0	18	0	0
5	E	12	0	18	0	0
5	J	12	0	18	1	0
6	C	26	0	36	0	0
6	J	13	0	18	2	0
7	E	7	0	10	0	0
7	J	7	0	10	0	0
7	L	28	0	40	0	0
8	E	21	0	30	1	0
8	J	21	0	30	3	0
9	C	69	0	0	1	0
9	E	52	0	0	0	0
9	F	9	0	0	0	0
9	J	57	0	0	0	0
9	K	12	0	0	0	0
9	L	74	0	0	0	0
All	All	14119	0	13088	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:7:DC:H2''	3:K:8:DT:H5'	1.49	0.94
1:J:205:GLU:HG2	1:J:334:ILE:HD11	1.60	0.82
2:F:21[A]:DT:C2'	2:F:22[A]:DT:H71	2.10	0.81
2:F:21[A]:DT:H2''	2:F:22[A]:DT:H71	1.63	0.81
2:F:11[A]:DG:H2''	2:F:12[A]:DT:OP2	1.92	0.69
1:J:13:LYS:HB2	3:K:19:DA:H5''	1.78	0.65
1:E:69:GLY:N	1:E:70:GLY:HA3	2.12	0.65
2:F:21[A]:DT:H2'	2:F:22[A]:DT:H71	1.80	0.64
2:F:22[A]:DT:H71	2:F:22[A]:DT:OP2	1.99	0.61
2:F:21[A]:DT:C2'	2:F:22[A]:DT:C7	2.79	0.60
2:F:2:DA:H2''	2:F:3:DC:O5'	2.04	0.58
1:C:94:GLN:HB3	1:C:113:PRO:HA	1.87	0.56
3:K:11[A]:DA:H2''	3:K:12[A]:DT:OP2	2.06	0.55
2:F:21[A]:DT:H2''	2:F:22[A]:DT:C7	2.32	0.55
1:L:124:ILE:HD12	1:L:174:LEU:CD1	2.36	0.55
1:J:374:GLU:HB2	1:J:376:PRO:HD2	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:MET:HE3	1:C:167:LEU:HD21	1.90	0.53
1:E:272:ARG:O	1:E:276:GLU:HG2	2.08	0.53
2:F:21[A]:DT:H2'	2:F:22[A]:DT:C7	2.39	0.52
1:J:317:LEU:HD23	1:J:350:ILE:HD11	1.91	0.52
2:F:21[A]:DT:H2''	2:F:22[A]:DT:OP2	2.09	0.51
1:L:27:LYS:HG3	1:L:30:ILE:HD12	1.92	0.51
1:E:13:LYS:HB2	2:F:19:DA:H5''	1.93	0.50
1:J:358:PHE:CE2	1:L:241:GLU:HG3	2.46	0.50
1:C:145:GLY:HA2	1:C:185:ILE:HG23	1.92	0.50
1:C:265:TYR:HB3	1:C:316:TYR:CD2	2.47	0.50
1:L:25:ARG:HH11	1:L:25:ARG:HG2	1.77	0.49
2:F:21[A]:DT:H2''	2:F:22[A]:DT:C6	2.48	0.48
1:C:25[B]:ARG:NH2	1:C:102:LEU:O	2.46	0.48
1:E:317:LEU:HD23	1:E:350:ILE:HD11	1.95	0.48
1:J:395:ILE:HD11	1:L:4:LEU:HD21	1.95	0.48
1:J:395:ILE:HD11	1:L:4:LEU:CD2	2.44	0.48
1:L:317:LEU:HD23	1:L:350:ILE:HD11	1.96	0.48
1:E:6:LYS:NZ	3:K:17[B]:DT:OP1	2.44	0.48
1:J:336:VAL:CG1	1:J:337:GLY:N	2.78	0.47
1:J:247:ILE:HG22	8:J:505:7PE:C9	2.44	0.47
1:E:160:THR:HG22	1:E:173:ALA:HA	1.96	0.47
1:L:117:GLU:HA	1:L:167:LEU:O	2.15	0.46
1:L:25:ARG:HH11	1:L:25:ARG:CG	2.29	0.46
1:J:241:GLU:HG3	1:L:358:PHE:CE2	2.51	0.46
1:L:332:LYS:HG3	1:L:367:GLU:HG3	1.98	0.45
2:F:21[A]:DT:H2''	2:F:22[A]:DT:C5	2.51	0.45
1:L:265:TYR:HB3	1:L:316:TYR:CD2	2.52	0.45
1:C:117:GLU:HA	1:C:167:LEU:O	2.16	0.45
1:E:98:ALA:HB2	1:E:379:LEU:HD13	1.98	0.45
2:F:21[A]:DT:C2'	2:F:22[A]:DT:OP2	2.64	0.45
1:C:395:ILE:HD12	1:E:4:LEU:HD11	1.99	0.44
8:J:505:7PE:H171	1:L:247:ILE:HG22	1.99	0.44
1:C:241:GLU:HG3	1:E:358:PHE:CE2	2.52	0.44
1:J:247:ILE:HG21	1:J:262:LEU:HD13	1.99	0.44
1:E:247:ILE:HG21	1:E:262:LEU:HD13	1.99	0.44
1:J:336:VAL:HG12	1:J:337:GLY:N	2.32	0.44
1:J:160:THR:HG22	1:J:173:ALA:HA	2.00	0.44
2:F:11[A]:DG:C2'	2:F:12[A]:DT:OP2	2.60	0.44
1:J:375:ASP:N	1:J:376:PRO:CD	2.81	0.44
1:L:120:PRO:O	1:L:124:ILE:HG12	2.18	0.44
1:J:155:ASN:HA	6:J:504:PG4:C2	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:358:PHE:CE2	1:E:241:GLU:HG3	2.53	0.43
1:C:317:LEU:HD23	1:C:350:ILE:HD11	2.00	0.43
1:C:228:ASN:ND2	9:C:605:HOH:O	2.52	0.42
1:L:182:PHE:HB3	1:L:185:ILE:HB	2.02	0.42
3:K:7:DC:C2'	3:K:8:DT:H5'	2.35	0.42
1:E:336:VAL:CG1	1:E:337:GLY:N	2.83	0.42
1:L:47:THR:O	1:L:51:ASP:HB2	2.19	0.42
1:C:21:LEU:O	1:C:25[A]:ARG:HG3	2.20	0.41
6:J:504:PG4:O2	6:J:504:PG4:C5	2.68	0.41
1:J:308:GLU:O	1:J:312:LYS:HB2	2.20	0.41
1:L:248:GLN:O	1:L:260:GLY:HA3	2.21	0.41
1:C:182:PHE:HB3	1:C:185:ILE:HB	2.03	0.41
1:E:247:ILE:HG22	8:E:504:7PE:H92	2.03	0.41
1:J:247:ILE:HG22	8:J:505:7PE:H91	2.03	0.41
1:J:287:LEU:HD21	1:J:295:VAL:HA	2.02	0.41
1:J:230:GLN:HG3	5:J:502:PG5:H11	2.04	0.40
3:K:11[A]:DA:C2'	3:K:12[A]:DT:OP2	2.69	0.40
1:L:144:LEU:HB3	1:L:390:LEU:HD21	2.03	0.40
1:C:185:ILE:HD12	1:C:185:ILE:N	2.36	0.40
1:C:340:LEU:C	1:C:340:LEU:HD12	2.42	0.40
1:E:386:VAL:O	1:E:390:LEU:HD23	2.20	0.40
1:L:195:CYS:O	1:L:381:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	C	383/407 (94%)	374 (98%)	7 (2%)	2 (0%)	29 41
1	E	394/407 (97%)	385 (98%)	9 (2%)	0	100 100
1	J	394/407 (97%)	388 (98%)	5 (1%)	1 (0%)	41 55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	383/407 (94%)	379 (99%)	3 (1%)	1 (0%)	41	55
All	All	1554/1628 (96%)	1526 (98%)	24 (2%)	4 (0%)	41	55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	137	ASN
1	L	69	GLY
1	J	69	GLY
1	C	69	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	322/340 (95%)	321 (100%)	1 (0%)	92	97
1	E	330/340 (97%)	328 (99%)	2 (1%)	86	94
1	J	330/340 (97%)	327 (99%)	3 (1%)	78	90
1	L	322/340 (95%)	317 (98%)	5 (2%)	62	79
All	All	1304/1360 (96%)	1293 (99%)	11 (1%)	81	91

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	94	GLN
1	E	65	THR
1	E	313	MET
1	J	105	GLU
1	J	109	ASN
1	J	228	ASN
1	L	25	ARG
1	L	54	GLN
1	L	65	THR
1	L	304	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	346	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	342	HIS
1	E	94	GLN
1	E	103	ASN
1	E	192	ASN
1	E	194	ASN
1	J	109	ASN
1	J	192	ASN
1	J	228	ASN
1	J	230	GLN
1	L	94	GLN
1	L	103	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	PEG	L	504	-	6,6,6	0.42	0	5,5,5	0.31	0
6	PG4	J	504	-	12,12,12	0.54	0	11,11,11	0.45	0
6	PG4	C	504	-	12,12,12	0.47	0	11,11,11	0.45	0
8	7PE	J	505	-	20,20,20	0.54	0	19,19,19	0.42	0
5	PG5	J	502	-	11,11,11	0.62	0	10,10,10	0.24	0
5	PG5	C	502	-	11,11,11	0.58	0	10,10,10	0.21	0
5	PG5	E	502	-	11,11,11	0.63	0	10,10,10	0.29	0
7	PEG	L	503	-	6,6,6	0.47	0	5,5,5	0.27	0
6	PG4	C	503	-	12,12,12	0.50	0	11,11,11	0.50	0
7	PEG	L	505	-	6,6,6	0.42	0	5,5,5	0.31	0
7	PEG	L	502	-	6,6,6	0.53	0	5,5,5	0.18	0
7	PEG	E	503	-	6,6,6	0.59	0	5,5,5	0.30	0
7	PEG	J	503	-	6,6,6	0.42	0	5,5,5	0.35	0
8	7PE	E	504	-	20,20,20	0.45	0	19,19,19	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PEG	L	504	-	-	2/4/4/4	-
6	PG4	J	504	-	-	6/10/10/10	-
6	PG4	C	504	-	-	6/10/10/10	-
8	7PE	J	505	-	-	12/18/18/18	-
5	PG5	J	502	-	-	6/9/9/9	-
5	PG5	C	502	-	-	3/9/9/9	-
5	PG5	E	502	-	-	4/9/9/9	-
7	PEG	L	503	-	-	3/4/4/4	-
6	PG4	C	503	-	-	5/10/10/10	-
7	PEG	L	505	-	-	3/4/4/4	-
7	PEG	L	502	-	-	1/4/4/4	-
7	PEG	E	503	-	-	2/4/4/4	-
7	PEG	J	503	-	-	2/4/4/4	-
8	7PE	E	504	-	-	10/18/18/18	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (65) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	L	504	PEG	O2-C3-C4-O4
5	J	502	PG5	O2-C4-C5-O3
5	E	502	PG5	O3-C6-C7-O4
8	E	504	7PE	O10-C11-C12-O13
8	E	504	7PE	O7-C8-C9-O10
8	E	504	7PE	O13-C14-C15-O16
6	C	504	PG4	O1-C1-C2-O2
5	J	502	PG5	O3-C6-C7-O4
8	J	505	7PE	O13-C14-C15-O16
6	C	504	PG4	O4-C7-C8-O5
7	L	505	PEG	O1-C1-C2-O2
8	E	504	7PE	O1-C2-C3-O4
8	E	504	7PE	O4-C5-C6-O7
5	C	502	PG5	O2-C4-C5-O3
6	J	504	PG4	O1-C1-C2-O2
7	L	502	PEG	O1-C1-C2-O2
8	J	505	7PE	O1-C2-C3-O4
8	J	505	7PE	O16-C17-C18-O19
8	J	505	7PE	O4-C5-C6-O7
5	C	502	PG5	O1-C2-C3-O2
6	C	503	PG4	O1-C1-C2-O2
6	J	504	PG4	O4-C7-C8-O5
6	C	504	PG4	O2-C3-C4-O3
6	J	504	PG4	O2-C3-C4-O3
6	C	503	PG4	C4-C3-O2-C2
7	L	503	PEG	O2-C3-C4-O4
7	L	505	PEG	O2-C3-C4-O4
8	E	504	7PE	O16-C17-C18-O19
7	J	503	PEG	O2-C3-C4-O4
6	C	503	PG4	C8-C7-O4-C6
5	J	502	PG5	O1-C2-C3-O2
8	J	505	7PE	C21-C20-O19-C18
7	E	503	PEG	O1-C1-C2-O2
5	J	502	PG5	C2-C3-O2-C4
5	J	502	PG5	C7-C6-O3-C5
8	J	505	7PE	O7-C8-C9-O10
5	E	502	PG5	C5-C4-O2-C3
8	J	505	7PE	C11-C12-O13-C14
7	L	504	PEG	C4-C3-O2-C2
8	J	505	7PE	C14-C15-O16-C17
8	J	505	7PE	C2-C3-O4-C5
6	J	504	PG4	C1-C2-O2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	E	504	7PE	C21-C20-O19-C18
6	J	504	PG4	C6-C5-O3-C4
6	C	504	PG4	C4-C3-O2-C2
6	C	503	PG4	C1-C2-O2-C3
7	L	505	PEG	C1-C2-O2-C3
8	J	505	7PE	C9-C8-O7-C6
6	J	504	PG4	C3-C4-O3-C5
8	E	504	7PE	C8-C9-O10-C11
7	L	503	PEG	C4-C3-O2-C2
8	E	504	7PE	C15-C14-O13-C12
8	J	505	7PE	C18-C17-O16-C15
6	C	504	PG4	O3-C5-C6-O4
8	E	504	7PE	C6-C5-O4-C3
7	E	503	PEG	C1-C2-O2-C3
5	E	502	PG5	O1-C2-C3-O2
6	C	504	PG4	C1-C2-O2-C3
7	J	503	PEG	C1-C2-O2-C3
5	C	502	PG5	C4-C5-O3-C6
8	J	505	7PE	C6-C5-O4-C3
7	L	503	PEG	O1-C1-C2-O2
5	J	502	PG5	C6-C7-O4-C8
6	C	503	PG4	C6-C5-O3-C4
5	E	502	PG5	C3-C2-O1-C1


There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	J	504	PG4	2	0
8	J	505	7PE	3	0
5	J	502	PG5	1	0
8	E	504	7PE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	385/407 (94%)	-0.05	3 (0%) 86 84	36, 52, 86, 130	0
1	E	396/407 (97%)	-0.02	1 (0%) 94 93	36, 56, 95, 114	0
1	J	396/407 (97%)	-0.01	3 (0%) 86 84	35, 56, 96, 123	0
1	L	386/407 (94%)	0.02	5 (1%) 77 75	35, 52, 86, 127	0
2	F	34/36 (94%)	-0.56	0 100 100	45, 62, 100, 111	10 (29%)
3	K	34/36 (94%)	-0.54	0 100 100	45, 61, 94, 109	10 (29%)
All	All	1631/1700 (95%)	-0.04	12 (0%) 87 86	35, 54, 93, 130	20 (1%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	136	GLY	4.6
1	L	116	SER	4.2
1	L	290	PHE	4.2
1	C	137	ASN	3.1
1	L	137	ASN	3.0
1	E	66	SER	2.9
1	J	2	ASP	2.4
1	J	66	SER	2.3
1	L	276	GLU	2.3
1	C	202[A]	TRP	2.2
1	C	63	ALA	2.0
1	J	203	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PG5	E	502	12/12	0.78	0.23	66,72,77,78	0
6	PG4	C	504	13/13	0.83	0.18	75,82,96,96	0
7	PEG	L	502	7/7	0.84	0.17	60,64,68,71	0
7	PEG	E	503	7/7	0.85	0.27	64,65,71,72	0
5	PG5	J	502	12/12	0.85	0.19	58,65,76,77	0
7	PEG	L	503	7/7	0.85	0.17	74,80,84,90	0
5	PG5	C	502	12/12	0.87	0.20	64,71,79,80	0
6	PG4	J	504	13/13	0.88	0.32	66,72,78,81	0
8	7PE	J	505	21/21	0.89	0.17	49,59,76,77	0
7	PEG	L	505	7/7	0.90	0.14	74,76,77,81	0
7	PEG	L	504	7/7	0.90	0.20	68,71,75,78	0
8	7PE	E	504	21/21	0.91	0.18	52,63,76,77	0
6	PG4	C	503	13/13	0.93	0.21	60,64,74,82	0
7	PEG	J	503	7/7	0.94	0.12	75,79,80,83	0
4	ZN	E	501	1/1	0.98	0.14	45,45,45,45	0
4	ZN	C	501	1/1	0.99	0.15	45,45,45,45	0
4	ZN	L	501	1/1	0.99	0.13	46,46,46,46	0
4	ZN	J	501	1/1	1.00	0.16	47,47,47,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 7PE J 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.