



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2022 – 04:15 AM EST

PDB ID : 2FHC
Title : Crystal Structure Analysis of *Klebsiella pneumoniae* pullulanase complexed with maltotriose
Authors : Mikami, B.; Iwamoto, H.; Katsuya, Y.; Yoon, H.-J.; Demirkan-Sarikaya, E.; Malle, D.
Deposited on : 2005-12-23
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1083	
2	B	3	
2	C	3	
3	D	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GLC	D	1	-	-	-	X
3	GLC	D	2	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alpha-dextrin endo-1,6-alpha-glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1052	8142	5088	1388	1639	27	0	20	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	680	LEU	GLY	conflict	UNP W9BQ28

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	B	3	34	18	16	0	0	0
2	C	3	34	18	16	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
3	D	2	23	12	11	0	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total 5	Ca 5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1119	Total 1119	O 1119	0	0

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-dextrin endo-1,6-alpha-glucosidase




- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranos e

Chain B: 



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranos e

Chain C:  33% 67%

GLC1
GLC2
GLC3

- Molecule 3: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain D:  100%

GLC1
GLC2

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	150.54Å 60.66Å 135.39Å 90.00° 113.59° 90.00°	Depositor
Resolution (Å)	14.99 – 1.85 47.89 – 1.80	Depositor EDS
% Data completeness (in resolution range)	91.9 (14.99-1.85) 90.7 (47.89-1.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.91 (at 1.79Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.178 , 0.214 0.187 , 0.223	Depositor DCC
R_{free} test set	8791 reflections (9.32%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtrriage
Anisotropy	0.549	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9357	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/8387	0.58	0/11418

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8142	0	7841	211	0
2	B	34	0	30	0	0
2	C	34	0	30	2	0
3	D	23	0	21	0	0
4	A	5	0	0	0	0
5	A	1119	0	0	14	0
All	All	9357	0	7922	211	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:ASN:HB2	1:A:86:ASP:HA	1.44	0.98
1:A:978:ASN:HD21	1:A:984:GLN:H	1.16	0.92
1:A:40:VAL:HG13	1:A:41:ALA:H	1.38	0.89
1:A:81:ASN:HD22	1:A:88:LEU:HB2	1.38	0.89
1:A:83:GLU:HG3	1:A:84:THR:H	1.39	0.88
1:A:680:LEU:HD11	5:A:1543:HOH:O	1.78	0.84
1:A:127:VAL:HG21	1:A:153:VAL:HG21	1.59	0.82
1:A:972[A]:LYS:HE2	1:A:973:ARG:HE	1.47	0.80
1:A:606:ASN:HD21	1:A:607:HIS:HD2	1.31	0.79
1:A:452[A]:LEU:HD12	1:A:587:MET:HG3	1.64	0.78
1:A:229:ASN:HD21	1:A:232:VAL:CG2	1.99	0.76
1:A:229:ASN:HD21	1:A:232:VAL:HG23	1.50	0.76
1:A:184:LYS:HD2	1:A:185:THR:H	1.50	0.75
1:A:972[A]:LYS:HG3	1:A:973:ARG:HG3	1.69	0.75
1:A:79:LEU:HB3	1:A:88:LEU:HD13	1.70	0.74
1:A:722:ILE:HD12	5:A:2376:HOH:O	1.87	0.74
1:A:82:ASN:ND2	1:A:83:GLU:HG2	2.02	0.73
1:A:37:LEU:HD13	1:A:169:ARG:HB3	1.73	0.71
1:A:76:ASN:ND2	1:A:128:ARG:HH21	1.90	0.69
1:A:219:LYS:H	1:A:219:LYS:HD3	1.58	0.69
1:A:560:ASP:HB3	1:A:609:ASN:ND2	2.09	0.68
1:A:680:LEU:HG	1:A:710:SER:HB3	1.76	0.67
1:A:523:THR:OG1	1:A:526:GLU:HG3	1.93	0.67
1:A:606:ASN:ND2	1:A:607:HIS:HD2	1.90	0.67
1:A:184:LYS:HD2	1:A:185:THR:N	2.10	0.66
1:A:501:ARG:O	1:A:504:GLU:HG2	1.96	0.66
1:A:50:SER:H	1:A:53:GLN:NE2	1.94	0.66
1:A:82:ASN:HD22	1:A:83:GLU:HG2	1.60	0.66
1:A:627:TYR:O	1:A:651:HIS:HD2	1.79	0.66
1:A:40:VAL:HG13	1:A:41:ALA:N	2.10	0.65
1:A:972[A]:LYS:HE2	1:A:973:ARG:NE	2.11	0.65
1:A:76:ASN:HD21	1:A:128:ARG:HH21	1.45	0.65
1:A:1049:GLN:HG3	1:A:1057:THR:HB	1.78	0.65
1:A:680:LEU:HD13	1:A:708:TRP:HB2	1.80	0.64
1:A:61:ILE:O	1:A:64:ILE:HG12	1.98	0.63
1:A:1028:THR:O	1:A:1029:SER:HB3	1.99	0.63
1:A:411[A]:MET:HE3	5:A:2250:HOH:O	1.99	0.62
1:A:680:LEU:HD23	1:A:680:LEU:H	1.65	0.62
1:A:560:ASP:HB3	1:A:609:ASN:HD22	1.64	0.62
1:A:40:VAL:HG22	1:A:41:ALA:N	2.15	0.62
1:A:184:LYS:HD3	1:A:185:THR:HG23	1.80	0.61
1:A:324:SER:HB3	1:A:330[A]:ILE:HD11	1.81	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:LYS:O	1:A:102:PRO:HD3	2.00	0.61
1:A:78:TYR:HB3	1:A:126:ILE:HB	1.83	0.60
1:A:123:ILE:HD11	1:A:141:VAL:HB	1.83	0.60
1:A:193:GLU:O	1:A:194:ASN:HB2	2.00	0.60
1:A:81:ASN:CB	1:A:86:ASP:HA	2.28	0.59
1:A:987:LEU:HD21	1:A:1022:LEU:HD21	1.84	0.59
1:A:465:GLN:HG3	1:A:950:GLN:HE22	1.67	0.58
1:A:452[A]:LEU:HD12	1:A:587:MET:CG	2.32	0.58
1:A:87:ALA:HB3	1:A:123:ILE:HG23	1.84	0.58
1:A:55:VAL:HG23	1:A:150:THR:HG23	1.85	0.58
1:A:969:THR:HA	1:A:972[A]:LYS:HG2	1.85	0.58
1:A:123:ILE:HD12	1:A:123:ILE:O	2.04	0.57
1:A:197:ILE:HD12	1:A:270:GLY:HA2	1.86	0.57
1:A:706:GLU:OE2	2:C:1:GLC:H1	2.05	0.57
1:A:80:TRP:CZ3	1:A:126:ILE:HG13	2.40	0.57
1:A:79:LEU:O	1:A:92:VAL:HG22	2.04	0.57
1:A:680:LEU:HD23	1:A:680:LEU:N	2.19	0.57
1:A:50:SER:H	1:A:53:GLN:HE21	1.52	0.56
1:A:682:HIS:HD2	1:A:686:GLN:NE2	2.03	0.56
1:A:80:TRP:HZ3	1:A:126:ILE:HG13	1.69	0.56
1:A:246:LYS:HD3	1:A:247:LEU:N	2.21	0.56
1:A:95:TRP:HH2	1:A:133:LYS:HG2	1.71	0.55
1:A:139:LEU:HD12	1:A:139:LEU:H	1.70	0.55
1:A:1039:ALA:HB3	1:A:1043:SER:HB2	1.88	0.55
1:A:85:CYS:HB3	1:A:122:CYS:O	2.07	0.55
1:A:195:LYS:HE3	1:A:195:LYS:N	2.21	0.55
1:A:682:HIS:HD2	1:A:686:GLN:HE22	1.54	0.55
1:A:107:LYS:H	1:A:107:LYS:HD2	1.71	0.55
1:A:816:PRO:HG2	5:A:1995:HOH:O	2.07	0.55
1:A:229:ASN:HD21	1:A:232:VAL:CB	2.20	0.54
1:A:929:ARG:HD2	5:A:1588:HOH:O	2.07	0.54
1:A:76:ASN:HD21	1:A:128:ARG:NH2	2.06	0.54
1:A:229:ASN:HD22	1:A:229:ASN:N	2.06	0.53
1:A:642:THR:O	1:A:643:CYS:HB3	2.08	0.53
1:A:496:GLN:H	1:A:496:GLN:NE2	2.06	0.53
1:A:977:ARG:NH1	1:A:1024:ASP:HB3	2.24	0.53
1:A:495:ILE:HA	1:A:524:VAL:HB	1.91	0.53
1:A:81:ASN:HB2	1:A:86:ASP:CA	2.30	0.53
1:A:98:VAL:O	1:A:98:VAL:HG22	2.09	0.52
1:A:81:ASN:HD21	1:A:91:PRO:HD3	1.74	0.52
1:A:418:LYS:HD2	1:A:966[A]:ASP:OD1	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:VAL:CG2	1:A:150:THR:HG23	2.40	0.52
1:A:65:THR:HG23	1:A:66:SER:H	1.74	0.52
1:A:680:LEU:H	1:A:680:LEU:CD2	2.22	0.52
1:A:122:CYS:HB3	1:A:142:SER:HA	1.92	0.52
1:A:977:ARG:HH11	1:A:1024:ASP:HB3	1.75	0.52
1:A:387:ASN:ND2	1:A:487:GLU:H	2.08	0.52
1:A:969:THR:HG23	1:A:972[A]:LYS:NZ	2.25	0.52
1:A:36:ARG:HB3	1:A:215:GLU:HA	1.91	0.51
1:A:65:THR:HG23	1:A:66:SER:N	2.25	0.51
1:A:208:VAL:HG22	1:A:260:GLU:OE2	2.11	0.51
1:A:56:ILE:HD11	1:A:153:VAL:HG13	1.92	0.51
1:A:452[A]:LEU:HD13	1:A:591:ILE:HD11	1.93	0.50
1:A:56:ILE:HD13	1:A:151:VAL:HG23	1.93	0.50
1:A:272:LEU:HD23	1:A:272:LEU:C	2.31	0.50
1:A:946:THR:O	1:A:950:GLN:HG3	2.11	0.50
1:A:60:ASP:OD2	1:A:62:ALA:HB3	2.12	0.50
1:A:49:ALA:HB1	1:A:53:GLN:O	2.12	0.50
1:A:229:ASN:ND2	1:A:232:VAL:HB	2.27	0.50
1:A:745:PRO:HG2	1:A:746:PHE:CE1	2.46	0.50
1:A:38:PRO:HG3	1:A:271:ILE:HD11	1.93	0.49
1:A:33:VAL:HG21	1:A:197:ILE:CD1	2.42	0.49
1:A:682:HIS:CD2	1:A:686:GLN:HE22	2.31	0.49
1:A:466:LEU:HD23	1:A:950:GLN:HE21	1.76	0.49
1:A:324:SER:HB3	1:A:330[B]:ILE:HD11	1.95	0.49
1:A:198:VAL:HG12	1:A:223:LEU:HD12	1.95	0.49
1:A:55:VAL:HA	1:A:112:TRP:O	2.12	0.49
1:A:87:ALA:HB3	1:A:123:ILE:CG2	2.43	0.48
1:A:128:ARG:HA	1:A:134:LEU:H	1.77	0.48
1:A:1049:GLN:CG	1:A:1057:THR:HB	2.43	0.48
1:A:80:TRP:CZ2	1:A:124:ASN:HB3	2.48	0.48
1:A:678:LEU:C	1:A:680:LEU:HD23	2.33	0.48
1:A:465:GLN:HG3	1:A:950:GLN:NE2	2.28	0.48
1:A:134:LEU:HD22	1:A:155:ALA:HA	1.95	0.48
1:A:38:PRO:HA	1:A:271:ILE:HD11	1.95	0.48
1:A:154:ILE:HD11	1:A:167:ALA:HB1	1.94	0.48
1:A:267:GLU:HB2	1:A:271:ILE:HG22	1.95	0.48
1:A:39:ASP:HA	1:A:42:VAL:HG21	1.95	0.48
1:A:184:LYS:HG3	1:A:286:ASP:OD2	2.13	0.48
1:A:465:GLN:CG	1:A:950:GLN:HE22	2.27	0.48
1:A:643:CYS:SG	1:A:644:CYS:N	2.87	0.48
1:A:58:LEU:CD2	1:A:75:LYS:HD3	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:LEU:CD2	1:A:127:VAL:HA	2.44	0.47
1:A:125:VAL:HG12	1:A:126:ILE:N	2.29	0.47
1:A:139:LEU:HD12	1:A:139:LEU:N	2.30	0.47
1:A:80:TRP:O	1:A:124:ASN:HB2	2.15	0.47
1:A:230:GLN:O	1:A:234:MET:HG2	2.15	0.47
1:A:461[B]:GLN:NE2	5:A:1950:HOH:O	2.47	0.47
1:A:606:ASN:ND2	1:A:607:HIS:CD2	2.77	0.47
1:A:46:ALA:HB3	1:A:57:HIS:CE1	2.50	0.47
1:A:139:LEU:H	1:A:139:LEU:CD1	2.28	0.46
1:A:411[B]:MET:HE3	5:A:1702:HOH:O	2.14	0.46
1:A:642:THR:O	1:A:643:CYS:CB	2.63	0.46
1:A:85:CYS:HB3	1:A:122:CYS:C	2.35	0.46
1:A:154:ILE:HG22	1:A:155:ALA:N	2.31	0.46
1:A:246:LYS:HD3	1:A:247:LEU:O	2.15	0.46
1:A:302:THR:HG23	5:A:1944:HOH:O	2.15	0.46
1:A:693[B]:ARG:NH2	5:A:1547:HOH:O	2.49	0.46
1:A:231:GLN:N	1:A:231:GLN:OE1	2.49	0.46
1:A:430:HIS:HD2	1:A:433:ASP:H	1.62	0.46
1:A:79:LEU:CD2	1:A:125:VAL:HG22	2.45	0.46
1:A:197:ILE:HB	1:A:266:ALA:HB3	1.98	0.46
1:A:123:ILE:HD13	1:A:125:VAL:HG23	1.97	0.46
1:A:199:ARG:HD3	1:A:220:TYR:CE2	2.51	0.46
1:A:154:ILE:HD11	1:A:167:ALA:O	2.15	0.46
1:A:38:PRO:CA	1:A:271:ILE:HD11	2.46	0.45
1:A:219:LYS:HD3	1:A:219:LYS:N	2.28	0.45
1:A:592:LYS:HE2	1:A:672:ASP:OD2	2.16	0.45
1:A:1028:THR:O	1:A:1029:SER:CB	2.64	0.45
1:A:680:LEU:HD12	1:A:710:SER:N	2.32	0.45
1:A:98:VAL:HG12	5:A:2386:HOH:O	2.15	0.45
1:A:195:LYS:HE3	1:A:195:LYS:CA	2.47	0.45
1:A:56:ILE:CG2	1:A:112:TRP:HB2	2.47	0.45
1:A:123:ILE:CD1	1:A:141:VAL:HB	2.46	0.45
1:A:229:ASN:HD21	1:A:232:VAL:HB	1.81	0.45
1:A:430:HIS:CD2	1:A:432:ARG:H	2.35	0.45
1:A:886:SER:O	1:A:887:PHE:HB2	2.17	0.44
1:A:94:ASP:OD2	1:A:96:ASN:HB2	2.18	0.44
1:A:68:THR:OG1	1:A:69:PRO:HD2	2.18	0.44
1:A:229:ASN:N	1:A:229:ASN:ND2	2.66	0.44
1:A:1014:ASN:HD21	1:A:1020:ARG:HH11	1.65	0.44
1:A:33:VAL:HG21	1:A:197:ILE:HD13	1.99	0.43
1:A:81:ASN:HD22	1:A:88:LEU:CB	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210:ALA:HA	1:A:215:GLU:O	2.17	0.43
1:A:366:PRO:HB2	1:A:626:TRP:CE2	2.52	0.43
1:A:750:ASP:HB3	1:A:754:GLN:HE21	1.83	0.43
1:A:107:LYS:HD2	1:A:107:LYS:N	2.34	0.43
1:A:204:HIS:HE1	5:A:1154:HOH:O	2.00	0.43
1:A:228:VAL:O	1:A:228:VAL:HG13	2.18	0.43
1:A:677:ASP:OD1	2:C:1:GLC:H1	2.19	0.43
1:A:56:ILE:HG21	1:A:77:LEU:CD1	2.49	0.43
1:A:680:LEU:HD12	1:A:709:ASP:C	2.38	0.43
1:A:100:THR:O	1:A:100:THR:HG22	2.17	0.43
1:A:77:LEU:HD23	1:A:127:VAL:HA	2.00	0.43
1:A:773:SER:OG	1:A:776:GLN:HG3	2.19	0.43
1:A:57:HIS:HB2	1:A:152:SER:OG	2.18	0.43
1:A:510:LYS:HE2	5:A:1189:HOH:O	2.19	0.42
1:A:238:HIS:H	1:A:238:HIS:CD2	2.37	0.42
1:A:40:VAL:CG1	1:A:41:ALA:N	2.78	0.42
1:A:430:HIS:HB3	1:A:433:ASP:HB2	2.00	0.42
1:A:123:ILE:HD12	1:A:123:ILE:C	2.40	0.42
1:A:260:GLU:HB2	1:A:364:TYR:CE1	2.55	0.42
1:A:486:ASN:HB2	5:A:1693:HOH:O	2.19	0.42
1:A:47:VAL:HG22	1:A:48:GLN:N	2.35	0.42
1:A:722:ILE:HG13	5:A:1665:HOH:O	2.20	0.42
1:A:36:ARG:HB2	1:A:214:GLY:O	2.20	0.42
1:A:39:ASP:HA	1:A:42:VAL:CG2	2.50	0.42
1:A:216:PHE:CZ	1:A:272:LEU:HD13	2.55	0.41
1:A:494:ASP:HB3	1:A:496:GLN:HE22	1.84	0.41
1:A:948:PHE:CD1	1:A:1044:LEU:HG	2.55	0.41
1:A:56:ILE:HG21	1:A:77:LEU:HD11	2.03	0.41
1:A:83:GLU:HG3	1:A:84:THR:N	2.19	0.41
1:A:187:LEU:HD13	1:A:187:LEU:C	2.41	0.41
1:A:734:ASP:OD1	1:A:734:ASP:N	2.53	0.41
1:A:199:ARG:HB2	1:A:201:TYR:HE1	1.85	0.41
1:A:203:SER:OG	1:A:206:SER:HB2	2.19	0.41
1:A:128:ARG:HA	1:A:134:LEU:HB2	2.03	0.41
1:A:126:ILE:HD11	1:A:138:ASP:OD1	2.21	0.41
1:A:197:ILE:O	1:A:265:ALA:HA	2.21	0.41
1:A:136:ASP:O	1:A:137:SER:HB2	2.20	0.40
1:A:680:LEU:CG	1:A:710:SER:HB3	2.49	0.40
1:A:746:PHE:CD1	1:A:746:PHE:N	2.88	0.40
1:A:149:ARG:HG3	1:A:149:ARG:HH11	1.87	0.40
1:A:183:ASP:OD2	1:A:186:THR:N	2.54	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:682:HIS:CD2	1:A:686:GLN:NE2	2.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1070/1083 (99%)	1008 (94%)	52 (5%)	10 (1%)	17 6

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	VAL
1	A	66	SER
1	A	83	GLU
1	A	218	ASP
1	A	93	ALA
1	A	478	PRO
1	A	643	CYS
1	A	1029	SER
1	A	209	ALA
1	A	91	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	886/891 (99%)	869 (98%)	17 (2%)	57 43

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	LYS
1	A	184	LYS
1	A	195	LYS
1	A	229	ASN
1	A	252	ASN
1	A	374	TYR
1	A	387	ASN
1	A	478	PRO
1	A	482	LEU
1	A	496	GLN
1	A	543	GLN
1	A	562	PHE
1	A	746	PHE
1	A	831	SER
1	A	859	GLN
1	A	886	SER
1	A	1049	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	53	GLN
1	A	76	ASN
1	A	81	ASN
1	A	204	HIS
1	A	213	ASN
1	A	229	ASN
1	A	230	GLN
1	A	238	HIS
1	A	252	ASN
1	A	279	GLN
1	A	316	GLN
1	A	387	ASN
1	A	392	GLN
1	A	413	HIS
1	A	430	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	439	GLN
1	A	455	GLN
1	A	458	ASN
1	A	465	GLN
1	A	496	GLN
1	A	533	GLN
1	A	534	ASN
1	A	541	GLN
1	A	543	GLN
1	A	551	GLN
1	A	563	HIS
1	A	606	ASN
1	A	607	HIS
1	A	609	ASN
1	A	651	HIS
1	A	682	HIS
1	A	686	GLN
1	A	754	GLN
1	A	835	ASN
1	A	859	GLN
1	A	899	ASN
1	A	911	ASN
1	A	950	GLN
1	A	978	ASN
1	A	983	GLN
1	A	1014	ASN
1	A	1023	GLN
1	A	1037	GLN
1	A	1074	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	B	1	2	12,12,12	0.46	0	17,17,17	0.40	0
2	GLC	B	2	2	11,11,12	0.47	0	15,15,17	0.68	1 (6%)
2	GLC	B	3	2	11,11,12	0.49	0	15,15,17	0.54	0
2	GLC	C	1	2	12,12,12	0.51	0	17,17,17	0.67	0
2	GLC	C	2	2	11,11,12	0.58	0	15,15,17	0.65	1 (6%)
2	GLC	C	3	2	11,11,12	0.47	0	15,15,17	0.52	0
3	GLC	D	1	3	12,12,12	0.43	0	17,17,17	0.30	0
3	GLC	D	2	3	11,11,12	0.49	0	15,15,17	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	0/2/22/22	0/1/1/1
2	GLC	B	2	2	-	2/2/19/22	0/1/1/1
2	GLC	B	3	2	-	0/2/19/22	0/1/1/1
2	GLC	C	1	2	-	0/2/22/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	C	3	2	-	0/2/19/22	0/1/1/1
3	GLC	D	1	3	-	2/2/22/22	0/1/1/1
3	GLC	D	2	3	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	GLC	C1-O5-C5	2.25	115.24	112.19
2	C	2	GLC	C1-O5-C5	2.06	114.99	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	D	2	GLC	O5-C5-C6-O6
3	D	2	GLC	C4-C5-C6-O6
2	B	2	GLC	O5-C5-C6-O6
3	D	1	GLC	O5-C5-C6-O6
2	B	2	GLC	C4-C5-C6-O6
3	D	1	GLC	C4-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	GLC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1052/1083 (97%)	0.40	137 (13%) 3 3	11, 20, 73, 85	124 (11%)

All (137) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	92	VAL	13.8
1	A	122	CYS	10.5
1	A	79	LEU	9.2
1	A	84	THR	9.1
1	A	90	ALA	9.0
1	A	80	TRP	8.8
1	A	98	VAL	8.7
1	A	88	LEU	8.4
1	A	93	ALA	8.2
1	A	133	LYS	8.1
1	A	143	PHE	8.1
1	A	95	TRP	8.0
1	A	142	SER	7.8
1	A	91	PRO	7.5
1	A	81	ASN	7.4
1	A	54	ALA	7.3
1	A	82	ASN	7.2
1	A	139	LEU	7.2
1	A	123	ILE	7.0
1	A	39	ASP	6.9
1	A	129	ASP	6.9
1	A	131	THR	6.9
1	A	62	ALA	6.7
1	A	127	VAL	6.5
1	A	128	ARG	6.5
1	A	64	ILE	6.4
1	A	87	ALA	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	117	THR	6.2
1	A	86	ASP	6.0
1	A	160	VAL	5.9
1	A	136	ASP	5.9
1	A	116	LEU	5.9
1	A	40	VAL	5.8
1	A	76	ASN	5.7
1	A	212	SER	5.6
1	A	271	ILE	5.6
1	A	94	ASP	5.5
1	A	141	VAL	5.4
1	A	144	SER	5.4
1	A	130	GLY	5.3
1	A	125	VAL	5.3
1	A	272	LEU	5.2
1	A	169	ARG	5.1
1	A	56	ILE	4.9
1	A	166	ASP	4.9
1	A	61	ILE	4.8
1	A	216	PHE	4.8
1	A	270	GLY	4.7
1	A	135	ILE	4.7
1	A	38	PRO	4.7
1	A	137	SER	4.6
1	A	196	PRO	4.6
1	A	85	CYS	4.6
1	A	89	SER	4.6
1	A	303	ASP	4.5
1	A	158	SER	4.5
1	A	217	SER	4.5
1	A	147	THR	4.5
1	A	74	THR	4.5
1	A	55	VAL	4.4
1	A	154	ILE	4.3
1	A	213	ASN	4.2
1	A	140	ARG	4.2
1	A	210	ALA	4.1
1	A	59	VAL	4.1
1	A	83	GLU	4.0
1	A	159	ALA	4.0
1	A	78	TYR	3.9
1	A	167	ALA	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	42	VAL	3.8
1	A	132	ASN	3.8
1	A	161	TYR	3.8
1	A	145	ASP	3.8
1	A	157	ASN	3.8
1	A	65	THR	3.7
1	A	35	VAL	3.7
1	A	97	ASP	3.6
1	A	194	ASN	3.6
1	A	41	ALA	3.5
1	A	146	PHE	3.5
1	A	67	SER	3.5
1	A	170	ALA	3.4
1	A	195	LYS	3.4
1	A	33	VAL	3.4
1	A	34	VAL	3.4
1	A	134	LEU	3.4
1	A	69	PRO	3.3
1	A	138	ASP	3.3
1	A	162	ASP	3.3
1	A	168	PHE	3.3
1	A	1027	GLY	3.3
1	A	197	ILE	3.2
1	A	114	ILE	3.2
1	A	32	ASP	3.2
1	A	63	GLY	3.2
1	A	211	ASP	3.1
1	A	268	SER	3.1
1	A	112	TRP	3.1
1	A	120	SER	3.1
1	A	51	ALA	3.0
1	A	265	ALA	2.9
1	A	247	LEU	2.9
1	A	151	VAL	2.8
1	A	52	ARG	2.8
1	A	96	ASN	2.8
1	A	66	SER	2.7
1	A	37	LEU	2.7
1	A	198	VAL	2.6
1	A	209	ALA	2.6
1	A	214	GLY	2.6
1	A	250	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	165	ALA	2.5
1	A	115	PRO	2.5
1	A	156	GLY	2.5
1	A	746	PHE	2.5
1	A	124	ASN	2.5
1	A	113	VAL	2.4
1	A	246	LYS	2.4
1	A	36	ARG	2.4
1	A	174	VAL	2.4
1	A	110	PRO	2.4
1	A	100	THR	2.3
1	A	269	ASP	2.3
1	A	60	ASP	2.2
1	A	58	LEU	2.2
1	A	148	ASP	2.2
1	A	266	ALA	2.2
1	A	102	PRO	2.2
1	A	101	THR	2.1
1	A	150	THR	2.1
1	A	249	ASP	2.1
1	A	71	ASP	2.1
1	A	172	PHE	2.1
1	A	176	LEU	2.1
1	A	215	GLU	2.0
1	A	242	TYR	2.0
1	A	126	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GLC	D	2	11/12	0.63	0.42	87,88,88,88	0
3	GLC	D	1	12/12	0.73	0.49	88,88,88,88	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GLC	B	3	11/12	0.91	0.09	21,23,26,27	0
2	GLC	B	2	11/12	0.93	0.09	21,22,27,36	0
2	GLC	C	2	11/12	0.93	0.09	13,17,18,18	0
2	GLC	C	1	12/12	0.94	0.10	17,21,23,27	0
2	GLC	B	1	12/12	0.95	0.08	18,19,21,25	0
2	GLC	C	3	11/12	0.95	0.10	21,24,28,31	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CA	A	2405	1/1	0.97	0.12	59,59,59,59	0
4	CA	A	2403	1/1	0.99	0.06	36,36,36,36	0
4	CA	A	2402	1/1	0.99	0.13	34,34,34,34	0
4	CA	A	2404	1/1	1.00	0.07	16,16,16,16	0
4	CA	A	2401	1/1	1.00	0.08	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.