



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 8, 2024 – 09:54 am GMT

PDB ID : 6FL3  
Title : Inositol 1,3,4,5,6-pentakisphosphate 2-kinase from *A. thaliana* in complex with myo-IP5 and ADP  
Authors : Whitfield, H.L.; Brearley, C.A.; Hemmings, A.M.  
Deposited on : 2018-01-25  
Resolution : 2.36 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	 2% 69% 19% • 10%
1	B	470	 % 69% 18% • 11%

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7357 atoms, of which 66 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inositol-pentakisphosphate 2-kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	425	3371	2145	570	642	14	0	0	0
1	B	420	3344	2128	567	635	14	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP A0A178UAB5
A	-17	ALA	-	expression tag	UNP A0A178UAB5
A	-16	HIS	-	expression tag	UNP A0A178UAB5
A	-15	HIS	-	expression tag	UNP A0A178UAB5
A	-14	HIS	-	expression tag	UNP A0A178UAB5
A	-13	HIS	-	expression tag	UNP A0A178UAB5
A	-12	HIS	-	expression tag	UNP A0A178UAB5
A	-11	HIS	-	expression tag	UNP A0A178UAB5
A	-10	SER	-	expression tag	UNP A0A178UAB5
A	-9	SER	-	expression tag	UNP A0A178UAB5
A	-8	GLY	-	expression tag	UNP A0A178UAB5
A	-7	LEU	-	expression tag	UNP A0A178UAB5
A	-6	GLU	-	expression tag	UNP A0A178UAB5
A	-5	VAL	-	expression tag	UNP A0A178UAB5
A	-4	LEU	-	expression tag	UNP A0A178UAB5
A	-3	PHE	-	expression tag	UNP A0A178UAB5
A	-2	GLN	-	expression tag	UNP A0A178UAB5
A	-1	GLY	-	expression tag	UNP A0A178UAB5
A	0	PRO	-	expression tag	UNP A0A178UAB5
A	185	MET	ILE	conflict	UNP A0A178UAB5
B	-18	MET	-	initiating methionine	UNP A0A178UAB5
B	-17	ALA	-	expression tag	UNP A0A178UAB5
B	-16	HIS	-	expression tag	UNP A0A178UAB5
B	-15	HIS	-	expression tag	UNP A0A178UAB5
B	-14	HIS	-	expression tag	UNP A0A178UAB5

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	HIS	-	expression tag	UNP A0A178UAB5
B	-12	HIS	-	expression tag	UNP A0A178UAB5
B	-11	HIS	-	expression tag	UNP A0A178UAB5
B	-10	SER	-	expression tag	UNP A0A178UAB5
B	-9	SER	-	expression tag	UNP A0A178UAB5
B	-8	GLY	-	expression tag	UNP A0A178UAB5
B	-7	LEU	-	expression tag	UNP A0A178UAB5
B	-6	GLU	-	expression tag	UNP A0A178UAB5
B	-5	VAL	-	expression tag	UNP A0A178UAB5
B	-4	LEU	-	expression tag	UNP A0A178UAB5
B	-3	PHE	-	expression tag	UNP A0A178UAB5
B	-2	GLN	-	expression tag	UNP A0A178UAB5
B	-1	GLY	-	expression tag	UNP A0A178UAB5
B	0	PRO	-	expression tag	UNP A0A178UAB5
B	185	MET	ILE	conflict	UNP A0A178UAB5

- Molecule 2 is MYO-INOSITOL-(1,3,4,5,6)-PENTAKISPHOSPHATE (three-letter code: 5MY) (formula: C<sub>6</sub>H<sub>17</sub>O<sub>21</sub>P<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	H	O			P
2	A	1	Total	C	H	O	P	0	0
			39	6	7	21	5		
2	B	1	Total	C	H	O	P	0	0
			39	6	7	21	5		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		
4	B	2	Total	Mg	0	0
			2	2		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		
5	B	1	Total	Zn	0	0
			1	1		

- Molecule 6 is 2-[3-(2-HYDROXY-1,1-DIHYDROXYMETHYL-ETHYLAMINO)-PROPYL AMINO]-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: B3P) (formula: C<sub>11</sub>H<sub>26</sub>N<sub>2</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	H	N			O
6	A	1	45	11	26	2	6	0	0
6	B	1	45	11	26	2	6	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	202	202	202	0	0
7	B	212	212	212	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Inositol-pentakisphosphate 2-kinase



- Molecule 1: Inositol-pentakisphosphate 2-kinase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.95Å 59.01Å 83.36Å 88.98° 89.56° 63.65°	Depositor
Resolution (Å)	52.87 – 2.36 52.87 – 2.36	Depositor EDS
% Data completeness (in resolution range)	91.8 (52.87-2.36) 91.8 (52.87-2.36)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.30 (at 2.37Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, $R_{free}$	0.154 , 0.217 0.155 , 0.215	Depositor DCC
$R_{free}$ test set	1898 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.4	Xtrriage
Anisotropy	0.215	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 60.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.022 for -h,-k,l 0.019 for k,h,-l 0.024 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7357	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B3P, ZN, ADP, 5MY, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3430	0.55	0/4620
1	B	0.41	0/3405	0.54	0/4586
All	All	0.40	0/6835	0.55	0/9206

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3371	0	3392	72	0
1	B	3344	0	3356	77	0
2	A	32	7	7	1	0
2	B	32	7	7	0	0
3	A	27	0	12	0	0
3	B	27	0	12	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	19	26	26	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	19	26	26	1	0
7	A	202	0	0	4	0
7	B	212	0	0	5	0
All	All	7291	66	6838	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ILE:HG21	1:A:408:LEU:HD13	1.45	0.98
1:B:74:GLU:HG3	1:B:91:ASN:ND2	1.92	0.83
1:A:165:VAL:HG22	1:A:242:VAL:HG22	1.65	0.78
1:B:74:GLU:N	1:B:74:GLU:OE1	2.16	0.77
1:B:407:ASP:OD1	7:B:601:HOH:O	2.04	0.75
1:A:378:ARG:HB2	1:A:398:THR:HG22	1.69	0.73
1:B:149:HIS:O	1:B:374:SER:OG	2.07	0.71
1:A:79:PRO:HD2	1:A:83:VAL:HG11	1.72	0.70
1:A:277:GLN:O	1:A:277:GLN:HG3	1.91	0.69
1:A:100:LYS:HG2	1:A:101:HIS:NE2	2.09	0.67
1:B:45:ARG:HD2	1:B:45:ARG:O	1.94	0.67
1:A:343:LEU:O	1:A:346:HIS:N	2.24	0.66
1:A:31:SER:O	1:A:35:VAL:HG13	1.96	0.66
1:A:342:GLU:O	1:A:344:SER:N	2.29	0.65
1:B:25:LEU:HD11	1:B:118:VAL:CG1	2.27	0.65
1:B:342:GLU:HB3	1:B:346:HIS:HD2	1.62	0.65
1:A:343:LEU:O	1:A:345:LEU:N	2.31	0.63
1:A:25:LEU:HD11	1:A:118:VAL:HG13	1.80	0.62
1:A:116:GLU:O	1:A:120:LYS:HG2	2.00	0.62
1:A:334:LYS:HG2	7:A:606:HOH:O	2.01	0.61
1:A:128:LEU:HD22	1:A:128:LEU:H	1.65	0.61
1:A:378:ARG:CZ	1:A:398:THR:HB	2.31	0.61
1:B:397:GLN:HB3	7:B:673:HOH:O	2.00	0.61
1:A:202:GLU:HA	1:A:202:GLU:OE1	2.01	0.61
1:A:100:LYS:HG2	1:A:101:HIS:CE1	2.36	0.60
1:B:178:ARG:HG2	7:B:744:HOH:O	2.01	0.60
1:A:277:GLN:HG2	1:A:397:GLN:CD	2.22	0.60
1:B:74:GLU:HG3	1:B:91:ASN:HD21	1.63	0.60
1:A:378:ARG:CB	1:A:398:THR:HG22	2.32	0.60
1:B:6:GLU:OE1	7:B:602:HOH:O	2.16	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:LEU:HD12	1:A:411:LYS:N	2.18	0.59
1:B:74:GLU:CG	1:B:91:ASN:ND2	2.66	0.59
1:B:342:GLU:HB3	1:B:346:HIS:CD2	2.38	0.59
1:A:325:ILE:HD11	1:A:354:LEU:HA	1.85	0.59
1:A:374:SER:O	1:A:401:TYR:HA	2.02	0.59
1:B:93:ILE:HG21	1:B:408:LEU:HD13	1.84	0.58
1:B:217:LEU:O	1:B:301:LEU:HD13	2.02	0.58
1:B:337:ARG:O	1:B:337:ARG:HG3	2.03	0.58
1:A:269:GLU:OE2	1:A:283:ARG:HB2	2.04	0.58
1:A:428:SER:O	1:A:432:ARG:HG3	2.03	0.58
1:B:37:LYS:HE3	1:B:154:GLN:NE2	2.20	0.57
1:B:15:TYR:HA	1:B:25:LEU:HD23	1.87	0.57
1:A:325:ILE:CD1	1:A:354:LEU:HD23	2.35	0.56
1:A:60:VAL:CG1	1:A:84:LEU:HD22	2.34	0.56
1:B:74:GLU:CG	1:B:91:ASN:HD22	2.18	0.56
1:A:343:LEU:HD23	1:A:344:SER:N	2.20	0.56
1:A:370:SER:HB2	1:A:406:ILE:HG13	1.87	0.56
1:B:260:THR:HG23	1:B:264:ILE:HG22	1.86	0.56
1:B:105:GLY:HA3	1:B:144:LEU:HD22	1.88	0.56
1:A:263:GLU:OE1	1:A:263:GLU:N	2.24	0.56
1:B:74:GLU:HG3	1:B:91:ASN:HD22	1.70	0.55
1:B:4:ILE:C	1:B:4:ILE:HD13	2.27	0.55
2:A:501:5MY:O23	7:A:601:HOH:O	2.18	0.55
1:B:45:ARG:HD2	1:B:45:ARG:C	2.28	0.54
1:B:185:MET:N	1:B:185:MET:HE3	2.22	0.54
1:B:407:ASP:OD2	3:B:502:ADP:O3B	2.26	0.54
1:B:374:SER:O	1:B:401:TYR:HA	2.08	0.53
1:B:79:PRO:HD2	1:B:83:VAL:HG11	1.90	0.53
1:B:320:HIS:CE1	1:B:332:ILE:HB	2.44	0.53
1:B:25:LEU:HD11	1:B:118:VAL:HG11	1.91	0.52
1:A:183:GLU:OE1	1:A:183:GLU:N	2.39	0.52
1:A:323:TYR:CD2	1:A:331:PRO:HD2	2.44	0.52
1:B:185:MET:HE3	1:B:185:MET:H	1.75	0.52
1:B:290:LEU:HD12	1:B:390:VAL:HG11	1.92	0.52
1:B:396:ASN:O	1:B:396:ASN:ND2	2.41	0.52
1:B:25:LEU:HD11	1:B:118:VAL:HG13	1.91	0.51
6:B:506:B3P:O2	6:B:506:B3P:O1	2.18	0.51
1:B:300:VAL:HG11	1:B:403:VAL:HG11	1.91	0.51
1:A:7:GLU:HB2	1:A:113:GLU:HB2	1.91	0.50
1:A:179:PHE:CE1	1:A:342:GLU:HB3	2.45	0.50
1:A:121:LYS:O	1:A:124:LYS:NZ	2.44	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:TYR:HA	1:B:25:LEU:CD2	2.41	0.50
1:B:273:LYS:O	1:B:273:LYS:HD3	2.11	0.50
1:A:49:LYS:N	7:A:614:HOH:O	2.45	0.50
1:A:172:GLY:HA3	1:A:218:PHE:CD2	2.47	0.50
1:B:87:ARG:O	1:B:91:ASN:HB2	2.12	0.49
1:A:83:VAL:O	1:A:87:ARG:HG3	2.12	0.49
1:A:355:LYS:HE2	1:A:359:GLU:OE2	2.12	0.49
1:A:395:THR:O	1:A:396:ASN:HB2	2.12	0.49
1:B:342:GLU:CB	1:B:346:HIS:HD2	2.24	0.49
1:B:182:LYS:HG3	1:B:183:GLU:N	2.27	0.49
1:B:329:PRO:O	1:B:331:PRO:HD3	2.13	0.49
1:B:177:SER:HB3	1:B:180:ILE:HD12	1.95	0.49
1:A:334:LYS:O	1:A:340:GLU:HG2	2.13	0.48
1:A:45:ARG:HD3	1:A:133:ALA:O	2.13	0.48
1:A:343:LEU:HD23	1:A:343:LEU:C	2.32	0.48
1:A:46:ARG:NH2	1:B:182:LYS:HE2	2.28	0.47
1:A:51:ILE:N	1:A:51:ILE:HD12	2.29	0.47
1:B:243:PHE:HA	1:B:247:SER:O	2.14	0.47
1:A:179:PHE:HE1	1:A:342:GLU:HB3	1.78	0.47
1:B:12:ASP:HB3	1:B:27:TYR:CE1	2.49	0.47
1:B:269:GLU:OE2	1:B:283:ARG:HB2	2.15	0.47
1:A:45:ARG:NH1	1:A:133:ALA:HB1	2.30	0.47
1:A:185:MET:O	1:A:185:MET:HE2	2.14	0.47
1:B:5:LEU:HB2	1:B:110:VAL:HG12	1.97	0.47
1:B:4:ILE:HD12	1:B:6:GLU:OE2	2.14	0.47
1:B:7:GLU:HB3	1:B:8:LYS:NZ	2.29	0.47
1:A:36:GLY:HA2	1:A:151:LEU:CD1	2.45	0.46
1:B:148:ASP:OD1	1:B:150:SER:OG	2.27	0.46
1:B:268:PHE:CE2	1:B:272:LEU:HD11	2.51	0.46
1:A:46:ARG:CZ	1:B:182:LYS:HE2	2.46	0.46
1:A:290:LEU:CD1	1:A:390:VAL:HG21	2.46	0.46
1:B:89:VAL:O	1:B:94:ILE:HG13	2.16	0.46
1:A:148:ASP:OD1	1:A:150:SER:HB2	2.17	0.45
1:A:25:LEU:HD11	1:A:118:VAL:CG1	2.45	0.45
1:B:7:GLU:HB2	1:B:113:GLU:HB3	1.99	0.45
1:A:194:LYS:O	1:A:197:GLN:HB2	2.18	0.44
1:A:278:SER:HB3	1:A:283:ARG:HG2	1.98	0.44
1:B:337:ARG:HG3	1:B:337:ARG:NH2	2.32	0.44
1:B:378:ARG:HD2	1:B:398:THR:CG2	2.48	0.44
1:A:71:GLU:OE1	1:A:358:LYS:NZ	2.41	0.44
1:A:295:VAL:HG13	1:A:296:TYR:N	2.33	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:GLU:HG3	1:B:344:SER:H	1.83	0.44
1:A:290:LEU:HD12	1:A:390:VAL:HG21	2.00	0.44
1:B:172:GLY:HA3	1:B:218:PHE:CD2	2.52	0.44
1:B:337:ARG:HG3	1:B:337:ARG:HH21	1.82	0.43
1:B:13:TRP:CZ3	1:B:27:TYR:HB2	2.53	0.43
1:B:167:ILE:O	1:B:169:PRO:HD3	2.19	0.43
1:A:208:GLU:HG3	7:A:604:HOH:O	2.19	0.43
1:B:370:SER:HB2	1:B:406:ILE:HG13	2.01	0.43
1:B:378:ARG:HD2	1:B:398:THR:HG22	2.01	0.43
1:B:378:ARG:HB2	1:B:398:THR:HG22	2.01	0.43
1:A:119:ASP:CG	1:A:136:VAL:HG13	2.39	0.42
1:A:100:LYS:HG2	1:A:101:HIS:CD2	2.54	0.42
1:A:52:LYS:HA	1:A:57:VAL:O	2.20	0.42
1:A:312:LYS:HE3	1:A:359:GLU:OE1	2.20	0.42
1:A:290:LEU:CD1	1:A:390:VAL:CG2	2.97	0.42
1:B:8:LYS:N	1:B:8:LYS:HD3	2.34	0.42
1:B:18:GLU:OE2	1:B:43:LYS:NZ	2.48	0.42
1:A:25:LEU:HB2	1:A:39:ILE:HG22	2.02	0.42
1:A:392:LEU:O	1:A:396:ASN:HA	2.20	0.42
1:B:334:LYS:HD3	1:B:334:LYS:HA	1.75	0.42
1:A:168:LYS:HB3	1:A:239:ASN:HA	2.01	0.42
1:A:225:VAL:O	1:A:229:ILE:HG12	2.20	0.41
1:B:334:LYS:O	7:B:603:HOH:O	2.22	0.41
1:A:323:TYR:CE2	1:A:331:PRO:HD2	2.56	0.41
1:B:37:LYS:HA	1:B:37:LYS:HD3	1.89	0.41
1:B:44:ALA:HB2	1:B:137:ASP:HB2	2.02	0.41
1:B:163:ILE:HD12	1:B:275:PHE:CD2	2.55	0.41
1:A:7:GLU:HG3	1:A:117:CYS:SG	2.61	0.41
1:B:8:LYS:N	1:B:8:LYS:CD	2.83	0.41
1:B:215:LEU:O	1:B:219:SER:HB3	2.21	0.41
1:A:150:SER:HB3	1:A:246:GLY:HA2	2.03	0.41
1:A:198:LEU:HD23	1:A:198:LEU:HA	1.84	0.41
1:A:378:ARG:HD2	1:A:378:ARG:C	2.42	0.40
1:B:4:ILE:O	1:B:4:ILE:HG23	2.21	0.40
1:B:378:ARG:HG3	1:B:379:ASN:N	2.36	0.40
1:B:182:LYS:O	1:B:185:MET:HE2	2.22	0.40
1:B:334:LYS:HB2	1:B:334:LYS:NZ	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/470 (88%)	398 (96%)	13 (3%)	4 (1%)	15	15
1	B	410/470 (87%)	393 (96%)	16 (4%)	1 (0%)	47	56
All	All	825/940 (88%)	791 (96%)	29 (4%)	5 (1%)	25	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	GLU
1	A	343	LEU
1	A	344	SER
1	A	394	PRO
1	B	336	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/415 (91%)	356 (94%)	21 (6%)	21	23
1	B	373/415 (90%)	353 (95%)	20 (5%)	22	25
All	All	750/830 (90%)	709 (94%)	41 (6%)	21	24

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	113	GLU
1	A	125	GLN
1	A	151	LEU
1	A	185	MET
1	A	189	SER
1	A	202	GLU
1	A	207	SER
1	A	208	GLU
1	A	325	ILE
1	A	344	SER
1	A	345	LEU
1	A	377	SER
1	A	378	ARG
1	A	390	VAL
1	A	397	GLN
1	A	402	LYS
1	A	414	LYS
1	A	418	SER
1	A	424	LYS
1	A	434	GLN
1	B	-5	VAL
1	B	4	ILE
1	B	8	LYS
1	B	45	ARG
1	B	124	LYS
1	B	153	SER
1	B	185	MET
1	B	207	SER
1	B	208	GLU
1	B	221	SER
1	B	247	SER
1	B	256	SER
1	B	273	LYS
1	B	325	ILE
1	B	334	LYS
1	B	337	ARG
1	B	377	SER
1	B	378	ARG
1	B	392	LEU
1	B	434	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	397	GLN
1	B	91	ASN
1	B	154	GLN
1	B	289	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	B3P	B	506	-	18,18,18	0.75	0	21,23,23	1.16	3 (14%)
2	5MY	A	501	-	32,32,32	0.69	0	48,53,53	1.18	2 (4%)
2	5MY	B	501	4	32,32,32	0.74	0	48,53,53	1.29	7 (14%)
3	ADP	B	502	4	24,29,29	0.95	1 (4%)	29,45,45	1.43	4 (13%)
3	ADP	A	502	4	24,29,29	1.14	3 (12%)	29,45,45	1.11	3 (10%)
6	B3P	A	506	-	18,18,18	0.47	0	21,23,23	1.08	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	B3P	B	506	-	-	11/28/28/28	-
2	5MY	A	501	-	-	3/25/49/49	0/1/1/1
2	5MY	B	501	4	-	9/25/49/49	0/1/1/1
3	ADP	B	502	4	-	1/12/32/32	0/3/3/3
3	ADP	A	502	4	-	1/12/32/32	0/3/3/3
6	B3P	A	506	-	-	8/28/28/28	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	ADP	C5-C4	2.66	1.48	1.40
3	B	502	ADP	C5-C4	2.47	1.47	1.40
3	A	502	ADP	C2-N3	2.41	1.36	1.32
3	A	502	ADP	O4'-C1'	2.28	1.44	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	5MY	O16-C6-C1	-3.48	100.49	108.69
3	B	502	ADP	PA-O3A-PB	-2.97	122.63	132.83
3	B	502	ADP	N3-C2-N1	-2.87	124.19	128.68
6	B	506	B3P	O5-C6-C4	-2.83	105.91	111.63
3	B	502	ADP	C4-C5-N7	-2.80	106.48	109.40
2	A	501	5MY	O16-P6-O36	-2.61	99.31	109.39
2	B	501	5MY	O11-P1-O41	-2.60	99.36	109.39
3	A	502	ADP	N3-C2-N1	-2.47	124.82	128.68
6	A	506	B3P	C2-N2-C8	2.42	119.51	116.08
2	B	501	5MY	O46-P6-O26	2.37	116.71	107.64
2	B	501	5MY	O45-P5-O25	2.31	116.47	107.64
3	A	502	ADP	C4-C5-N7	-2.30	107.00	109.40
6	B	506	B3P	C11-C8-N2	2.17	115.55	109.03
3	A	502	ADP	PA-O3A-PB	-2.15	125.44	132.83
2	B	501	5MY	C5-C4-C3	2.14	115.10	110.41
2	A	501	5MY	O21-P1-O31	2.14	115.81	107.64
3	B	502	ADP	C2-N1-C6	2.10	122.34	118.75
2	B	501	5MY	O16-P6-O36	-2.09	101.33	109.39
2	B	501	5MY	O46-P6-O16	-2.06	96.78	105.99
6	B	506	B3P	O2-C10-C8	-2.01	107.56	111.63

There are no chirality outliers.

All (33) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	5MY	C3-O13-P3-O33
2	B	501	5MY	C1-O11-P1-O41
6	A	506	B3P	C1-C2-N2-C8
6	A	506	B3P	C9-C8-N2-C2
6	A	506	B3P	C10-C8-N2-C2
6	A	506	B3P	C11-C8-N2-C2
6	A	506	B3P	N2-C8-C9-O1
6	A	506	B3P	C10-C8-C9-O1
6	A	506	B3P	C11-C8-C9-O1
6	B	506	B3P	N1-C4-C7-O6
6	B	506	B3P	C6-C4-C7-O6
6	B	506	B3P	O3-C11-C8-N2
6	B	506	B3P	O3-C11-C8-C9
6	B	506	B3P	O3-C11-C8-C10
6	B	506	B3P	C3-C1-C2-N2
6	B	506	B3P	C2-C1-C3-N1
6	B	506	B3P	C1-C2-N2-C8
2	A	501	5MY	C4-O14-P4-O34
6	B	506	B3P	C5-C4-C7-O6
2	B	501	5MY	C5-O15-P5-O25
6	B	506	B3P	C7-C4-C6-O5
6	A	506	B3P	C3-C1-C2-N2
2	B	501	5MY	C2-C3-O13-P3
2	B	501	5MY	C3-O13-P3-O33
2	B	501	5MY	C4-O14-P4-O34
6	B	506	B3P	N1-C4-C6-O5
2	A	501	5MY	C1-O11-P1-O21
2	B	501	5MY	C3-O13-P3-O23
2	B	501	5MY	C3-O13-P3-O43
2	B	501	5MY	C5-O15-P5-O45
2	B	501	5MY	C4-O14-P4-O44
3	A	502	ADP	C5'-O5'-PA-O1A
3	B	502	ADP	C5'-O5'-PA-O1A


There are no ring outliers.


3 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	506	B3P	1	0
2	A	501	5MY	1	0
3	B	502	ADP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	425/470 (90%)	-0.08	8 (1%) 66 76	15, 35, 76, 115	0
1	B	420/470 (89%)	-0.11	3 (0%) 87 92	15, 34, 66, 133	0
All	All	845/940 (89%)	-0.10	11 (1%) 77 84	15, 35, 74, 133	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	277	GLN	5.4
1	A	378	ARG	5.4
1	A	276	ILE	4.0
1	A	391	SER	2.8
1	B	335	GLU	2.7
1	B	395	THR	2.4
1	A	282	HIS	2.4
1	A	274	GLY	2.3
1	B	381	TRP	2.3
1	A	266	TYR	2.1
1	A	158	SER	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	B3P	A	506	19/19	0.86	0.16	40,62,89,92	0
4	MG	A	504	1/1	0.92	0.11	24,24,24,24	0
4	MG	B	504	1/1	0.93	0.14	24,24,24,24	0
6	B3P	B	506	19/19	0.94	0.15	20,47,84,94	0
4	MG	A	503	1/1	0.97	0.23	24,24,24,24	0
4	MG	B	503	1/1	0.98	0.11	27,27,27,27	0
3	ADP	B	502	27/27	0.98	0.12	17,24,28,31	0
2	5MY	A	501	32/32	0.98	0.13	17,26,37,38	0
3	ADP	A	502	27/27	0.98	0.11	15,22,26,28	0
2	5MY	B	501	32/32	0.99	0.12	14,26,35,38	0
5	ZN	A	505	1/1	1.00	0.14	29,29,29,29	0
5	ZN	B	505	1/1	1.00	0.13	27,27,27,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around B3P A 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around B3P B 506:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 5MY A 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ADP A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.