



Full wwPDB X-ray Structure Validation Report i

May 27, 2020 – 03:31 am BST

PDB ID : 6FV7
Title : Dimer structure of the MATE family multidrug resistance transporter Aq_128 from Aquifex aeolicus in the outward-facing state
Authors : Zhao, J.; Safarian, S.; Thielmann, Y.; Xie, H.; Wang, J.; Michel, H.
Deposited on : 2018-03-01
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)
RSRZ outliers	127900	1578 (3.90-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 6571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aq128.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	0	0
			3310	2236	508	552	14			
1	B	416	Total	C	N	O	S	0	0	0
			3261	2204	501	542	14			


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aq128



- Molecule 1: Aq128



LYS
VAL
THR

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.60 Å 116.50 Å 142.60 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.88 – 3.70 19.88 – 3.70	Depositor EDS
% Data completeness (in resolution range)	98.9 (19.88-3.70) 99.5 (19.88-3.70)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.37 (at 3.71 Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R , R_{free}	0.327 , 0.359 0.327 , 0.360	Depositor DCC
R_{free} test set	668 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	111.6	Xtriage
Anisotropy	0.277	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 61.1	EDS
L-test for twinning ²	$< L > = 0.43$, $< L^2 > = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6571	wwPDB-VP
Average B, all atoms (Å ²)	120.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.66 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9752e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.25	0/3403	0.39	0/4627
1	B	0.25	0/3351	0.38	0/4550
All	All	0.25	0/6754	0.39	0/9177

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3310	0	3452	81	0
1	B	3261	0	3407	50	0
All	All	6571	0	6859	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (\AA)	Clash overlap (\AA)
1:A:396:PHE:HA	1:A:400:ARG:HG3	1.70	0.72
1:B:365:SER:HB3	1:B:422:THR:HG23	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:PHE:HA	1:B:144:ILE:HG13	1.73	0.71
1:A:117:LEU:O	1:A:130:ARG:NH2	2.24	0.70
1:A:365:SER:HB3	1:A:422:THR:HG23	1.73	0.70
1:A:428:ARG:HA	1:A:432:TYR:HD2	1.56	0.70
1:B:327:MET:HG3	1:B:370:ALA:HB2	1.74	0.68
1:A:136:TYR:HB2	1:A:196:VAL:HG22	1.75	0.68
1:A:16:ILE:O	1:A:18:LYS:N	2.27	0.67
1:B:293:MET:HB2	1:B:373:SER:HB3	1.77	0.66
1:A:100:LEU:HD11	1:A:240:VAL:HG23	1.80	0.64
1:B:395:SER:OG	1:B:424:GLU:OE2	2.10	0.64
1:A:408:LEU:HD11	1:A:417:PRO:HD3	1.80	0.63
1:A:61:LEU:HD12	1:A:116:VAL:HG22	1.80	0.63
1:B:32:LEU:O	1:B:36:GLU:N	2.29	0.62
1:B:250:ARG:O	1:B:254:THR:OG1	2.18	0.62
1:B:113:LYS:NZ	1:B:137:LEU:O	2.32	0.61
1:A:159:GLY:O	1:A:302:GLN:NE2	2.33	0.61
1:A:433:TYR:HE2	1:A:437:LYS:HD3	1.66	0.60
1:A:337:PHE:HB3	1:A:340:TYR:HB2	1.83	0.59
1:A:269:ASP:HA	1:A:272:LEU:HB2	1.84	0.59
1:B:61:LEU:HD13	1:B:116:VAL:HG13	1.85	0.59
1:B:72:SER:OG	1:B:152:THR:OG1	2.21	0.58
1:A:434:THR:HA	1:A:437:LYS:HB3	1.86	0.58
1:A:251:ALA:O	1:A:254:THR:OG1	2.21	0.58
1:A:60:SER:HA	1:A:63:TRP:HD1	1.69	0.56
1:B:400:ARG:NE	1:B:424:GLU:OE1	2.38	0.56
1:A:428:ARG:HA	1:A:432:TYR:CD2	2.40	0.56
1:A:277:ILE:HG21	1:A:342:VAL:HG13	1.88	0.56
1:B:31:LEU:O	1:B:33:TYR:N	2.36	0.56
1:B:44:VAL:HG13	1:B:47:ILE:HD11	1.88	0.55
1:B:143:PHE:HD2	1:B:146:ILE:HD12	1.72	0.55
1:B:26:ILE:HG21	1:B:294:ILE:HD12	1.88	0.55
1:A:141:PHE:HA	1:A:144:ILE:HG13	1.88	0.55
1:B:399:PHE:HB3	1:B:424:GLU:HG3	1.89	0.55
1:A:299:LEU:O	1:A:303:ASN:ND2	2.40	0.54
1:A:400:ARG:O	1:A:404:SER:HB3	2.08	0.54
1:A:116:VAL:O	1:A:120:MET:N	2.41	0.53
1:B:100:LEU:O	1:B:104:ILE:HG13	2.09	0.53
1:B:391:VAL:HG21	1:B:432:TYR:CZ	2.44	0.53
1:A:15:VAL:HG22	1:A:17:LYS:HG3	1.89	0.53
1:A:354:TRP:HB3	1:A:418:TRP:HH2	1.74	0.53
1:A:411:ILE:HD12	1:A:413:SER:H	1.73	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:391:VAL:HG13	1:A:428:ARG:HG3	1.90	0.52
1:A:399:PHE:HB3	1:A:424:GLU:CG	2.39	0.52
1:A:65:ILE:HG23	1:A:108:LEU:HD23	1.92	0.52
1:B:303:ASN:HB2	1:B:312:MET:HB3	1.91	0.52
1:A:376:SER:OG	1:A:428:ARG:NH2	2.39	0.51
1:A:58:SER:O	1:A:62:LEU:N	2.37	0.50
1:A:281:ILE:HD13	1:A:341:LEU:HB3	1.92	0.50
1:A:59:LEU:HD23	1:A:62:LEU:HD12	1.94	0.50
1:A:404:SER:OG	1:A:404:SER:O	2.29	0.50
1:B:158:ASN:HD22	1:B:294:ILE:HG21	1.77	0.50
1:B:282:GLU:O	1:B:286:PHE:N	2.44	0.50
1:A:116:VAL:HG21	1:A:137:LEU:HD13	1.95	0.49
1:B:184:LEU:HD23	1:B:194:LEU:HD22	1.94	0.49
1:B:391:VAL:O	1:B:395:SER:N	2.44	0.49
1:B:136:TYR:HB2	1:B:196:VAL:HG22	1.93	0.49
1:A:71:LEU:HD22	1:A:240:VAL:HA	1.94	0.48
1:B:106:LEU:N	1:B:107:PRO:HD2	2.29	0.48
1:A:256:SER:HB3	1:A:396:PHE:CE2	2.49	0.47
1:B:64:PHE:HZ	1:B:258:ASN:HD21	1.62	0.47
1:A:146:ILE:HG21	1:A:208:ILE:HG22	1.96	0.47
1:A:368:ALA:O	1:A:429:ALA:HB1	2.15	0.47
1:B:399:PHE:HB3	1:B:424:GLU:CG	2.43	0.47
1:B:213:ILE:O	1:B:217:LEU:HG	2.14	0.47
1:B:126:SER:HB3	1:B:129:VAL:HG23	1.96	0.47
1:A:154:TYR:HE2	1:A:214:TYR:HH	1.62	0.46
1:A:438:LYS:HE2	1:A:442:LYS:H2	1.81	0.46
1:A:432:TYR:O	1:A:435:VAL:HG22	2.15	0.46
1:A:293:MET:HG3	1:A:373:SER:O	2.15	0.46
1:A:137:LEU:HB3	1:A:141:PHE:CE2	2.51	0.46
1:A:264:LEU:HD12	1:A:275:HIS:CD2	2.51	0.46
1:A:358:TYR:O	1:A:362:VAL:HG22	2.15	0.46
1:A:408:LEU:HG	1:A:411:ILE:HG12	1.97	0.45
1:A:245:PRO:HB3	1:A:389:LEU:HD22	1.97	0.45
1:B:26:ILE:HD11	1:B:163:THR:HG21	1.97	0.45
1:A:316:VAL:HG21	1:A:436:PHE:CE1	2.51	0.45
1:A:170:ALA:O	1:A:174:ASN:ND2	2.47	0.45
1:B:169:VAL:HG11	1:B:214:TYR:CE1	2.52	0.45
1:B:54:ALA:O	1:B:58:SER:OG	2.24	0.45
1:B:164:LYS:O	1:B:168:LYS:HG2	2.17	0.45
1:A:101:SER:O	1:A:105:SER:OG	2.23	0.45
1:A:137:LEU:HB3	1:A:141:PHE:HE2	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:SER:HA	1:B:286:PHE:HB2	1.98	0.45
1:A:316:VAL:HG21	1:A:436:PHE:CZ	2.52	0.44
1:A:62:LEU:HD23	1:A:65:ILE:HD12	1.98	0.44
1:A:354:TRP:HB3	1:A:418:TRP:CH2	2.53	0.44
1:B:204:ALA:O	1:B:208:ILE:HG23	2.18	0.44
1:A:16:ILE:HB	1:A:318:THR:HG21	1.98	0.44
1:A:433:TYR:CE2	1:A:437:LYS:HB2	2.52	0.44
1:A:313:VAL:HA	1:A:316:VAL:HG22	2.01	0.43
1:A:79:LEU:HB3	1:A:93:ILE:HD13	1.99	0.43
1:A:30:ASN:HB3	1:A:287:MET:SD	2.59	0.43
1:A:313:VAL:HG21	1:A:440:VAL:HG11	1.99	0.43
1:B:20:VAL:HB	1:B:24:ILE:HG13	2.00	0.43
1:A:350:GLU:O	1:A:353:GLU:HB3	2.19	0.43
1:B:180:THR:HG21	1:B:205:ILE:HD12	2.00	0.43
1:A:36:GLU:HB2	1:A:174:ASN:OD1	2.18	0.42
1:A:338:PRO:O	1:A:342:VAL:HG23	2.18	0.42
1:A:91:SER:OG	1:A:92:PRO:HD3	2.19	0.42
1:B:113:LYS:HA	1:B:141:PHE:CE2	2.55	0.42
1:B:316:VAL:HG21	1:B:436:PHE:CZ	2.54	0.42
1:B:387:ILE:HG23	1:B:432:TYR:OH	2.20	0.42
1:B:209:LEU:O	1:B:213:ILE:HG12	2.18	0.42
1:B:430:LEU:O	1:B:432:TYR:N	2.52	0.42
1:B:186:ASN:HA	1:B:193:LYS:HG2	2.02	0.41
1:A:8:PRO:O	1:A:11:PRO:HD3	2.20	0.41
1:B:343:TYR:HA	1:B:346:SER:HB2	2.01	0.41
1:A:137:LEU:HD23	1:A:140:ILE:HD12	2.02	0.41
1:A:402:ILE:HB	1:A:403:PRO:HD3	2.02	0.41
1:A:438:LYS:HG2	1:A:442:LYS:NZ	2.35	0.41
1:B:277:ILE:HG21	1:B:342:VAL:HG13	2.02	0.41
1:A:303:ASN:CB	1:A:312:MET:HB3	2.51	0.41
1:A:24:ILE:N	1:A:25:PRO:HD2	2.35	0.41
1:B:109:PHE:HE2	1:B:142:TRP:HA	1.85	0.41
1:B:40:SER:O	1:B:44:VAL:HG23	2.20	0.41
1:A:121:LYS:HB3	1:A:130:ARG:NH1	2.36	0.41
1:A:169:VAL:HG21	1:A:214:TYR:CE2	2.55	0.41
1:A:259:VAL:HG21	1:A:397:TRP:HH2	1.85	0.41
1:A:253:THR:HA	1:A:256:SER:HB2	2.03	0.41
1:A:399:PHE:C	1:A:424:GLU:HG3	2.41	0.41
1:B:264:LEU:HD12	1:B:275:HIS:ND1	2.35	0.41
1:A:391:VAL:HG12	1:A:392:ASN:N	2.34	0.41
1:A:105:SER:HB3	1:A:145:PRO:HG3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:VAL:O	1:A:346:SER:N	2.54	0.41
1:B:368:ALA:CB	1:B:426:ALA:HA	2.52	0.40
1:A:205:ILE:HA	1:A:208:ILE:HG12	2.03	0.40
1:A:376:SER:OG	1:A:388:PRO:HB3	2.21	0.40
1:A:59:LEU:HA	1:A:62:LEU:HD12	2.03	0.40
1:B:407:LEU:HD12	1:B:420:PHE:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	415/472 (88%)	377 (91%)	35 (8%)	3 (1%)	22 59
1	B	410/472 (87%)	381 (93%)	22 (5%)	7 (2%)	9 42
All	All	825/944 (87%)	758 (92%)	57 (7%)	10 (1%)	13 48

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	ILE
1	B	15	VAL
1	B	47	ILE
1	A	17	LYS
1	B	338	PRO
1	B	430	LEU
1	B	376	SER
1	B	221	PHE
1	A	124	GLY
1	B	308	ASN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	358/403 (89%)	347 (97%)	11 (3%)	40 65
1	B	350/403 (87%)	343 (98%)	7 (2%)	55 74
All	All	708/806 (88%)	690 (98%)	18 (2%)	47 70

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	138	THR
1	A	275	HIS
1	A	345	PHE
1	A	376	SER
1	A	398	LEU
1	A	399	PHE
1	A	427	VAL
1	A	428	ARG
1	A	430	LEU
1	A	436	PHE
1	A	437	LYS
1	B	17	LYS
1	B	115	PHE
1	B	138	THR
1	B	235	LEU
1	B	254	THR
1	B	395	SER
1	B	420	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/472 (89%)	0.00	9 (2%) 63 52	72, 120, 161, 186	0
1	B	416/472 (88%)	-0.11	7 (1%) 70 59	55, 115, 153, 181	0
All	All	837/944 (88%)	-0.05	16 (1%) 66 55	55, 118, 158, 186	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	430	LEU	4.4
1	A	9	ASN	4.3
1	A	431	PHE	3.5
1	B	192	PRO	2.9
1	A	310	ARG	2.7
1	A	413	SER	2.6
1	A	8	PRO	2.6
1	B	347	ARG	2.5
1	B	357	TYR	2.4
1	B	200	GLY	2.3
1	B	95	ILE	2.3
1	B	131	SER	2.3
1	A	423	PHE	2.2
1	A	10	GLU	2.1
1	B	111	TYR	2.0
1	A	392	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.