



Full wwPDB X-ray Structure Validation Report i

Feb 18, 2024 – 05:13 PM EST

PDB ID : 4G7R
Title : Structure of Recombinant Cytochrome ba3 Oxidase mutant V236A from Thermus thermophilus
Authors : Li, Y.; Chen, Y.; Stout, C.D.
Deposited on : 2012-07-20
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	603	X	-	-	-
8	OLC	A	610	-	-	-	X
8	OLC	A	612	-	-	-	X

2 Entry composition [\(i\)](#)

There are 10 unique types of molecules in this entry. The entry contains 6309 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	551	Total	C 4312	N 2933	O 683	S 680	16	0	1	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP Q5SJ79
A	-5	HIS	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79
A	120	PHE	ALA	engineered mutation	UNP Q5SJ79
A	236	ALA	VAL	engineered mutation	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
2	B	166	Total	C 1280	N 831	O 212	S 233	4	0	1	0


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	31	Total	C 241	N 169	O 37	S 35	0	0	0

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cu 1 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 6 is HEME-AS (three-letter code: HAS) (formula: C₅₄H₆₄FeN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
6	A	1	65	54	1	4	6	0	0

- Molecule 7 is PEROXIDE ION (three-letter code: PER) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	1	2	2	0	0

- Molecule 8 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 25 21 4	0	0
8	A	1	Total C O 23 19 4	0	0
8	A	1	Total C O 22 18 4	0	0
8	A	1	Total C O 19 17 2	0	0
8	A	1	Total C O 18 14 4	0	0
8	A	1	Total C O 16 12 4	0	0
8	A	1	Total C O 8 4 4	0	0
8	A	1	Total C O 17 13 4	0	0
8	A	1	Total C O 24 20 4	0	0
8	A	1	Total C O 19 15 4	0	0
8	A	1	Total C O 24 20 4	0	0
8	B	1	Total C O 24 20 4	0	0
8	B	1	Total C O 16 12 4	0	0
8	C	1	Total C O 23 19 4	0	0
8	C	1	Total C O 23 19 4	0	0

- Molecule 9 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Cu 2 2	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	36	Total O 36 36	0	0
10	B	23	Total O 23 23	0	0
10	C	3	Total O 3 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1



- Molecule 2: Cytochrome c oxidase subunit 2



- Molecule 3: Cytochrome c oxidase polypeptide 2A



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.76Å 98.23Å 94.70Å 90.00° 127.79° 90.00°	Depositor
Resolution (Å)	74.84 – 3.05 39.22 – 3.05	Depositor EDS
% Data completeness (in resolution range)	99.4 (74.84-3.05) 99.4 (39.22-3.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.91 (at 3.06Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R , R_{free}	0.164 , 0.231 0.167 , 0.228	Depositor DCC
R_{free} test set	1013 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	47.8	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.7	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6309	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, CUA, OLC, HAS, HEM, PER

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.76	14/4469 (0.3%)	0.70	1/6142 (0.0%)
2	B	0.64	1/1322 (0.1%)	0.64	0/1809
3	C	0.72	0/247	0.71	0/335
All	All	0.73	15/6038 (0.2%)	0.69	1/8286 (0.0%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	170	TRP	CD2-CE2	6.28	1.48	1.41
1	A	167	TRP	CD2-CE2	6.04	1.48	1.41
1	A	157	TRP	CD2-CE2	5.72	1.48	1.41
1	A	294	TRP	CD2-CE2	5.68	1.48	1.41
1	A	530	TRP	CD2-CE2	5.66	1.48	1.41
1	A	559	TRP	CD2-CE2	5.60	1.48	1.41
1	A	193	TRP	CD2-CE2	5.60	1.48	1.41
2	B	64	TRP	CD2-CE2	5.49	1.48	1.41
1	A	335	TRP	CD2-CE2	5.36	1.47	1.41
1	A	239	TRP	CD2-CE2	5.29	1.47	1.41
1	A	341	TRP	CD2-CE2	5.27	1.47	1.41
1	A	426	TRP	CD2-CE2	5.21	1.47	1.41
1	A	380	TRP	CD2-CE2	5.18	1.47	1.41
1	A	107	TRP	CD2-CE2	5.11	1.47	1.41
1	A	428	TRP	CD2-CE2	5.02	1.47	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	515	PRO	N-CA-C	-5.71	97.26	112.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4312	0	4385	66	0
2	B	1280	0	1238	15	0
3	C	241	0	267	1	0
4	A	1	0	0	0	0
5	A	43	0	30	1	0
6	A	65	0	62	0	0
7	A	2	0	0	1	0
8	A	215	0	295	3	0
8	B	40	0	56	1	0
8	C	46	0	66	0	0
9	B	2	0	0	0	0
10	A	36	0	0	2	0
10	B	23	0	0	1	0
10	C	3	0	0	0	0
All	All	6309	0	6399	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:604:PER:O1	7:A:604:PER:O2	1.52	1.23
1:A:517:ASP:OD1	1:A:520:LEU:HB2	1.79	0.83
1:A:400:SER:HA	1:A:403:TRP:NE1	1.95	0.80
1:A:515:PRO:O	1:A:515:PRO:CD	2.30	0.80
1:A:61:PHE:O	10:A:713:HOH:O	1.98	0.80
2:B:47:ALA:O	10:B:321:HOH:O	2.02	0.78
1:A:515:PRO:O	1:A:515:PRO:CG	2.33	0.75
1:A:46:TYR:HA	1:A:453:ILE:HD11	1.74	0.68
1:A:515:PRO:O	1:A:515:PRO:HG2	1.94	0.66
1:A:381:VAL:HB	1:A:382:PRO:HD3	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:PRO:O	1:A:515:PRO:HD2	1.99	0.63
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.34	0.62
1:A:441:TRP:CD2	1:A:466:PRO:HG3	2.34	0.61
1:A:382:PRO:HA	1:A:385:PHE:CZ	2.37	0.59
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.85	0.58
1:A:280:GLY:HA3	1:A:542:TYR:OH	2.03	0.58
1:A:310:LEU:HD13	2:B:22:SER:HB2	1.86	0.58
1:A:465:VAL:HB	1:A:466:PRO:HD3	1.86	0.57
1:A:514:GLY:O	1:A:515:PRO:C	2.41	0.57
1:A:54:LEU:HD13	1:A:58:LEU:HD22	1.87	0.56
1:A:286:ALA:HB1	2:B:125:VAL:HA	1.88	0.54
1:A:28:GLY:HA2	1:A:83:LEU:HD12	1.90	0.54
1:A:517:ASP:OD1	1:A:520:LEU:CB	2.54	0.53
1:A:232:GLY:O	1:A:235:ILE:HG22	2.08	0.53
1:A:358:PRO:HG3	8:A:605:OLC:H18A	1.91	0.53
1:A:307:VAL:N	1:A:308:PRO:HD2	2.25	0.51
1:A:377:ASN:HB3	2:B:150:ASN:HB2	1.91	0.51
1:A:204:ALA:HA	1:A:208:LEU:HB2	1.92	0.51
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.46	0.51
1:A:241:LEU:N	1:A:242:PRO:CD	2.74	0.50
1:A:277:THR:N	1:A:278:PRO:CD	2.74	0.50
1:A:261:SER:HB3	1:A:264:MET:HB2	1.93	0.50
1:A:517:ASP:OD1	1:A:517:ASP:O	2.30	0.49
1:A:92:LEU:N	1:A:93:PRO:HD2	2.28	0.49
1:A:400:SER:HA	1:A:403:TRP:HE1	1.73	0.49
1:A:293:THR:HG23	8:A:608:OLC:H8	1.95	0.48
1:A:71:LEU:O	1:A:75:LEU:HB2	2.13	0.48
1:A:412:PRO:HG3	1:A:498:LYS:HD3	1.95	0.47
1:A:348:ALA:HB2	1:A:425:VAL:HG21	1.97	0.47
1:A:233:HIS:N	1:A:234:PRO:HD2	2.30	0.47
2:B:141:ARG:HH12	8:B:202:OLC:H22	1.79	0.46
1:A:52:TYR:N	1:A:53:PRO:CD	2.78	0.46
2:B:87:ALA:HA	2:B:88:PHE:HA	1.75	0.46
1:A:441:TRP:CG	1:A:466:PRO:HG3	2.51	0.46
1:A:262:ASP:N	1:A:263:PRO:CD	2.78	0.46
2:B:93:ASN:HA	2:B:94:PRO:HA	1.73	0.45
1:A:209:LEU:HB2	1:A:210:PRO:HD3	1.98	0.45
1:A:462:HIS:HB2	10:A:703:HOH:O	2.16	0.45
2:B:83:VAL:HB	2:B:107:ILE:HG23	1.97	0.45
1:A:229:TRP:CE3	1:A:283:HIS:CD2	3.05	0.45
1:A:445:LEU:O	1:A:446:ASN:HB2	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:LEU:HG	1:A:405:LEU:HD22	1.99	0.44
2:B:50:LEU:HD22	2:B:52:ARG:NH2	2.33	0.44
1:A:290:ILE:HB	1:A:295:LYS:HE3	1.99	0.44
1:A:143:TRP:HB2	1:A:213:PHE:CE2	2.52	0.44
1:A:514:GLY:HA3	2:B:8:HIS:CG	2.53	0.44
1:A:302:THR:O	1:A:305:VAL:HG12	2.18	0.43
8:A:605:OLC:H6	3:C:25:GLY:HA3	1.99	0.43
2:B:63:PRO:HB2	2:B:82:TYR:CD2	2.53	0.43
1:A:356:PHE:CD1	1:A:392:LEU:HD12	2.54	0.43
1:A:467:MET:O	1:A:471:VAL:HG23	2.18	0.43
1:A:386:HIS:CE1	5:A:602:HEM:C1A	3.07	0.43
1:A:277:THR:N	1:A:278:PRO:HD2	2.34	0.42
1:A:72:HIS:O	1:A:76:ASN:HB2	2.19	0.42
1:A:105:LEU:HD23	1:A:105:LEU:HA	1.82	0.42
1:A:254:GLN:H	1:A:254:GLN:HG2	1.60	0.42
2:B:118:VAL:HB	2:B:121:THR:OG1	2.20	0.41
1:A:294:TRP:CZ2	1:A:544:PRO:HG2	2.55	0.41
2:B:55:PRO:HD3	2:B:130:GLY:HA2	2.03	0.41
1:A:84:PHE:CZ	1:A:88:ILE:HG13	2.55	0.41
1:A:114:PHE:O	1:A:118:VAL:HG23	2.21	0.41
1:A:381:VAL:HB	1:A:382:PRO:CD	2.45	0.41
1:A:247:ILE:O	1:A:252:PRO:HD3	2.20	0.41
1:A:504:ALA:HA	1:A:505:PRO:HD3	1.94	0.41
2:B:50:LEU:HD22	2:B:52:ARG:CZ	2.50	0.41
1:A:400:SER:HA	1:A:403:TRP:CD1	2.54	0.40
2:B:54:ASP:HA	2:B:55:PRO:HD2	1.76	0.40
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.56	0.40
1:A:52:TYR:N	1:A:53:PRO:HD2	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	549/569 (96%)	517 (94%)	31 (6%)	1 (0%)	47	77
2	B	165/168 (98%)	162 (98%)	3 (2%)	0	100	100
3	C	29/34 (85%)	28 (97%)	1 (3%)	0	100	100
All	All	743/771 (96%)	707 (95%)	35 (5%)	1 (0%)	51	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	PHE

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/463 (94%)	419 (96%)	17 (4%)	32	63
2	B	132/138 (96%)	128 (97%)	4 (3%)	41	69
3	C	24/27 (89%)	22 (92%)	2 (8%)	11	35
All	All	592/628 (94%)	569 (96%)	23 (4%)	32	63

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	LEU
1	A	54	LEU
1	A	58	LEU
1	A	133	TYR
1	A	215	LEU
1	A	223	VAL
1	A	230	TRP
1	A	262	ASP
1	A	287	ASP
1	A	326	LEU
1	A	369	PHE
1	A	392	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	452	TYR
1	A	475	ILE
1	A	517	ASP
1	A	518	ARG
1	A	520	LEU
2	B	26	LEU
2	B	37	LEU
2	B	111	ASP
2	B	167	LYS
3	C	20	LEU
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	446	ASN
2	B	117	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	OLC	A	614	-	18,18,24	0.60	0	18,19,25	0.73	0
8	OLC	C	102	-	22,22,24	0.57	0	23,23,25	0.55	0
8	OLC	A	610	-	15,15,24	0.65	0	16,16,25	0.59	0
8	OLC	A	607	-	21,21,24	0.59	0	22,22,25	0.61	0
8	OLC	A	613	-	23,23,24	0.70	1 (4%)	24,24,25	0.97	2 (8%)
5	HEM	A	602	1	41,50,50	2.90	19 (46%)	45,82,82	2.05	9 (20%)
8	OLC	A	606	-	22,22,24	0.51	0	23,23,25	0.59	0
8	OLC	B	203	-	15,15,24	0.68	1 (6%)	16,16,25	0.70	0
8	OLC	A	609	-	17,17,24	0.70	0	18,18,25	0.86	0
6	HAS	A	603	7,1	69,72,72	2.32	26 (37%)	73,109,109	1.39	9 (12%)
8	OLC	A	611	-	7,7,24	0.50	0	6,7,25	0.62	0
8	OLC	C	101	-	22,22,24	0.53	0	23,23,25	0.65	0
8	OLC	A	615	-	23,23,24	0.55	0	24,24,25	0.67	0
8	OLC	A	605	-	24,24,24	0.51	0	25,25,25	0.72	0
8	OLC	B	202	-	23,23,24	0.70	1 (4%)	24,24,25	0.61	0
7	PER	A	604	6,4	0,1,1	-	-	-	-	-
9	CUA	B	201	2	0,1,1	-	-	-	-	-
8	OLC	A	608	-	18,18,24	0.65	1 (5%)	18,18,25	0.83	1 (5%)
8	OLC	A	612	-	15,15,24	0.50	0	15,15,25	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLC	A	613	-	-	14/23/23/24	-
8	OLC	B	202	-	-	11/23/23/24	-
5	HEM	A	602	1	-	4/12/54/54	-
6	HAS	A	603	7,1	1/1/8/18	6/40/82/82	-
8	OLC	A	606	-	-	13/22/22/24	-
8	OLC	A	611	-	-	1/6/6/24	-
8	OLC	A	612	-	-	8/14/14/24	-
8	OLC	A	614	-	-	11/18/18/24	-
8	OLC	C	102	-	-	7/22/22/24	-
8	OLC	A	610	-	-	9/15/15/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLC	B	203	-	-	9/15/15/24	-
8	OLC	C	101	-	-	13/22/22/24	-
8	OLC	A	607	-	-	10/21/21/24	-
8	OLC	A	608	-	-	10/17/17/24	-
8	OLC	A	615	-	-	10/23/23/24	-
8	OLC	A	609	-	-	7/17/17/24	-
8	OLC	A	605	-	-	17/24/24/24	-

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603	HAS	C3C-C2C	7.58	1.50	1.40
6	A	603	HAS	C3C-CAC	-7.39	1.32	1.47
5	A	602	HEM	C1B-C2B	-6.32	1.32	1.44
5	A	602	HEM	C3B-C2B	6.06	1.49	1.37
5	A	602	HEM	C3C-C2C	5.66	1.48	1.40
6	A	603	HAS	CHB-C1D	5.48	1.49	1.38
5	A	602	HEM	CAB-C3B	-5.23	1.33	1.47
5	A	602	HEM	FE-NB	5.19	2.22	1.96
5	A	602	HEM	CHB-C1B	5.15	1.48	1.35
6	A	603	HAS	C4C-NC	4.57	1.45	1.36
6	A	603	HAS	CHA-C4D	4.50	1.49	1.39
5	A	602	HEM	CBB-CAB	4.31	1.51	1.30
5	A	602	HEM	C2C-C1C	-4.09	1.33	1.42
6	A	603	HAS	C4B-C3B	4.03	1.51	1.44
5	A	602	HEM	C1A-NA	3.88	1.44	1.36
5	A	602	HEM	C4A-CHB	-3.60	1.31	1.41
5	A	602	HEM	C4D-ND	-3.59	1.34	1.40
6	A	603	HAS	C2D-C1D	3.47	1.51	1.44
6	A	603	HAS	O1D-CGD	3.39	1.33	1.22
6	A	603	HAS	C4D-ND	3.31	1.45	1.38
6	A	603	HAS	CBC-CAC	3.25	1.50	1.29
6	A	603	HAS	CHB-C1B	-3.25	1.31	1.39
6	A	603	HAS	C1C-CHC	3.17	1.49	1.41
5	A	602	HEM	C1A-CHA	3.17	1.49	1.41
6	A	603	HAS	CHA-C1A	-3.16	1.32	1.38
5	A	602	HEM	C4D-C3D	3.00	1.50	1.45
6	A	603	HAS	C4D-C3D	2.96	1.50	1.45
5	A	602	HEM	C1B-NB	-2.89	1.35	1.40
6	A	603	HAS	C2A-C3A	-2.87	1.30	1.36
5	A	602	HEM	CHD-C1D	-2.85	1.32	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	HEM	CHC-C4B	-2.84	1.32	1.41
6	A	603	HAS	C4C-CHD	2.75	1.48	1.41
6	A	603	HAS	C4A-C3A	2.74	1.50	1.45
8	A	613	OLC	O20-C1	2.56	1.40	1.33
5	A	602	HEM	C1D-C2D	2.54	1.49	1.44
6	A	603	HAS	C1B-C2B	2.53	1.49	1.44
6	A	603	HAS	C1A-C2A	2.42	1.49	1.45
8	B	202	OLC	O20-C1	2.33	1.40	1.33
6	A	603	HAS	C1A-NA	-2.24	1.35	1.39
6	A	603	HAS	C1B-NB	-2.23	1.34	1.38
6	A	603	HAS	C1D-ND	2.16	1.44	1.40
6	A	603	HAS	O2D-CGD	-2.07	1.23	1.30
6	A	603	HAS	CMD-C2D	2.07	1.49	1.45
8	A	608	OLC	O20-C1	2.06	1.39	1.33
5	A	602	HEM	C4B-NB	-2.05	1.34	1.38
6	A	603	HAS	C4B-NB	-2.04	1.36	1.40
6	A	603	HAS	CHD-C4A	-2.04	1.32	1.35
5	A	602	HEM	C1D-ND	-2.04	1.34	1.38
8	B	203	OLC	O20-C1	2.01	1.39	1.33

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	602	HEM	C1B-NB-C4B	6.33	111.61	105.07
5	A	602	HEM	CHC-C4B-NB	5.40	130.30	124.43
5	A	602	HEM	CBA-CAA-C2A	-4.35	105.20	112.62
6	A	603	HAS	C1D-ND-C4D	-4.26	100.68	105.07
5	A	602	HEM	C4D-ND-C1D	4.19	109.40	105.07
5	A	602	HEM	C4B-C3B-C2B	-4.07	103.89	107.11
6	A	603	HAS	CHB-C1D-ND	-3.64	119.88	124.37
5	A	602	HEM	CMA-C3A-C4A	-3.45	123.16	128.46
6	A	603	HAS	CHA-C4D-ND	-3.08	121.08	124.42
6	A	603	HAS	CMB-C2B-C3B	-3.03	124.57	130.34
8	A	613	OLC	C21-O20-C1	2.72	127.18	117.12
8	A	608	OLC	C21-O20-C1	2.68	124.94	116.11
6	A	603	HAS	CMC-C2C-C1C	-2.43	124.72	128.46
6	A	603	HAS	C1D-C2D-C3D	2.43	109.04	107.11
5	A	602	HEM	CHA-C4D-ND	2.36	127.29	124.38
6	A	603	HAS	CHB-C1B-C2B	-2.21	121.53	124.98
5	A	602	HEM	CHB-C1B-NB	2.20	127.10	124.38
6	A	603	HAS	CAA-CBA-CGA	-2.16	108.95	113.60
8	A	613	OLC	O20-C21-C22	2.10	115.92	105.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	603	HAS	C4B-C3B-C2B	-2.09	103.83	107.41
5	A	602	HEM	CHB-C1B-C2B	-2.06	121.03	126.72

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	603	HAS	NA

All (160) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	602	HEM	C2B-C3B-CAB-CBB
6	A	603	HAS	C28-C29-C30-C31
8	A	605	OLC	O20-C21-C22-C24
8	A	607	OLC	O20-C21-C22-C24
8	A	609	OLC	O20-C21-C22-C24
8	A	611	OLC	O19-C1-O20-C21
8	A	614	OLC	C9-C10-C11-C12
8	A	614	OLC	O20-C21-C22-C24
8	C	101	OLC	O20-C21-C22-C24
8	A	608	OLC	C2-C1-O20-C21
8	C	101	OLC	C2-C1-O20-C21
6	A	603	HAS	C28-C29-C30-C32
8	A	610	OLC	O19-C1-O20-C21
8	A	608	OLC	O19-C1-O20-C21
8	A	610	OLC	C2-C1-O20-C21
8	A	612	OLC	C2-C1-O20-C21
8	A	607	OLC	O20-C21-C22-O23
8	A	609	OLC	O20-C21-C22-O23
8	A	614	OLC	O20-C21-C22-O23
8	B	203	OLC	O20-C21-C22-O23
8	C	101	OLC	O20-C21-C22-O23
8	C	101	OLC	O19-C1-O20-C21
8	A	612	OLC	O19-C1-O20-C21
8	A	614	OLC	C2-C1-O20-C21
8	A	614	OLC	O19-C1-O20-C21
8	A	605	OLC	O23-C22-C24-O25
8	A	606	OLC	O23-C22-C24-O25
8	C	101	OLC	C1-C2-C3-C4
8	A	606	OLC	C2-C1-O20-C21
8	A	613	OLC	C1-C2-C3-C4
8	A	605	OLC	O20-C21-C22-O23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	202	OLC	C1-C2-C3-C4
8	A	613	OLC	C11-C12-C13-C14
8	A	605	OLC	C4-C5-C6-C7
8	B	203	OLC	C5-C6-C7-C8
8	B	203	OLC	O20-C21-C22-C24
8	A	608	OLC	C11-C12-C13-C14
8	A	612	OLC	C4-C5-C6-C7
8	C	101	OLC	C2-C3-C4-C5
8	B	202	OLC	C2-C3-C4-C5
8	A	607	OLC	C11-C12-C13-C14
8	A	605	OLC	C5-C6-C7-C8
8	A	606	OLC	C2-C3-C4-C5
8	A	615	OLC	C13-C14-C15-C16
8	C	101	OLC	C3-C4-C5-C6
8	A	606	OLC	O19-C1-O20-C21
8	A	605	OLC	C21-C22-C24-O25
8	A	606	OLC	C21-C22-C24-O25
8	A	607	OLC	C21-C22-C24-O25
8	A	609	OLC	C21-C22-C24-O25
8	B	203	OLC	C21-C22-C24-O25
8	C	101	OLC	C21-C22-C24-O25
8	A	610	OLC	O20-C21-C22-O23
8	A	605	OLC	C11-C12-C13-C14
8	A	605	OLC	C12-C13-C14-C15
8	A	606	OLC	C3-C4-C5-C6
8	A	613	OLC	C5-C6-C7-C8
8	A	613	OLC	C2-C3-C4-C5
8	A	614	OLC	C3-C4-C5-C6
8	A	607	OLC	C2-C1-O20-C21
8	B	202	OLC	C2-C1-O20-C21
8	A	613	OLC	C4-C5-C6-C7
8	A	612	OLC	C3-C4-C5-C6
8	C	101	OLC	C5-C6-C7-C8
8	A	612	OLC	C2-C3-C4-C5
8	A	607	OLC	O23-C22-C24-O25
8	B	203	OLC	O23-C22-C24-O25
8	A	609	OLC	C6-C7-C8-C9
8	C	102	OLC	C6-C7-C8-C9
8	A	615	OLC	C2-C1-O20-C21
8	B	202	OLC	C3-C4-C5-C6
8	A	614	OLC	C2-C3-C4-C5
8	C	101	OLC	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	607	OLC	O19-C1-O20-C21
8	B	202	OLC	O19-C1-O20-C21
8	A	615	OLC	O19-C1-O20-C21
8	A	614	OLC	C6-C7-C8-C9
8	A	605	OLC	C2-C1-O20-C21
8	A	609	OLC	C2-C1-O20-C21
8	A	610	OLC	O20-C21-C22-C24
5	A	602	HEM	C4B-C3B-CAB-CBB
8	A	615	OLC	C3-C4-C5-C6
8	A	613	OLC	C12-C13-C14-C15
8	A	613	OLC	C10-C11-C12-C13
8	B	202	OLC	C6-C7-C8-C9
8	A	606	OLC	C1-C2-C3-C4
8	C	102	OLC	C1-C2-C3-C4
8	A	605	OLC	C14-C15-C16-C17
8	A	606	OLC	C10-C11-C12-C13
8	B	203	OLC	C3-C4-C5-C6
8	A	605	OLC	O19-C1-O20-C21
8	A	614	OLC	C4-C5-C6-C7
8	A	609	OLC	O19-C1-O20-C21
8	C	102	OLC	C2-C3-C4-C5
8	B	202	OLC	C5-C6-C7-C8
8	A	605	OLC	C10-C11-C12-C13
8	A	613	OLC	C14-C15-C16-C17
8	A	609	OLC	C1-C2-C3-C4
8	A	610	OLC	C1-C2-C3-C4
8	A	605	OLC	C13-C14-C15-C16
8	A	606	OLC	C12-C13-C14-C15
8	A	610	OLC	C21-C22-C24-O25
8	A	615	OLC	C14-C15-C16-C17
8	A	606	OLC	C5-C6-C7-C8
8	C	102	OLC	C3-C4-C5-C6
8	A	608	OLC	C10-C11-C12-C13
8	C	101	OLC	C10-C11-C12-C13
8	C	101	OLC	C13-C14-C15-C16
8	A	605	OLC	C15-C16-C17-C18
8	B	203	OLC	C4-C5-C6-C7
8	A	615	OLC	C6-C7-C8-C9
8	A	608	OLC	C3-C4-C5-C6
8	A	606	OLC	C13-C14-C15-C16
8	A	613	OLC	O20-C21-C22-O23
8	A	606	OLC	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	614	OLC	C5-C6-C7-C8
8	B	203	OLC	C2-C1-O20-C21
8	C	102	OLC	C11-C12-C13-C14
8	B	202	OLC	C13-C14-C15-C16
8	A	608	OLC	C6-C7-C8-C9
8	A	613	OLC	C6-C7-C8-C9
8	A	608	OLC	C4-C5-C6-C7
8	B	203	OLC	O19-C1-O20-C21
8	A	605	OLC	C6-C7-C8-C9
8	B	202	OLC	C14-C15-C16-C17
8	A	615	OLC	C11-C12-C13-C14
8	B	202	OLC	C11-C12-C13-C14
8	A	615	OLC	C12-C13-C14-C15
8	A	612	OLC	C1-C2-C3-C4
8	A	610	OLC	C2-C3-C4-C5
8	C	102	OLC	C12-C13-C14-C15
6	A	603	HAS	CAD-CBD-CGD-O1D
8	A	614	OLC	C7-C8-C9-C10
8	A	608	OLC	C2-C3-C4-C5
8	A	605	OLC	C2-C3-C4-C5
8	A	607	OLC	C7-C8-C9-C10
6	A	603	HAS	CAD-CBD-CGD-O2D
8	A	612	OLC	C5-C6-C7-C8
8	C	101	OLC	C6-C7-C8-C9
8	A	605	OLC	C9-C10-C11-C12
8	A	613	OLC	C3-C4-C5-C6
6	A	603	HAS	CAA-CBA-CGA-O2A
8	A	607	OLC	C6-C7-C8-C9
8	A	615	OLC	C9-C10-C11-C12
8	A	610	OLC	O20-C1-C2-C3
6	A	603	HAS	CAA-CBA-CGA-O1A
8	A	606	OLC	O20-C21-C22-O23
8	C	102	OLC	C7-C8-C9-C10
8	A	615	OLC	C5-C6-C7-C8
8	A	610	OLC	O19-C1-C2-C3
8	B	202	OLC	O20-C21-C22-C24
8	A	607	OLC	C12-C13-C14-C15
8	A	608	OLC	O20-C1-C2-C3
8	A	612	OLC	O20-C1-C2-C3
8	A	613	OLC	O20-C1-C2-C3
5	A	602	HEM	CAD-CBD-CGD-O1D
8	A	608	OLC	C13-C14-C15-C16

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	A	613	OLC	C7-C8-C9-C10
8	A	613	OLC	O19-C1-C2-C3
5	A	602	HEM	CAD-CBD-CCD-O2D


There are no ring outliers.


5 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	602	HEM	1	0
8	A	605	OLC	2	0
8	B	202	OLC	1	0
7	A	604	PER	1	0
8	A	608	OLC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	551/569 (96%)	-0.48	4 (0%) 87 72	20, 30, 57, 94	0
2	B	166/168 (98%)	-0.70	0 100 100	22, 31, 45, 62	0
3	C	31/34 (91%)	-0.85	0 100 100	24, 29, 44, 51	0
All	All	748/771 (97%)	-0.54	4 (0%) 91 79	20, 30, 53, 94	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	496	GLU	3.3
1	A	513	SER	3.2
1	A	499	PRO	2.9
1	A	498	LYS	2.6

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i


There are no monosaccharides in this entry.


6.4 Ligands i


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	OLC	A	610	16/25	0.64	0.42	52,67,93,94	0
8	OLC	A	612	17/25	0.68	0.46	57,63,76,76	0
8	OLC	C	101	23/25	0.68	0.36	60,76,89,92	0
8	OLC	A	606	23/25	0.75	0.32	56,67,86,87	0
8	OLC	B	203	16/25	0.77	0.34	53,70,92,92	0
8	OLC	A	608	19/25	0.80	0.30	52,56,75,79	0
8	OLC	B	202	24/25	0.80	0.33	48,64,83,84	0
8	OLC	A	609	18/25	0.81	0.30	46,59,71,74	0
8	OLC	A	613	24/25	0.82	0.30	44,53,64,65	0
8	OLC	A	615	24/25	0.84	0.35	50,56,60,63	0
8	OLC	A	605	25/25	0.85	0.31	40,49,75,80	0
8	OLC	A	614	19/25	0.86	0.39	50,60,69,70	0
8	OLC	C	102	23/25	0.86	0.28	56,60,67,72	0
8	OLC	A	607	22/25	0.87	0.34	43,50,56,57	0
8	OLC	A	611	8/25	0.89	0.40	51,52,53,54	0
6	HAS	A	603	65/65	0.97	0.21	22,25,27,35	0
5	HEM	A	602	43/43	0.98	0.16	21,25,29,29	0
7	PER	A	604	2/2	0.99	0.17	31,31,31,33	0
4	CU	A	601	1/1	0.99	0.13	24,24,24,24	0
9	CUA	B	201	2/2	0.99	0.08	23,23,23,26	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.























6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.