

Feb 25, 2024 – 09:50 AM EST

PDB ID EMDB ID	:	5GAI EMD-8005
Title	:	Probabilistic Structural Models of Mature P22 Bacteriophage Portal, Hub, and Tailspike proteins
Authors	:	Pintilie, G.; Chen, D.H.; Haase-Pettingell, C.A.; King, J.A.; Chiu, W.
Deposited on	:	2015-12-01
Resolution	:	10.50 Å(reported)
This is	a l	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev70
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 10.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	721	96%	
			33%	
1	В	721	96%	•
			33%	
1	С	721	94%	6%
			35%	
1	D	721	95%	5%
-		701	32%	
	E	721	95%	•
1	Б	701	29%	
I	F	721	96%	•
1	0	701	30%	
I	G	721	95%	5%
1	TT	701	34%	
	Н	721	96%	• •



Mol	Chain	Length	Quality of chain	
1	т	791	32%	
1	1	121	97%	• •
1	J	721	95%	5%
1	117	701	33%	
1	VV	(21	95%	5%
1	Х	721	97%	•
0	V	146	29%	
Z	Λ	140	97% 29%	• •
2	L	146	97%	•
2	М	146	33%	
2	IVI	140	28%	••
2	Ν	146	99%	••
2	0	146	32%	
-	<u> </u>	110	30%	
2	Р	146	97%	•
2	Q	146	99%	•
			37%	
2	R	146	95%	5%
2	\mathbf{S}	146	99%	•
0	T	1.10	33%	
2	T	146	97%	• •
2	U	146	94%	5% ••
0	V	140	29%	
Z	V	140	<u>99%</u> 49%	••
3	0	662	96%	•
3	V	662	60%	<u> </u>
J	1	002		6%
3	Ζ	662	97%	•



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 98043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Α	toms			AltConf	Trace
1	Δ	791	Total	С	Ν	Ο	S	0	0
1	A	121	5792	3622	1005	1141	24	0	0
1	D	791	Total	С	Ν	Ο	S	0	0
1	D	121	5792	3622	1005	1141	24	0	0
1	C	791	Total	С	Ν	Ο	S	0	0
1		121	5792	3622	1005	1141	24	0	0
1	П	791	Total	С	Ν	Ο	S	0	0
1	D	121	5792	3622	1005	1141	24	0	0
1	F	791	Total	С	Ν	Ο	S	0	0
1	Ľ	121	5792	3622	1005	1141	24	0	0
1	F	791	Total	С	Ν	Ο	S	0	0
1	Г	121	5792	3622	1005	1141	24	0	0
1	C	791	Total	С	Ν	Ο	S	0	0
L	G	121	5792	3622	1005	1141	24	0	0
1	н	791	Total	С	Ν	Ο	\mathbf{S}	0	0
L	11	121	5792	3622	1005	1141	24	0	0
1	т	791	Total	С	Ν	Ο	\mathbf{S}	0	0
L	T	121	5792	3622	1005	1141	24	0	0
1	Т	791	Total	С	Ν	Ο	\mathbf{S}	0	0
L	5	121	5792	3622	1005	1141	24	0	0
1	W	791	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0
	vv	121	5792	3622	1005	1141	24	0	0
1	x	791	Total	C	Ν	Ο	S	0	0
1	Δ	121	5792	3622	1005	1141	24	0	U

• Molecule 1 is a protein called Portal protein.

• Molecule 2 is a protein called Peptidoglycan hydrolase gp4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	K	146	Total	С	Ν	Ο	S	0	0
2	17	140	1122	704	192	221	5	0	0
9	Т	146	Total	С	Ν	Ο	\mathbf{S}	0	0
		140	1122	704	192	221	5	0	0
0	2 M	M 146	Total	С	Ν	0	S	0	0
2		140	1122	704	192	221	5		



Mol	Chain	Residues	Atoms	AltConf	Trace
9	N	146	Total C N O S	0	0
2	1 N	140	1122 704 192 221 5	0	0
2	0	0 146	Total C N O S	0	0
2	0	140	1122 704 192 221 5	0	0
2	Р	1/6	Total C N O S	0	0
2	T	140	1122 704 192 221 5	0	0
2	0	146	Total C N O S	0	0
2	Q	140	1122 704 192 221 5	0	0
2	В	146	Total C N O S	0	0
2	10	140	1122 704 192 221 5	0	0
2	S	1/6	Total C N O S	0	0
2	D	140	1122 704 192 221 5	0	0
2	Т	146	Total C N O S	0	0
	1	140	1122 704 192 221 5	0	0
2	T	146	Total C N O S	0	0
	U	140	1122 704 192 221 5	0	
2	V	146	Total C N O S	0	0
2	v	140	1122 704 192 221 5	0	

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	150	PRO	ALA	engineered mutation	UNP P26746
L	150	PRO	ALA	engineered mutation	UNP P26746
М	150	PRO	ALA	engineered mutation	UNP P26746
Ν	150	PRO	ALA	engineered mutation	UNP P26746
0	150	PRO	ALA	engineered mutation	UNP P26746
Р	150	PRO	ALA	engineered mutation	UNP P26746
Q	150	PRO	ALA	engineered mutation	UNP P26746
R	150	PRO	ALA	engineered mutation	UNP P26746
S	150	PRO	ALA	engineered mutation	UNP P26746
Т	150	PRO	ALA	engineered mutation	UNP P26746
U	150	PRO	ALA	engineered mutation	UNP P26746
V	150	PRO	ALA	engineered mutation	UNP P26746

• Molecule 3 is a protein called Tail fiber protein.

Mol	Chain	Residues		At	oms			AltConf	Trace
3	Y	662	Total 5025	C 3169	N 855	O 985	S 16	0	0
3	Z	662	Total 5025	C 3169	N 855	O 985	S 16	0	0



Mol	Chain	Residues		At	oms			AltConf	Trace
3	0	662	Total 5025	C 3169	N 855	O 985	S 16	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Portal protein



















• Molecule 1: Portal protein











• Molecule 1: Portal protein











• Molecule 2: Peptidoglycan hydrolase gp4



• Molecule 2: Peptidoglycan hydrolase gp4





• Molecule 2: Peptidoglycan hydrolase gp4

K123 A135 P135 P135 P137 P138 S139 R141 M141 M141 A141 C145 C145 C145 F149 F149 F149 F149 F146 F149 F156 F158

• Molecule 2: Peptidoglycan hydrolase gp4

 35%

 Chain Q:
 99%

 1
 99%

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

 1
 1

• Molecule 2: Peptidoglycan hydrolase gp4

Y137 P138 G144 S145 G146 N147 S148







E1 E1

Ы

Ы



• Molecule 3: Tail fiber protein



G7 L7

> D W I D E DATA BANK







4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	79731	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	JEOL 3200FSC	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	25	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	70600	Depositor
Image detector	GATAN ULTRASCAN 10000 (10k x 10k)	Depositor
Maximum map value	1.469	Depositor
Minimum map value	-0.924	Depositor
Average map value	0.009	Depositor
Map value standard deviation	0.063	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	1305.6, 1305.6, 1305.6	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	$2.55, 2.55, \overline{2.55}$	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.94	0/5902	0.96	4/7997~(0.1%)	
1	В	0.94	0/5902	0.96	9/7997~(0.1%)	
1	С	0.94	0/5902	0.97	9/7997~(0.1%)	
1	D	0.94	0/5902	0.94	2/7997~(0.0%)	
1	Е	0.94	0/5902	0.94	2/7997~(0.0%)	
1	F	0.94	0/5902	0.95	3/7997~(0.0%)	
1	G	0.94	0/5902	0.94	6/7997~(0.1%)	
1	Н	0.94	0/5902	0.94	2/7997~(0.0%)	
1	Ι	0.94	0/5902	0.95	7/7997~(0.1%)	
1	J	0.94	0/5902	0.95	6/7997~(0.1%)	
1	W	0.94	0/5902	0.95	5/7997~(0.1%)	
1	Х	0.94	0/5902	0.95	5/7997~(0.1%)	
2	Κ	0.92	0/1148	0.92	0/1558	
2	L	0.92	0/1148	0.99	2/1558~(0.1%)	
2	М	0.91	0/1148	0.97	4/1558~(0.3%)	
2	Ν	0.92	0/1148	0.99	0/1558	
2	0	0.91	0/1148	0.95	0/1558	
2	Р	0.92	0/1148	0.99	2/1558~(0.1%)	
2	Q	0.91	0/1148	0.95	0/1558	
2	R	0.92	0/1148	0.96	0/1558	
2	S	0.92	0/1148	0.98	2/1558~(0.1%)	
2	Т	0.92	0/1148	0.98	0/1558	
2	U	0.92	0/1148	1.01	0/1558	
2	V	0.92	0/1148	0.99	1/1558~(0.1%)	
3	0	0.92	0/5128	1.02	6/6966~(0.1%)	
3	Y	0.93	0/5128	1.02	5/6966~(0.1%)	
3	Ζ	0.92	0/5128	0.98	6/6966~(0.1%)	
All	All	0.93	0/99984	0.96	88/135558~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.



Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	6
1	В	0	1
1	С	0	5
1	D	0	5
1	Е	0	5
1	F	0	3
1	G	0	4
1	Н	0	5
1	J	0	8
1	W	0	4
1	Х	0	2
2	Κ	0	1
2	U	0	1
2	V	0	1
3	0	0	9
3	Y	0	17
3	Ζ	0	1
All	All	0	78

There are no bond length outliers.

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	W	404	MET	CG-SD-CE	-7.64	87.97	100.20
1	W	556	TYR	CB-CG-CD2	-7.22	116.67	121.00
1	С	432	PHE	CB-CG-CD2	6.80	125.56	120.80
1	Ι	246	TYR	CB-CG-CD2	-6.80	116.92	121.00
1	Ι	246	TYR	CB-CG-CD1	6.71	125.03	121.00
1	Х	456	ALA	N-CA-CB	6.57	119.30	110.10
1	J	449	PHE	CB-CG-CD1	6.55	125.39	120.80
1	С	191	TYR	CB-CG-CD1	6.47	124.88	121.00
1	С	191	TYR	CB-CG-CD2	-6.43	117.14	121.00
1	G	233	PHE	CB-CG-CD1	6.43	125.30	120.80
2	Р	149	PHE	CB-CG-CD1	6.38	125.26	120.80
3	0	240	TYR	CB-CG-CD2	-6.35	117.19	121.00
1	А	267	ALA	N-CA-CB	6.27	118.88	110.10
2	S	124	TYR	CB-CG-CD2	-6.26	117.25	121.00
3	Y	50	TYR	CB-CG-CD2	-6.24	117.25	121.00
2	М	104	TYR	CB-CG-CD2	-6.24	117.26	121.00
1	W	556	TYR	CB-CG-CD1	6.16	124.69	121.00
3	0	161	PHE	CB-CG-CD1	6.14	125.10	120.80
1	В	187	PHE	CB-CG-CD1	6.13	125.09	120.80
3	0	240	TYR	CB-CG-CD1	6.12	124.67	121.00



α \cdot 1	C		
Continued	from	previous	page
		1	1 0

Mol	Chain	Res	Type	Atoms Z		$Observed(^{o})$	$Ideal(^{o})$
1	С	432	PHE	CB-CG-CD1	-6.11	116.52	120.80
1	В	246	TYR	CB-CG-CD2	6.11	124.67	121.00
1	Ι	449	PHE	CB-CG-CD1	6.08	125.06	120.80
3	Y	50	TYR	CB-CG-CD1	6.04	124.62	121.00
1	Х	432	PHE	CB-CG-CD1	6.03	125.02	120.80
1	Н	381	SER	N-CA-CB	6.02	119.52	110.50
1	В	556	TYR	CB-CG-CD2	-5.99	117.40	121.00
2	Р	149	PHE	CB-CG-CD2	-5.99	116.61	120.80
1	G	233	PHE	CB-CG-CD2	-5.98	116.61	120.80
1	W	372	TYR	CB-CG-CD2	-5.98	117.41	121.00
2	М	104	TYR	CB-CG-CD1	5.97	124.58	121.00
3	Ζ	182	PHE	CB-CG-CD1	5.95	124.97	120.80
1	F	170	ALA	N-CA-CB	5.94	118.42	110.10
1	W	372	TYR	CB-CG-CD1	5.94	124.56	121.00
1	В	246	TYR	CB-CG-CD1	-5.92	117.45	121.00
1	А	170	ALA	N-CA-CB	5.90	118.36	110.10
1	Х	336	PHE	CB-CG-CD1	5.89	124.93	120.80
2	V	77	ALA	N-CA-CB	5.88	118.34	110.10
1	Ι	267	ALA	N-CA-CB	5.88	118.33	110.10
1	Е	222	PHE	CB-CG-CD1	5.83	124.88	120.80
1	С	668	PHE	CB-CG-CD1	5.74	124.81	120.80
1	Х	432	PHE	CB-CG-CD2	-5.72	116.80	120.80
1	J	309	PHE	CB-CG-CD1	5.71	124.80	120.80
3	0	161	PHE	CB-CG-CD2	-5.71	116.80	120.80
3	0	630	PHE	CB-CG-CD1	5.70	124.79	120.80
3	Ζ	285	PHE	CB-CG-CD1	5.70	124.79	120.80
1	D	556	TYR	CB-CG-CD2	-5.69	117.59	121.00
2	М	149	PHE	CB-CG-CD1	5.69	124.78	120.80
2	S	124	TYR	CB-CG-CD1	5.69	124.41	121.00
1	J	449	PHE	CB-CG-CD2	-5.62	116.86	120.80
1	Х	336	PHE	CB-CG-CD2	-5.62	116.87	120.80
3	Y	569	SER	N-CA-CB	5.61	118.91	110.50
3	Y	630	PHE	CB-CG-CD1	5.61	124.72	120.80
3	Y	630	PHE	CB-CG-CD2	-5.59	116.89	120.80
1	С	350	PHE	CB-CG-CD2	-5.58	116.89	120.80
1	С	350	PHE	CB-CG-CD1	5.53	124.67	120.80
2	L	137	TYR	CB-CG-CD2	-5.50	117.70	121.00
1	В	187	PHE	CB-CG-CD2	-5.48	116.97	120.80
1	F	449	PHE	CB-CG-CD1	5.45	124.62	120.80
1	Ι	449	PHE	CB-CG-CD2	-5.45	116.99	120.80
3	Z	182	PHE	CB-CG-CD2	-5.45	116.98	120.80
3	0	630	PHE	CB-CG-CD2	-5.44	116.99	120.80



EMD-8005,	5GAI
-----------	------

Mol	Chain	Res	Type	Atoms	Atoms Z		$Ideal(^{o})$
1	G	654	PHE	CB-CG-CD2	-5.43	117.00	120.80
1	С	668	PHE	CB-CG-CD2	-5.42	117.00	120.80
3	Z	285	PHE	CB-CG-CD2	-5.34	117.06	120.80
1	J	309	PHE	CB-CG-CD2	-5.32	117.08	120.80
1	Е	567	MET	CG-SD-CE	-5.28	91.75	100.20
1	А	477	ASN	N-CA-CB	5.26	120.07	110.60
1	С	267	ALA	N-CA-CB	5.18	117.35	110.10
1	Ι	381	SER	N-CA-CB	5.18	118.27	110.50
1	G	161	ASN	N-CA-CB	5.16	119.88	110.60
1	Н	267	ALA	N-CA-CB	5.15	117.31	110.10
2	L	137	TYR	CB-CG-CD1	5.15	124.09	121.00
1	J	151	SER	N-CA-CB	5.14	118.21	110.50
1	F	449	PHE	CB-CG-CD2	-5.13	117.20	120.80
1	G	476	ARG	N-CA-CB	5.13	119.84	110.60
1	J	350	PHE	CB-CG-CD1	5.13	124.39	120.80
1	В	556	TYR	CB-CG-CD1	5.13	124.08	121.00
1	G	654	PHE	CB-CG-CD1	5.12	124.39	120.80
1	В	233	PHE	CB-CG-CD1	5.11	124.37	120.80
1	А	309	PHE	CB-CG-CD1	5.10	124.37	120.80
1	В	390	ALA	N-CA-CB	5.09	117.23	110.10
1	Ι	466	SER	N-CA-CB	5.08	118.12	110.50
1	D	556	TYR	CB-CG-CD1	5.08	124.05	121.00
3	Ζ	630	PHE	CB-CG-CD1	5.06	124.34	120.80
2	М	149	PHE	CB-CG-CD2	-5.04	117.27	120.80
3	Z	630	PHE	CB-CG-CD2	-5.02	117.29	120.80
1	В	233	PHE	CB-CG-CD2	-5.01	117.29	120.80

There are no chirality outliers.

All (78) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	0	113	GLN	Peptide
3	0	312	LEU	Peptide
3	0	401	THR	Peptide
3	0	402	ASP	Peptide
3	0	406	GLU	Peptide
3	0	412	ASP	Peptide
3	0	419	PRO	Peptide
3	0	445	ASP	Peptide
3	0	450	TYR	Sidechain
1	А	369	TYR	Sidechain
1	А	372	TYR	Sidechain



Mol	Chain	Res	Type	Group
1	А	447	TYR	Sidechain
1	А	475	PRO	Peptide
1	А	476	ARG	Peptide
1	А	483	GLU	Peptide
1	В	483	GLU	Peptide
1	С	152	ALA	Peptide
1	С	465	GLN	Peptide
1	С	466	SER	Peptide
1	С	469	ASN	Peptide
1	С	486	SER	Peptide
1	D	465	GLN	Peptide
1	D	469	ASN	Peptide
1	D	475	PRO	Peptide
1	D	483	GLU	Peptide
1	D	485	GLY	Peptide
1	Е	14	ARG	Sidechain
1	Е	319	VAL	Peptide
1	Е	468	VAL	Peptide
1	Е	476	ARG	Peptide
1	Е	486	SER	Peptide
1	F	447	TYR	Sidechain
1	F	476	ARG	Peptide
1	F	8	LEU	Peptide
1	G	158	TRP	Peptide
1	G	37	ARG	Sidechain
1	G	475	PRO	Peptide
1	G	486	SER	Peptide
1	Н	468	VAL	Peptide
1	Н	475	PRO	Peptide
1	Н	476	ARG	Peptide
1	Н	486	SER	Peptide
1	Н	487	GLU	Peptide
1	J	464	TYR	Sidechain
1	J	468	VAL	Peptide
1	J	474	VAL	Peptide
1	J	475	PRO	Peptide
1	J	482	LEU	Peptide
1	J	486	SER	Peptide
1	J	487	GLU	Peptide
1	J	589	GLU	Peptide
2	K	139	SER	Peptide
2	U	73	GLU	Peptide



Mol	Chain	Res	Type	Group
2	V	38	GLU	Peptide
1	W	476	ARG	Peptide
1	W	482	LEU	Peptide
1	W	492	LEU	Peptide
1	W	587	PRO	Peptide
1	Х	486	SER	Peptide
1	Х	492	LEU	Peptide
3	Y	112	ASP	Peptide
3	Y	178	GLY	Peptide
3	Y	213	GLN	Peptide
3	Y	217	ASP	Peptide
3	Y	218	ALA	Peptide
3	Y	219	ALA	Peptide
3	Y	238	SER	Peptide
3	Y	239	ASP	Peptide
3	Y	243	PHE	Peptide
3	Y	280	MET	Peptide
3	Y	458	ASP	Peptide
3	Y	484	LYS	Peptide
3	Y	507	ILE	Peptide
3	Y	509	SER	Peptide
3	Y	511	ASP	Peptide
3	Y	512	GLY	Peptide
3	Y	513	GLN	Peptide
3	Ζ	109	TYR	Peptide

Continued from previous page...

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5792	0	5623	1	0
1	В	5792	0	5623	1	0
1	С	5792	0	5623	5	0
1	D	5792	0	5623	4	0
1	Е	5792	0	5623	4	0
1	F	5792	0	5623	2	0
1	G	5792	0	5623	3	0
1	Н	5792	0	5623	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Ι	5792	0	5623	1	0
1	J	5792	0	5623	3	0
1	W	5792	0	5623	3	0
1	Х	5792	0	5623	0	0
2	K	1122	0	1082	1	0
2	L	1122	0	1082	1	0
2	М	1122	0	1082	0	0
2	N	1122	0	1082	0	0
2	0	1122	0	1082	0	0
2	Р	1122	0	1082	0	0
2	Q	1122	0	1082	0	0
2	R	1122	0	1082	1	0
2	S	1122	0	1082	0	0
2	Т	1122	0	1082	2	0
2	U	1122	0	1082	2	0
2	V	1122	0	1082	0	0
3	0	5025	0	4930	2	0
3	Y	5025	0	4930	2	0
3	Ζ	5025	0	4930	3	0
All	All	98043	0	95250	39	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:L:20:ARG:HH22	3:Z:25:ALA:H	1.55	0.54
2:R:24:ARG:HH12	2:R:82:HIS:CE1	2.28	0.52
2:T:82:HIS:H	2:T:82:HIS:CD2	2.28	0.52
1:W:59:VAL:HG12	1:W:327:GLN:HE21	1.74	0.50
3:Y:260:THR:HG22	3:Y:261:SER:H	1.76	0.50
2:U:82:HIS:CG	2:U:83:GLY:H	2.31	0.49
3:Z:203:TRP:H	3:Z:257:GLN:HE22	1.61	0.49
1:C:266:ILE:HG13	1:C:267:ALA:H	1.78	0.48
3:Y:408:ASP:H	3:Y:415:ILE:HG22	1.80	0.47
1:F:255:ILE:HD12	1:F:255:ILE:H	1.79	0.47
1:D:161:ASN:HD22	1:D:172:HIS:CD2	2.33	0.47
1:C:466:SER:H	1:C:467:ILE:HG22	1.79	0.47
1:F:272:LYS:H	1:G:134:ASP:HB2	1.78	0.47
1:D:272:LYS:H	1:E:134:ASP:HB2	1.78	0.47



EMD-8005,	5GAI
-----------	------

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:255:ILE:HD12	1:G:255:ILE:H	1.79	0.47
1:J:44:TRP:HE1	1:J:331:ASN:HD22	1.61	0.46
1:J:468:VAL:HA	1:J:469:ASN:HD22	1.79	0.46
1:C:255:ILE:HD12	1:C:255:ILE:H	1.81	0.46
1:D:255:ILE:H	1:D:255:ILE:HD12	1.81	0.46
3:0:407:LEU:H	3:0:407:LEU:HD23	1.80	0.46
1:I:255:ILE:HD12	1:I:255:ILE:H	1.81	0.45
2:U:74:ASN:H	2:U:75:PRO:HD2	1.82	0.45
1:C:43:ASP:H	1:C:56:GLN:HE22	1.65	0.45
1:C:329:LEU:HD21	1:C:404:MET:HE3	1.98	0.44
1:D:417:THR:HG22	1:D:419:GLY:H	1.82	0.44
1:E:255:ILE:H	1:E:255:ILE:HD12	1.82	0.44
1:H:426:ASN:H	1:H:429:GLN:HE21	1.67	0.43
2:K:74:ASN:H	2:K:75:PRO:HD2	1.83	0.43
1:W:463:ILE:HG12	1:W:464:TYR:H	1.83	0.43
1:A:37:ARG:HH22	1:A:208:VAL:HB	1.84	0.43
3:Z:340:ASN:H	3:Z:377:ASN:HD22	1.67	0.42
1:E:43:ASP:H	1:E:56:GLN:HE22	1.67	0.42
2:T:63:ILE:HD12	2:T:63:ILE:H	1.85	0.41
1:G:248:LYS:HA	1:G:511:ARG:HE	1.85	0.41
1:E:203:ASN:HA	1:E:218:GLN:HE22	1.85	0.41
1:W:496:VAL:HG13	1:W:499:LEU:HB2	2.03	0.41
1:J:255:ILE:HD12	1:J:255:ILE:H	1.86	0.40
1:B:136:SER:HB2	1:B:145:ARG:HH22	1.86	0.40
3:0:440:VAL:HG12	3:0:441:GLY:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	719/721~(100%)	646~(90%)	53~(7%)	20 (3%)	5 30



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	entiles
1	В	719/721~(100%)	639~(89%)	60~(8%)	20 (3%)	5	30
1	\mathbf{C}	719/721~(100%)	630~(88%)	67~(9%)	22 (3%)	4	27
1	D	719/721~(100%)	633~(88%)	67~(9%)	19(3%)	5	31
1	Ε	719/721~(100%)	648 (90%)	51 (7%)	20 (3%)	5	30
1	F	719/721~(100%)	643~(89%)	59~(8%)	17 (2%)	6	33
1	G	719/721~(100%)	642~(89%)	54 (8%)	23~(3%)	4	26
1	Н	719/721 (100%)	645~(90%)	56 (8%)	18 (2%)	5	32
1	Ι	719/721~(100%)	641 (89%)	60 (8%)	18 (2%)	5	32
1	J	719/721 (100%)	637~(89%)	62 (9%)	20 (3%)	5	30
1	W	719/721~(100%)	644 (90%)	52 (7%)	23 (3%)	4	26
1	Х	719/721~(100%)	646 (90%)	56 (8%)	17 (2%)	6	33
2	К	144/146~(99%)	126 (88%)	16 (11%)	2 (1%)	11	46
2	L	144/146~(99%)	122 (85%)	20 (14%)	2 (1%)	11	46
2	М	144/146~(99%)	125 (87%)	17 (12%)	2 (1%)	11	46
2	Ν	144/146~(99%)	125 (87%)	17 (12%)	2(1%)	11	46
2	О	144/146~(99%)	123 (85%)	19 (13%)	2 (1%)	11	46
2	Р	144/146~(99%)	123 (85%)	17 (12%)	4 (3%)	5	30
2	Q	144/146~(99%)	131 (91%)	12 (8%)	1 (1%)	22	63
2	R	144/146~(99%)	129 (90%)	11 (8%)	4 (3%)	5	30
2	S	144/146~(99%)	130 (90%)	14 (10%)	0	100	100
2	Т	144/146~(99%)	130 (90%)	11 (8%)	3(2%)	7	36
2	U	144/146~(99%)	124 (86%)	14 (10%)	6 (4%)	3	22
2	V	144/146~(99%)	127 (88%)	16 (11%)	1 (1%)	22	63
3	0	660/662~(100%)	603 (91%)	44 (7%)	13 (2%)	7	38
3	Y	660/662~(100%)	606~(92%)	36 (6%)	18 (3%)	5	31
3	Z	660/662~(100%)	621 (94%)	32 (5%)	7 (1%)	14	52
All	All	12336/12390 (100%)	11039 (90%)	993 (8%)	304 (2%)	9	32

All (304) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	170	ALA
1	А	267	ALA
	<i>a</i>	1	

Mol	Chain	Res	Type
1	А	476	ARG
1	А	477	ASN
1	А	501	THR
1	В	41	TRP
1	В	233	PHE
1	В	344	THR
1	В	469	ASN
1	С	151	SER
1	С	466	SER
1	С	467	ILE
1	С	484	ASP
1	Е	203	ASN
1	Е	469	ASN
1	F	9	GLU
1	F	170	ALA
1	F	507	LEU
1	G	161	ASN
1	Н	159	ASP
1	Н	267	ALA
1	Н	491	GLN
1	Н	588	GLU
1	Ι	267	ALA
1	Ι	468	VAL
1	Ι	507	LEU
1	J	467	ILE
1	J	560	LEU
1	J	590	GLN
2	U	44	ASP
2	V	77	ALA
1	W	483	GLU
1	W	588	GLU
3	Y	113	GLN
3	Y	508	ARG
1	A	8	LEU
1	А	380	ASN
1	A	507	LEU
1	В	197	ASP
1	В	230	GLU
1	В	488	LYS
1	В	507	LEU
1	С	160	SER
1	С	481	THR



Mol	Chain	Res	Type
1	С	560	LEU
1	D	80	TYR
1	D	151	SER
1	D	197	ASP
1	D	468	VAL
1	D	489	ASP
1	D	507	LEU
1	Е	311	GLU
1	F	80	TYR
1	G	458	ARG
1	G	467	ILE
1	G	469	ASN
1	G	476	ARG
1	G	493	MET
1	G	507	LEU
1	Н	476	ARG
1	Н	487	GLU
1	Ι	319	VAL
1	Ι	381	SER
1	Ι	466	SER
1	J	77	ASP
1	J	81	ARG
1	J	380	ASN
1	J	468	VAL
1	J	475	PRO
2	L	43	GLN
2	М	151	ASN
2	Т	45	ALA
2	Т	77	ALA
2	Т	133	LYS
2	U	133	LYS
2	U	151	ASN
1	W	139	SER
1	W	214	GLN
1	W	312	ASP
1	W	507	LEU
1	Х	268	GLU
1	Х	456	ALA
1	Х	468	VAL
1	Х	590	GLN
3	Y	212	ASN
3	Y	213	GLN



Mol	Chain	Res	Type
3	Y	220	ALA
3	Y	423	LEU
3	Y	505	ILE
3	Y	510	THR
3	Y	569	SER
3	0	70	ALA
3	0	507	ILE
1	А	197	ASP
1	А	312	ASP
1	А	499	LEU
1	В	151	SER
1	В	380	ASN
1	В	390	ALA
1	С	237	ASP
1	С	344	THR
1	С	515	GLU
1	С	592	TRP
1	Е	160	SER
1	Е	283	CYS
1	Е	299	PRO
1	Е	457	MET
1	F	159	ASP
1	F	197	ASP
1	F	588	GLU
1	G	197	ASP
1	G	463	ILE
1	G	468	VAL
1	Н	228	LYS
1	Н	380	ASN
1	Н	381	SER
1	Н	462	GLU
1	Н	481	THR
1	Ι	197	ASP
1	Ι	360	GLU
1	J	197	ASP
2	K	86	SER
2	М	158	PHE
2	R	78	GLU
2	R	156	HIS
2	U	82	HIS
1	W	197	ASP
1	W	311	GLU



Mol	Chain	Res	Type
1	W	381	SER
1	W	463	ILE
1	W	470	ASP
1	W	722	GLU
1	Х	77	ASP
1	Х	282	THR
1	Х	311	GLU
1	Х	312	ASP
1	Х	483	GLU
3	Y	207	PRO
3	Y	514	GLY
3	Y	515	LEU
3	Ζ	569	SER
3	0	107	LEU
3	0	401	THR
1	А	397	VAL
1	В	161	ASN
1	В	227	GLU
1	В	397	VAL
1	С	267	ALA
1	С	370	PRO
1	С	380	ASN
1	С	397	VAL
1	С	482	LEU
1	D	267	ALA
1	D	268	GLU
1	D	269	ARG
1	D	344	THR
1	D	397	VAL
1	D	467	ILE
1	D	478	VAL
1	D	498	ASP
1	E	137	PRO
1	Е	265	LYS
1	Е	344	THR
1	Е	397	VAL
1	Е	478	VAL
1	Е	492	LEU
1	Е	560	LEU
1	F	202	GLN
1	F	364	ASP
1	F	397	VAL



Mol	Chain	Res	Type
1	F	721	ALA
1	G	160	SER
1	G	203	ASN
1	G	397	VAL
1	G	472	TYR
1	G	482	LEU
1	G	721	ALA
1	Н	388	PRO
1	Н	397	VAL
1	Н	507	LEU
1	Ι	157	ILE
1	Ι	227	GLU
1	Ι	397	VAL
1	Ι	484	ASP
1	J	46	SER
1	J	237	ASP
1	J	388	PRO
1	J	397	VAL
1	J	469	ASN
1	J	476	ARG
2	L	140	ARG
2	Ν	133	LYS
2	0	133	LYS
2	R	42	MET
2	U	74	ASN
1	W	299	PRO
1	W	364	ASP
1	W	468	VAL
1	W	475	PRO
1	W	476	ARG
1	W	494	ALA
1	X	203	ASN
1	Х	344	THR
1	Х	387	GLN
1	Х	397	VAL
3	Y	200	THR
3	Y	296	ALA
3	Y	511	ASP
3	Z	7	ASN
3	Z	108	LYS
3	Z	207	PRO
3	0	318	LYS



Mol	Chain	Res	Type
3	0	399	ALA
3	0	423	LEU
3	0	426	ASN
3	0	505	ILE
1	А	80	TYR
1	А	388	PRO
1	В	80	TYR
1	В	159	ASP
1	В	244	VAL
1	В	468	VAL
1	В	515	GLU
1	С	203	ASN
1	С	263	PHE
1	С	364	ASP
1	D	204	PRO
1	D	310	VAL
1	D	492	LEU
1	Е	370	PRO
1	Е	476	ARG
1	Ε	487	GLU
1	F	229	LYS
1	F	267	ALA
1	F	464	TYR
1	F	468	VAL
1	F	590	GLN
1	G	49	THR
1	G	80	TYR
1	G	151	SER
1	G	465	GLN
1	G	491	GLN
1	Н	151	SER
1	Ι	49	THR
1	Ι	380	ASN
1	J	78	VAL
1	J	160	SER
1	J	344	THR
1	J	515	GLU
1	J	588	GLU
2	N	35	THR
2	0	33	THR
2	Р	76	PRO
2	R	43	GLN



Mol	Chain	Res	Type
2	U	138	PRO
1	W	151	SER
1	W	203	ASN
1	W	380	ASN
1	W	397	VAL
1	Х	80	TYR
1	Х	242	GLU
1	Х	360	GLU
3	Y	399	ALA
3	Ζ	424	PRO
3	Ζ	505	ILE
3	0	207	PRO
3	0	515	LEU
3	0	569	SER
1	А	468	VAL
1	А	472	TYR
1	А	482	LEU
1	А	491	GLN
1	В	493	MET
1	D	244	VAL
1	D	356	ILE
1	Е	123	VAL
1	F	311	GLU
1	G	311	GLU
1	Ι	9	GLU
1	Ι	311	GLU
1	Ι	487	GLU
2	Р	57	TYR
2	Р	139	SER
3	0	402	ASP
1	А	387	GLN
1	С	244	VAL
1	Ι	583	LYS
2	K	74	ASN
2	Р	141	MET
2	Q	68	VAL
1	Х	299	PRO
1	С	157	ILE
1	С	478	VAL
1	Е	244	VAL
3	Y	246	ILE
1	А	244	VAL



COIIII	Continued from pretious page					
Mol	Chain	\mathbf{Res}	Type			
1	Ε	468	VAL			
1	G	157	ILE			
1	Н	344	THR			
1	W	356	ILE			
3	Y	306	ILE			
1	Н	157	ILE			
1	Н	583	LYS			
3	Ζ	110	ASP			

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	627/627~(100%)	622~(99%)	5~(1%)	81	89
1	В	627/627~(100%)	622~(99%)	5(1%)	81	89
1	С	627/627~(100%)	620~(99%)	7(1%)	73	84
1	D	627/627~(100%)	621~(99%)	6 (1%)	76	86
1	Ε	627/627~(100%)	622~(99%)	5 (1%)	81	89
1	F	627/627~(100%)	624 (100%)	3 (0%)	88	93
1	G	627/627~(100%)	620 (99%)	7 (1%)	73	84
1	Н	627/627~(100%)	622~(99%)	5 (1%)	81	89
1	Ι	627/627~(100%)	622~(99%)	5 (1%)	81	89
1	J	627/627~(100%)	620~(99%)	7 (1%)	73	84
1	W	627/627~(100%)	624 (100%)	3~(0%)	88	93
1	Х	627/627~(100%)	623~(99%)	4 (1%)	86	92
2	Κ	116/116~(100%)	115 (99%)	1 (1%)	78	87
2	L	116/116~(100%)	115 (99%)	1 (1%)	78	87
2	М	$11\overline{6/116}~(100\%)$	115 (99%)	1 (1%)	78	87
2	Ν	$11\overline{6}/116~(100\%)$	115 (99%)	1 (1%)	78	87
2	0	116/116 (100%)	114 (98%)	2 (2%)	60	78



Mol	Chain	Analysed	Rotameric	Outliers	P	Perce	ntile	\mathbf{s}
2	Р	116/116~(100%)	116 (100%)	0		100	100	
2	Q	116/116~(100%)	115 (99%)	1 (1%)		78	87	
2	R	116/116~(100%)	115 (99%)	1 (1%)		78	87	
2	S	116/116~(100%)	115 (99%)	1 (1%)		78	87	
2	Т	116/116~(100%)	115 (99%)	1 (1%)		78	87	
2	U	116/116~(100%)	115 (99%)	1 (1%)		78	87	
2	V	116/116~(100%)	116 (100%)	0		100	100	
3	0	543/543~(100%)	540 (99%)	3 (1%)		86	92	
3	Y	543/543~(100%)	542 (100%)	1 (0%)		93	96	
3	Z	543/543~(100%)	542 (100%)	1 (0%)		93	96	
All	All	10545/10545~(100%)	10467 (99%)	78 (1%)		84	90	

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	123	VAL
1	А	156	VAL
1	А	360	GLU
1	А	369	TYR
1	А	389	LEU
1	В	123	VAL
1	В	246	TYR
1	В	255	ILE
1	В	360	GLU
1	В	444	LEU
1	С	80	TYR
1	С	84	ASP
1	С	123	VAL
1	С	161	ASN
1	С	360	GLU
1	С	472	TYR
1	С	476	ARG
1	D	123	VAL
1	D	156	VAL
1	D	317	GLU
1	D	360	GLU
1	D	389	LEU
1	D	565	VAL



Mol	Chain	Res	Type
1	Е	316	TYR
1	Е	320	VAL
1	Е	389	LEU
1	Е	444	LEU
1	Е	448	VAL
1	F	316	TYR
1	F	389	LEU
1	F	614	VAL
1	G	34	PHE
1	G	138	THR
1	G	156	VAL
1	G	250	ASP
1	G	281	ILE
1	G	360	GLU
1	G	476	ARG
1	Н	157	ILE
1	Н	316	TYR
1	Н	360	GLU
1	Н	517	TYR
1	Н	561	ASP
1	Ι	150	HIS
1	Ι	246	TYR
1	Ι	297	HIS
1	Ι	360	GLU
1	Ι	708	LEU
1	J	98	TYR
1	J	123	VAL
1	J	360	GLU
1	J	389	LEU
1	J	469	ASN
1	J	475	PRO
1	J	492	LEU
2	K	47	ASP
2	L	123	LEU
2	М	104	TYR
2	Ν	35	THR
2	0	33	THR
2	0	82	HIS
2	Q	82	HIS
2	R	123	LEU
2	S	124	TYR
2	Т	82	HIS



\mathbf{Mol}	Chain	\mathbf{Res}	Type
2	U	82	HIS
1	W	317	GLU
1	W	360	GLU
1	W	389	LEU
1	Х	89	ASP
1	Х	248	LYS
1	Х	316	TYR
1	Х	360	GLU
3	Y	183	THR
3	Ζ	457	GLU
3	0	284	LEU
3	0	430	ASP
3	0	489	ASN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (70) such side chains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	105	ASN
1	А	439	ASN
1	А	590	GLN
1	В	172	HIS
1	В	218	GLN
1	В	297	HIS
1	В	327	GLN
1	В	380	ASN
1	В	711	GLN
1	С	56	GLN
1	С	112	ASN
1	С	337	ASN
1	С	426	ASN
1	D	6	ASN
1	D	150	HIS
1	D	155	HIS
1	D	172	HIS
1	D	218	GLN
1	D	337	ASN
1	D	452	ASN
1	Е	56	GLN
1	Е	218	GLN
1	Е	355	GLN
1	F	177	HIS
1	F	205	ASN



Mol	Chain	Res	Type
1	F	355	GLN
1	F	530	GLN
1	F	610	GLN
1	G	6	ASN
1	G	56	GLN
1	G	104	HIS
1	G	150	HIS
1	G	172	HIS
1	G	182	ASN
1	G	337	ASN
1	Н	135	GLN
1	Н	327	GLN
1	Н	337	ASN
1	Н	619	GLN
1	Ι	105	ASN
1	J	172	HIS
1	J	297	HIS
1	J	469	ASN
2	М	82	HIS
2	М	153	ASN
2	N	147	ASN
2	0	82	HIS
2	0	95	ASN
2	Р	94	HIS
2	R	82	HIS
2	R	94	HIS
2	S	94	HIS
2	Т	82	HIS
2	Т	153	ASN
2	U	82	HIS
1	W	150	HIS
1	W	161	ASN
1	W	172	HIS
1	W	297	HIS
1	W	327	GLN
1	X	104	HIS
1	X	172	HIS
1	X	205	ASN
3	Z	135	GLN
3	Ζ	212	ASN
3	Ζ	257	GLN
3	Ζ	548	ASN



Continued from previous page...

Mol	Chain	Res	Type
3	Ζ	611	HIS
3	0	274	HIS
3	0	582	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-8005. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map







Z Index: 256

6.2.2 Raw map



X Index: 256

Y Index: 256

Z Index: 256

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 270





Z Index: 244

6.3.2 Raw map



X Index: 270

Y Index: 255



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 47930 nm^3 ; this corresponds to an approximate mass of 43297 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.095 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.095 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)			
Resolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	10.50	-	-	
Author-provided FSC curve	-	-	-	
Unmasked-calculated*	10.47	18.66	11.05	

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-8005 and PDB model 5GAI. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).



9.4 Atom inclusion (i)



At the recommended contour level, 64% of all backbone atoms, 55% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5530	0.0410
0	0.4460	0.0300
А	0.5770	0.0430
В	0.5640	0.0440
С	0.5640	0.0370
D	0.5780	0.0410
Ε	0.5680	0.0420
F	0.6000	0.0470
G	0.5830	0.0480
Н	0.5700	0.0380
Ι	0.5750	0.0380
J	0.5600	0.0430
К	0.5790	0.0550
L	0.5900	0.0610
М	0.5810	0.0590
Ν	0.6000	0.0680
0	0.6030	0.0530
Р	0.6070	0.0460
Q	0.5810	0.0530
R	0.5760	0.0340
S	0.5550	0.0260
Т	0.5970	0.0370
U	0.6150	0.0640
V	0.6090	0.0600
W	0.5780	0.0440
Х	0.5590	0.0410
Y	0.3680	0.0150
Z	0.4610	0.0370

