



# Full wwPDB X-ray Structure Validation Report i

Oct 11, 2021 – 05:10 PM EDT

PDB ID : 2GII  
Title : Q138F HincII bound to cognate DNA GTTAAC  
Authors : Horton, N.C.; Joshi, H.K.  
Deposited on : 2006-03-28  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 4695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(\*GP\*CP\*CP\*GP\*GP\*TP\*TP\*AP\*AP\*CP\*CP\*G P\*GP\*C)-3'.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	E	14	Total C N O P 283 135 54 81 13	0	0	0
1	F	14	Total C N O P 284 135 54 82 13	0	0	0

- Molecule 2 is a protein called Type II restriction enzyme HincII.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	A	238	Total C N O S 1895 1235 301 353 6	0	0	0
2	B	227	Total C N O S 1852 1208 294 344 6	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	130	THR	ARG	conflict	UNP P44413
A	138	PHE	GLN	engineered mutation	UNP P44413
A	173	TRP	SER	conflict	UNP P44413
B	130	THR	ARG	conflict	UNP P44413
B	138	PHE	GLN	engineered mutation	UNP P44413
B	173	TRP	SER	conflict	UNP P44413

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	47	Total O 47 47	0	0
3	F	46	Total O 46 46	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	178	Total O 178 178	0	0
3	B	110	Total O 110 110	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(\*GP\*CP\*CP\*GP\*GP\*TP\*TP\*AP\*AP\*CP\*CP\*GP\*GP\*C)-3'

Chain E: 



- Molecule 1: 5'-D(\*GP\*CP\*CP\*GP\*GP\*TP\*TP\*AP\*AP\*CP\*CP\*GP\*GP\*C)-3'

Chain F: 



- Molecule 2: Type II restriction enzyme HincII


Chain A: 



- Molecule 2: Type II restriction enzyme HincII

Chain B: 





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.38 Å   90.04 Å   68.01 Å 90.00°   103.45°   90.00°	Depositor
Resolution (Å)	50.00 – 2.30 37.22 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.00-2.30) 99.4 (37.22-2.10)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.14 (at 2.10 Å)	Xtriage
Refinement program	CNS	Depositor
$R$ , $R_{free}$	0.235 , 0.282 0.226 , 0.273	Depositor DCC
$R_{free}$ test set	748 reflections (2.19%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	41.9	Xtriage
Anisotropy	0.148	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 59.2	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4695	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	0.44	0/317	0.76	0/488
1	F	0.43	0/318	0.81	0/489
2	A	0.41	0/1939	0.62	1/2634 (0.0%)
2	B	0.40	0/1895	0.56	0/2563
All	All	0.41	0/4469	0.63	1/6174 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	55	LYS	N-CA-C	-5.59	95.91	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	283	0	155	5	0
1	F	284	0	158	6	0
2	A	1895	0	1787	63	0
2	B	1852	0	1784	78	0
3	A	178	0	0	6	0
3	B	110	0	0	7	0
3	E	47	0	0	2	0
3	F	46	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4695	0	3884	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:8:DA:H2'	1:E:9:DA:H5'	1.43	0.99
1:F:8:DA:H2'	1:F:9:DA:H5'	1.43	0.97
2:B:73:HIS:HB3	2:B:97:GLU:HG2	1.48	0.96
2:B:61:ASN:HD21	2:B:105:PHE:HB2	1.39	0.88
2:B:70:ILE:HD13	2:B:76:ARG:HG2	1.57	0.85
2:B:70:ILE:HD12	2:B:70:ILE:O	1.79	0.82
2:A:37:PHE:HA	2:A:40:LEU:HD13	1.63	0.79
2:B:104:LEU:HA	3:B:329:HOH:O	1.86	0.76
2:B:70:ILE:HG12	2:B:79:LEU:HD11	1.67	0.76
2:B:132:ASN:HB3	2:B:135:LYS:HG3	1.65	0.76
2:B:76:ARG:NH1	2:B:99:TRP:HB3	2.04	0.72
2:B:74:GLU:HB2	3:B:302:HOH:O	1.90	0.71
2:A:40:LEU:H	2:A:40:LEU:HD12	1.56	0.71
2:B:86:LEU:HD12	2:B:90:SER:HB2	1.72	0.71
2:A:248:LYS:NZ	2:A:248:LYS:HB3	2.07	0.70
2:A:144:SER:HB3	2:A:147:LYS:HB3	1.74	0.69
2:A:131:ARG:HD3	2:A:133:ILE:HD13	1.76	0.68
2:B:4:ILE:HD13	2:B:126:LEU:HD22	1.75	0.68
1:F:9:DA:H5'	3:F:16:HOH:O	1.94	0.67
2:A:195:PRO:HA	2:A:198:LEU:HD13	1.77	0.67
2:B:76:ARG:HH12	2:B:99:TRP:HB3	1.58	0.66
2:A:235:VAL:HG13	2:B:250:VAL:HG13	1.77	0.66
2:A:194:GLU:HG3	3:A:299:HOH:O	1.97	0.64
2:A:83:PRO:HG3	2:A:158:ASN:ND2	2.13	0.63
2:B:193:SER:HB3	2:B:216:ASP:O	1.98	0.63
2:A:250:VAL:HG13	2:B:235:VAL:HG13	1.81	0.63
2:A:233:HIS:O	2:A:237:GLN:HG2	1.98	0.63
2:B:107:GLU:HG3	3:B:284:HOH:O	1.98	0.63
2:A:40:LEU:HD12	2:A:40:LEU:N	2.14	0.62
2:B:201:ASN:HD22	2:B:209:GLN:NE2	1.97	0.62
2:A:123:TYR:O	2:A:164:PHE:HA	2.00	0.62
2:A:235:VAL:O	2:A:239:GLU:HG3	2.00	0.62
1:E:2:DC:H2'	3:E:49:HOH:O	2.00	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:11:ILE:HD12	2:B:12:ASN:OD1	2.01	0.61
2:B:201:ASN:HD22	2:B:209:GLN:HE22	1.47	0.61
2:B:93:LYS:H	2:B:93:LYS:HD2	1.65	0.60
2:B:4:ILE:CD1	2:B:126:LEU:HD22	2.31	0.60
2:B:71:ILE:HD12	2:B:72:GLY:H	1.66	0.60
1:F:8:DA:C2'	1:F:9:DA:H5"	2.27	0.59
2:B:167:ASN:OD1	2:B:189:GLU:HG2	2.02	0.59
1:E:8:DA:C2'	1:E:9:DA:H5"	2.27	0.58
2:B:71:ILE:HD12	2:B:72:GLY:N	2.19	0.58
1:F:9:DA:C5'	3:F:16:HOH:O	2.51	0.57
2:A:202:TRP:CE3	2:A:206:MET:HG2	2.40	0.57
3:E:52:HOH:O	2:A:248:LYS:HE3	2.05	0.57
2:B:9:GLN:HG3	2:B:10:ASP:OD2	2.05	0.57
2:A:36:PRO:HD3	3:A:428:HOH:O	2.05	0.56
2:A:5:LYS:N	2:A:6:PRO:HD2	2.20	0.56
2:A:248:LYS:HB3	2:A:248:LYS:HZ3	1.69	0.56
2:B:251:LYS:HB3	2:B:252:PRO:HD3	1.87	0.56
2:A:198:LEU:HD23	2:A:208:ILE:HD13	1.86	0.56
2:A:3:PHE:HA	3:A:421:HOH:O	2.06	0.56
2:B:152:CYS:O	2:B:156:ILE:HG13	2.05	0.56
2:B:132:ASN:CB	2:B:135:LYS:HG3	2.34	0.55
2:A:40:LEU:H	2:A:40:LEU:CD1	2.19	0.55
2:B:246:ILE:O	2:B:250:VAL:HB	2.06	0.54
2:A:103:ASN:HB2	3:A:379:HOH:O	2.07	0.54
2:B:8:TYR:O	2:B:11:ILE:HG13	2.07	0.54
1:F:1:DG:H2"	1:F:2:DC:O5'	2.07	0.54
2:B:158:ASN:HB3	2:B:160:GLU:HG3	1.90	0.54
2:B:235:VAL:O	2:B:239:GLU:HG3	2.09	0.52
2:A:117:LEU:HB2	2:A:124:GLU:HB3	1.91	0.52
2:A:15:LEU:HD11	2:A:41:VAL:HG22	1.92	0.52
2:A:108:LYS:HA	3:A:400:HOH:O	2.09	0.52
2:B:88:LEU:HD22	2:B:112:THR:HG21	1.92	0.52
2:B:82:SER:HB3	2:B:85:LEU:HB2	1.90	0.52
2:B:75:ALA:HA	2:B:78:LYS:NZ	2.25	0.52
2:A:202:TRP:HE3	2:A:206:MET:HG2	1.76	0.51
2:A:7:ILE:O	2:A:11:ILE:HG13	2.11	0.51
2:B:73:HIS:HB3	2:B:97:GLU:CG	2.33	0.51
2:A:35:GLU:N	2:A:36:PRO:HD2	2.26	0.51
2:A:59:TYR:CE1	2:A:118:VAL:HG21	2.46	0.50
2:A:99:TRP:NE1	2:A:104:LEU:HD23	2.27	0.50
2:B:159:LYS:HA	2:B:161:PHE:CE2	2.46	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:61:ASN:O	2:B:65:MET:HB2	2.12	0.50
2:A:73:HIS:ND1	2:A:74:GLU:N	2.59	0.50
2:A:198:LEU:HD12	2:A:198:LEU:N	2.26	0.49
2:B:66:LYS:HB3	2:B:66:LYS:NZ	2.27	0.49
2:B:64:PHE:CE1	2:B:76:ARG:HB3	2.47	0.49
2:B:174:GLU:HG2	2:B:183:VAL:CG2	2.43	0.49
1:F:10:DC:H6	3:F:44:HOH:O	1.95	0.49
2:A:52:LEU:HD12	2:A:52:LEU:N	2.28	0.48
2:A:193:SER:HA	2:A:216:ASP:O	2.13	0.48
2:B:202:TRP:HA	2:B:206:MET:HA	1.94	0.48
2:B:91:ARG:HH22	2:B:108:LYS:HB2	1.79	0.48
2:B:220:ASN:ND2	3:B:271:HOH:O	2.41	0.48
2:B:61:ASN:ND2	2:B:105:PHE:HB2	2.19	0.48
2:B:80:PHE:HE2	2:B:89:LEU:HB2	1.79	0.48
3:F:55:HOH:O	2:A:147:LYS:HG2	2.14	0.48
2:B:71:ILE:HA	2:B:76:ARG:HE	1.78	0.48
2:B:93:LYS:HD2	2:B:93:LYS:N	2.29	0.47
2:B:104:LEU:HD21	3:B:339:HOH:O	2.14	0.47
2:B:233:HIS:O	2:B:237:GLN:HG2	2.14	0.47
2:B:251:LYS:HB3	2:B:252:PRO:CD	2.44	0.47
2:A:11:ILE:HG12	2:A:44:PHE:CE2	2.49	0.47
2:A:35:GLU:N	2:A:36:PRO:CD	2.78	0.47
2:B:85:LEU:HD11	2:B:163:LEU:HD21	1.97	0.47
2:B:205:ALA:HB1	3:B:261:HOH:O	2.14	0.47
2:A:142:ILE:HG13	2:A:210:PHE:CZ	2.50	0.47
2:B:194:GLU:OE2	2:B:195:PRO:HD2	2.14	0.47
2:A:121:GLN:O	2:A:121:GLN:NE2	2.48	0.47
2:B:154:LYS:O	2:B:158:ASN:ND2	2.48	0.47
2:A:55:LYS:HB2	2:A:58:GLU:HG3	1.97	0.46
2:B:247:ASP:HA	2:B:251:LYS:HE3	1.97	0.46
2:A:132:ASN:C	2:A:132:ASN:HD22	2.17	0.46
2:B:92:GLY:O	2:B:96:THR:HG23	2.16	0.45
2:A:37:PHE:CA	2:A:40:LEU:HD13	2.39	0.45
2:B:118:VAL:HA	2:B:122:PHE:O	2.17	0.45
2:A:42:TYR:CD2	2:A:55:LYS:HE3	2.51	0.45
2:A:121:GLN:HE21	2:A:121:GLN:HB3	1.62	0.45
2:A:246:ILE:HA	2:A:250:VAL:CG2	2.46	0.45
1:E:8:DA:H1'	1:E:9:DA:O4'	2.16	0.45
2:A:146:TYR:HB2	2:A:206:MET:CE	2.47	0.45
2:A:222:THR:OG1	2:A:225:GLU:HG3	2.18	0.44
2:A:250:VAL:HG11	3:B:295:HOH:O	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:154:LYS:O	2:B:158:ASN:HB2	2.17	0.44
2:A:131:ARG:CD	2:A:133:ILE:HD13	2.45	0.44
2:A:103:ASN:O	3:A:370:HOH:O	2.21	0.43
2:B:11:ILE:HD12	2:B:11:ILE:C	2.38	0.43
2:B:91:ARG:HH22	2:B:108:LYS:CB	2.30	0.43
2:A:133:ILE:HD11	2:A:172:ASP:HB3	2.01	0.43
2:B:170:GLU:HB2	2:B:212:VAL:CG2	2.49	0.42
2:B:172:ASP:O	2:B:182:CYS:HA	2.19	0.42
2:B:195:PRO:HA	2:B:198:LEU:HD22	2.01	0.42
2:B:163:LEU:HD23	2:B:163:LEU:O	2.19	0.42
2:B:40:LEU:HA	2:B:43:LYS:HG2	2.00	0.42
2:B:133:ILE:HD13	2:B:133:ILE:O	2.19	0.42
2:B:70:ILE:HD12	2:B:70:ILE:C	2.38	0.42
2:B:71:ILE:HG22	2:B:76:ARG:HH21	1.84	0.42
2:B:190:LEU:C	2:B:192:LYS:H	2.23	0.42
2:B:132:ASN:CG	2:B:135:LYS:HG3	2.40	0.41
2:A:210:PHE:CD1	2:A:210:PHE:C	2.93	0.41
2:B:57:TYR:HB3	2:B:91:ARG:NH1	2.35	0.41
1:E:11:DC:H6	1:E:11:DC:H5"	1.83	0.41
2:A:113:ALA:HB2	2:A:125:LEU:HD13	2.00	0.41
2:B:160:GLU:OE1	2:B:163:LEU:HD12	2.21	0.41
2:A:143:ILE:HG12	2:A:144:SER:N	2.36	0.41
2:A:146:TYR:O	2:A:149:ALA:HB3	2.21	0.41
2:B:156:ILE:HA	2:B:161:PHE:CE1	2.56	0.41
2:A:43:LYS:O	2:A:47:GLU:HG3	2.21	0.41
2:A:4:ILE:HD11	2:A:187:PHE:CE1	2.55	0.41
2:A:74:GLU:N	2:A:74:GLU:OE1	2.52	0.41
2:A:142:ILE:HG13	2:A:210:PHE:CE1	2.56	0.41
2:A:198:LEU:N	2:A:198:LEU:CD1	2.84	0.41
2:A:147:LYS:HB2	2:A:147:LYS:HZ3	1.86	0.40
2:A:77:TYR:HE1	2:A:96:THR:OG1	2.04	0.40
2:B:10:ASP:C	2:B:12:ASN:H	2.24	0.40
2:B:48:ASN:O	2:B:49:LEU:HD23	2.21	0.40
2:B:156:ILE:HA	2:B:161:PHE:CZ	2.55	0.40
2:B:93:LYS:H	2:B:93:LYS:CD	2.32	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	A	232/257 (90%)	217 (94%)	13 (6%)	2 (1%)	17 20
2	B	219/257 (85%)	192 (88%)	22 (10%)	5 (2%)	6 5
All	All	451/514 (88%)	409 (91%)	35 (8%)	7 (2%)	9 9

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	107	GLU
2	B	11	ILE
2	B	105	PHE
2	B	93	LYS
2	B	12	ASN
2	B	15	LEU
2	A	252	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	A	195/229 (85%)	186 (95%)	9 (5%)	27 38
2	B	196/229 (86%)	188 (96%)	8 (4%)	30 43
All	All	391/458 (85%)	374 (96%)	17 (4%)	29 40

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	107	GLU
2	A	116	LEU
2	A	121	GLN
2	A	125	LEU
2	A	127	ASP
2	A	131	ARG
2	A	132	ASN
2	A	138	PHE
2	A	147	LYS
2	B	52	LEU
2	B	93	LYS
2	B	127	ASP
2	B	133	ILE
2	B	135	LYS
2	B	138	PHE
2	B	163	LEU
2	B	198	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	56	GLN
2	A	121	GLN
2	A	132	ASN
2	A	150	GLN
2	A	158	ASN
2	B	56	GLN
2	B	61	ASN
2	B	81	ASN
2	B	109	GLN
2	B	110	ASN
2	B	121	GLN
2	B	209	GLN
2	B	211	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	E	14/14 (100%)	-0.30	0	100	100	28, 42, 55, 59	0
1	F	14/14 (100%)	-0.17	0	100	100	26, 45, 56, 62	0
2	A	238/257 (92%)	0.10	6 (2%)	57	64	23, 51, 69, 80	0
2	B	227/257 (88%)	0.54	19 (8%)	11	15	24, 67, 108, 122	0
All	All	493/542 (90%)	0.29	25 (5%)	28	35	23, 54, 98, 122	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	14	ILE	8.1
2	B	15	LEU	6.8
2	B	13	SER	6.7
2	B	16	ILE	6.4
2	A	107	GLU	3.7
2	B	104	LEU	3.5
2	B	37	PHE	3.5
2	B	11	ILE	3.1
2	B	72	GLY	3.1
2	B	70	ILE	3.0
2	B	161	PHE	2.9
2	A	94	ALA	2.8
2	B	121	GLN	2.7
2	A	180	LEU	2.6
2	A	258	LEU	2.5
2	B	203	ALA	2.4
2	B	219	PHE	2.4
2	B	95	ALA	2.3
2	A	74	GLU	2.3
2	B	162	ASP	2.3
2	B	69	ALA	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	80	PHE	2.2
2	A	257	ILE	2.2
2	B	75	ALA	2.1
2	B	220	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.