



# Full wwPDB EM Validation Report (i)

Apr 10, 2023 – 08:00 PM EDT

PDB ID : 8GJM  
EMDB ID : EMD-40094  
Title : 17b10 fab in complex with full-length SARS-CoV-2 Spike G614 trimer  
Authors : Kwon, H.J.; Zhang, J.; Kosikova, M.; Tang, W.C.; Rodriguez, U.O.; Peng, H.Q.; Meseda, C.A.; Pedro, C.L.; Schmeisser, F.; Lu, J.M.; Zhou, B.; Davis, C.T.; Wentworth, D.E.; Chen, W.H.; Shriver, M.C.; Pasetti, M.F.; Weir, J.P.; Chen, B.; Xie, H.  
Deposited on : 2023-03-16  
Resolution : 2.80 Å(reported)  
Based on initial model : 7KRR

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.







*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	I	2	 100%
4	J	2	 50%
4	K	2	 100%
4	O	2	 100%
4	P	2	 100%
4	Q	2	 50%
4	R	2	 100%
4	S	2	 100%
4	T	2	 50%
4	U	2	 100%
4	Y	2	 50%
4	Z	2	 100%
4	a	2	 100%
4	b	2	 100%
4	c	2	 100%
4	d	2	 100%
4	e	2	 100%
4	f	2	 100%
4	i	2	 100%
4	j	2	 50%
4	k	2	 100%
5	L	3	 67%
5	V	3	 67%
5	g	3	 33%
6	M	3	 100%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
6	N	3	 100%
6	W	3	 100%
6	X	3	 100%
6	h	3	 100%

## 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 28728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1089	Total	C	N	O	S	0	0
			8519	5438	1419	1623	39		
1	B	1088	Total	C	N	O	S	0	0
			8520	5441	1419	1622	38		
1	C	1099	Total	C	N	O	S	0	0
			8605	5493	1436	1637	39		

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	614	GLY	ASP	conflict	UNP P0DTC2
A	1274	LEU	-	expression tag	UNP P0DTC2
A	1275	GLU	-	expression tag	UNP P0DTC2
A	1276	SER	-	expression tag	UNP P0DTC2
A	1277	GLY	-	expression tag	UNP P0DTC2
A	1278	GLY	-	expression tag	UNP P0DTC2
A	1279	GLY	-	expression tag	UNP P0DTC2
A	1280	SER	-	expression tag	UNP P0DTC2
A	1281	ALA	-	expression tag	UNP P0DTC2
A	1282	TRP	-	expression tag	UNP P0DTC2
A	1283	SER	-	expression tag	UNP P0DTC2
A	1284	HIS	-	expression tag	UNP P0DTC2
A	1285	PRO	-	expression tag	UNP P0DTC2
A	1286	GLN	-	expression tag	UNP P0DTC2
A	1287	PHE	-	expression tag	UNP P0DTC2
A	1288	GLU	-	expression tag	UNP P0DTC2
A	1289	LYS	-	expression tag	UNP P0DTC2
A	1290	GLY	-	expression tag	UNP P0DTC2
A	1291	GLY	-	expression tag	UNP P0DTC2
A	1292	GLY	-	expression tag	UNP P0DTC2
A	1293	SER	-	expression tag	UNP P0DTC2
A	1294	GLY	-	expression tag	UNP P0DTC2
A	1295	GLY	-	expression tag	UNP P0DTC2
A	1296	GLY	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1297	SER	-	expression tag	UNP P0DTC2
A	1298	GLY	-	expression tag	UNP P0DTC2
A	1299	GLY	-	expression tag	UNP P0DTC2
A	1300	SER	-	expression tag	UNP P0DTC2
A	1301	SER	-	expression tag	UNP P0DTC2
A	1302	ALA	-	expression tag	UNP P0DTC2
A	1303	TRP	-	expression tag	UNP P0DTC2
A	1304	SER	-	expression tag	UNP P0DTC2
A	1305	HIS	-	expression tag	UNP P0DTC2
A	1306	PRO	-	expression tag	UNP P0DTC2
A	1307	GLN	-	expression tag	UNP P0DTC2
A	1308	PHE	-	expression tag	UNP P0DTC2
A	1309	GLU	-	expression tag	UNP P0DTC2
A	1310	LYS	-	expression tag	UNP P0DTC2
B	614	GLY	ASP	conflict	UNP P0DTC2
B	1274	LEU	-	expression tag	UNP P0DTC2
B	1275	GLU	-	expression tag	UNP P0DTC2
B	1276	SER	-	expression tag	UNP P0DTC2
B	1277	GLY	-	expression tag	UNP P0DTC2
B	1278	GLY	-	expression tag	UNP P0DTC2
B	1279	GLY	-	expression tag	UNP P0DTC2
B	1280	SER	-	expression tag	UNP P0DTC2
B	1281	ALA	-	expression tag	UNP P0DTC2
B	1282	TRP	-	expression tag	UNP P0DTC2
B	1283	SER	-	expression tag	UNP P0DTC2
B	1284	HIS	-	expression tag	UNP P0DTC2
B	1285	PRO	-	expression tag	UNP P0DTC2
B	1286	GLN	-	expression tag	UNP P0DTC2
B	1287	PHE	-	expression tag	UNP P0DTC2
B	1288	GLU	-	expression tag	UNP P0DTC2
B	1289	LYS	-	expression tag	UNP P0DTC2
B	1290	GLY	-	expression tag	UNP P0DTC2
B	1291	GLY	-	expression tag	UNP P0DTC2
B	1292	GLY	-	expression tag	UNP P0DTC2
B	1293	SER	-	expression tag	UNP P0DTC2
B	1294	GLY	-	expression tag	UNP P0DTC2
B	1295	GLY	-	expression tag	UNP P0DTC2
B	1296	GLY	-	expression tag	UNP P0DTC2
B	1297	SER	-	expression tag	UNP P0DTC2
B	1298	GLY	-	expression tag	UNP P0DTC2
B	1299	GLY	-	expression tag	UNP P0DTC2
B	1300	SER	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	1301	SER	-	expression tag	UNP P0DTC2
B	1302	ALA	-	expression tag	UNP P0DTC2
B	1303	TRP	-	expression tag	UNP P0DTC2
B	1304	SER	-	expression tag	UNP P0DTC2
B	1305	HIS	-	expression tag	UNP P0DTC2
B	1306	PRO	-	expression tag	UNP P0DTC2
B	1307	GLN	-	expression tag	UNP P0DTC2
B	1308	PHE	-	expression tag	UNP P0DTC2
B	1309	GLU	-	expression tag	UNP P0DTC2
B	1310	LYS	-	expression tag	UNP P0DTC2
C	614	GLY	ASP	conflict	UNP P0DTC2
C	1274	LEU	-	expression tag	UNP P0DTC2
C	1275	GLU	-	expression tag	UNP P0DTC2
C	1276	SER	-	expression tag	UNP P0DTC2
C	1277	GLY	-	expression tag	UNP P0DTC2
C	1278	GLY	-	expression tag	UNP P0DTC2
C	1279	GLY	-	expression tag	UNP P0DTC2
C	1280	SER	-	expression tag	UNP P0DTC2
C	1281	ALA	-	expression tag	UNP P0DTC2
C	1282	TRP	-	expression tag	UNP P0DTC2
C	1283	SER	-	expression tag	UNP P0DTC2
C	1284	HIS	-	expression tag	UNP P0DTC2
C	1285	PRO	-	expression tag	UNP P0DTC2
C	1286	GLN	-	expression tag	UNP P0DTC2
C	1287	PHE	-	expression tag	UNP P0DTC2
C	1288	GLU	-	expression tag	UNP P0DTC2
C	1289	LYS	-	expression tag	UNP P0DTC2
C	1290	GLY	-	expression tag	UNP P0DTC2
C	1291	GLY	-	expression tag	UNP P0DTC2
C	1292	GLY	-	expression tag	UNP P0DTC2
C	1293	SER	-	expression tag	UNP P0DTC2
C	1294	GLY	-	expression tag	UNP P0DTC2
C	1295	GLY	-	expression tag	UNP P0DTC2
C	1296	GLY	-	expression tag	UNP P0DTC2
C	1297	SER	-	expression tag	UNP P0DTC2
C	1298	GLY	-	expression tag	UNP P0DTC2
C	1299	GLY	-	expression tag	UNP P0DTC2
C	1300	SER	-	expression tag	UNP P0DTC2
C	1301	SER	-	expression tag	UNP P0DTC2
C	1302	ALA	-	expression tag	UNP P0DTC2
C	1303	TRP	-	expression tag	UNP P0DTC2
C	1304	SER	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	1305	HIS	-	expression tag	UNP P0DTC2
C	1306	PRO	-	expression tag	UNP P0DTC2
C	1307	GLN	-	expression tag	UNP P0DTC2
C	1308	PHE	-	expression tag	UNP P0DTC2
C	1309	GLU	-	expression tag	UNP P0DTC2
C	1310	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Heavy chain of 17B10 fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	119	Total	C	N	O	S	0	0
			934	583	156	191	4		

- Molecule 3 is a protein called Light chain of 17B10 fab.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	106	Total	C	N	O	S	0	0
			819	516	134	166	3		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	2	Total	C	N	O		0	0
			28	16	2	10			
4	G	2	Total	C	N	O		0	0
			28	16	2	10			
4	H	2	Total	C	N	O		0	0
			28	16	2	10			
4	I	2	Total	C	N	O		0	0
			28	16	2	10			
4	J	2	Total	C	N	O		0	0
			28	16	2	10			
4	K	2	Total	C	N	O		0	0
			28	16	2	10			
4	O	2	Total	C	N	O		0	0
			28	16	2	10			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
4	P	2	Total	C	N	O	0	0
			28	16	2	10		
4	Q	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	T	2	Total	C	N	O	0	0
			28	16	2	10		
4	U	2	Total	C	N	O	0	0
			28	16	2	10		
4	Y	2	Total	C	N	O	0	0
			28	16	2	10		
4	Z	2	Total	C	N	O	0	0
			28	16	2	10		
4	a	2	Total	C	N	O	0	0
			28	16	2	10		
4	b	2	Total	C	N	O	0	0
			28	16	2	10		
4	c	2	Total	C	N	O	0	0
			28	16	2	10		
4	d	2	Total	C	N	O	0	0
			28	16	2	10		
4	e	2	Total	C	N	O	0	0
			28	16	2	10		
4	f	2	Total	C	N	O	0	0
			28	16	2	10		
4	i	2	Total	C	N	O	0	0
			28	16	2	10		
4	j	2	Total	C	N	O	0	0
			28	16	2	10		
4	k	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	L	3	Total	C	N	O	0	0
			38	22	2	14		
5	V	3	Total	C	N	O	0	0
			38	22	2	14		
5	g	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	M	3	Total	C	N	O	0	0
			39	22	2	15		
6	N	3	Total	C	N	O	0	0
			39	22	2	15		
6	W	3	Total	C	N	O	0	0
			39	22	2	15		
6	X	3	Total	C	N	O	0	0
			39	22	2	15		
6	h	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	AltConf
7	B	1	Total C N O 14 8 1 5	0
7	B	1	Total C N O 14 8 1 5	0
7	B	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0
7	C	1	Total C N O 14 8 1 5	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein




- Molecule 1: Spike glycoprotein




- Molecule 1: Spike glycoprotein


Chain C:



- Molecule 2: Heavy chain of 17B10 fab



- Molecule 3: Light chain of 17B10 fab



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y: 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:   
50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:   
100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:   
67% 33%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:   
67% 33%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:   
33% 67%




- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:   
100%




- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1  
MAG2  
MAN3

- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

MAG1  
MAG2  
MAN3

- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1  
MAG2  
MAN3

- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%

MAG1  
MAG2  
MAN3

## 4 Experimental information i

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	439265	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	54.442	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.520	Depositor
Minimum map value	-0.164	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	396.0, 396.0, 396.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.825, 0.825, 0.825	Depositor

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.63	0/8715	0.82	0/11854
1	B	0.64	0/8717	0.83	0/11858
1	C	0.63	0/8806	0.81	0/11982
2	D	0.62	0/954	0.79	0/1290
3	E	0.66	0/837	0.87	0/1130
All	All	0.63	0/28029	0.82	0/38114

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1077/1310 (82%)	997 (93%)	79 (7%)	1 (0%)	51 81
1	B	1076/1310 (82%)	1010 (94%)	66 (6%)	0	100 100
1	C	1089/1310 (83%)	1024 (94%)	63 (6%)	2 (0%)	47 78
2	D	117/138 (85%)	100 (86%)	17 (14%)	0	100 100
3	E	104/127 (82%)	94 (90%)	10 (10%)	0	100 100
All	All	3463/4195 (83%)	3225 (93%)	235 (7%)	3 (0%)	54 81

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	20	THR
1	C	167	THR
1	A	285	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	952/1135 (84%)	938 (98%)	14 (2%)	65 89
1	B	952/1135 (84%)	940 (99%)	12 (1%)	69 91
1	C	961/1135 (85%)	945 (98%)	16 (2%)	60 87
2	D	105/120 (88%)	101 (96%)	4 (4%)	33 67
3	E	91/109 (84%)	90 (99%)	1 (1%)	73 92
All	All	3061/3634 (84%)	3014 (98%)	47 (2%)	66 89

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	97	LYS
1	A	118	LEU
1	A	125	ASN
1	A	179	LEU
1	A	180	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	414	GLN
1	A	427	ASP
1	A	461	LEU
1	A	565	PHE
1	A	814	LYS
1	A	878	LEU
1	A	1038	LYS
1	A	1045	LYS
1	A	1148	PHE
1	B	66	HIS
1	B	97	LYS
1	B	118	LEU
1	B	177	MET
1	B	448	ASN
1	B	450	ASN
1	B	515	PHE
1	B	568	ASP
1	B	759	PHE
1	B	855	PHE
1	B	902	MET
1	B	916	LEU
1	C	18	LEU
1	C	20	THR
1	C	32	PHE
1	C	80	ASP
1	C	108	THR
1	C	121	ASN
1	C	212	LEU
1	C	226	LEU
1	C	515	PHE
1	C	567	ARG
1	C	625	HIS
1	C	825	LYS
1	C	1038	LYS
1	C	1050	MET
1	C	1086	LYS
1	C	1155	TYR
2	D	20	GLU
2	D	24	GLN
2	D	116	THR
2	D	126	ASP
3	E	74	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	HIS
1	A	125	ASN
1	A	146	HIS
1	A	149	ASN
1	A	394	ASN
1	A	493	GLN
1	A	540	ASN
1	A	563	GLN
1	A	580	GLN
1	A	613	GLN
1	A	644	GLN
1	A	935	GLN
1	A	965	GLN
1	A	1002	GLN
1	A	1010	GLN
1	A	1159	HIS
1	B	87	ASN
1	B	146	HIS
1	B	149	ASN
1	B	448	ASN
1	B	658	ASN
1	B	779	GLN
1	B	804	GLN
1	B	913	GLN
1	B	978	ASN
1	B	1002	GLN
1	B	1106	GLN
1	B	1142	GLN
1	C	121	ASN
1	C	134	GLN
1	C	146	HIS
1	C	149	ASN
1	C	207	HIS
1	C	314	GLN
1	C	540	ASN
1	C	580	GLN
1	C	644	GLN
1	C	779	GLN
1	C	907	ASN
1	C	913	GLN
1	C	1002	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	1010	GLN
2	D	58	GLN
3	E	110	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

72 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	F	1	1,4	14,14,15	0.20	0	17,19,21	0.46	0
4	NAG	F	2	4	14,14,15	0.27	0	17,19,21	0.60	0
4	NAG	G	1	1,4	14,14,15	0.39	0	17,19,21	0.44	0
4	NAG	G	2	4	14,14,15	0.39	0	17,19,21	0.36	0
4	NAG	H	1	1,4	14,14,15	0.23	0	17,19,21	0.48	0
4	NAG	H	2	4	14,14,15	0.29	0	17,19,21	0.56	0
4	NAG	I	1	1,4	14,14,15	0.40	0	17,19,21	0.33	0
4	NAG	I	2	4	14,14,15	0.41	0	17,19,21	0.33	0
4	NAG	J	1	1,4	14,14,15	0.39	0	17,19,21	0.60	1 (5%)
4	NAG	J	2	4	14,14,15	0.40	0	17,19,21	0.38	0
4	NAG	K	1	1,4	14,14,15	0.38	0	17,19,21	0.42	0
4	NAG	K	2	4	14,14,15	0.40	0	17,19,21	0.38	0
5	NAG	L	1	1,5	14,14,15	0.41	0	17,19,21	0.67	0
5	NAG	L	2	5	14,14,15	0.40	0	17,19,21	0.41	0
5	FUC	L	3	5	10,10,11	1.64	2 (20%)	14,14,16	0.97	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	M	1	6,1	14,14,15	0.41	0	17,19,21	0.46	0
6	NAG	M	2	6	14,14,15	0.39	0	17,19,21	0.36	0
6	MAN	M	3	6	11,11,12	0.22	0	15,15,17	0.47	0
6	NAG	N	1	6,1	14,14,15	0.39	0	17,19,21	0.39	0
6	NAG	N	2	6	14,14,15	0.40	0	17,19,21	0.38	0
6	MAN	N	3	6	11,11,12	0.20	0	15,15,17	0.69	0
4	NAG	O	1	1,4	14,14,15	0.39	0	17,19,21	0.37	0
4	NAG	O	2	4	14,14,15	0.40	0	17,19,21	0.33	0
4	NAG	P	1	1,4	14,14,15	0.39	0	17,19,21	0.61	0
4	NAG	P	2	4	14,14,15	0.29	0	17,19,21	0.59	0
4	NAG	Q	1	1,4	14,14,15	0.40	0	17,19,21	0.65	1 (5%)
4	NAG	Q	2	4	14,14,15	0.39	0	17,19,21	0.35	0
4	NAG	R	1	1,4	14,14,15	0.39	0	17,19,21	0.42	0
4	NAG	R	2	4	14,14,15	0.40	0	17,19,21	0.34	0
4	NAG	S	1	1,4	14,14,15	0.35	0	17,19,21	0.41	0
4	NAG	S	2	4	14,14,15	0.29	0	17,19,21	0.59	0
4	NAG	T	1	1,4	14,14,15	0.39	0	17,19,21	0.65	1 (5%)
4	NAG	T	2	4	14,14,15	0.39	0	17,19,21	0.39	0
4	NAG	U	1	1,4	14,14,15	0.41	0	17,19,21	0.41	0
4	NAG	U	2	4	14,14,15	0.39	0	17,19,21	0.36	0
5	NAG	V	1	1,5	14,14,15	0.43	0	17,19,21	0.57	0
5	NAG	V	2	5	14,14,15	0.39	0	17,19,21	0.44	0
5	FUC	V	3	5	10,10,11	1.57	2 (20%)	14,14,16	1.16	1 (7%)
6	NAG	W	1	6,1	14,14,15	0.40	0	17,19,21	0.35	0
6	NAG	W	2	6	14,14,15	0.40	0	17,19,21	0.33	0
6	MAN	W	3	6	11,11,12	0.18	0	15,15,17	0.52	0
6	NAG	X	1	6,1	14,14,15	0.39	0	17,19,21	0.48	0
6	NAG	X	2	6	14,14,15	0.39	0	17,19,21	0.34	0
6	MAN	X	3	6	11,11,12	0.20	0	15,15,17	0.69	0
4	NAG	Y	1	1,4	14,14,15	0.76	1 (7%)	17,19,21	0.49	0
4	NAG	Y	2	4	14,14,15	0.27	0	17,19,21	0.62	0
4	NAG	Z	1	1,4	14,14,15	0.39	0	17,19,21	0.37	0
4	NAG	Z	2	4	14,14,15	0.40	0	17,19,21	0.35	0
4	NAG	a	1	1,4	14,14,15	0.24	0	17,19,21	0.48	0
4	NAG	a	2	4	14,14,15	0.29	0	17,19,21	0.60	0
4	NAG	b	1	1,4	14,14,15	0.40	0	17,19,21	0.28	0
4	NAG	b	2	4	14,14,15	0.39	0	17,19,21	0.40	0
4	NAG	c	1	1,4	14,14,15	0.38	0	17,19,21	0.56	0
4	NAG	c	2	4	14,14,15	0.39	0	17,19,21	0.41	0
4	NAG	d	1	1,4	14,14,15	0.40	0	17,19,21	0.39	0
4	NAG	d	2	4	14,14,15	0.39	0	17,19,21	0.35	0
4	NAG	e	1	1,4	14,14,15	0.39	0	17,19,21	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	e	2	4	14,14,15	0.39	0	17,19,21	0.39	0
4	NAG	f	1	1,4	14,14,15	0.39	0	17,19,21	0.36	0
4	NAG	f	2	4	14,14,15	0.41	0	17,19,21	0.35	0
5	NAG	g	1	1,5	14,14,15	0.41	0	17,19,21	0.82	1 (5%)
5	NAG	g	2	5	14,14,15	0.39	0	17,19,21	0.38	0
5	FUC	g	3	5	10,10,11	1.69	2 (20%)	14,14,16	1.24	2 (14%)
6	NAG	h	1	6,1	14,14,15	0.41	0	17,19,21	0.36	0
6	NAG	h	2	6	14,14,15	0.40	0	17,19,21	0.36	0
6	MAN	h	3	6	11,11,12	0.23	0	15,15,17	0.59	0
4	NAG	i	1	1,4	14,14,15	0.40	0	17,19,21	0.33	0
4	NAG	i	2	4	14,14,15	0.39	0	17,19,21	0.39	0
4	NAG	j	1	1,4	14,14,15	0.58	1 (7%)	17,19,21	0.48	0
4	NAG	j	2	4	14,14,15	0.28	0	17,19,21	0.61	0
4	NAG	k	1	1,4	14,14,15	0.39	0	17,19,21	0.51	0
4	NAG	k	2	4	14,14,15	0.39	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	F	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	0/6/23/26	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	NAG	H	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	NAG	I	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
4	NAG	K	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
5	NAG	L	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	FUC	L	3	5	-	-	0/1/1/1
6	NAG	M	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	M	2	6	-	3/6/23/26	0/1/1/1
6	MAN	M	3	6	-	0/2/19/22	1/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	N	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	2/6/23/26	0/1/1/1
6	MAN	N	3	6	-	0/2/19/22	1/1/1/1
4	NAG	O	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	0/6/23/26	0/1/1/1
4	NAG	P	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	P	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Q	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	2/6/23/26	0/1/1/1
4	NAG	R	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	NAG	S	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	S	2	4	-	0/6/23/26	0/1/1/1
4	NAG	T	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	T	2	4	-	2/6/23/26	0/1/1/1
4	NAG	U	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	U	2	4	-	0/6/23/26	0/1/1/1
5	NAG	V	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	V	2	5	-	0/6/23/26	0/1/1/1
5	FUC	V	3	5	-	-	0/1/1/1
6	NAG	W	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	W	2	6	-	0/6/23/26	0/1/1/1
6	MAN	W	3	6	-	1/2/19/22	0/1/1/1
6	NAG	X	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	X	2	6	-	0/6/23/26	0/1/1/1
6	MAN	X	3	6	-	0/2/19/22	1/1/1/1
4	NAG	Y	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Z	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	Z	2	4	-	0/6/23/26	0/1/1/1
4	NAG	a	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	a	2	4	-	0/6/23/26	0/1/1/1
4	NAG	b	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
4	NAG	c	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	c	2	4	-	1/6/23/26	0/1/1/1
4	NAG	d	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	d	2	4	-	2/6/23/26	0/1/1/1
4	NAG	e	1	1,4	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	e	2	4	-	2/6/23/26	0/1/1/1
4	NAG	f	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	f	2	4	-	2/6/23/26	0/1/1/1
5	NAG	g	1	1,5	-	6/6/23/26	0/1/1/1
5	NAG	g	2	5	-	0/6/23/26	0/1/1/1
5	FUC	g	3	5	-	-	0/1/1/1
6	NAG	h	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	h	2	6	-	1/6/23/26	0/1/1/1
6	MAN	h	3	6	-	0/2/19/22	0/1/1/1
4	NAG	i	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	i	2	4	-	0/6/23/26	0/1/1/1
4	NAG	j	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	j	2	4	-	0/6/23/26	0/1/1/1
4	NAG	k	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	k	2	4	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	3	FUC	O5-C5	2.88	1.49	1.43
4	Y	1	NAG	O5-C1	-2.78	1.39	1.43
5	g	3	FUC	O5-C1	2.76	1.48	1.43
5	g	3	FUC	O5-C5	2.72	1.49	1.43
5	V	3	FUC	O5-C5	2.70	1.49	1.43
5	V	3	FUC	O5-C1	2.36	1.47	1.43
5	L	3	FUC	O5-C1	2.30	1.47	1.43
4	j	1	NAG	O5-C1	-2.04	1.40	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	g	3	FUC	C1-C2-C3	2.95	113.30	109.67
5	V	3	FUC	C1-C2-C3	2.47	112.70	109.67
4	T	1	NAG	O5-C1-C2	-2.31	107.64	111.29
4	Q	1	NAG	O5-C1-C2	-2.18	107.84	111.29
5	g	3	FUC	C1-O5-C5	2.10	117.54	112.78
5	g	1	NAG	C2-N2-C7	2.09	125.88	122.90
4	J	1	NAG	O5-C1-C2	-2.06	108.04	111.29

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	I	1	NAG	C8-C7-N2-C2
4	I	1	NAG	O7-C7-N2-C2
4	K	1	NAG	O7-C7-N2-C2
4	U	1	NAG	O7-C7-N2-C2
4	d	1	NAG	C8-C7-N2-C2
4	d	1	NAG	O7-C7-N2-C2
4	d	2	NAG	C8-C7-N2-C2
4	d	2	NAG	O7-C7-N2-C2
4	f	1	NAG	O7-C7-N2-C2
5	g	1	NAG	C3-C2-N2-C7
6	M	1	NAG	C8-C7-N2-C2
6	M	1	NAG	O7-C7-N2-C2
6	N	1	NAG	C8-C7-N2-C2
6	N	1	NAG	O7-C7-N2-C2
4	K	1	NAG	C8-C7-N2-C2
4	U	1	NAG	C8-C7-N2-C2
4	f	1	NAG	C8-C7-N2-C2
4	Y	1	NAG	O5-C5-C6-O6
4	I	1	NAG	O5-C5-C6-O6
4	a	1	NAG	O5-C5-C6-O6
4	j	1	NAG	O5-C5-C6-O6
5	L	1	NAG	O5-C5-C6-O6
4	I	2	NAG	C8-C7-N2-C2
4	I	2	NAG	O7-C7-N2-C2
4	k	2	NAG	C8-C7-N2-C2
6	N	2	NAG	C8-C7-N2-C2
6	N	2	NAG	O7-C7-N2-C2
4	Y	1	NAG	C4-C5-C6-O6
5	g	1	NAG	O5-C5-C6-O6
5	V	1	NAG	O5-C5-C6-O6
4	I	1	NAG	C4-C5-C6-O6
4	j	1	NAG	C4-C5-C6-O6
4	k	2	NAG	O7-C7-N2-C2
5	V	1	NAG	C4-C5-C6-O6
5	g	1	NAG	C4-C5-C6-O6
4	R	2	NAG	C8-C7-N2-C2
4	R	2	NAG	O7-C7-N2-C2
4	a	1	NAG	C4-C5-C6-O6
5	L	1	NAG	C4-C5-C6-O6
4	d	1	NAG	O5-C5-C6-O6
6	M	2	NAG	C8-C7-N2-C2
4	f	2	NAG	C8-C7-N2-C2

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
6	M	2	NAG	O7-C7-N2-C2
5	g	1	NAG	C8-C7-N2-C2
4	R	1	NAG	C8-C7-N2-C2
4	Q	2	NAG	C8-C7-N2-C2
4	f	2	NAG	O7-C7-N2-C2
4	c	2	NAG	O5-C5-C6-O6
5	g	1	NAG	O7-C7-N2-C2
6	W	3	MAN	O5-C5-C6-O6
4	d	1	NAG	C4-C5-C6-O6
4	R	1	NAG	O7-C7-N2-C2
4	Q	2	NAG	O7-C7-N2-C2
4	J	2	NAG	C1-C2-N2-C7
4	T	2	NAG	C1-C2-N2-C7
4	e	2	NAG	C1-C2-N2-C7
4	k	1	NAG	C8-C7-N2-C2
5	g	1	NAG	C1-C2-N2-C7
4	S	1	NAG	C3-C2-N2-C7
4	k	1	NAG	O7-C7-N2-C2
4	R	1	NAG	C4-C5-C6-O6
6	M	2	NAG	O5-C5-C6-O6
6	h	2	NAG	O5-C5-C6-O6
4	K	1	NAG	C4-C5-C6-O6
4	J	2	NAG	C3-C2-N2-C7
4	T	2	NAG	C3-C2-N2-C7
4	e	2	NAG	C3-C2-N2-C7


All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	M	3	MAN	C1-C2-C3-C4-C5-O5
6	X	3	MAN	C1-C2-C3-C4-C5-O5
6	N	3	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























































































## 5.6 Ligand geometry (i)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	B	1406	1	14,14,15	0.40	0	17,19,21	0.36	0
7	NAG	A	1401	1	14,14,15	0.41	0	17,19,21	0.46	0
7	NAG	C	1406	1	14,14,15	0.41	0	17,19,21	0.38	0
7	NAG	B	1404	1	14,14,15	0.78	1 (7%)	17,19,21	0.67	1 (5%)
7	NAG	B	1405	1	14,14,15	0.39	0	17,19,21	0.37	0
7	NAG	C	1408	1	14,14,15	0.18	0	17,19,21	0.43	0
7	NAG	C	1405	1	14,14,15	0.38	0	17,19,21	0.33	0
7	NAG	B	1407	1	14,14,15	0.40	0	17,19,21	0.36	0
7	NAG	A	1407	1	14,14,15	0.39	0	17,19,21	0.32	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	C	1402	1	14,14,15	0.40	0	17,19,21	0.58	0
7	NAG	A	1402	1	14,14,15	0.41	0	17,19,21	0.57	0
7	NAG	A	1406	1	14,14,15	0.41	0	17,19,21	0.36	0
7	NAG	C	1401	1	14,14,15	0.42	0	17,19,21	0.45	0
7	NAG	B	1402	1	14,14,15	0.26	0	17,19,21	0.42	0
7	NAG	B	1401	1	14,14,15	0.40	0	17,19,21	0.35	0
7	NAG	C	1404	1	14,14,15	0.40	0	17,19,21	0.34	0
7	NAG	A	1404	1	14,14,15	0.25	0	17,19,21	0.37	0
7	NAG	B	1408	1	14,14,15	0.41	0	17,19,21	0.35	0
7	NAG	A	1408	1	14,14,15	0.29	0	17,19,21	0.37	0
7	NAG	B	1403	1	14,14,15	0.28	0	17,19,21	0.52	0
7	NAG	A	1405	1	14,14,15	0.40	0	17,19,21	0.32	0
7	NAG	A	1403	1	14,14,15	0.41	0	17,19,21	0.32	0
7	NAG	A	1409	1	14,14,15	0.39	0	17,19,21	0.35	0
7	NAG	C	1407	1	14,14,15	0.40	0	17,19,21	0.32	0
7	NAG	C	1403	1	14,14,15	0.40	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	B	1406	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1401	1	-	1/6/23/26	0/1/1/1
7	NAG	C	1406	1	-	0/6/23/26	0/1/1/1
7	NAG	B	1404	1	-	2/6/23/26	0/1/1/1
7	NAG	B	1405	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1408	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1405	1	-	4/6/23/26	0/1/1/1
7	NAG	B	1407	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1407	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1402	1	-	4/6/23/26	0/1/1/1
7	NAG	A	1402	1	-	4/6/23/26	0/1/1/1
7	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1401	1	-	0/6/23/26	0/1/1/1
7	NAG	B	1402	1	-	3/6/23/26	0/1/1/1
7	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1404	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1404	1	-	2/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	B	1408	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1408	1	-	0/6/23/26	0/1/1/1
7	NAG	B	1403	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1405	1	-	2/6/23/26	0/1/1/1
7	NAG	A	1403	1	-	0/6/23/26	0/1/1/1
7	NAG	A	1409	1	-	0/6/23/26	0/1/1/1
7	NAG	C	1407	1	-	2/6/23/26	0/1/1/1
7	NAG	C	1403	1	-	5/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1404	NAG	O5-C1	-2.80	1.39	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	1404	NAG	C2-N2-C7	2.10	125.89	122.90

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1402	NAG	C8-C7-N2-C2
7	A	1402	NAG	O7-C7-N2-C2
7	A	1405	NAG	C8-C7-N2-C2
7	A	1405	NAG	O7-C7-N2-C2
7	C	1402	NAG	C8-C7-N2-C2
7	C	1402	NAG	O7-C7-N2-C2
7	C	1403	NAG	C8-C7-N2-C2
7	C	1403	NAG	O7-C7-N2-C2
7	C	1405	NAG	C8-C7-N2-C2
7	C	1405	NAG	O7-C7-N2-C2
7	C	1407	NAG	C8-C7-N2-C2
7	C	1407	NAG	O7-C7-N2-C2
7	B	1402	NAG	O5-C5-C6-O6
7	A	1407	NAG	C8-C7-N2-C2
7	A	1407	NAG	O7-C7-N2-C2
7	B	1405	NAG	C8-C7-N2-C2
7	C	1408	NAG	O5-C5-C6-O6

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
7	A	1404	NAG	O5-C5-C6-O6
7	B	1402	NAG	C4-C5-C6-O6
7	C	1405	NAG	O5-C5-C6-O6
7	C	1408	NAG	C4-C5-C6-O6
7	A	1404	NAG	C4-C5-C6-O6
7	C	1405	NAG	C4-C5-C6-O6
7	A	1402	NAG	O5-C5-C6-O6
7	C	1402	NAG	O5-C5-C6-O6
7	B	1401	NAG	C8-C7-N2-C2
7	B	1405	NAG	O7-C7-N2-C2
7	B	1403	NAG	O5-C5-C6-O6
7	B	1401	NAG	O7-C7-N2-C2
7	B	1403	NAG	C4-C5-C6-O6
7	A	1402	NAG	C4-C5-C6-O6
7	C	1402	NAG	C4-C5-C6-O6
7	A	1406	NAG	C8-C7-N2-C2
7	B	1408	NAG	C8-C7-N2-C2
7	C	1403	NAG	C1-C2-N2-C7
7	C	1403	NAG	O5-C5-C6-O6
7	A	1401	NAG	O5-C5-C6-O6
7	B	1404	NAG	O5-C5-C6-O6
7	A	1406	NAG	O7-C7-N2-C2
7	B	1408	NAG	O7-C7-N2-C2
7	B	1402	NAG	C1-C2-N2-C7
7	B	1404	NAG	C1-C2-N2-C7
7	C	1403	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-40094. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [\(i\)](#)


### 6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


### 6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 229




Y Index: 243




Z Index: 218


### 6.3.2 Raw map



X Index: 231



Y Index: 246




Z Index: 261


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [\(i\)](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate (i)



The volume at the recommended contour level is  $838 \text{ nm}^3$ ; this corresponds to an approximate mass of 757 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of  $0.357 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of  $0.357 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.32	3.81	3.35

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.32 differs from the reported value 2.8 by more than 10 %

## 9 Map-model fit i


This section contains information regarding the fit between EMDB map EMD-40094 and PDB model 8GJM. Per-residue inclusion information can be found in section 3 on page 13.

### 9.1 Map-model overlay i




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 98% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9760	0.4060
A	0.9940	0.4230
B	0.9950	0.4520
C	0.9940	0.4310
D	0.7700	0.0360
E	0.6050	0.0370
F	1.0000	0.3120
G	1.0000	0.1830
H	1.0000	0.2930
I	1.0000	0.2830
J	1.0000	0.3370
K	1.0000	0.3920
L	0.9470	0.1670
M	1.0000	0.3020
N	1.0000	0.2550
O	1.0000	0.3200
P	1.0000	0.3300
Q	1.0000	0.3060
R	1.0000	0.3140
S	1.0000	0.3390
T	1.0000	0.3810
U	1.0000	0.3580
V	0.9470	0.2790
W	1.0000	0.3430
X	1.0000	0.2970
Y	1.0000	0.3170
Z	1.0000	0.2230
a	1.0000	0.3390
b	1.0000	0.2300
c	1.0000	0.3020
d	1.0000	0.3180
e	1.0000	0.3910
f	1.0000	0.2970
g	0.9740	0.0980
h	1.0000	0.3610



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
i	1.0000	0.2240
j	1.0000	0.2330
k	1.0000	0.3070