

Full wwPDB X-ray Structure Validation Report (i)

Aug 19, 2023 – 10:50 PM EDT

PDB ID	:	2GN0
Title	:	Crystal structure of dimeric biodegradative threenine deaminase (TdcB) from
		Salmonella typhimurium at 1.7 A resolution (Triclinic form with one complete
		subunit built in alternate conformation)
Authors	:	Simanshu, D.K.; Savithri, H.S.; Murthy, M.R.
Deposited on	:	2006-04-09
Resolution	:	1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			13%	
1	1-A	342	91%	• •
			20%	
1	1-B	342	87%	6% • 6%
			11%	
1	1-C	342	90%	6% •
			61%	
1	1-D	342	87%	6% • 6%
			13%	
1	2-A	342	91%	• •



Continued from previous page							
Mol	Chain	Length	Quality of chain				
			20%				
1	2-B	342	87%	6% • 6%			
			11%				
1	2-C	342	91%	5% •			
			61%				
1	2-D	342	70%	23% • 6%			



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 20933 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	1-A	327	Total 2482	C 1557	N 426	O 483	Р 1	S 15	0	327	0
1	2-A	327	Total 2482	C 1557	N 426	O 483	Р 1	S 15	0	327	0
1	1-B	320	Total 2387	C 1495	N 412	O 466	Р 1	S 13	0	320	0
1	2-B	320	Total 2387	C 1495	N 412	O 466	Р 1	S 13	0	320	0
1	1-C	328	Total 2478	C 1554	N 422	O 486	Р 1	S 15	0	328	0
1	2-C	328	Total 2478	C 1554	N 422	O 486	Р 1	S 15	0	328	0
1	1-D	320	Total 2367	C 1482	N 412	O 459	Р 1	S 13	0	320	0
1	2-D	320	Total 2378	C 1489	N 411	O 464	Р 1	S 13	0	320	0

• Molecule 1 is a protein called Threonine dehydratase catabolic.

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-12	MET	-	cloning artifact	UNP P11954
А	-11	ARG	-	cloning artifact	UNP P11954
А	-10	GLY	-	cloning artifact	UNP P11954
А	-9	SER	-	cloning artifact	UNP P11954
А	-8	HIS	-	expression tag	UNP P11954
А	-7	HIS	-	expression tag	UNP P11954
А	-6	HIS	-	expression tag	UNP P11954
А	-5	HIS	-	expression tag	UNP P11954
А	-4	HIS	-	expression tag	UNP P11954
А	-3	HIS	-	expression tag	UNP P11954
А	-2	GLY	-	cloning artifact	UNP P11954
А	-1	MET	-	cloning artifact	UNP P11954
A	0	ALA	-	cloning artifact	UNP P11954



Chain	Posiduo	Modelled	Actual	Commont	Deference
	Residue		Actual	Comment	LIND D11054
A		SER	-	cloning artifact	UNP P11954
A	58		LYS	modified residue	UNP P11954
B	-12	MET	-	cloning artifact	UNP P11954
B	-11	ARG	-	cloning artifact	UNP P11954
B	-10	GLY	-	cloning artifact	UNP P11954
B	-9	SER	-	cloning artifact	UNP P11954
B	-8	HIS	-	expression tag	UNP P11954
B	-7	HIS	-	expression tag	UNP P11954
B	-6	HIS	-	expression tag	UNP P11954
B	-5	HIS	-	expression tag	UNP P11954
B	-4	HIS	-	expression tag	UNP P11954
B	-3	HIS	-	expression tag	UNP P11954
B	-2	GLY	-	cloning artifact	UNP P11954
B	-1	MET	-	cloning artifact	UNP P11954
B	0	ALA	-	cloning artifact	UNP P11954
B	1	SER	-	cloning artifact	UNP P11954
B	58	LLP	LYS	modified residue	UNP P11954
С	-12	MET	-	cloning artifact	UNP P11954
С	-11	ARG	-	cloning artifact	UNP P11954
С	-10	GLY	-	cloning artifact	UNP P11954
С	-9	SER	-	cloning artifact	UNP P11954
С	-8	HIS	-	expression tag	UNP P11954
С	-7	HIS	-	expression tag	UNP P11954
С	-6	HIS	-	expression tag	UNP P11954
С	-5	HIS	-	expression tag	UNP P11954
С	-4	HIS	-	expression tag	UNP P11954
С	-3	HIS	-	expression tag	UNP P11954
С	-2	GLY	-	cloning artifact	UNP P11954
С	-1	MET	-	cloning artifact	UNP P11954
С	0	ALA	-	cloning artifact	UNP P11954
С	1	SER	-	cloning artifact	UNP P11954
С	58	LLP	LYS	modified residue	UNP P11954
D	-12	MET	-	cloning artifact	UNP P11954
D	-11	ARG	-	cloning artifact	UNP P11954
D	-10	GLY	-	cloning artifact	UNP P11954
D	-9	SER	-	cloning artifact	UNP P11954
D	-8	HIS	_	expression tag	UNP P11954
D	-7	HIS	_	expression tag	UNP P11954
D	-6	HIS	_	expression tag	UNP P11954
D	-5	HIS	-	expression tag	UNP P11954
D	-4	HIS	-	expression tag	UNP P11954
D	-3	HIS	-	expression tag	UNP P11954

Contin d fa



	0 1	1 0			
Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	cloning artifact	UNP P11954
D	-1	MET	-	cloning artifact	UNP P11954
D	0	ALA	-	cloning artifact	UNP P11954
D	1	SER	-	cloning artifact	UNP P11954
D	58	LLP	LYS	modified residue	UNP P11954

Continued from previous page...

• Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	1-A	1	Total Na 1 1	0	1
2	2-A	1	Total Na 1 1	0	1
2	1-C	1	Total Na 1 1	0	1
2	2-C	1	Total Na 1 1	0	1

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	1-A	258	Total O 258 258	0	258
3	2-A	1	Total O 1 1	0	1
3	1-B	217	Total O 217 217	0	217
3	2-B	257	Total O 257 257	0	257
3	1-C	232	Total O 232 232	0	232
3	2-C	217	Total O 217 217	0	217
3	1-D	73	Total O 73 73	0	73
3	2-D	235	Total O 235 235	0	235



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Threonine dehydratase catabolic

 \bullet Molecule 1: Threenine dehydratase catabolic







• Molecule 1: Threonine dehydratase catabolic





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	56.67Å 76.83Å 78.50Å	Depositor
a, b, c, α , β , γ	66.12° 89.16° 77.08°	Depositor
Bosolution (Å)	20.00 - 1.70	Depositor
Resolution (A)	27.52 - 1.70	EDS
% Data completeness	92.9 (20.00-1.70)	Depositor
(in resolution range)	92.9(27.52-1.70)	EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.00 (at 1.70 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0009	Depositor
B B.	0.188 , 0.222	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.225 , 0.253	DCC
R_{free} test set	6001 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	23.8	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.33 , 51.5	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20933	wwPDB-VP
Average B, all atoms $(Å^2)$	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 79.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.9582e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
1VIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	1-A	0.40	0/2509	0.59	1/3390~(0.0%)	
1	1-B	0.39	0/2394	0.54	0/3237	
1	1-C	0.40	0/2499	0.56	0/3380	
1	1-D	0.37	0/2371	0.54	0/3206	
All	All	0.39	0/9773	0.56	1/13213~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	1-A	53[A]	ARG	NE-CZ-NH1	8.31	124.46	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	2482	0	2524	11	0
1	1-B	2387	0	2414	17	0
1	1-C	2478	0	2512	14	0
1	1-D	2367	0	2382	19	0
1	2-A	2482	0	2524	11	0
1	2-B	2387	0	2414	17	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2-C	2478	0	2512	12	0
1	2-D	2378	0	2394	62	0
2	1-A	1	0	0	0	0
2	1-C	1	0	0	0	0
2	2-A	1	0	0	0	0
2	2-C	1	0	0	0	0
3	1-A	258	0	0	1	0
3	1-B	217	0	0	3	0
3	1-C	232	0	0	5	0
3	1-D	73	0	0	2	0
3	2-A	1	0	0	0	0
3	2-B	257	0	0	1	0
3	2-C	217	0	0	3	0
3	2-D	235	0	0	5	0
All	All	20933	0	19676	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:178[A]:ASN:HD22	1:D:306[A]:THR:HG22	1.38	0.86
1:D:59[A]:ILE:HG22	1:D:89[A]:GLY:HA2	1.63	0.80
1:B:227[A]:THR:HG23	3:C:1024[A]:HOH:O	1.82	0.80
1:B:227[C]:THR:HG23	3:D:1029[C]:HOH:O	1.82	0.80
1:D:120[D]:TYR:O	1:D:121[D]:SER:CB	2.32	0.78
1:D:131[A]:PHE:O	1:D:134[A]:THR:HG22	1.85	0.77
1:D:214[D]:HIS:H	1:D:228[D]:HIS:HD2	1.36	0.72
1:D:301[A]:ILE:HG22	1:D:306[A]:THR:HG21	1.73	0.70
1:D:178[A]:ASN:HD22	1:D:306[A]:THR:CG2	2.06	0.68
1:D:78[D]:VAL:HG13	1:D:150[D]:ILE:HG12	1.76	0.68
1:C:274[A]:ILE:HD13	1:C:320[A]:VAL:HG13	1.76	0.67
1:C:274[C]:ILE:HD13	1:C:320[C]:VAL:HG13	1.76	0.67
1:B:281[A]:THR:HG22	3:B:405[A]:HOH:O	1.94	0.67
1:B:281[C]:THR:HG22	3:C:405[C]:HOH:O	1.94	0.67
1:D:120[D]:TYR:O	1:D:121[D]:SER:OG	2.12	0.67
1:D:106[D]:PRO:HA	1:D:127[D]:HIS:O	1.94	0.67
1:D:281[A]:THR:HG22	3:D:369[A]:HOH:O	1.95	0.67
1:D:44[A]:ILE:HD13	1:D:306[A]:THR:OG1	1.95	0.66
1:D:176[A]:VAL:HG13	1:D:203[A]:ILE:HD12	1.75	0.66



A + a == 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:214[D]:HIS:H	1:D:228[D]:HIS:CD2	2.13	0.65
1:C:230[A]:THR:HG21	3:C:852[A]:HOH:O	1.96	0.65
1:C:230[C]:THR:HG21	3:D:853[C]:HOH:O	1.96	0.65
1:D:131[D]:PHE:CE2	1:D:135[D]:ILE:HD11	2.31	0.65
1:D:85[D]:ASN:ND2	1:D:314[D]:ASN:HD22	1.94	0.64
1:D:217[D]:ALA:O	1:D:221[D]:TYR:CD2	2.51	0.63
1:A:170[A]:MET:SD	1:A:199[A]:ILE:HB	2.40	0.62
1:A:170[C]:MET:SD	1:A:199[C]:ILE:HB	2.40	0.62
1:D:82[D]:SER:O	1:D:105[D]:MET:HG2	1.99	0.62
1:D:118[D]:CYS:SG	1:D:124[D]:VAL:CG2	2.89	0.60
1:D:179[A]:VAL:HG23	1:D:203[A]:ILE:HD11	1.84	0.59
1:D:33[D]:SER:N	1:D:44[D]:ILE:O	2.26	0.59
1:D:130[D]:ASN:OD1	1:D:132[D]:ASN:HB2	2.03	0.59
1:D:118[D]:CYS:SG	1:D:124[D]:VAL:HG21	2.43	0.58
1:D:20[D]:ARG:HH11	1:D:64[D]:ASN:HD21	1.49	0.58
1:D:210[D]:ALA:O	1:D:214[D]:HIS:HD2	1.87	0.58
1:D:78[D]:VAL:CG1	1:D:150[D]:ILE:HG12	2.34	0.58
1:D:120[D]:TYR:O	1:D:121[D]:SER:HB3	2.04	0.57
1:C:25[A]:ILE:HD13	1:C:60[A]:ARG:HG2	1.86	0.57
1:C:25[C]:ILE:HD13	1:C:60[C]:ARG:HG2	1.86	0.57
1:A:53[A]:ARG:HG2	1:A:53[A]:ARG:HH11	1.68	0.57
1:A:53[C]:ARG:HH11	1:A:53[C]:ARG:HG2	1.68	0.57
1:D:33[D]:SER:HB2	1:D:46[D]:LEU:HG	1.87	0.57
1:D:40[D]:CYS:HB3	1:D:301[D]:ILE:HD12	1.87	0.56
1:D:30[D]:MET:HA	1:D:46[D]:LEU:O	2.05	0.56
1:A:324[A]:THR:CB	1:B:317[A]:LEU:HD12	2.36	0.55
1:A:324[C]:THR:CB	1:B:317[C]:LEU:HD12	2.36	0.55
1:D:48[D]:PHE:HB3	1:D:51[D]:MET:HG3	1.87	0.55
1:C:274[A]:ILE:HD12	1:C:324[A]:THR:HG21	1.87	0.55
1:C:274[C]:ILE:HD12	1:C:324[C]:THR:HG21	1.87	0.55
1:A:320[A]:VAL:HG12	1:B:317[A]:LEU:HD13	1.88	0.55
1:A:320[C]:VAL:HG12	1:B:317[C]:LEU:HD13	1.88	0.55
1:D:109[D]:ALA:HB1	1:D:110[D]:PRO:HD2	1.90	0.54
1:D:58[D]:LLP:NZ	1:D:58[D]:LLP:O3	2.41	0.53
1:D:92[D]:LEU:O	1:D:96[D]:MET:HG3	2.08	0.53
1:D:178[A]:ASN:HB2	1:D:306[A]:THR:HG22	1.91	0.52
1:B:274[A]:ILE:HD13	1:B:320[A]:VAL:HG11	1.91	0.52
1:B:274[C]:ILE:HD13	1:B:320[C]:VAL:HG11	1.91	0.52
1:A:227[A]:THR:HG22	3:A:869[A]:HOH:O	2.09	0.52
1:A:227[C]:THR:HG22	3:B:869[C]:HOH:O	2.09	0.52
1:D:214[D]:HIS:CE1	1:D:228[D]:HIS:CE1	2.97	0.52



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:53[D]:ARG:O	1:D:54[D]:THR:OG1	2.19	0.51
1:D:262[D]:SER:OG	1:D:265[D]:GLU:HG3	2.10	0.51
1:B:131[A]:PHE:CE2	1:B:135[A]:ILE:HD11	2.46	0.51
1:B:131[C]:PHE:CE2	1:B:135[C]:ILE:HD11	2.46	0.51
1:D:48[D]:PHE:CG	1:D:51[D]:MET:HE3	2.46	0.51
1:C:230[A]:THR:HG22	3:C:1019[A]:HOH:O	2.11	0.51
1:C:230[C]:THR:HG22	3:D:1023[C]:HOH:O	2.11	0.51
1:A:274[A]:ILE:HG23	1:B:280[A]:ILE:HD11	1.93	0.50
1:A:274[C]:ILE:HG23	1:B:280[C]:ILE:HD11	1.93	0.50
1:D:78[D]:VAL:CG1	1:D:79[D]:VAL:N	2.74	0.50
1:D:200[A]:ASN:O	1:D:203[A]:ILE:HG23	2.11	0.50
1:D:65[A]:LYS:NZ	1:D:151[A]:PRO:HD3	2.27	0.49
1:D:110[D]:PRO:O	1:D:114[D]:VAL:HG23	2.11	0.49
1:D:234[D]:LEU:O	1:D:283[D]:GLY:HA3	2.13	0.49
1:D:87[D]:ALA:HB1	1:D:103[D]:VAL:HG11	1.94	0.48
1:D:120[A]:TYR:O	1:D:121[A]:SER:CB	2.61	0.48
1:C:253[A]:GLU:OE1	3:C:890[A]:HOH:O	2.20	0.47
1:C:253[C]:GLU:OE1	3:D:891[C]:HOH:O	2.20	0.47
1:D:213[D]:VAL:HA	1:D:228[D]:HIS:CD2	2.49	0.47
1:B:120[A]:TYR:O	1:B:121[A]:SER:CB	2.62	0.47
1:B:120[C]:TYR:O	1:B:121[C]:SER:CB	2.62	0.47
1:D:274[D]:ILE:HG23	1:D:275[D]:GLN:N	2.29	0.47
1:D:306[A]:THR:HG23	3:D:401[A]:HOH:O	2.13	0.47
1:A:30[A]:MET:HA	1:A:46[A]:LEU:O	2.15	0.47
1:A:214[A]:HIS:CE1	1:A:228[A]:HIS:CE1	3.02	0.47
1:A:30[C]:MET:HA	1:A:46[C]:LEU:O	2.15	0.47
1:A:214[C]:HIS:CE1	1:A:228[C]:HIS:CE1	3.02	0.47
1:C:110[A]:PRO:HD2	1:C:113[A]:LYS:HE3	1.96	0.47
1:C:110[C]:PRO:HD2	1:C:113[C]:LYS:HE3	1.96	0.47
1:D:260[D]:LEU:O	1:D:296[D]:LYS:NZ	2.43	0.47
1:D:178[A]:ASN:ND2	1:D:306[A]:THR:HG22	2.19	0.46
1:B:227[A]:THR:HG22	3:B:392[A]:HOH:O	2.14	0.46
1:B:227[C]:THR:HG22	3:C:392[C]:HOH:O	2.14	0.46
1:B:30[A]:MET:HA	1:B:46[A]:LEU:O	2.16	0.46
1:C:26[A]:TYR:CD1	1:D:34[A]:ASN:HB3	2.51	0.46
1:B:30[C]:MET:HA	1:B:46[C]:LEU:O	2.16	0.46
1:D:91[D]:SER:OG	1:D:120[D]:TYR:HB2	2.15	0.45
1:D:149[D]:PHE:O	1:D:151[D]:PRO:HD3	2.15	0.45
1:D:153[D]:TYR:CD2	1:D:185[D]:GLY:HA3	2.51	0.45
1:D:213[D]:VAL:HA	1:D:228[D]:HIS:HD2	1.82	0.45
1:A:53[A]:ARG:HH11	1:A:53[A]:ARG:CG	2.30	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:53[C]:ARG:HH11	1:A:53[C]:ARG:CG	2.30	0.45
1:D:11[D]:ILE:O	1:D:15[D]:LEU:HG	2.17	0.45
1:B:227[A]:THR:CG2	3:C:1024[A]:HOH:O	2.55	0.44
1:B:227[C]:THR:CG2	3:D:1029[C]:HOH:O	2.55	0.44
1:D:225[D]:ILE:HD11	1:D:245[D]:ASN:HA	1.99	0.44
1:D:214[D]:HIS:HB2	1:D:217[D]:ALA:HB3	1.99	0.44
1:D:25[A]:ILE:C	1:D:25[A]:ILE:HD12	2.37	0.44
1:D:33[D]:SER:O	1:D:37[D]:SER:CB	2.66	0.44
1:B:78[A]:VAL:HG13	1:B:150[A]:ILE:HG12	1.99	0.43
1:B:78[C]:VAL:HG13	1:B:150[C]:ILE:HG12	1.99	0.43
1:D:15[D]:LEU:O	1:D:19[D]:LYS:HG3	2.18	0.43
1:A:274[A]:ILE:HD13	1:A:320[A]:VAL:HG13	1.99	0.43
1:A:274[C]:ILE:HD13	1:A:320[C]:VAL:HG13	1.99	0.43
1:D:17[D]:ALA:O	1:D:21[D]:LEU:HD13	2.19	0.43
1:D:78[D]:VAL:HG12	1:D:79[D]:VAL:N	2.33	0.43
1:D:303[D]:ASN:O	1:D:304[D]:ARG:HG3	2.19	0.43
1:D:65[A]:LYS:HZ2	1:D:151[A]:PRO:CD	2.32	0.43
1:D:214[D]:HIS:N	1:D:228[D]:HIS:HD2	2.08	0.42
1:D:31[D]:PRO:HD2	1:D:46[D]:LEU:O	2.19	0.42
1:D:95[D]:ALA:HB2	1:D:120[D]:TYR:O	2.19	0.42
1:D:78[D]:VAL:CG1	1:D:150[D]:ILE:CG1	2.96	0.42
1:B:66[A]:LEU:CD2	1:B:78[A]:VAL:HG21	2.50	0.42
1:C:234[A]:LEU:O	1:C:283[A]:GLY:HA3	2.20	0.42
1:B:66[C]:LEU:CD2	1:B:78[C]:VAL:HG21	2.50	0.42
1:C:234[C]:LEU:O	1:C:283[C]:GLY:HA3	2.20	0.42
1:D:85[D]:ASN:HD21	1:D:314[D]:ASN:HB2	1.84	0.42
1:B:88[A]:GLN:NE2	3:B:383[A]:HOH:O	2.53	0.42
1:B:88[C]:GLN:NE2	3:C:383[C]:HOH:O	2.53	0.42
1:D:178[D]:ASN:HB2	1:D:306[D]:THR:HG23	2.02	0.42
1:C:21[A]:LEU:HB3	1:C:25[A]:ILE:HG12	2.01	0.41
1:C:21[C]:LEU:HB3	1:C:25[C]:ILE:HG12	2.01	0.41
1:D:34[D]:ASN:HB2	1:D:35[D]:TYR:H	1.36	0.41
1:D:223[D]:GLY:C	1:D:248[D]:TYR:OH	2.58	0.41
1:C:79[A]:VAL:HA	1:C:102[A]:LYS:O	2.21	0.41
1:C:79[C]:VAL:HA	1:C:102[C]:LYS:O	2.21	0.41
1:D:37[D]:SER:HA	1:D:42[D]:GLY:O	2.21	0.41
1:C:274[A]:ILE:CD1	1:C:324[A]:THR:HG21	2.51	0.41
$1:C:27\overline{4[C]:ILE:CD1}$	1:C:324[C]:THR:HG21	2.51	0.41
1:D:57[D]:PHE:CE2	1:D:188[D]:LEU:HD22	2.56	0.41
1:D:210[D]:ALA:O	1:D:214[D]:HIS:CD2	2.72	0.41
1:C:34[A]:ASN:HD21	1:D:28[A]:THR:HA	1.85	0.41



2GN0

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:81[D]:CYS:SG	1:D:138[D]:VAL:HG21	2.60	0.41
1:B:58[A]:LLP:O3	1:B:58[A]:LLP:NZ	2.53	0.41
1:B:71[A]:GLU:O	1:B:75[A]:ARG:HG2	2.21	0.41
1:B:58[C]:LLP:O3	1:B:58[C]:LLP:NZ	2.53	0.41
1:B:71[C]:GLU:O	1:B:75[C]:ARG:HG2	2.21	0.41
1:B:106[A]:PRO:HA	1:B:127[A]:HIS:O	2.22	0.40
1:C:110[A]:PRO:HG2	1:C:113[A]:LYS:HE2	2.03	0.40
1:B:106[C]:PRO:HA	1:B:127[C]:HIS:O	2.22	0.40
1:C:110[C]:PRO:HG2	1:C:113[C]:LYS:HE2	2.03	0.40
1:A:14[A]:ILE:CD1	1:A:160[A]:ALA:HA	2.51	0.40
1:A:14[C]:ILE:CD1	1:A:160[C]:ALA:HA	2.51	0.40
1:D:153[D]:TYR:CG	1:D:185[D]:GLY:HA3	2.57	0.40
1:D:134[D]:THR:O	1:D:138[D]:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1-A	331/342~(97%)	321 (97%)	9~(3%)	1 (0%)	41 24
1	1-B	318/342~(93%)	308~(97%)	9(3%)	1 (0%)	41 24
1	1-C	332/342~(97%)	323~(97%)	8 (2%)	1 (0%)	41 24
1	1-D	317/342~(93%)	309~(98%)	7(2%)	1 (0%)	41 24
1	2-A	331/342~(97%)	321 (97%)	9~(3%)	1 (0%)	41 24
1	2-B	318/342~(93%)	308~(97%)	9~(3%)	1 (0%)	41 24
1	2-C	332/342~(97%)	323~(97%)	8 (2%)	1 (0%)	41 24
1	2-D	317/342~(93%)	303 (96%)	12 (4%)	2 (1%)	25 11
All	All	2596/2736~(95%)	2516 (97%)	71 (3%)	9 (0%)	34 24



Mol	Chain	Res	Type
1	2-D	34[D]	ASN
1	1-B	121[A]	SER
1	1-C	121[A]	SER
1	1-D	121[A]	SER
1	2-B	121[C]	SER
1	2-C	121[C]	SER
1	2-D	121[D]	SER
1	1-A	121[A]	SER
1	2-A	121[C]	SER

All (9) Ramachandran outliers are listed below:

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{n} tiles
1	1-A	267/276~(97%)	262~(98%)	5(2%)	57	41
1	1-B	253/276~(92%)	250~(99%)	3~(1%)	71	59
1	1-C	266/276~(96%)	263~(99%)	3 (1%)	73	63
1	1-D	247/276~(90%)	243~(98%)	4 (2%)	62	48
All	All	1033/1104 (94%)	1018 (98%)	15 (2%)	67	51

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	53[A]	ARG
1	1-A	162[A]	GLN
1	1-A	227[A]	THR
1	1-A	227[B]	THR
1	1-A	277[A]	ASN
1	1-B	162[A]	GLN
1	1-B	277[A]	ASN
1	1-B	304[A]	ARG
1	1-C	140[A]	GLU
1	1-C	162[A]	GLN
1	1-C	277[A]	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	1-D	41[A]	LYS
1	1-D	162[A]	GLN
1	1-D	203[A]	ILE
1	1-D	277[A]	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	88[A]	GLN
1	1-A	214[A]	HIS
1	1-B	88[A]	GLN
1	1-B	127[A]	HIS
1	1-C	88[A]	GLN
1	1-C	277[A]	ASN
1	1-D	178[A]	ASN
1	1-D	228[A]	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain	Dec	Tinle	Bo	ond leng	$_{\rm ths}$	B	ond ang	les	
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	2-C	58[C]	-	23,24,25	1.64	3 (13%)	25,32,34	1.47	3 (12%)
1	LLP	1-A	58[A]	1	23,24,25	1.60	4 (17%)	25,32,34	1.48	4 (16%)
1	LLP	2-D	58[D]	-	23,24,25	1.75	4 (17%)	25,32,34	1.41	4 (16%)
1	LLP	2-A	58[C]	-	23,24,25	1.60	4 (17%)	25,32,34	1.48	4 (16%)
1	LLP	1-B	58[A]	1	23,24,25	1.79	5 (21%)	25,32,34	1.38	5 (20%)



Mol Type	Chain	Bos	Tink	Bond lengths			Bond angles			
WIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	1-D	58[A]	1	23,24,25	1.66	4 (17%)	$25,\!32,\!34$	1.60	3 (12%)
1	LLP	1-C	58[A]	1	23,24,25	1.64	3 (13%)	25,32,34	1.47	3 (12%)
1	LLP	2-B	58[C]	-	23,24,25	1.79	5 (21%)	25,32,34	1.38	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	2-C	58[C]	-	-	3/16/17/19	0/1/1/1
1	LLP	1-A	58[A]	1	-	3/16/17/19	0/1/1/1
1	LLP	2-D	58[D]	-	-	2/16/17/19	0/1/1/1
1	LLP	2-A	58[C]	-	-	3/16/17/19	0/1/1/1
1	LLP	1-B	58[A]	1	-	2/16/17/19	0/1/1/1
1	LLP	1-D	58[A]	1	-	2/16/17/19	0/1/1/1
1	LLP	1-C	58[A]	1	-	3/16/17/19	0/1/1/1
1	LLP	2-B	58[C]	-	-	2/16/17/19	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2-D	58[D]	LLP	O3-C3	-5.91	1.23	1.37
1	1-B	58[A]	LLP	O3-C3	-5.68	1.23	1.37
1	2-B	58[C]	LLP	O3-C3	-5.68	1.23	1.37
1	1-D	58[A]	LLP	O3-C3	-5.67	1.23	1.37
1	1-C	58[A]	LLP	O3-C3	-5.29	1.24	1.37
1	2-C	58[C]	LLP	O3-C3	-5.29	1.24	1.37
1	1-A	58[A]	LLP	O3-C3	-4.92	1.25	1.37
1	2-A	58[C]	LLP	O3-C3	-4.92	1.25	1.37
1	1-A	58[A]	LLP	C4-C4'	3.69	1.53	1.46
1	2-A	58[C]	LLP	C4-C4'	3.69	1.53	1.46
1	1-C	58[A]	LLP	C4-C4'	3.52	1.53	1.46
1	2-C	58[C]	LLP	C4-C4'	3.52	1.53	1.46
1	1-B	58[A]	LLP	C4-C4'	3.47	1.53	1.46
1	2-B	58[C]	LLP	C4-C4'	3.47	1.53	1.46
1	1-D	58[A]	LLP	C4-C4'	2.93	1.52	1.46
1	2-D	58[D]	LLP	C2-N1	2.65	1.38	1.33
1	2-D	58[D]	LLP	C4-C4'	2.63	1.51	1.46
1	1-B	58[A]	LLP	C4'-NZ	2.49	1.35	1.27



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	2-B	58[C]	LLP	C4'-NZ	2.49	1.35	1.27
1	1-B	58[A]	LLP	C2-N1	2.24	1.38	1.33
1	2-B	58[C]	LLP	C2-N1	2.24	1.38	1.33
1	1-D	58[A]	LLP	C2-N1	2.20	1.38	1.33
1	1-D	58[A]	LLP	C4'-NZ	2.17	1.34	1.27
1	1-C	58[A]	LLP	C4'-NZ	2.16	1.34	1.27
1	2-C	58[C]	LLP	C4'-NZ	2.16	1.34	1.27
1	1-B	58[A]	LLP	C6-N1	2.09	1.38	1.34
1	2-B	58[C]	LLP	C6-N1	2.09	1.38	1.34
1	1-A	58[A]	LLP	C4'-NZ	2.08	1.34	1.27
1	2-A	58[C]	LLP	C4'-NZ	2.08	1.34	1.27
1	2-D	58[D]	LLP	C6-N1	2.06	1.38	1.34
1	1-A	58[A]	LLP	C2-N1	2.02	1.37	1.33
1	2-A	58[C]	LLP	C2-N1	2.02	1.37	1.33

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	1-D	58[A]	LLP	OP4-C5'-C5	5.34	119.53	109.35
1	1-A	58[A]	LLP	OP4-C5'-C5	4.52	117.96	109.35
1	2-A	58[C]	LLP	OP4-C5'-C5	4.52	117.96	109.35
1	1-C	58[A]	LLP	OP4-C5'-C5	4.30	117.55	109.35
1	2-C	58[C]	LLP	OP4-C5'-C5	4.30	117.55	109.35
1	2-D	58[D]	LLP	OP4-C5'-C5	4.04	117.06	109.35
1	1-B	58[A]	LLP	OP4-C5'-C5	3.55	116.12	109.35
1	2-B	58[C]	LLP	OP4-C5'-C5	3.55	116.12	109.35
1	1-D	58[A]	LLP	C4-C4'-NZ	-2.87	111.11	124.31
1	1-A	58[A]	LLP	C4-C4'-NZ	-2.85	111.23	124.31
1	2-A	58[C]	LLP	C4-C4'-NZ	-2.85	111.23	124.31
1	1-C	58[A]	LLP	C4-C4'-NZ	-2.78	111.56	124.31
1	2-C	58[C]	LLP	C4-C4'-NZ	-2.78	111.56	124.31
1	2-D	58[D]	LLP	C4-C4'-NZ	-2.73	111.77	124.31
1	1-D	58[A]	LLP	C5-C6-N1	-2.62	119.46	123.82
1	1-B	58[A]	LLP	C5-C6-N1	-2.55	119.58	123.82
1	2-B	58[C]	LLP	C5-C6-N1	-2.55	119.58	123.82
1	2-D	58[D]	LLP	CE-NZ-C4'	-2.52	111.16	118.90
1	1-B	58[A]	LLP	C4-C4'-NZ	-2.50	112.83	124.31
1	2-B	58[C]	LLP	C4-C4'-NZ	-2.50	112.83	124.31
1	1-C	58[A]	LLP	C5-C6-N1	-2.33	119.94	123.82
1	2-C	58[C]	LLP	C5-C6-N1	-2.33	119.94	123.82
1	1-B	58[A]	LLP	C6-C5-C4	2.17	122.15	118.15
1	2-B	58[C]	LLP	C6-C5-C4	2.17	122.15	118.15



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	2-D	58[D]	LLP	C5-C6-N1	-2.14	120.26	123.82
1	1-A	58[A]	LLP	C5-C6-N1	-2.11	120.30	123.82
1	2-A	58[C]	LLP	C5-C6-N1	-2.11	120.30	123.82
1	1-B	58[A]	LLP	C3-C4-C5	-2.09	116.65	118.26
1	2-B	58[C]	LLP	C3-C4-C5	-2.09	116.65	118.26
1	1-A	58[A]	LLP	C5'-C5-C6	-2.01	116.06	119.37
1	2-A	58[C]	LLP	C5'-C5-C6	-2.01	116.06	119.37

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
1	1-B	58[A]	LLP	C-CA-CB-CG
1	2-B	58[C]	LLP	C-CA-CB-CG
1	2-D	58[D]	LLP	C4-C4'-NZ-CE
1	1-B	58[A]	LLP	C4-C4'-NZ-CE
1	2-B	58[C]	LLP	C4-C4'-NZ-CE
1	1-A	58[A]	LLP	C4-C4'-NZ-CE
1	2-A	58[C]	LLP	C4-C4'-NZ-CE
1	1-D	58[A]	LLP	C4-C4'-NZ-CE
1	1-C	58[A]	LLP	C4-C4'-NZ-CE
1	2-C	58[C]	LLP	C4-C4'-NZ-CE
1	1-D	58[A]	LLP	CD-CE-NZ-C4'
1	1-C	58[A]	LLP	C-CA-CB-CG
1	2-C	58[C]	LLP	C-CA-CB-CG
1	2-D	58[D]	LLP	CD-CE-NZ-C4'
1	1-A	58[A]	LLP	CD-CE-NZ-C4'
1	2-A	58[C]	LLP	CD-CE-NZ-C4'
1	1-A	58[A]	LLP	C-CA-CB-CG
1	2-A	58[C]	LLP	C-CA-CB-CG
1	1-C	58[A]	LLP	CD-CE-NZ-C4'
1	2-C	58[C]	LLP	CD-CE-NZ-C4'

All (20) torsion outliers are listed below:

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2-D	58[D]	LLP	1	0
1	1-B	58[A]	LLP	1	0
1	2-B	58[C]	LLP	1	0



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSR	#RSRZ>2		$OWAB(Å^2)$	Q<0.9
1	1-A	326/342~(95%)	0.90	44 (13%)	3	3	19, 23, 38, 42	326 (100%)
1	1-B	319/342~(93%)	1.19	68 (21%)	0	0	19, 23, 41, 47	319 (100%)
1	1-C	327/342~(95%)	0.95	38 (11%)	4	5	20, 24, 34, 38	327~(100%)
1	1-D	319/342~(93%)	4.48	207 (64%)	0	0	19, 23, 29, 31	319 (100%)
1	2-A	326/342~(95%)	0.90	44 (13%)	3	3	19, 23, 38, 42	326 (100%)
1	2-B	319/342~(93%)	1.19	68 (21%)	0	0	19, 23, 41, 47	319~(100%)
1	2-C	327/342~(95%)	0.95	38 (11%)	4	5	20, 24, 34, 38	327~(100%)
1	2-D	319/342~(93%)	4.48	207 (64%)	0	0	19, 23, 29, 31	319 (100%)
All	All	2582/2736~(94%)	1.87	714 (27%)	0	0	19, 23, 35, 47	2582 (100%)

All (714) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	1-D	142[A]	VAL	23.5
1	2-D	142[D]	VAL	23.5
1	1-D	193[A]	ALA	22.1
1	2-D	193[D]	ALA	22.1
1	1-D	57[A]	PHE	21.1
1	2-D	57[D]	PHE	21.1
1	1-D	202[A]	THR	19.2
1	2-D	202[D]	THR	19.2
1	1-D	89[A]	GLY	18.4
1	2-D	89[D]	GLY	18.4
1	1-D	189[A]	ILE	17.9
1	2-D	189[D]	ILE	17.9
1	1-D	135[A]	ILE	17.7
1	2-D	135[D]	ILE	17.7
1	1-D	169[A]	ILE	17.1
1	2-D	169[D]	ILE	17.1



Mol	Chain	Res	Type	RSRZ
1	1-D	188[A]	LEU	16.9
1	2-D	188[D]	LEU	16.9
1	1-D	192[A]	ILE	15.5
1	2-D	192[D]	ILE	15.5
1	1-D	180[A]	ILE	14.6
1	2-D	180[D]	ILE	14.6
1	1-D	120[A]	TYR	14.6
1	2-D	120[D]	TYR	14.6
1	1-D	70[A]	THR	14.4
1	2-D	70[D]	THR	14.4
1	1-D	15[A]	LEU	14.3
1	1-D	139[A]	SER	14.3
1	2-D	15[D]	LEU	14.3
1	2-D	139[D]	SER	14.3
1	1-D	21[A]	LEU	14.3
1	2-D	21[D]	LEU	14.3
1	1-D	143[A]	GLU	14.2
1	2-D	143[D]	GLU	14.2
1	1-D	150[A]	ILE	14.0
1	2-D	150[D]	ILE	14.0
1	1-D	166[A]	GLY	13.7
1	2-D	166[D]	GLY	13.7
1	1-D	151[A]	PRO	13.6
1	2-D	151[D]	PRO	13.6
1	1-D	148[A]	ILE	13.1
1	2-D	148[D]	ILE	13.1
1	1-D	81[A]	CYS	11.9
1	2-D	81[D]	CYS	11.9
1	1-D	22[A]	ALA	11.4
1	2-D	22[D]	ALA	11.4
1	1-D	92[A]	LEU	10.9
1	2-D	92[D]	LEU	10.9
1	1-D	206[A]	ILE	10.9
1	2-D	206[D]	ILE	10.9
1	1-D	61[A]	GLY	10.6
1	2-D	61[D]	GLY	10.6
1	1-D	165[A]	ILE	10.3
1	2-D	165[D]	ILE	10.3
1	1-D	160[A]	ALA	10.2
1	2-D	160[D]	ALA	10.2
1	1-D	153[A]	TYR	10.2
1	2-D	153[D]	TYR	10.2



Mol	Chain	Res	Type	RSRZ
1	1-D	90[A]	VAL	10.2
1	2-D	90[D]	VAL	10.2
1	1-D	186[A]	GLY	10.2
1	2-D	186[D]	GLY	10.2
1	1-D	125[A]	VAL	10.2
1	2-D	125[D]	VAL	10.2
1	1-D	310[A]	ILE	10.0
1	2-D	310[D]	ILE	10.0
1	1-D	182[A]	PRO	9.5
1	2-D	182[D]	PRO	9.5
1	1-D	200[A]	ASN	9.3
1	2-D	200[D]	ASN	9.3
1	1-D	63[A]	PHE	9.3
1	2-D	63[D]	PHE	9.3
1	1-D	141[A]	ILE	8.9
1	2-D	141[D]	ILE	8.9
1	1-D	36[A]	PHE	8.9
1	2-D	36[D]	PHE	8.9
1	1-D	103[A]	VAL	8.7
1	2-D	103[D]	VAL	8.7
1	1-D	172[A]	ASP	8.7
1	2-D	172[D]	ASP	8.7
1	1-D	93[A]	SER	8.6
1	2-D	93[D]	SER	8.6
1	1-D	309[A]	ILE	8.6
1	2-D	309[D]	ILE	8.6
1	1-D	14[A]	ILE	8.4
1	2-D	14[D]	ILE	8.4
1	1-D	138[A]	VAL	8.3
1	2-D	138[D]	VAL	8.3
1	1-D	173[A]	LEU	8.2
1	2-D	173[D]	LEU	8.2
1	1-D	159[A]	ILE	8.2
1	2-D	159[D]	ILE	8.2
1	1-D	48[A]	PHE	8.1
1	2-D	48[D]	PHE	8.1
1	1-D	59[A]	ILE	8.1
1	2-D	59[D]	ILE	8.1
1	1-B	135[A]	ILE	8.1
1	2-B	135[C]	ILE	8.1
1	1-D	204[A]	LYS	8.0
1	2-D	204[D]	LYS	8.0



Mol	Chain	Res	Type	RSRZ
1	1-D	181[A]	VAL	7.9
1	2-D	181[D]	VAL	7.9
1	1-D	97[A]	LEU	7.9
1	2-D	97[D]	LEU	7.9
1	1-D	46[A]	LEU	7.7
1	2-D	46[D]	LEU	7.7
1	1-B	120[A]	TYR	7.6
1	2-B	120[C]	TYR	7.6
1	1-D	107[A]	LYS	7.6
1	2-D	107[D]	LYS	7.6
1	1-D	86[A]	HIS	7.5
1	2-D	86[D]	HIS	7.5
1	1-B	109[A]	ALA	7.5
1	2-B	109[C]	ALA	7.5
1	1-D	290[A]	ALA	7.5
1	2-D	290[D]	ALA	7.5
1	1-D	149[A]	PHE	7.4
1	2-D	149[D]	PHE	7.4
1	1-D	179[A]	VAL	7.4
1	2-D	179[D]	VAL	7.4
1	1-D	183[A]	ILE	7.4
1	2-D	183[D]	ILE	7.4
1	1-D	6[A]	ASP	7.3
1	2-D	6[D]	ASP	7.3
1	1-D	254[A]	LEU	7.2
1	2-D	254[D]	LEU	7.2
1	1-D	129[A]	ASP	7.2
1	2-D	129[D]	ASP	7.2
1	1-D	115[A]	ALA	7.1
1	2-D	115[D]	ALA	7.1
1	1-D	56[A]	SER	7.0
1	2-D	56[D]	SER	7.0
1	1-D	29[A]	GLY	6.9
1	2-D	29[D]	GLY	6.9
1	1-D	71[A]	GLU	6.9
1	2-D	71[D]	$GL\overline{U}$	6.9
1	1-D	307[A]	VAL	6.8
1	2-D	307[D]	VAL	6.8
1	1-B	$110[\overline{A}]$	PRO	6.8
1	2-B	110[C]	PRO	6.8
1	1-D	146[A]	GLY	6.7
1	2-D	146[D]	GLY	6.7



Mol	Chain	Res	Type	RSRZ
1	1-D	118[A]	CYS	6.7
1	2-D	118[D]	CYS	6.7
1	1-D	7[A]	LEU	6.7
1	2-D	7[D]	LEU	6.7
1	1-D	252[A]	ARG	6.7
1	2-D	252[D]	ARG	6.7
1	1-D	79[A]	VAL	6.7
1	2-D	79[D]	VAL	6.7
1	1-D	114[A]	VAL	6.6
1	1-D	325[A]	GLY	6.6
1	2-D	114[D]	VAL	6.6
1	2-D	325[D]	GLY	6.6
1	1-D	308[A]	SER	6.6
1	2-D	308[D]	SER	6.6
1	1-D	78[A]	VAL	6.6
1	2-D	78[D]	VAL	6.6
1	1-D	256[A]	ASP	6.6
1	2-D	256[D]	ASP	6.6
1	1-A	325[A]	GLY	6.5
1	2-A	325[C]	GLY	6.5
1	1-D	11[A]	ILE	6.5
1	1-D	25[A]	ILE	6.5
1	2-D	11[D]	ILE	6.5
1	2-D	25[D]	ILE	6.5
1	1-B	108[A]	GLY	6.5
1	2-B	108[C]	GLY	6.5
1	1-D	195[A]	ALA	6.5
1	2-D	195[D]	ALA	6.5
1	1-D	196[A]	ILE	6.5
1	2-D	196[D]	ILE	6.5
1	1-C	5[A]	TYR	6.3
1	2-C	5[C]	TYR	6.3
1	1-D	110[A]	PRO	6.3
1	2-D	110[D]	PRO	6.3
1	1-D	162[A]	GLN	6.3
1	2-D	162[D]	GLN	6.3
1	1-C	120[A]	TYR	6.2
1	2-C	120[C]	TYR	6.2
1	1-D	34[A]	ASN	6.2
1	2-D	34[D]	ASN	6.2
1	1-D	156[A]	PRO	6.2
1	2-D	156[D]	PRO	6.2



Continuea from previous page							
Mol	Chain	Res	Type	RSRZ			
1	1-A	109[A]	ALA	6.0			
1	2-A	109[C]	ALA	6.0			
1	1-D	9[A]	VAL	6.0			
1	2-D	9[D]	VAL	6.0			
1	1-D	207[A]	GLY	5.9			
1	2-D	207[D]	GLY	5.9			
1	1-D	127[A]	HIS	5.9			
1	2-D	127[D]	HIS	5.9			
1	1-D	45[A]	PHE	5.9			
1	2-D	45[D]	PHE	5.9			
1	1-D	117[A]	THR	5.9			
1	2-D	117[D]	THR	5.9			
1	1-D	289[A]	CYS	5.8			
1	2-D	289[D]	CYS	5.8			
1	1-A	120[A]	TYR	5.8			
1	2-A	120[C]	TYR	5.8			
1	1-D	23[A]	GLY	5.8			
1	2-D	23[D]	GLY	5.8			
1	1-B	71[A]	GLU	5.8			
1	2-B	71[C]	GLU	5.8			
1	1-D	251[A]	VAL	5.7			
1	2-D	251[D]	VAL	5.7			
1	1-D	203[A]	ILE	5.7			
1	2-D	203[D]	ILE	5.7			
1	1-D	24[A]	LYS	5.6			
1	2-D	24[D]	LYS	5.6			
1	1-D	174[A]	TYR	5.6			
1	2-D	174[D]	TYR	5.6			
1	1-C	108[A]	GLY	5.6			
1	2-C	108[C]	GLY	5.6			
1	1-D	253[A]	GLU	5.5			
1	2-D	253[D]	GLU	5.5			
1	1-D	163[A]	GLY	5.4			
1	2-D	163[D]	GLY	5.4			
1	1-D	116[A]	ALA	5.4			
1	2-D	116[D]	ALA	5.4			
1	1-D	40[A]	CYS	5.3			
1	2-D	40[D]	CYS	5.3			
1	1-D	60[A]	ARG	5.3			
1	2-D	60[D]	ARG	5.3			
1	1-D	19[A]	LYS	5.3			
1	2-D	19[D]	LYS	5.3			



Mol	Chain	Res	Type	RSRZ
1	1-B	129[A]	ASP	5.3
1	2-B	129[C]	ASP	5.3
1	1-D	306[A]	THR	5.3
1	2-D	306[D]	THR	5.3
1	1-B	6[A]	ASP	5.3
1	2-B	6[C]	ASP	5.3
1	1-D	47[A]	LYS	5.2
1	2-D	47[D]	LYS	5.2
1	1-D	301[A]	ILE	5.2
1	2-D	301[D]	ILE	5.2
1	1-D	208[A]	VAL	5.1
1	1-D	311[A]	SER	5.1
1	2-D	208[D]	VAL	5.1
1	2-D	311[D]	SER	5.1
1	1-D	39[A]	ARG	5.0
1	2-D	39[D]	ARG	5.0
1	1-D	99[A]	ILE	4.9
1	2-D	99[D]	ILE	4.9
1	1-D	144[A]	THR	4.9
1	2-D	144[D]	THR	4.9
1	1-A	5[A]	TYR	4.9
1	2-A	5[C]	TYR	4.9
1	1-B	107[A]	LYS	4.9
1	2-B	107[C]	LYS	4.9
1	1-D	299[A]	SER	4.8
1	2-D	299[D]	SER	4.8
1	1-D	187[A]	GLY	4.8
1	2-D	187[D]	GLY	4.8
1	1-D	104[A]	VAL	4.8
1	2-D	104[D]	VAL	4.8
1	1-D	119[A]	ASP	4.8
1	2-D	119[D]	ASP	4.8
1	1-D	$44[\overline{A}]$	ILE	4.8
1	2-D	44[D]	ILE	4.8
1	1-D	32[A]	ARG	4.7
1	2-D	32[D]	ARG	4.7
1	1-A	181[A]	VAL	4.6
1	2-A	181[C]	VAL	4.6
1	1-D	$52[\overline{A}]$	GLN	4.6
1	2-D	52[D]	GLN	4.6
1	1-D	108[A]	GLY	4.6
1	2-D	108[D]	GLY	4.6



Mol	Chain	Res	Type	RSRZ
1	1-D	69[A]	LEU	4.5
1	2-D	69[D]	LEU	4.5
1	1-D	175[A]	ASP	4.5
1	2-D	175[D]	ASP	4.5
1	1-C	188[A]	LEU	4.5
1	2-C	188[C]	LEU	4.5
1	1-D	134[A]	THR	4.5
1	1-D	161[A]	GLY	4.5
1	2-D	134[D]	THR	4.5
1	2-D	161[D]	GLY	4.5
1	1-A	188[A]	LEU	4.5
1	2-A	188[C]	LEU	4.5
1	1-D	295[A]	GLY	4.4
1	2-D	295[D]	GLY	4.4
1	1-D	176[A]	VAL	4.4
1	2-D	176[D]	VAL	4.4
1	1-B	299[A]	SER	4.4
1	2-B	299[C]	SER	4.4
1	1-D	73[A]	GLU	4.4
1	2-D	73[D]	GLU	4.4
1	1-D	294[A]	SER	4.3
1	2-D	294[D]	SER	4.3
1	1-D	111[A]	LYS	4.3
1	2-D	111[D]	LYS	4.3
1	1-B	70[A]	THR	4.3
1	2-B	70[C]	THR	4.3
1	1-D	98[A]	GLY	4.3
1	2-D	98[D]	GLY	4.3
1	1-D	80[A]	ALA	4.2
1	2-D	80[D]	ALA	4.2
1	1-C	121[A]	SER	4.2
1	2-C	121[C]	SER	4.2
1	1-A	129[A]	ASP	4.2
1	2-A	129[C]	ASP	4.2
1	1-D	33[A]	SER	4.2
1	2-D	33[D]	SER	4.2
1	1-D	190[A]	ALA	4.1
1	2-D	190[D]	ALA	4.1
1	1-D	85[A]	ASN	4.1
1	2-D	85[D]	ASN	4.1
1	1-B	$174[\overline{A}]$	TYR	4.1
1	1-D	303[A]	ASN	4.1



Mol	Chain	Res	Type	RSRZ
1	2-B	174[C]	TYR	4.1
1	2-D	303[D]	ASN	4.1
1	1-D	35[A]	TYR	4.0
1	2-D	35[D]	TYR	4.0
1	1-C	129[A]	ASP	4.0
1	2-C	129[C]	ASP	4.0
1	1-B	309[A]	ILE	4.0
1	2-B	309[C]	ILE	4.0
1	1-B	75[A]	ARG	4.0
1	2-B	75[C]	ARG	4.0
1	1-C	4[A]	THR	4.0
1	2-C	4[C]	THR	4.0
1	1-D	312[A]	GLY	4.0
1	2-D	312[D]	GLY	4.0
1	1-D	257[A]	ASP	4.0
1	2-D	257[D]	ASP	4.0
1	1-C	57[A]	PHE	3.9
1	2-C	57[C]	PHE	3.9
1	1-D	50[A]	ASN	3.9
1	2-D	50[D]	ASN	3.9
1	1-D	51[A]	MET	3.9
1	2-D	51[D]	MET	3.9
1	1-A	110[A]	PRO	3.9
1	1-C	192[A]	ILE	3.9
1	2-A	110[C]	PRO	3.9
1	2-C	192[C]	ILE	3.9
1	1-D	293[A]	LEU	3.9
1	2-D	293[D]	LEU	3.9
1	1-D	102[A]	LYS	3.9
1	2-D	102[D]	LYS	3.9
1	1-C	310[A]	ILE	3.8
1	2-C	310[C]	ILE	3.8
1	1-D	10[A]	ALA	3.8
1	2-D	10[D]	ALA	3.8
1	1-D	18[A]	LYS	3.8
1	2-D	18[D]	LYS	3.8
1	1-D	62[A]	ALA	3.8
1	2-D	62[D]	ALA	3.8
1	1-B	112[A]	SER	3.8
1	1-C	180[A]	ILE	3.8
1	2-B	112[C]	SER	3.8
1	2-C	180[C]	ILE	3.8



Mol	Chain	Res	Type	RSRZ	
1	1-B	97[A]	LEU	3.8	
1	2-B	97[C]	LEU	3.8	
1	1-B	303[A]	ASN	3.7	
1	2-B	303[C]	ASN	3.7	
1	1-B	119[A]	ASP	3.7	
1	2-B	119[C]	ASP	3.7	
1	1-B	252[A]	ARG	3.7	
1	2-B	252[C]	ARG	3.7	
1	1-A	121[A]	SER	3.7	
1	1-D	112[A]	SER	3.7	
1	2-A	121[C]	SER	3.7	
1	2-D	112[D]	SER	3.7	
1	1-B	118[A]	CYS	3.7	
1	2-B	$118[\overline{\mathrm{C}}]$	CYS	3.7	
1	1-D	94[A]	CYS	3.6	
1	2-D	94[D]	CYS	3.6	
1	1-D	77[A]	77[A] GLY		
1	2-D	77[D]	GLY	3.6	
1	1-A	114[A]	VAL	3.6	
1	1-D	199[A]	ILE	3.6	
1	2-A	114[C]	VAL	3.6	
1	2-D	199[D]	ILE	3.6	
1	1-B	22[A]	ALA	3.6	
1	2-B	22[C]	ALA	3.6	
1	1-A	70[A]	THR	3.6	
1	1-B	117[A]	THR	3.6	
1	2-A	70[C]	THR	3.6	
1	2-B	117[C]	THR	3.6	
1	1-A	309[A]	ILE	3.6	
1	1-B	181[A]	VAL	3.6	
1	2-A	309[C]	ILE	3.6	
1	2-B	181[C]	VAL	3.6	
1	1-D	300[A]	HIS	3.5	
1	2-D	300[D]	HIS	3.5	
1	1-C	309[A]	ILE	3.5	
1	2-C	309[C]	ILE	3.5	
1	1-D	27[A]	LYS	3.5	
1	2-D	27[D]	LYS	3.5	
1	1-B	202[A]	THR	3.5	
1	1-D	109[A]	ALA	3.5	
1	1-D	286[A]	ALA	3.5	
1	2-B	202[C]	THR	3.5	



Mol	Chain	Res	Type	RSRZ
1	2-D	109[D]	ALA	3.5
1	2-D	286[D]	ALA	3.5
1	1-D	287[A]	LEU	3.5
1	2-D	287[D]	LEU	3.5
1	1-C	24[A]	LYS	3.5
1	2-C	24[C]	LYS	3.5
1	1-B	23[A]	GLY	3.5
1	2-B	23[C]	GLY	3.5
1	1-B	19[A]	LYS	3.4
1	2-B	19[C]	LYS	3.4
1	1-D	43[A]	GLU	3.4
1	2-D	43[D]	GLU	3.4
1	1-B	15[A]	LEU	3.4
1	2-B	15[C]	LEU	3.4
1	1-B	139[A]	SER	3.4
1	2-B	139[C]	SER	3.4
1	1-D	238[A]	CYS	3.4
1	2-D	238[D]	CYS	3.4
1	1-A	57[A]	PHE	3.4
1	2-A	57[C]	PHE	3.4
1	1-D	49[A]	GLU	3.3
1	2-D	49[D]	GLU	3.3
1	1-A	158[A]	VAL	3.3
1	2-A	158[C]	VAL	3.3
1	1-D	154[A]	ASP	3.3
1	2-D	154[D]	ASP	3.3
1	1-D	26[A]	TYR	3.3
1	2-D	26[D]	TYR	3.3
1	1-B	62[A]	ALA	3.3
1	2-B	62[C]	ALA	3.3
1	1-D	96[A]	MET	3.2
1	2-D	96[D]	MET	3.2
1	1-D	226[A]	THR	3.2
1	2-D	226[D]	THR	3.2
1	1-D	132[A]	ASN	3.2
1	2-D	132[D]	ASN	3.2
1	1-D	216[A]	MET	3.2
1	2-D	216[D]	MET	3.2
1	1-B	115[A]	ALA	3.2
1	2-B	115[C]	ALA	3.2
1	1-B	142[A]	VAL	3.2
1	2-B	142[C]	VAL	3.2



Mol	Chain	Res	Type	RSRZ	
1	1-A	0[A]	ALA	3.1	
1	1-B	132[A]	ASN	3.1	
1	2-A	0[C]	ALA	3.1	
1	2-B	132[C]	ASN	3.1	
1	1-A	180[A]	ILE	3.1	
1	1-B	310[A]	ILE	3.1	
1	2-A	180[C]	ILE	3.1	
1	2-B	310[C]	ILE	3.1	
1	1-D	128[A]	GLY	3.1	
1	2-D	128[D]	GLY	3.1	
1	1-C	134[A]	THR	3.1	
1	2-C	134[C]	THR	3.1	
1	1-D	130[A]	ASN	3.1	
1	2-D	130[D]	ASN	3.1	
1	1-D	38[A]	GLU	3.1	
1	2-D	38[D]	GLU	3.1	
1	1-B	307[A]	307[A] VAL		
1	2-B	307[C]	307[C] VAL		
1	1-A	192[A]	ILE	3.1	
1	2-A	192[C]	ILE	3.1	
1	1-B	77[A]	GLY	3.0	
1	2-B	77[C]	GLY	3.0	
1	1-D	53[A]	ARG	3.0	
1	2-D	53[D]	ARG	3.0	
1	1-C	181[A]	VAL	3.0	
1	2-C	181[C]	VAL	3.0	
1	1-A	165[A]	ILE	3.0	
1	1-A	221[A]	TYR	3.0	
1	2-A	165[C]	ILE	3.0	
1	2-A	221[C]	TYR	3.0	
1	1-C	324[A]	THR	3.0	
1	2-C	324[C]	THR	3.0	
1	1-D	17[A]	ALA	3.0	
1	2-D	17[D]	ALA	3.0	
1	1-D	248[A]	TYR	3.0	
1	2-D	248[D]	TYR	3.0	
1	1-B	158[A]	VAL	3.0	
1	1-D	126[A]	LEU	3.0	
1	2-B	158[C]	VAL	3.0	
1	2-D	126[D]	LEU	3.0	
1	1-D	55[A]	GLY	2.9	
1	2-D	55[D]	GLY	2.9	



Mol	Chain	Res	Type	RSRZ
1	1-C	189[A]	ILE	2.9
1	2-C	189[C]	ILE	2.9
1	1-D	101[A]	GLY	2.9
1	1-D	170[A]	MET	2.9
1	2-D	101[D]	GLY	2.9
1	2-D	170[D]	MET	2.9
1	1-C	26[A]	TYR	2.9
1	2-C	26[C]	TYR	2.9
1	1-D	75[A]	ARG	2.9
1	2-D	75[D]	ARG	2.9
1	1-B	288[A]	ALA	2.9
1	1-D	95[A]	ALA	2.9
1	2-B	288[C]	ALA	2.9
1	2-D	95[D]	ALA	2.9
1	1-A	135[A]	ILE	2.9
1	1-D	168[A]	GLU	2.9
1	2-A	135[C]	ILE	2.9
1	2-D	168[D]	GLU	2.9
1	1-D	66[A]	LEU	2.9
1	2-D	66[D]	LEU	2.9
1	1-D	12[A]	GLU	2.8
1	2-D	12[D]	GLU	2.8
1	1-B	116[A]	ALA	2.8
1	2-B	116[C]	ALA	2.8
1	1-D	205[A]	VAL	2.8
1	2-D	205[D]	VAL	2.8
1	1-C	165[A]	ILE	2.8
1	2-C	165[C]	ILE	2.8
1	1-D	124[A]	VAL	2.8
1	2-D	124[D]	VAL	2.8
1	1-D	324[A]	THR	2.8
1	2-D	324[D]	THR	2.8
1	1-A	115[A]	ALA	2.8
1	2-A	115[C]	ALA	2.8
1	1-D	220[A]	TYR	2.7
1	2-D	220[D]	TYR	2.7
1	1-D	30[A]	MET	2.7
1	2-D	30[D]	MET	2.7
1	1-C	141[A]	ILE	2.7
1	2-C	141[C]	ILE	2.7
1	1-A	132[A]	ASN	2.7
1	2-A	132[C]	ASN	2.7



Mol	Chain	Res	Type	RSRZ
1	1-D	217[A]	ALA	2.7
1	2-D	217[D]	ALA	2.7
1	1-A	1[A]	SER	2.7
1	2-A	1[C]	SER	2.7
1	1-B	304[A]	ARG	2.6
1	2-B	304[C]	ARG	2.6
1	1-B	188[A]	LEU	2.6
1	2-B	188[C]	LEU	2.6
1	1-C	1[A]	SER	2.6
1	2-C	1[C]	SER	2.6
1	1-B	143[A]	GLU	2.6
1	2-B	143[C]	GLU	2.6
1	1-A	189[A]	ILE	2.6
1	1-B	280[A]	ILE	2.6
1	2-A	189[C]	ILE	2.6
1	2-B	280[C]	ILE	2.6
1	1-B	69[A]	LEU	2.6
1	2-B	69[C]	LEU	2.6
1	1-C	140[A]	GLU	2.6
1	2-C	140[C]	GLU	2.6
1	1-A	208[A]	VAL	2.6
1	2-A	208[C]	VAL	2.6
1	1-C	6[A]	ASP	2.6
1	2-C	6[C]	ASP	2.6
1	1-C	130[A]	ASN	2.6
1	1-D	64[A]	ASN	2.6
1	2-C	130[C]	ASN	2.6
1	2-D	64[D]	ASN	2.6
1	1-D	271[A]	ILE	2.5
1	2-D	271[D]	ILE	2.5
1	1-D	158[A]	VAL	2.5
1	2-D	158[D]	VAL	2.5
1	1-A	75[A]	ARG	2.5
1	1-B	311[A]	SER	2.5
1	2-A	75[C]	ARG	2.5
1	2-B	311[C]	SER	2.5
1	1-A	324[A]	THR	2.5
1	1-C	144[A]	THR	2.5
1	2-A	324[C]	THR	2.5
1	2-C	144[C]	THR	2.5
1	1-B	38[A]	GLU	2.5
1	1-D	8[A]	PRO	2.5

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
1	2-B	38[C]	GLU	2.5
1	2-D	8[D]	PRO	2.5
1	1-A	190[A]	ALA	2.5
1	2-A	190[C]	ALA	2.5
1	1-D	88[A]	GLN	2.5
1	2-D	88[D]	GLN	2.5
1	1-B	9[A]	VAL	2.5
1	1-B	12[A]	GLU	2.5
1	2-B	9[C]	VAL	2.5
1	2-B	12[C]	GLU	2.5
1	1-D	297[A]	LEU	2.5
1	2-D	297[D]	LEU	2.5
1	1-D	184[A]	GLY	2.5
1	2-D	184[D]	GLY	2.5
1	1-C	182[A]	PRO	2.4
1	2-C	182[C]	PRO	2.4
1	1-D	54[A]	THR	2.4
1	2-D	54[D]	THR	2.4
1	1-B	7[A]	LEU	2.4
1	1-B	126[A]	LEU	2.4
1	2-B	7[C]	LEU	2.4
1	2-B	126[C]	LEU	2.4
1	1-B	122[A]	ALA	2.4
1	2-B	122[C]	ALA	2.4
1	1-D	106[A]	PRO	2.4
1	2-D	106[D]	PRO	2.4
1	1-B	192[A]	ILE	2.4
1	1-C	25[A]	ILE	2.4
1	1-D	122[A]	ALA	2.4
1	2-B	192[C]	ILE	2.4
1	2-C	$25[\overline{C}]$	ILE	2.4
1	2-D	122[D]	ALA	2.4
1	1-A	187[A]	GLY	2.4
1	1-D	$185[\overline{A}]$	GLY	2.4
1	2-A	187[C]	GLY	2.4
1	2-D	$185[\overline{\mathrm{D}}]$	GLY	2.4
1	1-C	122[A]	ALA	2.4
1	2-C	122[C]	ALA	2.4
1	1-B	$114[\overline{A}]$	VAL	2.4
1	2-B	114[C]	VAL	2.4
1	1-A	$4[\overline{A}]$	THR	2.4
1	1-A	310[A]	ILE	2.4



Mol	Chain	Res	Type	RSRZ
1	2-A	4[C]	THR	2.4
1	2-A	310[C]	ILE	2.4
1	1-B	127[A]	HIS	2.4
1	2-B	127[C]	HIS	2.4
1	1-A	182[A]	PRO	2.4
1	2-A	182[C]	PRO	2.4
1	1-D	121[A]	SER	2.4
1	2-D	121[D]	SER	2.4
1	1-C	115[A]	ALA	2.4
1	2-C	115[C]	ALA	2.4
1	1-A	179[A]	VAL	2.3
1	2-A	179[C]	VAL	2.3
1	1-A	191[A]	GLY	2.3
1	2-A	191[C]	GLY	2.3
1	1-D	240[A]	VAL	2.3
1	2-D	240[D]	VAL	2.3
1	1-B	183[A]	ILE	2.3
1	2-B	183[C]	ILE	2.3
1	1-C	48[A]	PHE	2.3
1	2-C	48[C]	PHE	2.3
1	1-D	221[A]	TYR	2.3
1	2-D	221[D]	TYR	2.3
1	1-D	276[A]	ARG	2.3
1	2-D	276[D]	ARG	2.3
1	1-B	146[A]	GLY	2.3
1	2-B	146[C]	GLY	2.3
1	1-B	273[A]	LEU	2.2
1	2-B	273[C]	LEU	2.2
1	1-C	34[A]	ASN	2.2
1	2-C	34[C]	ASN	2.2
1	1-B	106[A]	PRO	2.2
1	2-B	106[C]	PRO	2.2
1	1-D	243[A]	PRO	2.2
1	2-D	243[D]	PRO	2.2
1	1-A	87[A]	ALA	2.2
1	1-B	10[A]	ALA	2.2
1	2-A	87[C]	ALA	2.2
1	2-B	10[C]	ALA	2.2
1	1-A	205[A]	VAL	2.2
1	1-B	124[A]	VAL	2.2
1	2-A	205[C]	VAL	2.2
1	2-B	124[C]	VAL	2.2



Mol	Chain	Res	Type	RSRZ
1	1-C	276[A]	ARG	2.2
1	2-C	276[C]	ARG	2.2
1	1-B	131[A]	PHE	2.2
1	2-B	131[C]	PHE	2.2
1	1-A	159[A]	ILE	2.2
1	2-A	159[C]	ILE	2.2
1	1-D	223[A]	GLY	2.2
1	2-D	223[D]	GLY	2.2
1	1-B	302[A]	GLN	2.1
1	2-B	302[C]	GLN	2.1
1	1-D	105[A]	MET	2.1
1	2-D	105[D]	MET	2.1
1	1-D	16[A]	GLU	2.1
1	1-D	82[A]	SER	2.1
1	2-D	16[D]	GLU	2.1
1	2-D	82[D]	SER	2.1
1	1-D	197[A]	LYS	2.1
1	2-D	197[D]	LYS	2.1
1	1-A	48[A]	PHE	2.1
1	2-A	48[C]	48[C] PHE	
1	1-C	325[A]	325[A] GLY	
1	2-C	325[C]	GLY	2.1
1	1-A	289[A]	CYS	2.1
1	2-A	289[C]	CYS	2.1
1	1-B	39[A]	ARG	2.1
1	1-B	128[A]	GLY	2.1
1	2-B	39[C]	ARG	2.1
1	2-B	128[C]	GLY	2.1
1	1-D	67[A]	SER	2.1
1	1-D	219[A]	SER	2.1
1	2-D	67[D]	SER	2.1
1	2-D	219[D]	SER	2.1
1	1-B	238[A]	CYS	2.1
1	2-B	238[C]	CYS	2.1
1	1-D	250[A]	ILE	2.1
1	2-D	250[D]	ILE	2.1
1	1-B	113[A]	LYS	2.1
1	2-B	113[C]	LYS	2.1
1	1-C	136[A]	ALA	2.1
1	2-C	136[C]	ALA	2.1
1	1-B	237[A]	GLY	2.1
1	1-D	167[A]	LEU	2.1



Mol	Chain	Res	Type	RSRZ
1	2-B	237[C]	GLY	2.1
1	2-D	167[D]	LEU	2.1
1	1-A	118[A]	CYS	2.1
1	2-A	118[C]	CYS	2.1
1	1-B	253[A]	GLU	2.0
1	2-B	253[C]	GLU	2.0
1	1-A	307[A]	VAL	2.0
1	1-B	57[A]	PHE	2.0
1	1-C	158[A]	VAL	2.0
1	1-C	208[A]	VAL	2.0
1	2-A	307[C]	VAL	2.0
1	2-B	57[C]	PHE	2.0
1	2-C	158[C]	VAL	2.0
1	2-C	208[C]	VAL	2.0
1	1-A	311[A]	SER	2.0
1	2-A	311[C]	SER	2.0
1	1-C	196[A]	ILE	2.0
1	2-C	196[C]	ILE	2.0
1	1-C	221[A]	TYR	2.0
1	1-D	249[A]	GLU	2.0
1	2-C	221[C]	TYR	2.0
1	2-D	249[D]	GLU	2.0
1	1-A	131[A]	PHE	2.0
1	2-A	131[C]	PHE	2.0
1	1-A	6[A]	ASP	2.0
1	2-A	6[C]	ASP	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	LLP	1-D	58[A]	24/25	0.94	0.32	$21,\!23,\!26,\!27$	24
1	LLP	2-D	58[D]	24/25	0.94	0.32	19,21,21,21	24
1	LLP	1-B	58[A]	24/25	0.96	0.17	21,22,24,25	24
1	LLP	2-B	58[C]	24/25	0.96	0.17	21,22,24,25	24
1	LLP	1-A	58[A]	24/25	0.96	0.20	21,23,24,26	24
1	LLP	2-A	58[C]	24/25	0.96	0.20	21,23,24,26	24
1	LLP	1-C	58[A]	24/25	0.97	0.16	20,22,26,27	24



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
1	LLP	2-C	58[C]	24/25	0.97	0.16	$20,\!22,\!26,\!27$	24

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	NA	1-A	800[A]	1/1	0.99	0.07	18,18,18,18	1
2	NA	2-A	800[C]	1/1	0.99	0.07	18,18,18,18	1
2	NA	1-C	801[A]	1/1	0.99	0.05	17,17,17,17	1
2	NA	2-C	801[C]	1/1	0.99	0.05	17,17,17,17	1

6.5 Other polymers (i)

There are no such residues in this entry.

